

6D Elevation - South
1/16" = 1'-0"



6C Elevation - West
1/16" = 1'-0"



6B Elevation - East
1/16" = 1'-0"



6A Elevation - North
1/16" = 1'-0"

Wall Assemblies						
Wall Orientation	Type Mark	Type	Area	U-Factor	SHGC	VT
East	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	373 SF	0.055	0	0
East	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	1750 SF	0.04	0	0
East	E2.B	METAL WALL PANEL WITH INT. PLYWOOD - 8" GIRT	303 SF	0.055	0	0
East	E2.A	METAL WALL PANEL WITH INT. PLYWOOD - 10" GIRT	1116 SF	0.04	0	0
East	E2.10	Metal Wall Panel with plywood ext/int	8 SF	0.04	0	0
East	E3.B	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W IR TREATMENT	337 SF	0.26	0.3	0.26
East	E4.B	THERMAL BROKEN ALUMINUM STOREFRONT WITH CLEAR INSULATED GLAZING - EAST/WEST FACING	113 SF	0.28	0.22	0.41
North	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	310 SF	0	0	0
North	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	4567 SF	0.04	0	0
North	E2.B	METAL WALL PANEL WITH INT. PLYWOOD - 8" GIRT	742 SF	0.055	0	0
North	E2.A	METAL WALL PANEL WITH INT. PLYWOOD - 10" GIRT	3335 SF	0.04	0	0
North	E3.A	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	1641 SF	0.28	0.39	0.3
South	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	2566 SF	0.055	0	0
South	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	347 SF	0	0	0
South	E3.A	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W/O IR TREATMENT	4249 SF	0.28	0.39	0.3
South	E4.A	THERMAL BROKEN ALUMINUM STOREFRONT WITH CLEAR INSULATED GLAZING - SOUTH/NORTH FACING	1068 SF	0.38	0.34	0.62
West	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS	313 SF	0.055	0	0
West	E1.B	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - ATTACHED TO EXPOSED GALVANIZED CHANNELS AND GIRTS	448 SF	0	0	0
West	E1.A	5/16" THICK STONEWOOD RESIN PANELS - EXPOSED FASTENERS - NO INTERIOR PLYWOOD	616 SF	0.055	0	0
West	E2.C	METAL WALL PANEL W/ EXPOSED INT. INSULATION - 10" GIRT	1286 SF	0.04	0	0
West	E3.B	POLYCARBONATE PANEL - ARCOPLUS 547 - OPAL - W IR TREATMENT	753 SF	0.26	0.3	0.26
West	E4.B	THERMAL BROKEN ALUMINUM STOREFRONT WITH CLEAR INSULATED GLAZING - EAST/WEST FACING	579 SF	0.28	0.22	0.41

Owner
4860 Highwood Circle
Middleton, Wisconsin 53562
Todd Goldbeck
todd@xcel.net
608-279-6960

General Contractor
Krause Custom Builders
N3897 Duck Creek Rd
Helenville, WI 53137
Toby Krause
tobykrause@gmail.com
920-285-6490

Civil
Lake Country Engineering
970 S. Silver Lake Street, Suite 105
Oconomowoc, WI 53066
Rob Davy robd@lce.biz
(262) 569-933

Landscape
Ground Affects Landscaping, Inc.
W1526 Froelich Rd.
Sullivan, WI 53178
Tom Ball
tom@groundaffectslandscaping.com
262.593.8400

Architect
OpeningDesign
312 W. Lakeside St
Madison, WI 53715*
Ryan Schultz
ryan@openingdesign.com
773-425-6456

Structural
ntrive
1608 S. Ashland Ave., #82002
Chicago, IL 60608
Steven Uecke
s.uecke@ntrive.com
630-480-4120x101

Metal Building Manufacturer
Foremost Buildings, Inc.
895 N Parkway Street
Jefferson WI 53549
Jim Horn
JimH@foremostbuildings.com
920-674-5028

HVAC
Lake Country Heating and Cooling
N6333 Hwy F
Oconomowoc, WI 53066
Jim Shuda
jim@lakecountryhvac.com
414-573-1047

Electrical
Jefferson Current Electric
1473 S. Industrica Ave
Jefferson, WI 53549
Ross Davis
j.current.electric@att.net
920-674-6444

Plumbing
Pelikan Plumbing
144 Main St
Sullivan, WI 53178
Mike Pelikan
pelikanplumbing@yahoo.com
262-593-2290

No.	Description	Date
	SITE PLAN REVIEW	05.13.2015
1	PERMIT	08.18.2015
2	IFC - OVERALL BUILDING	10.26.2015
	RTU RELOCATION	11.02.2015
3	ADDENDUM 1	02.10.2016
4	EXTERIOR WALL @ SHOWERS	02.22.2016

Xcel Sports Complex

Elevations - Exterior

Date 2/22/2016 12:23:54 PM

A-201

Scale 1/16" = 1'-0"