Full Stack Development - 04-Feb-2023

Total	points



Upskill India Jan 2023 Program.

0 of 0 points

Enter your Naan Mudhalvan Id, if applicable. Otherwise, enter N/A *

aa

I swear on my country (motherland), I swear on my mother tongue, I swear on my family, * that I will take this test sincerely and honestly.



(Icon created by kosonicon - Flaticon)



I SWEAR.

Enter your registered email as per enrollment in Open Mentor portal or Naan Mudhalvan Portal

aa


Software full stack development questions.	7 of 20 points
✓ The CSS property used to specify the transparency of an element is? *	* 1/1
opacity	✓
visibility	
None	
filter	
✓	1/1
• #	✓
O ^	
None of the above	
In how many ways can CSS be written in?	1/1
3	✓
O 4	
O 1	
O 2	

×	Which property is used to set border colors in HTML? *	0/1
•	Border-width	X
0	border-pixel	
\bigcirc	border-color	
\bigcirc	border	
Corr	ect answer	
	border-color	
×	What are the properties of block-level elements? *	0/1
()	It always takes the full width available.	×
0	It has a top and bottom margin.	
0	All	
0	It always starts on a new line.	
Corr	ect answer	
	All	

×	* Can negative values be allowed in padding property?	0/1
•	yes	×
0	no	
\bigcirc	Depends on property	
\bigcirc	None	
Corr	ect answer	
	no	
×	If a background image is smaller than the screen on which it is being displayed, what will occur on the webpage?	*0/1
•	The image won't be displayed	×
0	The image will be repeated	
\bigcirc	The blank space will be shown in black.	
\bigcirc	The image will be stretched	
Corr	ect answer	
	The image will be repeated	

Which HTML tag is used to declare internal CSS?	1/1
<style></td><td>~</td></tr><tr><td><pre></pre></td><td></td></tr><tr><td><pre><script></pre></td><td></td></tr><tr><td>None of the above</td><td></td></tr><tr><th>Which of the following are valid ways to represent a colour in CSS? *</th><th>0/1</th></tr><tr><td>RGB values</td><td>X</td></tr><tr><td>A valid color name</td><td></td></tr><tr><td>All HEX values</td><td></td></tr><tr><td>Correct answer</td><td></td></tr><tr><td>All</td><td></td></tr><tr><td></td><td></td></tr></tbody></table></style>	

★ Which of the following are examples of block-level elements in HTML? *	0/1
<h1></h1>	×
<pre><div></div></pre>	
○	
○ All	
Correct answer	
All	
✓ What is the correct syntax for referring an external CSS? *	1/
<pre> <pre> link rel="stylesheet" type="text/css" href="style.css"></pre></pre>	✓
<pre><style href="style.css" rel="stylesheet" type="text/css"></pre></td><td></td></tr><tr><td>Both</td><td></td></tr><tr><td>None</td><td></td></tr><tr><td>None</td><td></td></tr><tr><td></td><td></td></tr></tbody></table></style></pre>	



×	In the below code snippet, in what order will the margins be added? p { margin: 25px 50px 75px 100px; }	* 0/1
•	Bottom,Top,Left,Right	×
0	Top, Right,Bottom,Left	
0	Right,Left.Bottom,Top	
0	Top,left,Right,Bottom	
Corr	ect answer	
•	Top, Right,Bottom,Left	
×	Which of the following tags is used to add a row to a table in HTML? *	0/1
×	Which of the following tags is used to add a row to a table in HTML? * None	0/1
×		
×	None	
× •	None >	
OOO	None <	
Corre	None <	

×	How is black color represented in terms of RGB values? *	0/1
•	RGB(100, 100, 100)	X
0	RGB(100, 0, 0)	
0	RGB(100, 100, 0)	
0	RGB(0, 0, 0)	
Corr	ect answer	
•	RGB(0, 0, 0)	
×	How many sizes of headers are available in HTML by default? *	0/1
•	1	×
0	3	
0	6	
0	5	
Corr	ect answer	
Corr		

×	Which of the following properties is used to change the font of text? *	0/1
•	font-size	×
0	font-family	
0	None	
0	text-align	
Corr	ect answer	
(font family	
	font-family	
	TOTIC-TAITING	
♥	We can make rounded borders around elements using which CSS element? *	1/
		1/
✓ ✓	We can make rounded borders around elements using which CSS element? *	1/
✓ ✓	We can make rounded borders around elements using which CSS element? * border-radius	1/
✓ ✓	We can make rounded borders around elements using which CSS element? * border-radius border-round	1/

×	What are the types of lists available in HTML? *	0/1
•	Bulleted, Numbered Lists.	×
\subset) None	
\subset	Named, Unnamed Lists.	
\subset	Ordered, Unordered Lists.	
Cor	rect answer	
•	Ordered, Unordered Lists.	

This form was created inside of resileo-labs.com.

Google Forms