

Default Font:
font-family: HelveticaNeue;
font-size: 14px;
color: #0D2C40;
line-height: 15px;

List Item Icon Success:
background: #00C081;

List Item Text Success:
font-family: HelveticaNeue;
font-size: 14px;
color: #16996E;

List Item Icon Failed:
background: #CD2C40;


List Item Text Failed:
font-family: HelveticaNeue;
font-size: 14px;
color: #CA3A4C;


List Item Icon Inactive:
background: #A7A9AC;

List Item Text Inactive:
font-family: HelveticaNeue;
font-size: 14px;
color: #5F5F5F;

List Item Text Active:
font-family: HelveticaNeue;
font-size: 14px;
color: #0187AB;

List Item Icon Active:
background: #00B2E2;





Index | SUSE® OpenStack Cloud

Kenneth

crowbar.vi5.cloud.suse.de

SUSE OpenStack Cloud : Upgrade 6-7

Download Backup of Administration Server

Check Administration Server Repositories

Upgrade Administration Server

Connect or Create OpenStack Database

Check Add-On & Node Repositories

Backup OpenStack Database

Upgrade Nodes & Reapply Barclamps

When ready, click on the button below to stop OpenStack services and create a backup of the OpenStack database.

It is imperative that during and after stopping OpenStack services no changes are made to your cloud.

Stop Services and Create Backup

Services Stopped

Backup Created

Next

Bottom Footer

30px

30px

30px

20px

10px

10px

10px

10px

14px