WEBCHECKOUT BASIC PAYMENT CERTIFICATION GUIDE

User Guide

Medellín, January 2026

Version 2.1

CONFIDENTIAL USE

Document Statement

This document was prepared by, for, and shall remain the property of Evertec® for confidential use.
By accepting or using these documents, the client agrees to return them upon Evertec®'s request and not to reproduce, copy, lend, or otherwise disclose or dispose of their contents, directly or indirectly, nor to use them for any purpose other than that for which they were specifically prepared.

Control de cambios

Versión	Fecha	Autor	Revisado	Cambios
1.0	01/06/2023	Daniel Loaiza / Analista de implementación	Ana Cristina Vera / Líder implementación	Document creation
1.1	01/08/2025	Juan Esteban Garatejo – Laura Natalia Forero/ Analistas de implementación	Ana Milena Arango / Líder implementación	Addition of information related to the ACH returns notification webhook.
2.0	01/10/2025	Luis Manuel Marin Aristizabal / Analista de implementación	Ana Milena Arango / Líder implementación	General documentation update.
2.1	07/01/2026	Luis Manuel Marin Aristizabal / Analista de implementación	Ana Milena Arango / Líder implementación	Structure improvement and refinement for better understanding.

TABLE OF CONTENTS

1. PAYMENT AND NOTIFICATION PROCESS 5
   - 1.1. Expiration Time 5
   - 1.2. Redirect Button ControL 6
   - 1.3. Transaction Retry 6
   - 1.4. Notification URL (Webhook) 6
   - 1.5. ACH Returns Webhook 7
   - 1.6. CRONJOB 8
   - 1.7. CreateRequest Field Validation 8
2. EXTRADATA SUBMISSION 10
   - 2.1. CUSTOMER ACCOUNT NUMBER 11
   - 2.1. MERCHANTUNIQUEID 11
   - 2.1. FILLER3 12
3. TERMS, CONDITIONS, AND PRIVACY POLICIES 12
4. LIGHTBOX HANDLING (If applicable) 13
   - 4.1. Content Security Policy (CSP) 13
   - 4.1. Mobile Integration. 13
5. TRANSACTION REVERSALS & TRANSACTION REFUNDS 13
   - 5.1. REVERSAL 13
   - 5.2. REFUND 14
6. RELEVANT INFORMATION 14
   - 6.1. 32-SECOND TIMEOUT 14
   - 6.1. PAYMENT RECEIPTS 14
   - 6.2. SUPPORTED BROWSERS 15
   - 6.3. TEST CARDS AND BANKS FOR TRANSACTION TESTING: 15
   - 6.4. ACH bank account 15
7. IMPLEMENTATION RECOMMENDATIONS 19

7.1. TRANSACTION History 19
7.2. SECURITY REQUIREMENTS 20
7.3. DOUBLE PAYMENT CONTROL MESSAGE 20
7.4. HANDLING RESPONSES FOR TRANSACTION STATUSES 21
7.5. USE OF TAXES 21
7.1. WEBCHECKOUT CUSTOMIZATION 22
8. CONSIDERATIONS 23

Note: The use of this document is permitted exclusively for client installation purposes.

Once the integration with Evertec Placetopay has been completed, it is necessary to perform tests from the end-user's perspective to verify that the payment process works correctly; therefore, the test links and data must be free of programming errors.

The different aspects to be considered during the merchant site certification process with the payment gateway are described below.

For WC certification, the following points are evaluated:

1. PAYMENT AND NOTIFICATION PROCESS

The system must allow the buyer to view the total amount to be paid before being redirected to the payment gateway. This amount must match the value sent to Evertec Placetopay.

The merchant defines the process to break down the product or service, including values and applicable taxes. This may be done through a form, shopping cart, virtual store, invoice selection, or similar mechanisms.

The system must be independent when updating the status of a transaction once the user returns from the WC interface. Therefore, every time the user returns, a call to the **QuerySession** method must be made in order to determine the payment status. Based on the above, when a payment summary is provided and the transaction is updated in the merchant's system, this must be performed centrally in the database, maintaining traceability in accordance with the status provided by Evertec Placetopay.

Note: Please note that the probe (Cronjob) and notification (Webhook) mechanisms should only be relied upon when the transaction is in a **PENDING** status. Otherwise, whenever there is a final **APPROVED** or **REJECTED** status, the system must update the transaction in accordance with what is specified in the previous paragraph.

1.1. EXPIRATION TIME

The expiration time for completing the payment process must be configured between **10 and 30 minutes**. This value is set in the "expiration" object when creating the session.

1.2. REDIRECT BUTTON CONTROL

For this item, it will be evaluated that when the user clicks multiple times on the button to proceed with the payment, only a single request is sent to the service. This is intended to prevent the creation of duplicate requests, which may lead to errors or confusion.

1.3. TRANSACTION RETRY

When retrying a transaction, it is verified whether the site operates based on the session status or the transaction status, in order to provide the user with accurate information about their payments and avoid confusion during the process.
When retrying a payment on a session and obtaining a different payment status, the merchant's site must display the status of the most recent payment. It is recommended to always rely on the session status information, as it is affected by transactions that generate a final status.





1.4. NOTIFICATION URL (WEBHOOK)

This process is intended to notify the system when transactions change from a pending status to a final status. The notification URL is configured by the merchant on ports 80 or 443 and must be designed to receive a POST request from Evertec Placetopay. Its structure is similar to the following:

```
{
  "status": {
    "status": "APPROVED",
    "reason": "00",
    "message": "Transacción aprobada",
    "date": "2025-12-01T12:00:00-05:00"
  },
  "requestId": 1234,
  "reference": "TEST_123424",
  "signature": "sha256:a1b2c3d4e5f6g7h8i9j0k1l2m3n4o5p6q7r8s"
}
```

It provides the same requestId that was supplied when the CreateSessionRequest was performed, the reference provided by the merchant, and the status of the request, which for this notification may be (APPROVED, REJECTED).



For more information about the structure that will be received in the notification, please refer to the following link: Notification - Placetopay Docs

1.5. ACH RETURNS WEBHOOK

This item applies when the merchant makes use of the ACH payment method. In this case, the merchant must have a Webhook that allows them to manage and parameterize refunds associated with this payment method. This will help make reconciliation

processes more agile within the system, since once a refund is generated, the merchant will be notified through this webhook.

The merchant must provide a public URL/URI where notifications sent by Placetopay can be received. This URL must be enabled to accept HTTP POST requests.

For more information about the structure that is generated and how the signature is validated, please refer to the following documentation. Webhooks - devoluciones ACH

1.6. CRONJOB

This process serves as a contingency mechanism for the notification and consists of a scheduled task (cronjob) that is responsible for consuming the QuerySession method (transaction query) for transactions that remain in a pending status within the database records.

Note: Please remember that this cronjob is a contingency method to be used in case the notification is not received through the notification URL. It must be configured on the merchant's server to run every 24 hours, verifying transactions in a pending status. During the certification process, it must be executed every 5 minutes to validate the process in an agile manner.

1.7. CREATEREQUEST FIELD VALIDATION

At a minimum, the merchant must send the following required fields in the session request:

- **Buyer information (buyer) – Optional:**
  - Buyer's first name
  - Buyer's last name
  - Buyer's email address
  - Buyer's mobile phone number
- **Payment information (payment):**
  - Reference
  - Description (optional)

- Currency
- Amount
- Tax (IVU) (optional)
- Refund base amount (optional)

- **Additional data:**
  - IP address
  - Expiration date
  - User agent
  - Return URL

Important: Please note that each field must contain consistent and accurate information. In addition, please refer to the official documentation in case of any changes: Documentación

- For buyer information (buyer – optional), if it is sent, it will be validated that each of the fields being sent to Evertec Placetopay is required at the time the user enters the information.
- If the buyer name belongs to a natural person, the first name and last name fields must not allow the entry of numbers or special characters; however, accents, spaces, and the letter "Ñ" must be allowed. Otherwise, in the case of companies, only the company name, legal name, or trade name must be sent, and in this case, numbers must be allowed.
- For numeric fields such as mobile phone or telephone, when the buyer information is sent, the entry of letters or special characters must not be allowed.
- For the email field, when the buyer information is sent, it must have a valid structure: [user]@[domain].[source type].[extension].
- The reference sent to Evertec Placetopay must be unique for each transaction or payment request.

- The reference must be alphanumeric and have a maximum length of 32 characters.
- The IP address must correspond to the end user's device.
- The user agent must be obtained using the appropriate property depending on the programming language.

During the payment process, the buyer is not always the same as the cardholder; therefore, this information must be considered when sending these details to Evertec Placetopay to ensure that the information provided in these fields is consistent and accurate. This should be handled as follows:

- If the merchant sends buyer information, only the buyer object must be sent, since this is the information known from the merchant's site. Evertec Placetopay will request the cardholder's information when the redirection takes place. In some cases, the buyer and the cardholder are the same person. In this scenario, the merchant must ask the customer at the time of payment whether the card being used belongs to them. If the answer is YES, the information must be sent in both the buyer and cardholder fields. If the answer is NO, only the buyer information must be sent, allowing Evertec Placetopay to request the cardholder information.

Note: Implementing the question regarding card ownership is considered a best practice and is optional. However, if the merchant decides not to implement it, they must ensure that buyer information is always sent and allow Evertec Placetopay to request the cardholder details.

2. EXTRADATA SUBMISSION

You can send additional information in the requests through the structure. If, during the payment process, it is necessary to add, for example, a second reference or other relevant data to the session, this can be done by using an array of objects called *fields*.

Example:

```
…
"fields": [
        {
```

```
            "keyword": "Numero_matrícula",
            "value": "25012023",
            "displayOn": "both"
        },
        {
            "keyword": "Póliza N",
            "value": "1234567",
            "displayOn": "both"
        }
    ],
```

2.1. CUSTOMER ACCOUNT NUMBER

If you need to send additional information specifically related to a customer account where services are associated, and which is identified within your system as a customer account number, you must send the structure as follows:

```
"fields": [
        {
            "keyword": "customerAccountNumber",
            "value": "8100312356677",
            "displayOn": "both" [Opcional]
        }
    ]
```

Note: The following keys are **NOT** allowed: _accountNumber, userAgent, fingerprint, sourcePlatform, tokenizationID, trazabilyCode, transactionCycle, RequestId, PartnerAuthCode.

2.1. MERCHANTUNIQUEID

If you need to send additional information specifically related to a customer account that has associated services and is identified in your system as a customer account number, you must send the structure as follows:

```
"fields": [
      {
         "keyword": " MerchantUniqueId",
         "value": "81003128",
         "displayOn": "both" [Opcional]
      }
   ]
```

2.1. FILLER3

If you wish to send additional information specifically related to a customer account that has associated services and is identified in your system as a customer account number, you must send the structure as follows:

```
"fields": [
      {
         "keyword": "Filler3",
         "value": "2754",
         "displayOn": "both" [Opcional]
      }
   ]
```

For more information about additional data, please refer to the following documentation: Campos Adicionales - Placetopay Docs

3. TERMS, CONDITIONS, AND PRIVACY POLICIES

There must be a portal or link—whether in the navigation menu, footer, or as a checkbox before initiating the payment process—that establishes the grounds available to the user for submitting any inquiry, complaint, or claim. Additionally, it must detail how the information of users who interact with the website will be handled; that is, how the information will be collected, how it will be stored, the purposes for which it will be used, and whether it will be shared.

4. LIGHTBOX HANDLING (If applicable)

The system must ensure proper transactional operation when redirection occurs through a lightbox. This is because, in browsers such as Safari or operating systems such as iOS, a standard redirection process is performed since this feature is not supported. Therefore, the system must always send the returnUrl attribute and control the status verification by consuming the QuerySession method to provide a payment summary when these types of scenarios occur during the user's payment process. Technical documentation: Lightbox - Placetopay Docs

4.1. CONTENT SECURITY POLICY (CSP)

If your application has a Content Security Policy (CSP) implemented, you must allow the domains used by WebCheckout in order to ensure the proper operation of the payment gateway. For information about the domains that must be authorized, please refer to the following documentation link: Politica de seguridad de contenido

4.1. MOBILE INTEGRATION.

If you have a mobile application, it is important to properly handle and log all events in order to correctly receive status updates when returning to the app. Additionally, remember to enable cookies to prevent errors.

For more information, please refer to the following link: Integración móvil

5. TRANSACTION REVERSALS & TRANSACTION REFUNDS

5.1. REVERSAL

The transaction reversal process must be defined. If the merchant intends to perform reversals through the API exposed by Evertec PlacetoPay, this must be confirmed with the assigned analyst so that the functionality can be validated and proper operation ensured.

On the other hand, if the administrative console will be used, this must be communicated via email within the thread corresponding to the assigned analyst.

Note: Reversals are only possible before the settlement time, which is 03:00 PM Puerto Rico time. If it is necessary to perform this process after the defined time, a refund must be processed instead.

5.2. REFUND

The transaction refund process must be defined. If the merchant intends to perform refunds through the API exposed by Evertec PlacetoPay, this must be confirmed with the assigned analyst so that the functionality can be validated and proper operation ensured.

On the other hand, if the administrative console will be used, this must be communicated via email within the thread corresponding to the assigned analyst.

Note: Depending on the dates established by the network—where the network closing time is 03:00 PM Puerto Rico time—refunds cannot be performed on certain transactions. For more information regarding this item, please contact the assigned analyst to clarify any questions.

6. RELEVANT INFORMATION

6.1. 32-SECOND TIMEOUT

For responses delivered through the webhook process, queuing may occur during the notification process. This may happen due to delays in the response from the processing network.
In this regard, the merchant's development team must configure a timeout with a maximum waiting time of 32 seconds to receive this notification.
If this time is exceeded, the merchant must mark the transaction as failed and provide a response to the customer such as "Transaction declined.".

6.1. PAYMENT RECEIPTS

In the event that the system sends its own payment receipts according to each transaction status and includes payment-related information, the displayed information must be validated against the transaction data to ensure that, based on the fields shown, the information is consistent with the payment.

If a proprietary payment receipt is not available, the receipt issued by Evertec PlacetoPay should be used as a reference.

6.2. SUPPORTED BROWSERS

In order to provide a secure and stable experience in modern versions of the most commonly used browsers, and to guarantee security and a better experience for our customers, support is not provided for older browser versions.

For more information, please refer to the following link: Navegadores soportados

6.3. TEST CARDS AND BANKS FOR TRANSACTION TESTING:

Due to PCI regulations, we are not allowed to include credit card numbers or related information in emails. However, through the following link you can access the cards required to perform the corresponding tests: Tarjetas de prueba

For testing across all card schemes:

- Verification code: 123
- Card expiration date: Select a valid future date
- AVS: 55555

6.4. ACH BANK ACCOUNT

To perform tests using a bank account (ACH), you must follow the steps below:

- Select the payment method indicated in the image below.



- The test user data must be completed.



- Select either individual or business depending on the test scenario, complete the test data, and select a bank from the list.





- The next tab displays the account verification status.



- The entered user data is displayed, along with a message indicating a brief authorization text addressed to the financial institution.



- Once the payment is made, the next screen will display the transaction status.



7. IMPLEMENTATION RECOMMENDATIONS

The following points are recommendations to be implemented by merchants, with the aim of optimizing the end-user experience.

7.1. TRANSACTION HISTORY

If authentication is required on the merchant's website to perform a payment process, it must be possible to view the status of at least the last five (5) transactions performed.

Each record must contain, at a minimum, the following information, ordered in descending order by date:

- Transaction date and time.
- Reference number (issued by the merchant)
- Authorization/CUS (optional)
- Transaction status.

- Amount (must be displayed together with the currency type according to ISO 4217).

FECHA Y HORA	REFERENCIA	ESTADO	AUTORIZACIÓN/CUS	VALOR
31/01/2022 6:50 p. m.	ORDEN_515	PENDIENTE	5555	USD $200
31/01/2022 1:00 p. m.	ORDEN_501	APROBADO	5439	USD $289
30/01/2022 10:59 a. m.	ORDEN_459	RECHAZADO	5276	USD $76
29/01/2022 3:05 p. m.	ORDEN_420	APROBADO PARCIAL	5002	USD $526

Note: If login is not used on the website and, due to business rules, it is not possible to implement a section where payments can be consulted, the reason must be communicated to the Evertec PlacetoPay analyst so it can be reviewed and an exception granted.

7.2. SECURITY REQUIREMENTS

The Evertec PlacetoPay connection configuration data, such as login and secretKey, must be stored as parameters, either in a database or in configuration files such as .env, XML, INI, JSON, etc. This is a security best practice and also simplifies the process when the key needs to be updated.

For websites that use JavaScript-based validations, it is necessary to avoid affecting the operation when access is made from a browser with JavaScript execution disabled. This can be handled by preventing the page from loading or by performing server-side validations.

It is recommended to implement AES-256 encrypted passwords for user authentication on the merchant's website.

7.3. DOUBLE PAYMENT CONTROL MESSAGE

If there is a session with a pending status, it is recommended to implement a double payment control message informing the user about the existence of pending transactions before attempting a new payment. For example:

"At this time, your order with reference *#Reference* and amount *#Amount* is in a PENDING status. If confirmation from your financial institution has not yet been received, please wait a few minutes and check again later to verify whether your payment was successfully confirmed. If you would like more information about the current status of your operation, you may contact our customer support lines at *000-00-*

00 or send an email to email@email.com and inquire about the status of the transaction: <#CUS/Authorization>***”

7.4. HANDLING RESPONSES FOR TRANSACTION STATUSES

Once the user completes the payment process—whether the result is Approved, Rejected, or Pending—and clicks the “Return to merchant” or “I do not wish to continue” button, the transaction details must be displayed. As a recommendation, the following information should be shown:

- Reference. (Mandatory)
- Final transaction status (Mandatory):
    - Approved
    - Rejected
    - Pending
    - Failed
- Date and Time.
- Total Amount.
- Currency used for the payment.

Important: When returning to the merchant, if the user clicks “I do not wish to continue” within the Webcheckout interface, a summary must be displayed as described in the previous step, regardless of whether the returnUrl or cancelUrl is used in the Webcheckout request.

Note: The date and time must be displayed in a user-friendly format and not in the ISO format returned by Evertec PlacetoPay.

7.5. USE OF TAXES

If, according to the country’s regulations and the business model, it is mandatory to send tax information to the banks, the merchant must itemize the State IVU, Municipal IVU,

and Reduced IVU for the products included in the transaction. The tax base, tax type, and tax amount must be sent.

This item will be validated both in the displayed payable amount and in the request sent to Evertec PlacetoPay.

To use this feature, each tax type must be sent as described in the documentation. Montos y monedas - Placetopay Docs

7.1. WEBCHECKOUT CUSTOMIZATION

The merchant must provide their logo in PNG format and two colors in hexadecimal format in order to customize the template. This helps build user trust when redirection occurs and ensures the merchant's presence throughout the transaction.

The templates must be customized in such a way that the end user does not feel a sudden change of website. Therefore, a design consistent with the merchant's website should be applied.





Note: If this information is not provided, the default setting configured in Evertec Placetopay will be used.

8. CONSIDERATIONS

For the certification process, the following information must be sent to the assigned Evertec PlacetoPay analyst:

- Test URL: The site enabled to perform the review and certification process.
- Username and password: Access credentials for login and payment simulation.
- All request examples can be found in the documentation: Documentación

evertec®

evertecinc.com