NATIONAL UNIVERSITY OF SINGAPORE

SCHOOL OF COMPUTING MIDTERM ASSESSMENT FOR Semester 2 AY2024/2025

IT5008 Database Design and Programming

March 2025

Time Allowed 60 minutes

INSTRUCTIONS TO CANDIDATES

- 1. This assessment paper contains **9** questions and comprises **6** printed pages, including this page. The last **2** pages is left blank for your working.
- 2. The total marks for this assessment is **50**.
- 3. This is a CLOSED-BOOK assessment. You are only allowed to refer to one double-sided A4-size paper.
- 4. Shade and write your student number in the answer sheet. Do NOT write your name.
- 5. Submit only the answer sheet at the end of the assessment.
- 6. Write all your answers in the answer sheet provided.
- 7. Your answer must fit into the given space (i.e., number of lines, box, etc).
- 8. Please read the additional instruction for multiple choice (MCQ) and multiple response (MRQ) questions. More specific instructions *may* be given at the beginning of each section, please read them carefully.
 - Any answer not in the space provided will not be graded.
 - For MCQ and MRQ, shade your answer in the corresponding bubble on the answer sheet.
 - For MCQ, select the most appropriate answer.
 - For MCQ, if multiple answers are equally appropriate, pick one and shade **ONLY** the chosen answer on the answer sheet. Do **NOT** shade more than one answer.
 - For MRQ, shade ALL correct answers. Partial marks may be given, but not guaranteed.
 - For MRQ, choose "None of the above" only if there is no other appropriate choice. If chosen, you should not choose any other choice.
- 9. All SQL query in this assessment are run on PostgreSQL 16.
- 10. We will use the monospace **NULL** to represent NULL-values. We will represent string with single-quote 'string'.

| Question | Points |
|----------|--------|
| 1 - 4 | 14 |
| 5 - 8 | 24 |
| 9 | 12 |
| TOTAL | 50 |

GOOD LUCK

In this paper, we will use the following schema.

```
CREATE TABLE employee (
 eid INT PRIMARY KEY,
 name VARCHAR(256) NOT NULL
);
CREATE TABLE room (
 name VARCHAR(32) PRIMARY KEY,
 num
      INT NOT NULL,
 floor INT NOT NULL,
 UNIQUE (num, floor),
 CHECK (num > 0),
 CHECK (floor > 0)
);
CREATE TABLE booked_room (
         VARCHAR(32) REFERENCES room(name),
 name
 date
 purpose VARCHAR(256) NOT NULL,
 PRIMARY KEY (name, date)
);
CREATE TABLE booking (
       INT NOT NULL REFERENCES employee(eid),
 name VARCHAR(32),
 date DATE,
 FOREIGN KEY (name, date) REFERENCES booked_room(name, date),
 PRIMARY KEY (name, date)
);
```

We further consider the following preliminary data.

employee Table

| eid | name |
|-----|----------|
| 101 | 'Amy' |
| 102 | 'Dieter' |
| 103 | 'Isidor' |

booked_room Table

| booked_1 com 1de1e | | | |
|--------------------|------------|----------|--|
| name | date | purpose | |
| 'Meeting Room 1' | 2025-03-11 | 'Meeting | |
| 'Meeting Room 2' | 2025-03-10 | 'Meeting | |
| 'Meeting Room 2' | 2025-03-09 | 'Meeting | |
| 'Meeting Room 3' | 2025-03-09 | 'Meeting | |

room Table

| name | num | floor |
|------------------|-----|-------|
| 'Meeting Room 1' | 1 | 1 |
| 'Meeting Room 2' | 1 | 2 |
| 'Meeting Room 3' | 2 | 1 |
| 'Meeting Room 4' | 2 | 3 |

booking Table

| eid | name | date |
|-----|------------------|------------|
| 101 | 'Meeting Room 2' | 2025-03-10 |
| 103 | 'Meeting Room 1' | 2025-03-11 |

You may tear this page as we will only collect the answer sheet.

Data Definition Language

(14 points)

1. (3 points) **(MCQ)** Which of the following **INSERT** statement will cause an error. Treat each insertion separately starting from the given preliminary data.

```
A. INSERT INTO room VALUES ('Meeting Room 5A', 2, 2);
B. INSERT INTO room VALUES ('Meeting Room 5B', 1, 3);
C. INSERT INTO room VALUES ('Meeting Room 5C', 3, -1);
D. INSERT INTO room VALUES ('Meeting Room 5D', 3, 1);
E. None of the above.
```

```
Notes: C. floor must be greater than 0.
```

2. (3 points) **(MCQ)** We focus on the table **room**. We want to reimplement the table **room** differently. Assume that by modifying **room**, we also modify the other tables referencing **room**.

Which of the following alternative capture exactly the same constraint as the schema above?

```
A. CREATE TABLE room (
                                      C. CREATE TABLE room (
    name VARCHAR(32) UNIQUE NOT NULL,
                                                VARCHAR(32) UNIQUE NOT NULL,
                                           name
          INT,
                                                 INT,
    num
                                           num
    floor INT,
                                           floor INT,
    PRIMARY KEY (num, floor),
                                           PRIMARY KEY (num, floor),
    CHECK (num > 0 AND floor > 0)
                                           CHECK (num > 0 OR floor > 0)
  );
                                         );
B. CREATE TABLE room (
                                      D. CREATE TABLE room (
    name VARCHAR(32) UNIQUE,
                                           name VARCHAR(32),
    num
          INT,
                                           num
                                                 INT,
    floor INT,
                                           floor INT,
    PRIMARY KEY (num, floor),
                                           PRIMARY KEY (name, num, floor),
    CHECK (num > 0),
                                           CHECK (num > 0),
    CHECK (floor > 0)
                                           CHECK (floor > 0)
  );
                                         );
```

E. None of the above.

Notes: A. UNIQUE and NOT NULL is equivalent to PRIMARY KEY. Additionally, two different CHECK must both be satisfied. Hence, it is equivalent to AND.

- 3. (4 points) **(MRQ)** Which of the following constraints are not enforced by the given schema? Select all the answers that apply. Choose "None of the above" only if no other answers apply. If you choose "None of the above", you should not choose other answers.
 - A. Rooms can be identified by the floor number (floor) and room number (num).
 - B. Rooms can be identified by the room name (name).
 - C. No two different employees can book the same room on the same day (date).
 - D. No two different rooms can be booked by the same employee on the same day (date).
 - E. None of the above.

Notes: D. The rest are enforced.

We can enumerate the choices and see how they are enforced.

- A. Enforced by having NOT NULL on room.num and room.floor as well as UNIQUE (num, floor).
- B. Enforced by having PRIMARY KEY on room.name.
- C. Enforced by having PRIMARY KEY on the pair (booking.name, booking.date). Consider a triple (eid1, name, date). We cannot have another triple (eid2, name, date).
- D. Not enforced. To be enforced, we need to prevent the following pair of triple from coexisting: (eid, name1, date) and (eid, name2, date).
- E. None of the above.
- 4. (4 points) (MRQ) Which of the following constraints are not enforced by the given schema? Select all the answers that apply. Choose "None of the above" only if no other answers apply. If you choose "None of the above", you should not choose other answers.
 - A. Employees are identified by their employee id (eid).
 - B. There can be a booked room (i.e., according to booked_room) but not by any employee.
 - C. It is possible that an employee does not book any room at all.
 - D. It is possible that a room is not booked at all.
 - E. None of the above.

Notes: E. All are enforced.

We can enumerate the choices and see how they are enforced.

- A. Enforced by having PRIMARY KEY on employee.eid.
- B. Enforced by allowing insert into booked_room but not inserting to booking.
- C. Enforced by allowing insert into employee but not inserting to booking.
- D. Enforced by allowing insert into room but not inserting to booking_room.
- E. None of the above.

SQL Query (24 points)

5. (4 points) **(MRQ)** Which of the following query **cannot be answered** given the schema above? Note that there are no other constraints except those specified by the schema. Select all answers that apply.

- A. Find the different employees (employee.eid) that have never booked any room (room.name).
- B. Find the different floors (room.floor) that have no room (room.name).
- C. Find the different room (room.name) that has never become a booked room (i.e., according to booked room).
- D. Find the different room (room.name) that has never been booked (i.e., according to booking).
- E. None of the above.

Notes: B. We do not know what other floors are there. Consider the data above, we do not know if there are floor 4 or not.

6. (4 points) **(MRQ)** Which of the following query is guaranteed to have no duplicate? Note that you should consider any possible valid instance satisfying the schema and not just the current data. Select all answers that apply.

```
A. SELECT b.date, r.num, r.floor
FROM room r, booked_room b
WHERE b.name = r.name;
```

- B. SELECT b.date, r.name
 FROM room r, booked_room b
 WHERE b.name = r.name;
- E. None of the above.

- C. SELECT e.eid, b.name, b.date
 FROM employee e, booking b
 WHERE b.eid = e.eid;
- D. SELECT e.name, b.name, b.date
 FROM employee e, booking b
 WHERE b.eid = e.eid;

Notes: A, B, and C.

For A and B, note that b.name = r.name, so the primary key of both room an dbooked_room are equal. If the primary key or candidate key appears in the SELECT clause, then the query has no duplicate values.

For C and D, we only have b.eid = e.eid. So the query has no duplicate only if the primary key or candidate key of BOTH employee and booking are in the SELECT clause. This is not satisfied by option D.

We can construct a counter example of two different employees having the same name e.name but different employee id e.eid.

7. (4 points) **(Fill in the Blank)** What is the result of the following query? Fill in the table in the answer sheet. You do not have to use all rows. The order of the rows does not matter.

Notes: Here, the inner subquery is *uncorrelated*. So, we can evaluate it on its own separately from the outer query. The inner subquery finds all the room name located on floor number 1. There are 2 of them: (i) 'Meeting Room 1' and (ii) 'Meeting Room 3'.

We then look at booked_room table to find the rows corresponding to this. However, when looking at the outer query, we will only consider the rows for which the room has been booked by an employee. Hence, we ignore 'Meeting Room 3' because it is a booked room but no employee is booking it.

Finally, we obtain the name of the meeting room, the date the room become a booked room, and the name of the employee booking the room. This gives us the following table.

| name | date | employee |
|------------------|------------|----------|
| 'Meeting Room 1' | 2025-03-11 | 'Isidor' |

8. (12 points) **(SQL)** Find the different room that is not booked (*i.e.*, according to booked_room) on 2025-03-09. Order the result in **descending order** of room name. Recap that you can write a date by enclosing it in single quote like a string (*e.g.*, '2025-03-09').

Using the data above, we will have the following result.

| name | num | floor |
|------------------|-----|-------|
| 'Meeting Room 1' | 1 | 1 |
| 'Meeting Room 4' | 2 | 3 |

(a) (6 points) Use algebraic query in your solution.

```
Notes:

-- Using FULL JOIN (here, left)

SELECT r.name, r.num, r.floor

FROM room r FULL JOIN booked_room b

ON r.name = b.name AND b.date = '2025-03-09'

WHERE b.name ISNULL

ORDER BY r.name DESC;

-- Using EXCEPT

SELECT * FROM room r

EXCEPT

SELECT r1.name, r1.num, r1.floor

FROM room r1, booked_room br

WHERE r1.name = br.name AND br.date = '2025-03-09'

ORDER BY r.name DESC;
```

(b) (6 points) Use nested query in your solution. Note that you cannot use algebraic query for this part.

```
Notes:

-- Using NOT IN

SELECT * FROM room r

WHERE r.name NOT IN (
    SELECT b.name FROM booked_room b
    WHERE b.date = '2025-03-09'
)

ORDER BY r.name DESC;
```

```
-- Using NOT EXISTS

SELECT * FROM room r


WHERE NOT EXISTS (
   SELECT b.name FROM booked_room b
   WHERE b.date = '2025-03-09' AND b.name = r.name -- correlation
)

ORDER BY r.name DESC;
```

Entity-Relationship Diagram

(12 points)

9. (12 points) **(ERD)** Given the schema, draw one possible entity-relationship diagram such that by using schema translation rule in the lecture (*i.e.*, 3 rules + 3 exceptions), we will get the schema.



END OF PAPER

This space is intentionally left blank.