

BSc, MSc and MSci EXAMINATIONS (MATHEMATICS)

May – June 2022

This paper is also taken for the relevant examination for the Associateship of the
Royal College of Science.

Optimisation Mock Exam

Date: Wednesday, 11th May 2021

Time: 09:00-11:00

Time Allowed: 2 Hours for MATH96 paper; 2.5 Hours for MATH97 papers

This paper has *4 Questions (MATH96 version); 5 Questions (MATH97 versions)*.

Statistical tables will not be provided.

- Credit will be given for all questions attempted.
- Each question carries equal weight.

1. (a) Given the function

$$f(x_1, x_2) = 2x_2^3 - 6x_2^2 + 3x_1^2x_2$$

(i) Determine its stationary points. (5 marks)

(ii) Classify the stationary points found in i). (5 marks)

(b) Consider the matrix $H \in \mathbb{R}^{3 \times 3}$ and vector $\mathbf{g} \in \mathbb{R}^3$ given by

$$H = \begin{bmatrix} 1 & 4 & 1 \\ 4 & 20 & 2 \\ 1 & 2 & 2 \end{bmatrix} \quad \text{and} \quad \mathbf{g} = \begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix},$$

which define the quadratic function $f(\mathbf{x}) = \mathbf{x}^\top H \mathbf{x} + \mathbf{g}^\top \mathbf{x}$. Does there exist a vector $\mathbf{u} \in \mathbb{R}^3$ such that $f(t\mathbf{u}) \xrightarrow{t \uparrow \infty} -\infty$? If yes, construct \mathbf{u} . (10 marks)

(Total: 20 marks)

2. (a) Are the following functions convex in \mathbb{R}^n ? Justify your answer

(i) $f(x_1, x_2, x_3) = e^{x_1 - x_2 + x_3} + e^{2x_2} + x_1$ (5 marks)

(ii) $h(\mathbf{x}) = (\|\mathbf{x}\|^2 + 1)^2$, \mathbf{x} in \mathbb{R}^n . (5 marks)

(b) Consider the problem

$$\begin{aligned} (P) \quad & \min f(\mathbf{x}) \\ & \text{s.t.} \quad g(\mathbf{x}) \leq 0 \\ & \mathbf{x} \in X \end{aligned}$$

where f, g are convex and $X \subseteq \mathbb{R}^n$ is convex. Suppose \mathbf{x}^* is an optimal solution of (P) that satisfies $g(\mathbf{x}^*) < 0$. Show that \mathbf{x}^* is also an optimal solution of the problem

$$\begin{aligned} & \min f(\mathbf{x}) \\ & \text{s.t.} \quad \mathbf{x} \in X \end{aligned}$$

(10 marks)

(Total: 20 marks)

3. Consider the maximization problem

$$\begin{aligned} \max \quad & x_1^2 + 2x_1x_2 + 2x_2^2 - 3x_1 + x_2 \\ \text{s.t.} \quad & x_1 + x_2 = 1 \\ & x_1, x_2 \geq 0 \end{aligned}$$

- (i) Is the problem convex?. (6 marks)
- (ii) Find all KKT points of the problem. (8 marks)
- (iii) Find the optimal solution of the problem. (6 marks)

(Total: 20 marks)

4. Consider the minimization

$$\begin{aligned} \min \quad & x_1 - 4x_2 + x_3^4 \\ \text{s.t.} \quad & x_1 + x_2 + x_3^2 \leq 2 \\ & x_1 \geq 0 \\ & x_2 \geq 0 \end{aligned}$$

- (i) Formulate the dual problem. (10 marks)
- (ii) Solve the dual problem. (10 marks)

(Total: 20 marks)

5. **Mastery question.** A community living around a lake wants to maximize the yield of fish taken out of the lake. The amount of fish at a certain time is denoted x . The growth rate of the fish is kx and fish is captured with a rate ux where u is the control variable, which is assumed to satisfy $0 \leq u \leq u_{\max}$. The dynamics of the fish population is then given by

$$\dot{x} = (k - u)x, \quad x(0) = x_o$$

Here $k > 0$ and $x_o > 0$. The total amount of fish obtained during a time period T is

$$J = \int_0^T u x dt$$

- (i) Derive the necessary conditions given by the PMP for the problem of maximizing J . (8 marks)
- (ii) Show that the necessary conditions are satisfied by a bang-bang control, that is, it only takes boundary values of the constraint set. How many switching times are there? (6 marks)
- (iii) Determine an equation for calculating the switching time(s). (6 marks)

(Total: 20 marks)