More features in OpenDocViewer

This guide continues the Getting started guide with features that not everyone needs every day, but that are worth knowing about. Read the section you need.

Comparing two pages has a guide of its own: Compare two pages. The screenshots show a made-up test document in the Swedish interface; the button names in this guide are the English ones. Download the guide as PDF.

View the document's metadata

Check signatures in PDF documents

Make a PDF page sharper

Set a custom size and default zoom

All keyboard shortcuts

The toolbar button by button


Choose a theme and button size

Contacting support – what they need

View the document's metadata

Metadata is the information that the system which opened ODV sent along with the document – for example document type, title, department, date, number of pages and document ID. That system decides which fields exist. The information is shown for reference only; it cannot be changed in ODV.

1. Right-click a thumbnail, or the page itself.
2. Choose **Show document metadata**. The option is only there when the document has metadata.
3. Read the table in the *Document metadata* dialog: the columns *Field*, *Value* and *Id*. A *Raw value* line under a value shows the original value behind the text that is displayed.
4. Close with **Close** or `Esc`.




Document metadata. The subtitle tells you which document you are looking at (*Document 1 of 5*). The **Metadata table** button at the bottom opens the overview of all documents.

All documents in one table

Click **Metadata table** in the metadata dialog, or press `M` while the viewer has focus.

The *Document metadata overview* dialog shows the whole session: one document per row and one metadata field per column. Handy when you want a quick look at which departments and dates are included.

The `M` key is paused in the same situations as the other shortcuts (see All keyboard shortcuts). If the session has no metadata, nothing happens.



Document metadata overview. The subtitle counts documents and fields (*5 documents and 8 metadata fields*). A dash marks a field that the document has no value for.

Your organization may have switched off the metadata display. The menu option is then missing and the key does nothing.

Check signatures in PDF documents

If a PDF in the session is digitally signed, ODV shows it in three places:

- **In the thumbnail pane** – a symbol and a count next to the document heading (for example *DOC 1*), when the session has more than one document.
- **On the page thumbnails** – a small symbol at the top of every page in the signed file.
- **In the toolbar** – a button that shows how many signed documents the session has.

The check starts once the first page has been shown and does not get in the way of your reading.


The color of the symbol summarizes the state of the signature:

- **Green** – the content is intact since it was signed.
- **Orange** – something deserves a closer look: the document was modified after signing, the signature format is not supported, or the trust of the signature is unknown.

- **Red** – the signature is invalid, cannot be read, or the content does not match the signature.

If a document has several signatures, or the session has several signed documents, the symbol shows the most serious state.

1. Click the signature button in the toolbar – it sits just to the left of the three menus at the far right. The *Signatures* dialog lists the signed documents with the number of signatures, integrity, trust, signer and time.
2. Click **Details** next to a document to see each signature on its own.




The symbols. Next to the *DOC 1* heading (*DOK 1* in the picture) a green symbol with the number of signatures; on the page thumbnail a fainter symbol.



Signatures. One document is intact (green), the other has been modified after signing (orange). Trust has not been checked.

In the *Signatures* dialog you can also click a row to go to the first page of that document; the dialog stays open. You reach the same details by clicking the symbol next to the document heading or on a page thumbnail.

The details dialog shows, for each signature: *Signer*, *Organisation*, *Issuer*, *Signing time*, *Reason*, *Location*, *Kind*, *Integrity*, *Covers the whole document*, *Certificate valid*, *Trust* and *Format*. If the document consists of several signed files, each file gets a tab of its own with the file's name, and the heading below the tabs says, for example, *File 1 of 2*. A dash means that the signature does not carry that piece of information.



Details for one signature. One tab per signed file. At the top the note on why trust has not been checked, further down *Integrity* and *Trust*. The names in the example come from a test certificate.

Two lines matter most, and it pays to tell them apart:

- **Integrity** answers whether the content is unchanged since signing (*Intact*, *Modified after signing* and so on). It is checked in your browser, and nothing is sent anywhere for it.
- **Trust** answers whether the certificate chain and revocation status have been checked. Only the server can do that, when the document is opened through ODVGateway and your organization has switched the check on. Otherwise it says *Not checked*, with an explanation at the top of the signature.

Unknown trust does not mean that the signature is invalid. Look at *Integrity* to see whether the content is unchanged.

Your organization may have switched off the signature display entirely or only the symbols on the page thumbnails.

▾ **For whoever manages the installation: the settings**


In `odv.site.config.js`, `metadata.enabled` switches off the metadata display, `pdfSignatures.enabled` the signature display and `pdfSignatures.thumbnailPageBadge` only the symbols on the page thumbnails.

Make a PDF page sharper

Need to see a small detail on a PDF page more clearly? Click **HQ** in the toolbar (*Increase PDF page resolution*). The page is redrawn at double resolution without changing its size on screen, and the button turns red. This applies only to that page and only during the current session. In compare mode the button applies to the active page.



Before: the HQ button is dark like the others; the page is shown at normal resolution.



After: the button is red and the page is redrawn at double resolution.

The button is gray when it cannot be used. Hover over it to see why: the page is not a PDF page (an image file, such as a scanned image, cannot get sharper than the original), or the page is already drawn at the highest safe resolution. If the resolution has already been raised for the page, the button is red and cannot be clicked again.

Set a custom size and default zoom


Show the page at your own size. Click **1:X** (*Custom size*). The page is shown at a size you decide yourself: a share of the window width, 70 percent by default.

Click the arrow next to the button to change the share in the *Window width* field. An empty field means the default applies. `Enter` saves, `Esc` cancels.


Under *Advanced* you can limit the size further: *Window height* (the page may not be taller than that percentage of the window) and *Actual size* (no larger than that percentage of the page's actual size). ODV uses the smallest of the limits. Your organization may have other defaults.

Choose how new sessions start. In the same menu, under *Default zoom/size*, you pick the zoom that pages get when you open new documents: *Actual size (1:1)*, *Fit to screen*, *Custom size* or *Fit to width*. The choice takes effect immediately, and ODV remembers it in your browser.

To undo your choice, click the highlighted option again. Your organization's default then applies, normally *Fit to width*.



The menu next to 1:X. The *Window width* field at the top, then *Default zoom/size* with four options.



Advanced expanded. Two extra limits: *Window height* and *Actual size*.

All keyboard shortcuts

The shortcuts work while the viewer has focus. They are paused while a dialog is open, while the cursor is in a text field, and while the selection workspace, the overlay view or the curtain view is open.

Key	Does this
`Arrow Down` / `Page Down`	Next page. Hold the key down to keep paging forward.
`Arrow Up` / `Page Up`	Previous page. Hold the key down to keep paging back.
`Home` / `End`	First or last page.
`Ctrl` + `Arrow Down` / `Arrow Up` / `Home` / `End`	The same, but document by document. Only when the session has more than one document.
`Shift` + any of the above	In compare mode: controls the page that is not active. `Ctrl` + `Shift` switches document in that page.
`Arrow Right`	Opens the comparison with the page you are looking at on the right (later with the page you last compared with), or makes the right page active if the comparison is already running.
`Arrow Left`	Makes the left page active. Press again while the left page is already active to end the comparison.
`Ctrl` + `Arrow Left` / `Arrow Right`	Rotates the active page a quarter turn to the left or right.
`+` / `-` (also on the numeric keypad)	Zoom in or out.
`Ctrl` + mouse wheel	Zoom in or out.
`Delete`	Hides the active page from the selection, once all pages have loaded. `Ctrl` + `Delete` hides the whole document; `Shift` targets the other page in the comparison.
`M`	Opens the *Document metadata overview*, when the session has metadata.

Key	Does this
`Ctrl` + `P`	Normally opens ODV's print dialog. Your organization may have set it to use the browser's own print instead, or switched the shortcut off.
`Esc`	Closes menus, dialogs, right-click menus, the overlay view and the curtain view. Leaves the selection workspace. Cancels a PDF preparation in progress, after asking first.
`Enter` / `Esc` in the page box or the percentage box	Applies or cancels what you typed.

With the mouse: double-click the page to switch between *Fit to width* and *Fit to screen*.
The keys for compare mode, the overlay view and the curtain view are collected in the guide Compare two pages.

The toolbar button by button

From left to right. Hover over a button to see its name. The button that is currently in effect – for example the page fit in use – is red.



Left part. Printer with a light and an arrow, selection, page navigation with the page box (*1 / 24*), zoom out, the percentage box, zoom in, **1:1**, fit to screen and fit to width (red = currently in effect).



Right part. 1:X with an arrow, *Fine tuning*, compare, the image adjustments in a frame (rotate left, rotate right, **HQ**, brightness, contrast, reset) and, at the far right, theme, language and help with a light.

- **Print** opens the print dialog. The button is gray while pages are loading and while a PDF print is being prepared. The arrow next to it sets the default scope, *Active page* or *All pages*. The small light on the button shows the state of a PDF of all pages that ODV

prepares in advance, a *print cache* that your organization may have switched on. Normally the light is off.

- **Manage the pages shown and printed** opens the selection workspace. The button is red while a selection is active and gray until all pages have loaded. The button is missing if your organization has switched the selection workspace off. See the guide Selection.
- **Page navigation**: *First page*, *Previous page*, the page box, *Next page*, *Last page*. Type a page number in the box and press `Enter`. Hold `Ctrl` and the buttons move document by document, when the session has several. While pages are loading, the page box shows how far the loading has come.
- **Zoom**: *Zoom out*, the percentage box (5–800 percent; type a number and press `Enter`), *Zoom in*. Each click changes the zoom by roughly ten percent.
- **Actual size (1:1)**, **Fit to screen**, **Fit to width** and **Custom size (1:X)**: four ways to fit the page. A fit is red while it is in effect and follows along when you change page. The arrow at 1:X opens the custom size settings.
- **Fine tuning** shows or hides the *Fine-tune* panel above each page. Hiding the panel does not remove the adjustments. The button is missing if your organization has switched fine tuning off.
- **Enable compare mode** opens two pages side by side. While two pages are being compared, the buttons for the *overlay* and the *curtain* are shown as well, unless your organization has switched them off. All of this is described in the guide Compare two pages.
- **Image adjustments** (the frame): *Rotate left 90°*, *Rotate right 90°*, **HQ** (*Increase PDF page resolution*), *Adjust brightness* and *Adjust contrast* (each opens a slider; 100 = unchanged) and *Reset adjustments*, which clears the rotation and removes the brightness, contrast and color adjustments. Everything applies to the page you are looking at, is remembered per page during the session and is never saved in the document.
- **Signatures** is shown only when the session contains a signed PDF document and your organization has not switched off the signature display. See Check signatures in PDF documents.
- **Choose theme**, **Choose language** (*Svenska* or *English*) and **Open help menu** with the options *Manual* and *About OpenDocViewer*.

The light on the help button shows the viewer's state:

- **Green** – *Performance mode active*. Everything is as usual.

- **Orange** – *Memory-efficient mode active*. ODV is saving memory, either because the computer is short of memory or because your organization has chosen that mode.
- **Red** – *Hard memory protection active* or *Loading error detected*. See Contacting support.

In the selection workspace, the overlay view and the curtain view, the toolbar is replaced by that view's own buttons. For a lower toolbar with smaller buttons, see theme and button size.


Choose a theme and button size

Click the theme button, the first of the three menus at the far right of the toolbar (*Choose theme*). The menu has four themes:

- *System* follows your computer's light or dark setting and switches automatically when it changes.
- *Normal* is a slightly softer light variant.
- *Light* and *Dark* are fixed.

The button's icon shows which theme is in effect. ODV remembers the choice in your browser. The default is *System*, unless your organization has chosen something else.

Below the themes is the **Larger toolbar buttons** checkbox. Checked gives the usual toolbar; unchecked gives a lower toolbar with smaller buttons. The menu stays open so that you see the difference right away, and ODV remembers that choice too.



Dark theme. The toolbar and the thumbnail pane turn dark. The document page is drawn unchanged – you see the document as it is, not an inverted copy. The theme button shows a moon.

Contacting support – what they need

Turn to **your local support** first. They know how ODV is installed and set up in your organization and can pass the case on to the supplier. Two things make it much easier to help you: the **version** and the **diagnostics file**. Both are in the help menu under *About OpenDocViewer*.

1. Click the help button at the far right of the toolbar and choose **About OpenDocViewer**.
2. Read off *Version* and *Build id* at the top of the dialog.
3. Expand *Diagnostics* and click **Download diagnostics JSON**. The file `opendocviewer-diagnostics.json` lands among your downloaded files.


Good to include in the ticket:

- **Version and build id** from *About OpenDocViewer*.
- **The diagnostics file.** It contains the version, details about the browser and the computer (such as the number of processor cores and the memory), the viewer's address without query parameters, and ODV's settings. It contains no documents and nothing from the documents.
- **When** it happened (date and time), **what you did** and which **browser** you used.
- If the *Something went wrong* box was shown: click **Copy details** and paste the text into the ticket.
- If the box *The documents could not be shown correctly* was shown: say so, and include what it said under *Technical details* if that line exists in your installation (see below).

Important: do not send personal data. Do not attach screenshots or printouts that show real documents, names or ID numbers, unless your organization has explicitly asked for them.



About OpenDocViewer. *Version* and *Build id* at the top, then a link to the project and a contact address that your organization may have replaced. *Diagnostics* is collapsed.



Diagnostics expanded. The *Download diagnostics JSON* button and a preview of the file: version, build id and details about the browser.

Reload resource files in the same dialog fetches the interface texts (the language files) again without restarting the viewer.


▾ The box “The documents could not be shown correctly”

The box appears at the top when the pages can no longer be fetched, usually because the document session has expired. The **Reset session** button reloads the page so that the documents are fetched again. Normally there are also **Reload viewer** and **Dismiss**. The common case is described in the Getting started guide.

If your organization has switched on the *Technical details* line in the box, expand it. It tells you how many pages failed to load and gives a technical message. Include that text in the ticket.



Expired session. The pages are shown as warning triangles and the box at the top has the *Reset session* button. The picture shows an installation that has switched on *Technical details*, hidden the *Reload viewer* and *Dismiss* buttons and uses a message text of its own.



Technical details expanded. The first line counts the pages (*5 of 5 pages failed to load*), followed by the technical message to include.

Short checklist for more features

- ✓ Right-click and choose *Show document metadata*; `M` opens the table with all documents.
- ✓ The signature symbol: green = intact, orange = take a closer look, red = invalid. *Trust* is only checked when your organization has enabled the check on the server.
- ✓ **HQ** applies only to PDF pages, only to that page and only in this session.
- ✓ **1:X** is your own size; *Default zoom/size* controls how new sessions start.
- ✓ For support: version, build id and the diagnostics file – never personal data.

Back to Getting started with OpenDocViewer. This guide covers OpenDocViewer 2.11.

Updated 2026-10-25.