

Alternative for Dice

Full Rebuild Prompt — Exact Specification

React · TypeScript · Vite · Tailwind CSS v4 · Outfit Font

Infinite play edition — auto-reshuffle, no completion screen

1. WHAT TO BUILD

A single-page React + TypeScript + Vite web app called "Alternative for Dice". No backend required. The app replaces dice with shuffled face-down cards — the player flips one card per turn to reveal its hidden number, then the deck reshuffles for the next turn. The game runs infinitely with no completion screen. There is no "each value appears once" guarantee across turns — values repeat across reshuffles.

Tech stack

- React 18 + TypeScript
- Vite (development server)
- + build
- Tailwind CSS v4
-
- config

ig
ur
e
d
e
nt
ir
el
y i
n
C
S
S
vi
a
@
i
m
p
or
t"
ta
il
wi
n
d
cs
s"
• t
w
-a
ni
m
at
e-
cs
s

—

vi
a
@
i
m
p
or
t"
tw
-a
ni
m
at
e-
cs
s"
•
@
ta
il
wi
n
d
cs

s/
ty
p
o
gr
a
p
h
y
pl
u
gi
n

•
O
ut
fit

G
o
o
gl
e
F
o
nt

—

w
ei
g
ht
s
4
0
0
/
6
0
0
/
8
0
0
/
9
0
0
0

•
L
u
ci
de
R
e
a
ct

—

o
nl

y
th
e
R
ef
re
s
h
C
w
ic
o
n
(n
o
S
p
ar
kl
e
s)

2. COLOUR SYSTEM & THEME

All colours are CSS custom properties (HSL). There is NO light mode — :root and .dark use identical values.

--background hsl(270, 50%, 11%)
— Deep rich violet page background
--foreground hsl(0, 0%, 98%) —
Near-white text
--card hsl(270, 40%, 16%) — UI
panel / card surface
--card-foreground hsl(0, 0%, 98%)
--card-border hsl(270, 30%, 25%)
--primary hsl(330, 100%, 55%) —
Vibrant magenta — buttons, borders,
glows
--primary-foreground hsl(0, 0%,
100%) — White text on primary
--secondary hsl(190, 100%, 50%)
— Electric cyan — revealed number
colour
--secondary-foreground hsl(270,
50%, 11%) — Dark text on
secondary
--muted hsl(270, 30%, 20%)
--muted-foreground hsl(270, 20%,
70%) — Subdued / helper text
--accent / --ring hsl(330, 100%,
55%) — Same as primary
--radius 1rem — Base border-
radius

Body background overlay (fixed, two radial gradients layered over --background)

•

T
o
p-
ri
g
ht
:
r
a
di
al

-g
ra
di
e
nt
(c
ir
cl
e
at
t
o
p
ri
g
ht
,
r
g
b
a(
2
5
5,
5
1,
1
0
2,
0.
1)
, t
ra
n
s
p
ar
e
nt
4
0
%
)
—

m
a
g
e
nt
a
gl
o
w
•
B
ot
to
m
-l
ef
t:
r
a

di
al
-g
ra
di
e
nt
(c
ir
cl
e
at
b
ot
to
m
l
ef
t,
r
g
b
a(
0,
2
5
5,
2
5
5,
0.
1)
,
tr
a
n
s
p
ar
e
nt
4
0
%
)
—

c
y

@import url('https://fonts.googleapis.com/css2?family=Outfit:wght@400;600;800;900&display=swap');

/* In @theme: */

font-family: 'Outfit', sans-serif;

/* Applied on body: */

font-size: 100dvh; width: 100%; font-family: 'Outfit', sans-serif; -webkit-font-smoothing: antialiased;

display: flex; flex-direction: column; align-items: center; justify-content: center;

padding: 1rem (mobile) / 2rem (md+); overflow-x: hidden;

Outer wrapper — full-height flex column, everything centred:

Inner content block — max-width 56 rem (max-w-4xl), space-y-8 between sections, flex column, items centred.

Sections top to bottom: 1) Header 2) Mode selector 3) Status box + Next Turn button 4) Cards grid

4. HEADER

<h1> text "Alternative for Dice"

Font weight font-black (900)

Size text-4xl mobile / text-5xl md+

Colour white

Other tracking-tight, drop-shadow-md, text-center

<p> text "A card-based alternative to rolling dice. Flip one hidden card per turn to reveal a number, then reshuffle for the next turn. Enjoy visually randomized results with a unique card-reveal experience."

Colour muted-foreground

Size text-sm mobile / text-base md+

Width max-w-md, centred, leading-

relaxed

5. MODE SELECTOR

Two side-by-side toggle buttons (flex row, gap-3). Default active mode: Set 2.

Set 1 button

•

L
a
b
el
:"
S
et
1
"
(f
o
nt
-b
la
ck
, t
e
xt
-s
m
, t
ra
ck
in
g-
wi
d
e)

•

S
u
b-
la
b
el
:"
6
c
ar
d
s
.

1
to
6
"
(t
e
xt
-x
s,
n
or
m
al
w
ei
g
ht
,
o
p
a
cit
y-
8
0)
•
N
u
m
b
er
s
ar
ra
y:
[
1,
2
,
3,
4
,
5,
6]

Set 2 button

•
L
a
b
el
:"
S
et

2"
•
S
u
b-
la
b
el


```
: "
1
1
c
ar
d
s
.
2
to
1
2"
•
N
u
m
b
er
s
ar
ra
y:
[
2,
3
,
4,
5
,
6,
7
,
8,
9
,
1
0,
1
1,
1
2]

```

Shared button styles

Base: px-5 py-3, rounded-xl, border-2, font-bold, flex-col, items-center, gap-0.5, transition-all duration-300, cursor-pointer.

Inactive: border-muted-foreground/30, bg-card, text-muted-foreground. Hover: border-primary/50, text-white.

Active: border-primary, bg-primary/20, text-white, scale-105, box-shadow: 0 0 16px rgba(255,51,102,0.4).

On switch: resets all state and creates a fresh shuffled deck.

6. STATUS BOX (pill above Next Turn button)

Rounded-full container, border-2, px-8 py-3, font-bold text-lg, transition-all duration-500. Exactly TWO states — there is no end-game / "All Revealed!" state.

State A — idle (pickedThisTurn === false)

```
•
B
or
d
er
:
b
or
d
er

```

-
mut
e
d-
fo
re
gr
o
u
n
d/
3
0

•
B
a
ck
gr
o
u
n
d:
b
g-
c
ar
d

•
T
e
xt
:t
e
xt
-
w
hi
te
/7
0

•
C
o
nt
e
nt
:'&
Pi
ck

a
n
u
m
b
er
'&

•
T
h
e
'&s
y

m
b
ol
s
ar
e
m
a
g
e
nt
a
(t
e
xt
-p
ri
m
ar
y)

·
T
e
xt

is
n
or
m
al
w
ei
g
ht
, t
e
xt
-
w
hi
te
/6
0.

State B — card picked this turn (pickedThisTurn === true)

•
B
or
d
er
:
b
or
d
er
-p
ri
m
ar
y

•
B
a
ck

group: primary/10

• Text: white

• Boxes should

0018px
bba(25, 80, 220, 0.45)

Content (flex row, gap-2, items-center):

• &imgentat

e
xt
-p
ri
m
ar
y)
•"
Y
o
ur
n
u
m
b
er
is
"
—
w
hi
te
/6
0,
n
or
m
al
w
ei
g
ht
, t
e
xt
-b
a
s
e
•
T
h
e
re
v
e
al
e
d
n
u
m
b
er
—
c
y
a
n
(t
e
xt
-s

e
c
o
n
d
a
r
y)
, f
o
n
t
-b
l
a
c
k
, t
e
x
t
-x
l,
t
e
x
t
-s
h
a
d
o
w:

0
0
1
2
p
x
rg
b
a(
0,
2
3
0,
2
5
5,
0.
8)

• "

—

n
e
x
t
t
u
r
n"

—

w
h
i
t
e
/4
0,
n
o
r
m

al
w
ei
g
ht
, t
e
xt
-b
a
s
e
.
!“
m
a
g
e
nt
a,
c
o
nt
in
u
o
u
sl
y
b
o
u
n
ci
n
g
d
o
w
n
w
ar
d
to
w
ar
d
th
e
N
e
xt
T
ur
n
b
ut
to
n
(b
o
u
n
c

e
D
o
w
n
k
e
y
f
ra
m
e,
s
e
e
s
1

7. NEXT TURN BUTTON

Size h-14, px-8
Shape rounded-xl
Font font-bold, tracking-wide, text-md
Background bg-primary. Hover: bg-primary/90
Text text-primary-foreground (white)
Shadow 0 0 15px
rgba(255,51,102,0.5). Hover: 0 0
25px rgba(255,51,102,0.7)
Icon Lucide <RefreshCw> w-5 h-5
mr-2. Spins (animate-spin) while
isShuffling=true
Label "Next Turn"
Disabled while isShuffling=true
On click:

•
s
et
ls
S
h
uf
fli
n
g(
tr
u
e)
,
s
et
Pi
ck
e
d
T
hi
s
T
ur
n(
fa
ls
e)
,

set
Last
Pick
ed
Value
e(
null
),
set
Pop
ping
gold(
null
)
• Immediate
ately
system
et
all
card
sis
Flip
ped:
false
• After
400ms:
c

re
at
e
a
n
e
w
Fi
s
h
er
-Y
at
e
s-
s
h
uf
fl
e
d
d
e
ck

• Af
te
r
a
n
ot
h
er
4
0
0
m
s:
s
et
ls
S
h
uf
fli
n
g(
fa
ls
e)

8. CARDS GRID

Grid columns

Set 1 (6 cards): grid-cols-2 mobile, grid-cols-3 sm+.

Set 2 (11 cards): grid-cols-2 mobile, grid-cols-3 sm, grid-cols-4 md+.

Gap: gap-4 mobile / gap-6 md+. justify-items: center.

Card wrapper div (one per card)

Width w-full, max-w-[160px]

Aspect ratio aspect-[3/4]

Perspective perspective-1000

(perspective: 1000px)

Shape rounded-2xl

Position relative

Cursor / opacity rules:

•
Fl
ip
p
e
d:

c
ur
s
or
-d
ef
a
ul
t
+

.
c
ar
d-
re
v
e
al
e
d-
gl
o
w
•
L
o
ck
e
d
(p
ic
k
e
d
T
hi
s
T
ur
n
=t
ru

e, c
ar d n
ot y et fli
p p
e d) :
c ur
s or
-n ot
-a llo
w e

```
card-back-pattern {
background-color: hsl(330, 100%, 55%);
background-image:
radial-gradient(circle at 100% 150%,
hsl(330,100%,55%) 24%, hsl(320,100%,45%) 25%, hsl(320,100%,45%) 28%,
hsl(330,100%,55%) 29%, hsl(330,100%,55%) 36%, hsl(320,100%,45%) 36%,
hsl(320,100%,45%) 40%, transparent 40%, transparent),
radial-gradient(circle at 0 150%,
hsl(330,100%,55%) 24%, hsl(320,100%,45%) 25%, hsl(320,100%,45%) 28%,
hsl(330,100%,55%) 29%, hsl(330,100%,55%) 36%, hsl(320,100%,45%) 36%,
hsl(320,100%,45%) 40%, transparent 40%, transparent),
radial-gradient(circle at 50% 100%,
hsl(320,100%,45%) 10%, hsl(330,100%,55%) 11%, hsl(330,100%,55%) 23%,
hsl(320,100%,45%) 24%, hsl(320,100%,45%) 30%, hsl(330,100%,55%) 31%,
hsl(330,100%,55%) 43%, hsl(320,100%,45%) 44%, hsl(320,100%,45%) 50%,
hsl(330,100%,55%) 51%, hsl(330,100%,55%) 63%, hsl(320,100%,45%) 64%,
hsl(320,100%,45%) 71%, transparent 71%, transparent),
radial-gradient(circle at 100% 50%,
hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
hsl(320,100%,45%) 49%, transparent 50%, transparent),
radial-gradient(circle at 0 50%,
hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
hsl(320,100%,45%) 49%, transparent 50%, transparent));
}

.card-revealed-glow {
background: radial-gradient(circle at 0 50%,
hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
hsl(320,100%,45%) 49%, transparent 50%, transparent) 1px solid #f0e68c;
background-size: 100% 100%;
background-position: center;
background-repeat: no-repeat;
background-attachment: local;
background-origin: border-box;
background-clip: border-box;
background-blend-mode: multiply;
background-color: transparent;
}

.shuffle-scatter-animation::Shuffling == true {
transform: rotate(180deg);
}

.random-each-render {
background-color: magenta;
background-size: 100% 100%;
background-position: center;
background-repeat: no-repeat;
background-attachment: local;
background-origin: border-box;
background-clip: border-box;
background-blend-mode: multiply;
background-color: transparent;
}

.card-revealed-glow {
background: radial-gradient(circle at 0 50%,
hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
hsl(320,100%,45%) 49%, transparent 50%, transparent) 1px solid #f0e68c;
background-size: 100% 100%;
background-position: center;
background-repeat: no-repeat;
background-attachment: local;
background-origin: border-box;
background-clip: border-box;
background-blend-mode: multiply;
background-color: transparent;
}

transition-duration: 0.65s;
transition-timing-function: cubic-bezier(0.2, 0.8, 0.2, 1);
backface-visibility: hidden;
flip transition on the inner div:
.class.rotate-y-180 is added when card.isFlipped === true. Unflipped available cards get hover:-translate-y-2.
```

position: absolute inset-0, backface-hidden, rounded-2xl, shadow-xl, border-4 border-primary/40, overflow-hidden. Hot-pink seigaiha (fish-scale) CSS-only pattern:

[illegible]

12. CRITICAL IMPLEMENTATION NOTES

3D animation isolation — the most important rule

Any scale/box-shadow animation placed inside preserve-3d becomes invisible when rotateY(180deg) is active. The nrope <div> MUST be a sibling of the preserve-3d container, never a child. Correct DOM structure:

One card per turn

pickedThisTurn gates all flips. Once true, handleFlip returns immediately. All unflipped cards get opacity-40 and cursor-not-allowed via: `const isLocked = !card.isFlipped && pickedThisTurn`. Resets only on handleRandomize.

No end screen — infinite play

There is deliberately no completion message, "All Revealed!" screen, or any end state. `isComplete` exists only to trigger the auto-reshuffle `useEffect`. The status box has exactly two states: `idle` and `picked`. Values can and do repeat across reshuffles — this is by design.

Subtitle accuracy

The subtitle reads: "A card-based alternative to rolling dice. Flip one hidden card per turn to reveal a number, then reshuffle for the next turn. Enjoy visually randomized results with a unique card-reveal experience." — it deliberately does NOT say values appear exactly once, because they repeat across reshuffles.

Math.random() in inline style during shuffle

`@import url("tailwindcss");` directly in JSX inline styles. This is intentional — each re-render while `isShuffling` is `true` generates new random offsets, creating the wave scatter. No `useRef` or `useMemo` needed.

Tailwind v4 — no config file

Configuration lives entirely in CSS. No additional configuration utilities (perspective-1000, transform-style-3d, backface-hidden, rotate-v-180) are plain CSS classes, not Tailwind plugins.

Icons used

Only RefreshCw from lucide-react is imported. The Sparkles icon is NOT used — it was removed when the end-game state was eliminated.