

Alternative for Dice

Full Rebuild Prompt — Exact Specification

React · TypeScript · Vite · Tailwind CSS v4 · Outfit Font

Infinite play edition — no completion screen, auto-reshuffle

1. WHAT TO BUILD

A single-page React + TypeScript + Vite web app called "Alternative for Dice". No backend required. The app replaces dice with shuffled face-down cards — the player flips one card per turn to reveal its hidden number. Each number appears exactly once per shuffle. When the last card is flipped the deck automatically reshuffles after 1.5 s, giving infinite play with no completion screen or dead end.

Tech stack

- React 18 + TypeScript
- Vite (development server)
- + build(d)
- Tailwind CSS v4
-
- config

ig
ur
e
d
e
nt
ir
el
y i
n
C
S
S
vi
a
@
i
m
p
or
t"
ta
il
wi
n
d
cs
s"
• t
w
-a
ni
m
at
e-
cs
s

—

vi
a
@
i
m
p
or
t"
tw
-a
ni
m
at
e-
cs
s"
•
@
ta
il
wi
n
d
cs

s/
ty
p
o
gr
a
p
h
y
pl
u
gi
n

•
O
ut
fit

G
o
o
gl
e
F
o
nt

—

w
ei
g
ht
s
4
0
0
/
6
0
0
/
8
0
0
/
9
0
0
0

•
L
u
ci
de
R
e
a
ct

—

o
nl

y
th
e
R
ef
re
s
h
C
w
ic
o
n
(n
o
S
p
ar
kl
e
s)

2. COLOUR SYSTEM & THEME

All colours are CSS custom properties (HSL). There is NO light mode — :root and .dark use identical values.

--background hsl(270, 50%, 11%)
— Deep rich violet page background
--foreground hsl(0, 0%, 98%) —
Near-white text
--card hsl(270, 40%, 16%) — UI
panel / card surface
--card-foreground hsl(0, 0%, 98%)
--card-border hsl(270, 30%, 25%)
--primary hsl(330, 100%, 55%) —
Vibrant magenta — buttons, borders,
glows
--primary-foreground hsl(0, 0%,
100%) — White text on primary
--secondary hsl(190, 100%, 50%)
— Electric cyan — revealed number
colour
--secondary-foreground hsl(270,
50%, 11%) — Dark text on
secondary
--muted hsl(270, 30%, 20%)
--muted-foreground hsl(270, 20%,
70%) — Subdued / helper text
--accent / --ring hsl(330, 100%,
55%) — Same as primary
--radius 1rem — Base border-
radius

Body background overlay (fixed, two radial gradients on top of --background)

•

T
o
p-
ri
g
ht
:
r
a
di
al

-g
ra
di
e
nt
(c
ir
cl
e
at
t
o
p
ri
g
ht
,
r
g
b
a(
2
5
5,
5
1,
1
0
2,
0.
1)
, t
ra
n
s
p
ar
e
nt
4
0
%
)
—

m
a
g
e
nt
a
gl
o
w
•
B
ot
to
m
-l
ef
t:
r
a

di
al
-g
ra
di
e
nt
(c
ir
cl
e
at
b
ot
to
m
l
ef
t,
r
g
b
a(
0,
2
5
5,
2
5
5,
0.
1)
,
tr
a
n
s
p
ar
e
nt
4
0
%
)
—

c
y

@import url('https://fonts.googleapis.com/css2?
family=Outfit:wght@400;600;800;900&display=swap');
/* In @theme: */
0-font-sans: 'Outfit', sans-serif;

/* Applied on body: */
min-height: 100dvh; width: 100%;
display: flex, flex-direction: column; align-items: center; justify-content: center;
padding: 1rem (mobile) / 2rem (md+); overflow-x: hidden;

Outer wrapper — full-height flex column, everything centred:
Inner content block — max-width 56 rem (max-w-4xl), space-y-8 between sections, flex column, items centred.

Sections top !' bottom: 1) Header 2) Mode selector 3) Status box + Next Turn button 4) Cards grid

4. HEADER

<h1> text "Alternative for Dice"

Font weight font-black (900)

Size text-4xl mobile / text-5xl md+

Colour white

Other tracking-tight, drop-shadow-md, text-center

<p> text "A card-based alternative to rolling dice. Flip one hidden card per turn to reveal a number — each value appears exactly once, giving you fair, shuffled results every time."

Colour muted-foreground

Size text-sm mobile / text-base md+

Width max-w-md, centred, leading-

relaxed

5. MODE SELECTOR

Two side-by-side toggle buttons (flex row, gap-3). Default active mode: Set 2.

Set 1 button

•
L
a
b
el
:
"
S
et
_1
"
(f
o
nt
-b
la
ck
, t
e
xt
-s
m
, t
ra
ck
in
g-
wi
d
e)
•
S
u
b-
la
b
el
:
"
6
c
ar
d
s
.
1

to
6
"
(t
e
xt
-x
s,
n
or
m
al
w
ei
g
ht
,
o
p
a
cit
y-
8
0)

•
N
u
m
b
er
s
ar
ra
y:
[
1,
2
,
3,
4
,
5,
6]

Set 2 button

•
L
a
b
el
:"
S
et

2"

•
S
u
b-
la
b
el
:"


```
1
1
c
ar
d
s
.
2
to
1
2"
•
N
u
m
b
er
s
ar
ra
y:
[
2,
3
,
4,
5
,
6,
7
,
8,
9
,
1
0,
1
1,
1
2]

```

Shared button styles

Base: px-5 py-3, rounded-xl, border-2, font-bold, flex-col, items-center, gap-0.5, transition-all duration-300, cursor-pointer.

Inactive: border-muted-foreground/30, bg-card, text-muted-foreground. On hover: border-primary/50, text-white.

Active: border-primary, bg-primary/20, text-white, scale-105, box-shadow: 0 0 16px rgba(255,51,102,0.4).

On switch: resets all state and creates a fresh shuffled deck.

6. STATUS BOX (pill above Next Turn button)

Rounded-full container, border-2, px-8 py-3, font-bold text-lg, transition-all duration-500. TWO states only — there is no "All Revealed!" state.

State A — idle (pickedThisTurn === false)

```
•
B
or
d
er
:
b
or
d
er
-

```

m
ut
e
d-
fo
re
gr
o
u
n
d/
3
0

• B
a
ck
gr
o
u
n
d:
b
g-
c
ar
d

• T
e
xt
:t
e
xt
-
w
hi
te
/7
0

• C
o
nt
e
nt
:'&
Pi
ck

a
n
u
m
b
er
'&

• T
h
e
'& s
y
m

boolean
are
main
agent
a
(text
primary)
.
Text

is
normal
weight
, text
-
white
/6
0.

State B — card picked this turn (pickedThisTurn === true)

•
Border
:
border
-primary

•
Background

o
u
n
d:
b
g-
pr
i
m
ar
y/
1
0

•
T
e
xt
:
w
hi
te

•
B
o
x-
s
h
a
d
o
w:

0
0
1
8
p
x
rg
b
a(
2
5
5,
8
0,
2
2
0,
0.
4
5)

Content (flex row, gap-2, items-center):

•
&i
m
a
g
e
nt
a
(t
e

xt
-p
ri
m
ar
y)
•"
Y
o
ur
n
u
m
b
er
is
"
—
w
hi
te
/6
0,
n
or
m
al
w
ei
g
ht
, t
e
xt
-b
a
s
e
•
T
h
e
re
v
e
al
e
d
n
u
m
b
er
—
c
y
a
n
(t
e
xt
-s
e

c
o
n
d
a
r
y)
, f
o
n
t
-b
l
a
c
k
, t
e
x
t
-x
l,
t
e
x
t
-s
h
a
d
o
w:

0
0
1
2
p
x
rg
b
a(
0,
2
3
0,
2
5
5,
0.
8)

• "

—
n
e
x
t
t
u
r
n"

—
w
h
i
t
e
/4
0,
n
o
r
m
a
l

w
ei
g
ht
, t
e
xt
-b
a
s
e
•
!“
m
a
g
e
nt
a,
b
o
u
n
ci
n
g
d
o
w
n
w
ar
d
wi
th
b
o
u
n
c
e
D
o
w
n
k
e
yf
ra
m
e
(s
e
e
§
1

7. NEXT TURN BUTTON

Size h-14, px-8

Shape rounded-xl

Font font-bold, tracking-wide, text-md

Background bg-primary. Hover: bg-primary/90

Text text-primary-foreground (white)

Shadow 0 0 15px
rgba(255,51,102,0.5). Hover: 0 0
25px rgba(255,51,102,0.7)
Icon Lucide <RefreshCw> w-5 h-5
mr-2. Spins (animate-spin) while
isShuffling=true
Label "Next Turn"
Disabled while isShuffling=true
On click:

•
s
et
ls
S
h
uf
fli
n
g(
tr
u
e)
,
s
et
Pi
ck
e
d
T
hi
s
T
ur
n(
fa
ls
e)
,
s
et
L
a
st
Pi
ck
e
d
V
al
u
e(
n
ull
),
s
et
P
o
p
pi
n
gl

d(
n
ull
)
• I
m
m
e
di
at
el
y
s
et
a
ll
c
ar
d
s i
s
Fl
ip
p
e
d:
f
al
s
e
•
Af
te
r
4
0
0
m
s:
c
re
at
e
a
n
e
w
Fi
s
h
er
-Y
at
e
s-
s
h
uf
fl
e
d
d
e
ck

•
After another 400ms:
sets
Shuffling
(false)

8. CARDS GRID

Grid columns

Set 1 (6 cards): grid-cols-2 mobile, grid-cols-3 sm+.

Set 2 (11 cards): grid-cols-2 mobile, grid-cols-3 sm, grid-cols-4 md+.

Gap: gap-4 mobile / gap-6 md+. justify-items: center.

Card wrapper div (one per card)

Width w-full, max-w-[160px]

Aspect ratio aspect-[3/4]

Perspective perspective-1000

(perspective: 1000px)

Shape rounded-2xl

Position relative

Cursor / opacity rules:

•
Fl
ip
p
e
d:

c
ur
s
or
-d
ef
a
ul
t
+

.
c
ar
d-
re
v
e
al
e
d-
gl
o
w
•
L
o
ck
e
d
(p
ic
k
e
d
T
hi
s
T
ur
n
=t
ru

e, c
ar d n
ot y et fli
p p
e d)
:
c ur
s or
-n ot
-a llo
w e

```
.card-back-pattern {
background-color: hsl(330, 100%, 55%);
background-image:
radial-gradient(circle at 100% 150%,
    hsl(330,100%,55%) 24%, hsl(320,100%,45%) 25%, hsl(320,100%,45%) 28%,
    hsl(330,100%,55%) 29%, hsl(330,100%,55%) 36%, hsl(320,100%,45%) 36%,
    hsl(320,100%,45%) 40%, transparent 40%, transparent),
radial-gradient(circle at 0 150%,
    hsl(330,100%,55%) 24%, hsl(320,100%,45%) 25%, hsl(320,100%,45%) 28%,
    hsl(330,100%,55%) 29%, hsl(330,100%,55%) 36%, hsl(320,100%,45%) 36%,
    hsl(320,100%,45%) 40%, transparent 40%, transparent),
radial-gradient(circle at 50% 100%,
    hsl(320,100%,45%) 10%, hsl(330,100%,55%) 11%, hsl(330,100%,55%) 23%,
    hsl(320,100%,45%) 24%, hsl(320,100%,45%) 30%, hsl(330,100%,55%) 31%,
    hsl(330,100%,55%) 43%, hsl(320,100%,45%) 44%, hsl(320,100%,45%) 50%,
    hsl(330,100%,55%) 51%, hsl(330,100%,55%) 63%, hsl(320,100%,45%) 64%,
    hsl(320,100%,45%) 71%, transparent 71%, transparent),
radial-gradient(circle at 100% 50%,
    hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
    hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
    hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
    hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
    hsl(320,100%,45%) 49%, transparent 50%, transparent),
radial-gradient(circle at 0 50%,
    hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
    hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
    hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
    hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
    hsl(320,100%,45%) 49%, transparent 50%, transparent));
}

.card-revealed-glow {
background: radial-gradient(circle at 50% 50%,
    hsl(320,100%,45%) 5%, hsl(330,100%,55%) 6%, hsl(330,100%,55%) 15%,
    hsl(320,100%,45%) 16%, hsl(320,100%,45%) 20%, hsl(330,100%,55%) 21%,
    hsl(330,100%,55%) 30%, hsl(320,100%,45%) 31%, hsl(320,100%,45%) 35%,
    hsl(330,100%,55%) 36%, hsl(330,100%,55%) 45%, hsl(320,100%,45%) 46%,
    hsl(320,100%,45%) 49%, transparent 50%, transparent);
}

.shuffle-scatter-animation::shuffle === true {
transform: rotateY(180deg);
transition-property: transform;
transition-duration: 0.65s;
transition-timing-function: cubic-bezier(0.2, 0.8, 0.2, 1);
backface-visibility: hidden;
}

.class .rotate-y-180 is added when card.isFlipped === true. Unflipped available cards get hover:-translate-y-2.
```

position: absolute inset-0, backface-hidden, rounded-2xl, shadow-xl, border-4 border-primary/40, overflow-hidden. Hot-pink seigaiha (fish-scale) CSS-only pattern:

[illegible]

