

# INTRODUCING COMPOSABLE & REUSABLE PROMPT



**REUSING THE PROMPTS  
AND THE TEMPLATES  
THAT WORKS**

[HTTPS://GITHUB.COM/INSIGHTBUILDER](https://github.com/insightbuilder)





# **CHALLENGE SOLVED: REUSABLE PROMPT ENGG**

**TO REUSE PARTS OF PROMPTS.**

## **WHY REUSE:**

- **TO AUTOMATE ON A LIST**
- **USE IT IN APPLICATION**
- **USE A PROMPT IN DIFFERENT TEMPLATE**

## **HOW TO REUSE:**

- **CREATE A MAIN TEMPLATES OF THE PROMPTS BASED ON APPLN**
- **CREATE SUB PARTS / TEMPLATES OF THE PROMPTS**
- **LOOK AT THE TEMPLATES THAT CAN USED IN NEWER TEMPLATES OR  
EXISTING TEMPLATES ITSELF**

# IMPLEMENTING WITH PROMPT PIPELINE

- **PROMPT TEMPLATE IS THE DESIGN / OVERALL STRUCTURE OF THE PROMPT**
- **PIPELINE PROMPT FILLS THE STRUCTURE AND COMPLETES THE PROMPT**

```
FROM LANGCHAIN.PROMPTS.PIPELINE IMPORT
PIPELINEPROMPTTEMPLATE

FROM LANGCHAIN.PROMPTS.PROMPT IMPORT PROMPTTEMPLATE

QA_MAINTEMPLATE = """{INTRODUCTION}
{EXAMPLE_QA}
{START}"""

QA_MAINPROMPT =
PROMPTTEMPLATE.FROM_TEMPLATE(QA_MAINTEMPLATE)

INTRODUCTION_QA_TEMPLATE = """YOU ARE IMPERSONATING
{PERSON}."""

INTRODUCTION_QA_PROMPT =
PROMPTTEMPLATE.FROM_TEMPLATE(INTRODUCTION_QA_TEMPLATE)
```

```
EXAMPLE_QA_TEMPLATE = """HERE'S AN EXAMPLE OF AN
INTERACTION:
```

```
Q: {EXAMPLE_Q}
```

```
A: {EXAMPLE_A}"""
```

```
EXAMPLE_QA_PROMPT =
```

```
PROMPTTEMPLATE.FROM_TEMPLATE(EXAMPLE_QA_TEMPLATE)
```

```
START_QAMAIN = """NOW, DO THIS FOR REAL!
```

```
Q: {INPUT}
```

```
A: """
```

```
START_QA_PROMPT =
```

```
PROMPTTEMPLATE.FROM_TEMPLATE(START_QAMAIN)
```

```
PRINT(QA_PIPELINE_PROMPT.FORMAT(
```

```
    PERSON="NEIL ARMSTRONG",
```

```
    EXAMPLE_Q="WHAT'S YOUR FAVORITE VEHICLE?",
```


```
    EXAMPLE_A="ROCKET",
```

```
    INPUT="WHAT'S YOUR FAVORITE SOCIAL MEDIA SITE?"
```


```
))
```

# THANKS FOR WATCHING


REMEMBER TO PRACTICE WITH EXAMPLES



**LIKE**



**SHARE**



**SUBSCRIBE**