

VOIZO

# Listener Lab

AI Voice Agent Training — User Manual

Build, tune, and test voice agents that think like a team, not a script.

Version 2.1 · includes Scenarios, Tags, Collections & the Script Builder

## 1. What is the Listener Lab?

---

The Listener Lab is a new way to train an AI voice agent. Instead of writing one enormous prompt that tries to cover every situation, you give the agent a short personality and let a smart backend “listener” feed it the right words at the right moment — live, during the call.

### The idea: a politician and their staff

Picture a politician at a press conference. They have the charisma, the voice, and the delivery — but they don’t personally know every fact. Behind the scenes, a team listens to each question, finds the answer, and feeds it through an earpiece. The politician simply delivers it, smoothly and on-brand.

- **The agent is the politician** — it carries only a short prompt describing its personality and delivery. It holds no product facts, prices, or policies.
- **The Playbook is the staff’s knowledge** — a library of Scenarios, each with the exact line or briefing to use for a given situation.
- **The Listener is the earpiece** — it follows the live conversation, recognises what the customer is really asking, and feeds the agent the right answer in real time.

### Why this beats one long prompt

- **Consistency & compliance** — critical lines (prices, terms, legal wording) are spoken exactly as written, every time.
- **Easy to tune** — you edit one small Scenario, not paragraph 14 of a 3,000-word prompt.
- **Faster, smarter responses** — answers are pre-defined and delivered the moment they’re needed.
- **Safe to experiment** — everything happens in the lab; your live agents are never touched until you decide a setup is ready.

## 2. The Building Blocks

---

Four ideas, from smallest to largest. Each builds on the one before it:

| Term              | What it is                                                                                                                          |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scenario</b>   | The core unit. One situation the agent may face + the line to say + how to deliver it. (e.g. "customer asks about pricing").        |
| <b>Tag</b>        | A category label on a Scenario, for organising and filtering — e.g. <b>Promotions</b> <b>Q&amp;A</b> . A Scenario can have several. |
| <b>Playbook</b>   | Your whole library of Scenarios.                                                                                                    |
| <b>Collection</b> | A named bundle of Scenarios chosen for one campaign. Setting a Collection "active" narrows the agent to just those Scenarios.       |
| <b>Script</b>     | A visual call-flow that orders Scenarios into steps with branching — built on the canvas (Section 8).                               |

| Also good to know        | Meaning                                                                                                  |
|--------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Listener / Router</b> | The backend that hears each customer utterance and decides which Scenario it matches.                    |
| <b>Intent</b>            | The meaning behind what the customer said.                                                               |
| <b>Delivery</b>          | How a line reaches the customer: <b>verbatim</b> (word-for-word) or <b>reword</b> (rephrased naturally). |
| <b>Injection</b>         | The moment the Listener feeds a line into the live call.                                                 |

### 3. Getting Started

1. Open the application, sign in by selecting your agent, and click **Listener Lab** in the sidebar.
2. The page opens on the main workspace: the **Live Test Call** panel and the **Listener Monitor**, side by side.

Across the top are the buttons that open everything else:

| Button                | Opens                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------|
| <b>Configuration</b>  | The agent, voice, behaviour prompt, webhook, and listener tuning — one form, one Save. |
| <b>Playbook</b>       | Your Scenarios, with tags, search and filtering.                                       |
| <b>Collections</b>    | Campaign bundles of Scenarios; set one active to scope a call.                         |
| <b>Script Builder</b> | The visual call-flow canvas.                                                           |
| <b>Logs</b>           | Past test calls, each with its transcript and listener timeline.                       |

### 4. Configuration

Open **Configuration**, fill it in once, and press **Save Configuration** — a single button that saves your settings, applies the prompt & voice, and prepares the agent for the lab.

| Field                             | What it does                                                                                                                                                         |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Assistant</b>                  | Which voice agent the lab controls. <b>Use a dedicated test agent</b> — saving overwrites its tools and settings.                                                    |
| <b>Voice</b>                      | The voice the agent speaks with.                                                                                                                                     |
| <b>Short Behaviour Prompt</b>     | The agent's entire personality — tone, pacing, how to treat briefings. Deliberately short: <i>how</i> to speak, never <i>what</i> . Knowledge lives in the Playbook. |
| <b>Webhook Server URL</b>         | Where the live call sends events. Pre-set on the hosted site — leave blank.                                                                                          |
| <b>Router Model</b>               | The AI that classifies each utterance.                                                                                                                               |
| <b>Confidence Threshold</b>       | How sure the Listener must be before feeding a line. Below it, the agent handles the moment alone. (Suggested 0.70)                                                  |
| <b>Injection Cooldown</b>         | Minimum gap between two whispers, so the staff doesn't interrupt constantly. (Suggested 4000 ms)                                                                     |
| <b>Trigger immediate response</b> | On = agent speaks the instant a line arrives; Off = it weaves the line into its next natural turn (gentler).                                                         |

## 5. The Playbook & Scenarios

This is the heart of training. Each **Scenario** describes one situation and what the agent should do. Use the search box and the tag filter to find them; + **Add Scenario** to create one.

| Field          | What it means                                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Name           | A friendly label, e.g. "Wagering Requirements".                                                                                                                    |
| Intent Key     | A unique machine ID, e.g. <code>wagering_requirements</code> .                                                                                                     |
| Tags           | One or more category labels (Promotions, Q&A...). Type and press Enter, or click a suggestion.                                                                     |
| Match Guidance | <b>The most important field.</b> Describes <i>when</i> this Scenario should fire — the ways a customer might phrase it. The Listener reads this to decide matches. |
| Response       | Either the exact line to speak (verbatim) or a briefing to rephrase (reword).                                                                                      |
| Delivery       | <code>verbatim</code> for facts/prices/compliance; <code>reword</code> for soft, conversational moments.                                                           |
| Action         | <code>answer</code> , <code>give_offer</code> , <code>send_sms</code> , <code>end_call</code> , or <code>ignore</code> .                                           |
| Mode           | Where it's active: <code>tool</code> (only when the agent asks), <code>listener</code> (proactive push), or <code>both</code> .                                    |
| Priority       | Tie-breaker when situations overlap — lower number wins. Keep compliance at 1–9, offer flow 10–19, Q&A 20+.                                                        |

### Verbatim vs. Reword

Use `verbatim` **when exact words matter:** prices, terms, legal lines, the offer, goodbyes — spoken precisely as written, every time.

Use `reword` **when the moment is conversational:** reassurance, soft objections — the agent rephrases the briefing in its own warm voice.

## 6. Collections (per-campaign bundles)

A **Collection** is a named set of Scenarios assembled for one campaign — e.g. "Lucky7 AU Reactivation". It lets you reuse the same Scenarios across campaigns while running only the ones a given campaign needs.

| Action               | How                                                                                                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Create               | Type a name and click + <b>Create</b> .                                                                                                                                                     |
| Choose its Scenarios | Click <b>Edit scenarios</b> and tick the ones this campaign uses, then Save.                                                                                                                |
| Set Active           | Click <b>Set active</b> . While a Collection is active, the Listener <i>only</i> considers its Scenarios — tighter, faster, no cross-campaign bleed. <b>Clear</b> returns to all Scenarios. |
| Rename / Delete      | Edit the name inline; the trash icon removes the bundle (the Scenarios themselves are kept).                                                                                                |

The active Collection is shown on the main page so you always know the scope of a test call.

## 7. Running a Test Call

---

1. (Optional) Type a **Client Name** — the agent greets them by name.
2. Click **Start Call**, allow the microphone, and speak as the customer.
3. Watch the **Listener Monitor** update live; click **End Call** when done.

### Reading the Listener Monitor

| Event                     | Meaning                                                                                                                    |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>heard</b>              | What the customer said (final transcript).                                                                                 |
| <b>classified</b>         | The matched intent and confidence score.                                                                                   |
| <b>injected</b>           | A line was fed to the agent — with the response time in milliseconds. Flow steps show as <code>flow: &lt;type&gt;</code> . |
| <b>skipped</b>            | No line fed, with the reason (low confidence, small talk, or cooldown).                                                    |
| <b>tool call / result</b> | The agent asked for knowledge itself and received it.                                                                      |

The **average response time** badge is the key measure of whether the experience feels natural. In **Logs**, each past run shows its full **transcript** next to its listener timeline.

## 8. The Script Builder (call flows)

Scenarios are *reactive* — they fire whenever the customer triggers them. A **Script** adds a *proactive* spine: a visual flow that walks the call through ordered steps — intro → offer → ask for SMS → close — while Scenarios still answer anything off-script.

Open **Script Builder** for a full-screen canvas, much like an automation workflow tool. The canvas has a dotted grid; **drag a box from the left palette onto it** (boxes snap to the grid), then connect them by dragging from one box's bottom dot to another's top dot.

### The boxes

| Box                      | What it does                                                                                 |
|--------------------------|----------------------------------------------------------------------------------------------|
| <b>Start</b>             | The entry point. Choose <i>Agent speaks first</i> or <i>Wait for the customer to speak</i> . |
| <b>Say</b>               | Speaks a Scenario's line, then waits for the reply. The main box.                            |
| <b>Branch</b>            | Splits the path based on the customer's reply (draw several arrows out, one per outcome).    |
| <b>Send SMS</b>          | Fires the text.                                                                              |
| <b>Set Variable</b>      | Stores a value (e.g. <code>consent = true</code> ).                                          |
| <b>Transfer to Human</b> | Hands the call to a person (phone number).                                                   |
| <b>End Call</b>          | Wraps up, optionally with a goodbye Scenario.                                                |

### The arrows (conditions)

Click any arrow to set *when* it's taken:

- **Always** — move straight on.
- **If intent is...** — branch on what the customer meant (e.g. agreed → SMS).
- **If reply is tagged...** — branch by tag.
- **Otherwise** — the fallback path so the flow never dead-ends.

Say and Branch boxes can also **scope which tags are active** at that step — narrowing what the agent will entertain mid-flow.

### Multiple scenarios at one box

A Say or Branch box can hold more than one Scenario, in two ways that combine:

- **Candidate scenarios** — add several lines under "Also consider"; when the flow reaches the box, the router speaks whichever candidate best matches what the customer just said (falling back to the primary). Great for offer variants.
- **Tag scope** — allow any Scenario carrying a given tag to fire at that step.

## A simple flow

Start → Greeting → Give Offer → ( Branch )

    agreed → Send SMS → Close

    declined → Objection → Close

    question → (answered reactively, returns)

## Making it run

1. Build the flow, click **Save**.
2. Click **Set active** — that script now drives your test calls.
3. Start a call: the flow advances step-by-step on each reply, while off-script questions are still answered by the matching Scenario, then control returns to the flow.

**Tip:** Collections decide *which* Scenarios a campaign can use; a Script decides the *order* they flow in. Use them together — an active Collection plus an active Script.

## 9. The Tuning Loop

Training is a cycle: **test** → **observe** → **adjust** → **repeat**. Edits apply on the next utterance — even mid-call.

| If you notice...                            | Do this                                                               |
|---------------------------------------------|-----------------------------------------------------------------------|
| The agent gave a wrong or vague answer      | Edit that Scenario's <b>Response</b> .                                |
| The Listener missed a situation             | Improve the Scenario's <b>Match Guidance</b> , or add a new Scenario. |
| A line was reworded that needed to be exact | Switch its <b>Delivery</b> to verbatim.                               |
| It fires on things it shouldn't             | Raise the <b>Confidence Threshold</b> or sharpen Match Guidance.      |
| The agent talks over itself                 | Turn off <b>Trigger immediate response</b> .                          |
| A campaign should use fewer Scenarios       | Put them in a <b>Collection</b> and set it active.                    |

## 10. Troubleshooting

| Symptom                            | Likely cause & fix                                                                                                                            |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| The agent can't hear me            | Check the microphone for the site and your system input level. Bluetooth headsets sometimes use a profile with no mic — switch to hands-free. |
| Monitor stays empty during a call  | The agent isn't configured. Open <b>Configuration</b> and press <b>Save Configuration</b> .                                                   |
| Classifications show errors        | The AI account behind the router is out of credit, or the model name is wrong. Top up or correct the Router Model.                            |
| The agent answered the wrong thing | Check the <b>heard</b> line. If the words are right but the intent is wrong, improve the Match Guidance.                                      |
| A page errors on load              | A one-time database setup step may be pending — contact your administrator.                                                                   |

**Remember:** nothing in the Listener Lab affects your live production agents. It is a safe sandbox for building and proving a setup before rollout.

## Appendix — Example Playbook

The lab ships with a complete example built from a real sales script, to show how a full Playbook looks.

**verbatim** lines are spoken exactly; **reword** lines are rephrased by the agent.

| P  | Scenario                              | Tag        | Action     | Delivery |
|----|---------------------------------------|------------|------------|----------|
| 0  | First Message (call opening)          | Greeting   | answer     | verbatim |
| 1  | Gambling Problem                      | Compliance | end_call   | verbatim |
| 2  | Do Not Call / Opt Out                 | Compliance | end_call   | verbatim |
| 10 | Main Offer — 20 No-Deposit Free Spins | Promotions | give_offer | verbatim |
| 11 | Upsell — 300% Deposit Bonus           | Promotions | answer     | reword   |
| 12 | Send SMS Consent                      | SMS        | send_sms   | verbatim |
| 13 | Not Interested (soft)                 | Objections | answer     | reword   |
| 14 | No Time / Busy                        | Objections | answer     | reword   |
| 16 | Cannot Act Now / Offer Timing         | Objections | answer     | reword   |
| 20 | Wagering Requirements                 | Q&A        | answer     | verbatim |
| 21 | Minimum Deposit                       | Q&A        | answer     | verbatim |
| 22 | Where to Find the Spins               | Q&A        | answer     | verbatim |
| 23 | Which Game                            | Q&A        | answer     | verbatim |
| 24 | Website URL                           | Q&A        | answer     | verbatim |
| 25 | Claim Limit                           | Q&A        | answer     | verbatim |
| 26 | How Did You Get My Number             | Q&A        | answer     | reword   |
| 27 | Login Help                            | Support    | answer     | reword   |
| 28 | Deposit In Progress                   | Q&A        | answer     | reword   |
| 29 | Wrong Person / Unavailable            | Closing    | end_call   | verbatim |
| 30 | Goodbye                               | Closing    | end_call   | verbatim |