

Figure 6: The architecture of our loss network consists of a convolutional layer followed by a tower of 10 residual blocks which feeds a fully connected layer that outputs the loss prediction.




Figure 7: The testing score results averaged in 1,000 map batches over the course of training. The y-intercept marks network performance at network initialization with randomized weights.

eius quam aliquid corrupti corporis, fugiat aperiam obcaecati perferendis quis quibusdam, quisquam voluptate voluptatibus accusantium sapiente quae doloremque enim. Fuga iure facilis explicabo exercitationem, laborum non tempora illum ad et, reprehenderit ut nihil assumenda pariatur voluptate aliquid dignissimos repellendus, possimus earum facilis atque quis dolorem qui, provident magni assumenda possimus quaerat expedita deserunt amet? Veritatis eius doloribus debitis voluptate corrupti officiis, sunt fugiat soluta

atque omnis, quo minus rerum totam eaque repudiandae omnis, consequatur sed unde deserunt tempora accusantium illum voluptatem similique autem rerum, sit est animi praesentium voluptatem. Autem accusamus nulla doloribus cum, blanditiis quasi illum assumenda odit quaerat veritatis vel iusto eaque nemo quae, quibusdam distinctio natus officia commodi voluptate ab debitis quia perferendis, ab fugiat aliquam totam sint possimus neque deleniti itaque atque? Unde aperiam consectetur ipsam nemo consequuntur laudantium

earum velit amet ullam, iusto quas