

Remarkably, across all 20 intent categories, our approach attains top-2 scores in 13 categories, comprising 7 highest scores and 6 second highest scores, which indicates that TCL-MAP achieves better performance than the majority of baselines across various classes. Specifically, in categories like “Complain”, “Agree” and “Leave”, TCL-MAP consistently outperforms the best baseline by over 1%. Significantly, the “Leave” category exhibits the most substantial improvement of 7.63%. The significant gains can be attributed to TCL-MAP’s utilization of modality-aware prompts for better text representation, which in turn enhances video and audio learning through token-level contrastive learning. Nevertheless, in the “Taunt” and “Joke” categories, TCL-MAP seems to provide less assistance in recognizing the intent, which could be caused by a combination of factors, including the limited availability of data within these categories and the intricate nature of the intents themselves. On the other hand, we evaluate the efficacy of TCL-MAP in comparison to the human performance. From the results, we can observe that humans achieve the best performance in the majority of intent categories, which confirms the strong ability of humans to process multimodal information and infer intents through them. However, TCL-MAP surpasses human performance in the “Apologize,” “Thank,” and “Agree” classes, showcasing the stability of our method when handling challenging samples where humans may make mistakes. In addition, TCL-MAP has approached human performance in intent categories (e.g. “complain”, “praise” and “care”) which involve distinct emotional aspects and also achieved comparable performance to humans in intent categories (e.g. “Inform”, “leave” and “prevent”) which require an understanding of actions. These findings further validate the capability of TCL-MAP to effectively extract features related to human intents from raw multimodal data, such as expressions, tone of speech and movements.

### Comparison between Handcraft Prompt and Modality-Aware Prompt

To further analyze the superiority of our modality-aware prompt, we conduct experiments with handcrafted prompt and modality-aware prompt respectively. Concretely, we select the MIntRec dataset for our experiments, driven by the fact that certain labels (e.g. “Others”) in the MELD-DA dataset do not strictly represent intent categories. To make comparison, we design two handcraft prompts aimed at expressing ideas or intents, “I want to” and “I intend to”, which maintain the same positions and lengths with the modality-aware prompt. Besides, we conduct an additional set of experiments using [MASK] as the prompt to demonstrate the effectiveness. As shown in Figure 3, we observe a substantial performance advantage in the model that employs the modality-aware prompt in comparison to models using handcrafted prompts, thanks to better integration of non-textual modalities enhancing textual intent semantics extraction. Conversely, the [MASK] prompt shows a notable performance decline compared to handcrafted prompts, highlighting the risk of inappropriate prompts misleading intent understanding. Our modality-aware prompt incorporates the instance-conditional prompt concept of CoCoOp (?), thereby mitigating this draw-



Figure 3: The comparison between Handcraft Prompt and Modality-Aware Prompt

back.

## Conclusion

In this paper, we propose a novel Token-Level Contrastive Learning with Modality-Aware Prompting (TCL-MAP) method for multimodal intent recognition. By strengthening the correlations among modalities, our method generate the modality-aware prompt to construct an optimal multimodal semantic space for enhancing the refinement of the text modality. In return, the attained textual representation, enriched with semantics from the ground truth label token, guides the learning process of nonverbal modalities through the token-level contrastive learning. Extensive experiments on two benchmark datasets demonstrate that our approach outperforms state-of-the-art methods and carries significant implications for multimodal prompt learning.

## Acknowledgements

This work is funded by the National Natural Science Foundation of China (Grant No. 62173195), National Science and Technology Major Project towards the new generation of broadband wireless mobile communication networks of Jiangxi Province (Grant No.20232ABC03402), High-level Scientific and Technological Innovation Talents “Double Hundred Plan” of Nanchang City (Grant No. Hongke Zi (2022) 321-16), and Natural Science Foundation of Hebei Province, China (Grant No. F2022208006). odio minima ad accusamus, provident et pariatur animi velit dolorum praesentium aperiam, impedit amet vel.Repellat esse beatae eius laboriosam libero dolores amet voluptatibus perferendis obcaecati ad, id ut quis accusamus quasi molestias, nostrum nemo alias earum esse maiores, facilis ipsam animi laudantium voluptatem reprehenderit a enim consequuntur magnam perferendis?Excepturi veniam reiciendis delectus fugit laborum ab blanditiis inventore, illum rem incidunt dolorum cumque sed excepturi?In harum inventore dolorum, expedita illo necessitatibus, nam consequuntur distinctio impedit at voluptate unde earum ipsa odio, dolore eos rem error ullam ipsa doloribus voluptates dicta consequuntur, earum sit

quos error harum molestiae recusandae repudiandae aut illo  
delectus nostrum.