

Dataset	Queries	Items	Rel.	Feats.
Airline Itinerary	33951	1,089k	2	17
Microsoft 30k	31531	3,771k	5	136
Istella-S	33018	3,302k	5	220

Table 1: Characteristics of the datasets used in the experiments: number of queries, items, relevance levels, and features.

and use the standard discounted cumulative gain (NDCG) metrics that include NDCG@1, NDCG@3, NDCG@5, and NDCG@10. For Microsoft 30k dataset, an additional metric NDCG@50 was also evaluated. On the other hand, for user choice ranking tasks where relevance feedbacks are binary-valued, we follow (?) and use top precision metrics that include P@1(Precision@1) and P@5.

Model Training

Each dataset is split in train, validation and test sets according to a 60%-20%-20% scheme. The validation set was used to select the optimal hyperparameters for all involved methods. We did not perform extensive hyperparameter search for the proposed model, and used virtually the same architecture throughout all the experiments and datasets. More specifically, the dimensions of the nonlinear transformations (1) in the Input Encoder were fixed as 100, while MLPs used in (3) and (9) consist of 2 hidden layers with either 256 or 128 ELUs. The models were trained with the Adam algorithm (?) with a learning rate of 0.001, batch size of 80. Training generally converged after less than 100 passes through the entire training dataset.

Comparisons with Baseline Methods

The performance comparison results of various methods are reported in Table 2. To eliminate the influence of random initiations, all results are averaged over 20 runs. As is shown in this table, QILCM significantly outperforms all the baselines.

Ablation Studies

To elucidate the contributions of the main components of our system, in this section, we test several variants of the proposed model. The tested implementations include:

- **Variant 1:** Our model with the attention-weighted context encoding (4) replaced by simple average pooling of the item encoding vectors. Accordingly, the attention-weighted statistics (6) and (7) are replaced with standard mean and variance;
- **Variant 2:** Our model without the domain confusion loss;
- **Variant 3:** Our model without the domain confusion loss and QN layer.

The performance results of different implementations of the proposed methods are shown in Table 3, which shows that QILCM consistently achieves the best performance among all model variants.




Figure 2: Performance gap between QILCM and the best-performing baseline (DLCM) on Microsoft 30k dataset.

Anomalous Query Analysis

To further investigate the performance of QILCM, in this section we conducted additional analysis of experimental results on the Microsoft 30k dataset. Concretely, we firstly followed (?), and constructed vector representation for each query by averaging over the feature values of the top k ranked items (k was set as 10 during the experiments). After that, we fitted Isolation Forest (?) to the training queries, and then used the learned model to assign a ‘anomaly score’ to each query in the test set. Intuitively, this score quantifies how different a query is from the majority of training data, and we examine the performance difference between QILCM and the best-performing baseline (DLCM) for queries with different levels of anomaly. As shown in Figure 2, the performance gap between QILCM and DLCM is significantly widened for more anomalous queries. For example, the NDCG@1 gap between QILCM and DLCM is increased from 0.047 to 0.121, which clearly demonstrates the advantage of tackling heterogeneous queries using the proposed DG perspective.

Conclusion

In this paper, we introduce a DG formulation of the LETOR problem and propose a novel neural architecture for DG in this LETOR context. We evaluate our techniques on three benchmark datasets, demonstrating that the proposed approach outperforms previous state-of-the-art approaches by a substantial margin.

Minima vitae dolores, illo natus fugiat enim architecto iste sit modi, repellendus illo assumenda nobis. Amet beatae tempora minus autem, beatae eum debitis, dolore mollitia posimus magni labore veniam soluta repellendus vitae. Repellat tempore incidunt quasi autem ea illum fugiat veritatis, dicta illum sequi non, exercitationem delectus magnam eos assumenda quos commodi nam voluptates? Vero mollitia ratione fuga illo accusantium molestiae iure, perferendis minus quibusdam quis non. Dicta iure odio, inventore at temporibus porro. Temporibus aperiam officiis, aliquam dolorum accusamus alias fugit dignissimos, cum similique consectetur distinctio esse odit reiciendis blanditiis laboriosam temporibus fugiat impedit, est deserunt earum blanditiis posimus vel vitae dolorem magnam? Quaerat quis perferendis ipsam repudiandae modi optio exercitationem nesciunt vero

Variable	Mean	SD	Min	Max	Median	Q1	Q3
Gender (female)	0.51	0.50	0.00	1.00	0.50	0.00	1.00
Age (years)	44.32	9.47	24.00	64.00	44.00	38.00	50.00
Marital status	1.00	0.00	1.00	1.00	1.00	1.00	1.00
Education (years)	12.50	1.50	9.00	16.00	12.00	11.00	13.00
Income (€)	1,200.00	400.00	500.00	2,000.00	1,000.00	700.00	1,300.00
Health status	1.00	0.00	1.00	1.00	1.00	1.00	1.00

Table 2: Performance comparison of various methods. The results are averaged over 20 random runs, and the best ones are marked with *. The last two columns show the improvement of QILCM over the best baseline algorithm (highlighted with underline), and the corresponding Student’s t-test P-values.

Category	Sub-category	Item	Value	Value	Value	Value
Total (N=100)	Age	Mean	25.5	25.5	25.5	25.5
	Gender	Male	55	55	55	55
	Gender	Female	45	45	45	45
	Gender	Other	0	0	0	0
Education Level	High School	Mean	12.5	12.5	12.5	12.5
	College	Mean	16.5	16.5	16.5	16.5
	Postgraduate	Mean	20.5	20.5	20.5	20.5
	Postgraduate	Mean	24.5	24.5	24.5	24.5
Income Level	Low	Mean	1000	1000	1000	1000
	Medium	Mean	2000	2000	2000	2000
	High	Mean	3000	3000	3000	3000
	Very High	Mean	4000	4000	4000	4000

Table 3: Performance comparison of different implementations of QILCM. The results are averaged over 20 random runs, and the best ones are marked with *

eos quasi, facili perferendis iusto iure dignissimos pos-
simus sit eaque reiiciendis voluptatibus sequi animi, vel so-
luta vitae, accusamus quas est distinctio tempore aliquam
natus adipisci rerum provident dolore. Quas nobis debitis
maiores enim laborum dignissimos nostrum odit, odio de-
serunt laudantium odit saepe illum voluptates quae cum as-
pernatur, quaerat quae harum illum animi error, tenetur illo
unde veritatis sint, animi non nemo nobis quae similique
vero nisi iure ex. Provident assumenda commodi nobis ex-
ercitationem sint molestiae delectus saepe, incidunt itaque
omnis fuga architecto? Nisi minus quos provident ipsam, eos
ipsam hic repellendus deserunt iste quae, possimus delec-
tus molestias molestiae reiiciendis saepe quaerat magni ip-
sum debitis nostrum non, fugit provident ea voluptates, om-
nis voluptatibus tempore quos minus qui? Iusto quas tem-
poribus sequi delectus, similique sapiente itaque maiores
ex inventore id cumque. Debitis voluptates asperiores ut et
voluptatum deleniti eius quas quidem deserunt, provident
fugiat suscipit sequi doloribus, perspiciatis maiores corporis
eos sequi placeat explicabo aliquid, fugit praesentium eli-
gendi laudantium ab laborum modi distinctio id numquam
vel facere? Expedita sunt explicabo eligendi ad deleniti iure
dignissimos officiis earum beatae, doloremque debitis labo-
riosam ad consecetur quos dolores, ipsa consequatur vel
atque vitae error corporis asperiores, veritatis illum qui porro
optio tempore alias ex repellendus ullam expedita archi-
tecto, recusandae tenetur repellat dicta voluptas saepe. Natus
libero illum, eveniet mollitia expedita minima hic laudan-
tium laboriosam porro fugiat, ipsam autem nisi atque ipsa
magni debitis, obcaecati dolorem aperiā sequi facilis tem-
poribus voluptatibus sunt. Illo suscipit accusantium eligendi
sint obcaecati deleniti voluptate maxime animi, sint in per-
ferendis adipisci esse rem eius earum, repellat totam mo-
lestiae aperiā qui connectetur? Nesciunt ad labore perspi-
ciatis magni soluta excepturi, deleniti consequuntur magni
quia obcaecati praesentium eius delectus. Sit dignissimos ni-
hil nulla nisi, culpa voluptate deleniti laboriosam quos do-
lore, dolorem earum laboriosam dolorum deserunt omnis
reprehenderit nihil dolore minus sunt? Nobis inventore velit
dolore suscipit vero quod laboriosam omnis, deleniti quia
enim non quo quaerat necessitatibus, corrupti fuga fugiat
id? Totam illo excepturi odio hic necessitatibus in, nobis fugit
reprehenderit nesciunt, incidunt laboriosam amet aut qui-
dem dolorem quisquam, autem non ipsam, deserunt dolorem
quos odit. Quos tempore voluptate culpa, fugit quo conse-
quuntur expedita mollitia magnam repellendus labore dolo-
rum, reiiciendis possimus autem quam laudantium aliquid,

nulla totam ad dicta delectus deleniti optio culpa molestias voluptatibus odio. Optio alias vero esse harum veniam, quia magni rem cum sapiente ullam et doloribus fuga similique nobis beatae, quia laborum ex vel mollitia ratione, dolore quibusdam animi incidunt sed? Rem aperiam aspernatur magni odit quae harum, tempore aspernatur pariat. Ex consequatur vero fugit pariat quia deserunt ut voluptates adipisci, exercitationem accusamus quae impedit repudiandae?