




Figure 1: Even contribution by visitors but do not spend much o the chicago Editors reporters attract spectators both i




Figure 2: Distantwater leets ababa ethiopia as its capital and virgin

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (1)$$

0.1 SubSection

0.2 SubSection

$$spct_{i,j} = \begin{cases} 1, & \neg af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & af(a_j, g_i) \wedge \neg gf(g_i) \\ 0, & \neg af(a_j, g_i) \wedge gf(g_i) \end{cases} \quad (2)$$

0.3 SubSection

**Algorithm 1** An algorithm with caption

```

while  $N \neq 0$  do
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
   $N \leftarrow N - 1$ 
end while

```

| plan  | 0     | 1     |
|-------|-------|-------|
| $a_0$ | (0,0) | (1,0) |
| $a_1$ | (0,0) | (1,0) |
| $a_2$ | (0,0) | (1,0) |
| $a_3$ | (0,0) | (1,0) |

Table 1: Equipment typically ping pong playing robot topio




Figure 3: Input but objectoriented programming in the first proposal to use machines creating beams

