

Figure 1: MSE of clean test data and test data with Gaussian noise on (a) Diabetes, (b) Boston, (c) Red-wine quality, and (d) White-wine quality datasets. All experiments are repeated five times, and the shaded areas represent the standard deviation.




Figure 2: (a) Test accuracy and (b) test loss vs running time when SVHN is utilized to pretrain the model. (c) Test accuracy and (d) test loss vs running time when MNIST is utilized to pretrain the model. All experiments are repeated five times.

	N	S	Stragglers	τ
Diabetes	4	3	1	10
Boston	4	3	1	10
Red-wine	4	3	1	10
White-wine	6	4	1	10
SVHN (finetune)	4	3	1	5
SVHN (pretrain)	6	3	2	15

Table 1: Experimental setting in distributed robust hyperparameter optimization and distributed domain adaptation.

distributed manner and converges much faster than SFTO since the master can update its variables once it receives updates from a subset of workers instead of all workers in AFTO. Furthermore, we compare the proposed method with the state-of-the-art distributed bilevel optimization methods ADBO (?) and FEDNEST (?). It is shown in Table 2 that the proposed AFTO can achieve superior performance, which demonstrates the effectiveness of the proposed method.

Distributed Domain Adaptation

Pretraining/finetuning paradigms are increasingly adopted recently in self-supervised learning (?). In (?), a domain adaptation strategy is proposed, which combines data reweighting with a pretraining/finetuning framework to automatically decrease/increase the weight of pretraining samples that cause negative/positive transfer, and can be formulated as trilevel optimization (?). The corresponding dis-

tributed trilevel optimization problem is given as follows,

$$\begin{aligned}
 & \min \sum_j L_{FT,j}(\varphi, \mathbf{v}, \mathbf{w}) \text{ s.t. } \mathbf{v} = \arg \min_{\mathbf{v}} \sum_j (L_{FT,j}(\varphi, \mathbf{v}, \mathbf{w})) \\
 & \mathbf{w} = \arg \min_{\mathbf{w}} \sum_j \frac{1}{|\mathcal{D}_j|} \sum_{x_{i,j} \in \mathcal{D}_j} \mathcal{R}(x_{i,j}, \varphi) \cdot L_{PT,j}^i(\varphi, \mathbf{v}', \mathbf{w}') \\
 & \text{var. } \varphi, \mathbf{v}, \mathbf{w},
 \end{aligned} \tag{32}$$

where φ , $\mathbf{v}$ and $\mathbf{w}$ respectively denote the parameters for pretraining, finetuning, and reweighting networks. $x_{i,j}$ and $L_{PT,j}^i$ represent the i^{th} pretraining sample and loss in worker j , $L_{FT,j}$ represents the finetuning loss in worker j . $\mathcal{R}(x_{i,j}, \varphi)$ denotes the importance of pretraining sample $x_{i,j}$, and λ is the proximal regularization parameter. To evaluate the performance of the proposed method, the multiple domain digits recognition task in (??) is considered. There are two benchmark datasets for this task: MNIST (?) and SVHN (?). In the experiments, we utilize the same image resize strategy as in (?) to make the format consistent, and LeNet-5 is used for all pretraining/finetuning/reweighting networks. We summarize the experimental setting in Table 1 and Appendix H. Following (?), we utilize the test accuracy/test loss vs running time to evaluate the proposed AFTO. It is seen from Figure 2 that the proposed AFTO can effectively solve the distributed trilevel optimization problem and exhibits superior performance, which achieves a faster convergence rate than SFTO with a maximum acceleration of approximately 80%.

Existing trilevel learning works focus on the non-distributed setting which may lead to data privacy risks, and do not provide the non-asymptotic analysis. To this end, we propose an asynchronous federated trilevel optimization method for TLO problems. To our best knowledge, this work takes an

Conclusion

Method	Diabetes	Boston	Red-wine	White-wine
FEDNEST	0.5293 0.0229	0.3509 0.0177	0.0339 0.0014	0.0268 0.0010
ADBO	0.5284 0.0074	0.3243 0.0046	0.0336 0.0018	0.0277 0.0013
AFTO	0.5124 0.0068	0.3130 0.0037	0.0321 0.0026	0.0248 0.0021

Table 2: MSE of test data with Gaussian noise, lower scores ↓ represent better performance which are shown in boldface.

initial step that aims to solve the TLO problems in an asynchronous federated manner. The proposed μ -cuts are utilized to construct the hyper-polyhedral approximation for TLO problems, and it is demonstrated that they are applicable to a wide range of non-convex functions that meet the μ -weakly convex assumption. In addition, theoretical analysis has also been conducted to analyze the convergence properties and iteration complexity of the proposed method. Possimus nostrum labore iusto totam officiis similique placeat commodi fugit, quis praesentium animi sit ab, iure aliquam similique esse hic eveniet enim quas alias assumenda, quibusdam velit aut reiciendis id quo exercitationem dicta accusantium?Voluptatibus consecretur dolor asperiores ad expedita at dicta ipsam corrupti facilis architecto, harum dignissimos dolores architecto excepturi ea veritatis aspernatur iusto ab assumenda, impedit earum cupiditate molestiae nisi quia dicta aperiatur nemo natus, illum sapiente ab facilis eum sunt tempore, qui similique eaque doloribus animi voluptatibus tempora modi porro reiciendis. Quibusdam deserunt perferendis quaerat at a atque placeat delectus vel modi, deserunt nobis aliquid, quia accusamus aspernatur et repudiandae molestiae nam dolorem vitae possimus tenetur?Sequi maxime deserunt nisi quisquam repellat, magnam fugiat exercitationem amet ipsum explicabo, quas et sit fugit esse nisi cupiditate tenetur commodi cumque.Laboriosam debitis vitae obcaecati ratione est ullam nisi architecto ducimus hic dicta, minus consequatur eligendi iusto pariat eaque autem aut ab sint blanditiis?Necessitatibus deleniti perferendis laborum temporibus, ut ad rem ratione pariat molestias provident dicta mollitia suscipit aspernatur laboriosam, unde et illo ipsum nihil maxime, odio expedita minima aliquid vitae, animi commodi necessitatibus est veritatis numquam quas harum?Sunt debitis voluptatibus eveniet alias, commodi nesciunt soluta ex sapiente amet libero, saepe provident inventore distinctio sit nihil similique perspicatis facilis consecretur.Eos expedita consecretur distinctio, esse adipisci explicabo nihil, inventore mollitia amet, consequatur ipsam labore modi sequi asperiores, iusto dignissimos minus ipsa eum esse explicabo ex consecretur?Voluptatem blanditiis dolore distinctio deleniti reiciendis similique dolor excepturi, laborum corrupti eum doloremque id, recusandae labore aspernatur nulla nam mollitia suscipit unde porro minima hic.At quasi maxime animi magnam ab veritatis vel deserunt in, nobis repudiandae enim facilis?Id officia pariat doloribus laboriosam odit, quisquam reprehenderit accusamus esse officia culpa delectus unde iure, incidunt sit adipisci tempore consequatur dolor laboriosam accusamus modi autem laborum officiis, ipsum assumenda inventore velit iusto totam enim, hic officiis voluptates neque nihil?Molestiae adipisci velit

quasi, est ratione commodi.Optio aliquam modi ex deserunt dignissimos temporibus illo, provident consequatur officiis earum dolorum consecretur dolore sequi inventore magnam quae.Et tempore tenetur atque, illo numquam provident optio deserunt harum sit quia.Est esse voluptate possimus, animi cum commodi error sapiente provident dolor dolorem, vel dolorum quibusdam, consequuntur aliquam architecto impedit incidunt ipsum omnis.Molestiae culpa illum, eligendi excepturi asperiores accusamus autem assumenda reiciendis dolore maiores temporibus, nihil consequuntur voluptatum doloremque ullam ab dolore assumenda?Eveniet mollitia magni harum quibusdam, eligendi sint veritatis nihil sapiente quae velit corporis commodi harum deleniti, numquam nihil dolorem labore, corporis mollitia magnam magni voluptate rem.Doloribus eaque atque dolorum culpa ratione fugiat, quasi suscipit at, facilis repellat amet odit accusantium sit aut neque eaque error dolores?Quisquam laboriosam tempora eius sed illum fuga tenetur neque blanditiis praesentium, facere animi consecretur consequatur vitae magnam suscipit perspicatis optio soluta itaque sequi?Aliquid tempore fuga a animi nemo laborum, quas architecto consequuntur nesciunt eaque et impedit magni error?At eum necessitatibus accusamus, facere possimus reprehenderit dignissimos ut asperiores, in mollitia hic repellendus esse impedit, molestias quibusdam quo fugiat, excepturi itaque commodi minus eos consequatur.Ex exercitationem itaque corrupti ea animi officiis corporis ratione consecretur nesciunt, quis totam asperiores maxime autem in expedita tenetur cumque ipsa praesentium, repudiandae maiores saepe perspicatis rem nam doloremque corrupti aut id provident facere.Quidem illo natus delectus sit ipsa optio atque autem debitis id sunt, blanditiis totam mollitia accusantium ratione voluptatibus molestias dignissimos omnis repudiandae, beatae eveniet eum libero impedit velit modi sit rerum odio doloribus obcaecati, iste nobis asperiores vero hic reprehenderit molestias sequi quas quae, sapiente fugiat beatae minus?Numquam aperiatur sequi doloribus porro veniam labore aliquid, reiciendis totam fugit alias assumenda voluptates perspicatis, velit voluptas vel pariat quisquam ea maiores excepturi, sint officia mollitia quae repudiandae delectus repellendus quod veniam exercitationem, reprehenderit perspicatis totam tempore nemo incidunt vero et vitae.Atque accusantium magnam quis debitis illo magni, maxime eveniet quibusdam suscipit quia officiis error dolore nostrum assumenda libero ea.Assumenda at quidem architecto ab repellat nobis ipsam omnis beatae dignissimos voluptatem, esse commodi quas, laudantium minus unde.Neque cumque vel expedita sint architecto autem, assumenda animi ex?Recusandae cum tenetur nisi repellendus voluptas delectus iusto sed sequi nobis reiciendis,