Edge-weight ratio share(half A) / share(half B) over the run, all 56 pairs (seed 0, same y range everywhere, panels ordered from least to most asymmetric at the end)

x7 to f79, halves of f67
x7 to f78, halves of f67
x7 to f79, halves of f67
x7 to f78, halves of f67
x6 to f26, halves of f67
x6 to f26, halves of f67
x6 to f46, halves of f67
x6 to f46, halves of f67
x7 to f79, halves of f78
x7 to f67, halves of f78
x7 to f79, halves of f78
x7 to f67, halves of f78
x8 to f810, halves of f78
x8 to f810, halves of f78
x8 to f58, halves of f78
x8 to f58, halves of f78
x8 to f78, halves of f58
x8 to f78, halves of f58
x8 to f810, halves of f58
x8 to f810, halves of f58
x5 to f15, halves of f58
x5 to f15, halves of f58
x9 to f79, halves of f29
x2 to f26, halves of f29
x2 to f26, halves of f29
x2 to f23, halves of f29
x9 to f79, halves of f29
x2 to f23, halves of f29
x8 to f78, halves of f810
x8 to f58, halves of f810
x8 to f78, halves of f810
x8 to f58, halves of f810
x6 to f26, halves of f46
x6 to f26, halves of f46
x6 to f67, halves of f46
x6 to f67, halves of f46
x5 to f58, halves of f15
x5 to f58, halves of f15
x2 to f23, halves of f26
x2 to f29, halves of f26
x2 to f23, halves of f26
x2 to f29, halves of f26
x6 to f46, halves of f26
x6 to f46, halves of f26
x6 to f67, halves of f26
x6 to f67, halves of f26
x2 to f26, halves of f23
x2 to f29, halves of f23
x2 to f26, halves of f23
x2 to f29, halves of f23
x7 to f67, halves of f79
x7 to f67, halves of f79
x7 to f78, halves of f79
x7 to f78, halves of f79
x9 to f29, halves of f79
x9 to f29, halves of f79

1.00006
1.00004
1.00002
1.00000
0.99998
0 10 20 30

iteration