

Introduction



Cloud Service Models



IaaS – Infrastructure as a Service

Cloud Service Provider provides infrastructure and resources
Manufacturing organization manages OS, data and software applications



PaaS – Platform as a Service


Cloud Service Provider provides infrastructure and development platform
Manufacturing organization can develop its own software applications



SaaS – Software as a Service

Cloud Service Provider has a full control over cloud and software
Manufacturing organization rents software applications

Oracle Security Flow




Oracle BIP Create First report

Custom BIP Report: User Roles

1. Navigator > Tools > Reports and Analytics


2. Click Browse Catalog to open OBI Catalog



3. Create Data Model

Start creating new custom report by creating your own Data Model:

New > Published Reporting > Data Model



Create new SQL Data Set: **New Data Set (+) > SQL Query**

The screenshot shows the Oracle Business Intelligence Data Model editor. The title bar reads 'ORACLE Business Intelligence'. The main area has tabs: Diagram, Structure, Data, and Code. On the left, a tree view labeled 'Data Model' shows nodes: Properties, Data Sets (which is selected and highlighted with a red box), Event Triggers, Flexfields, List of Values, Parameters, and Bursting. To the right, a list of data source types is shown: SQL Query (selected and highlighted with a red box), LDAP Query, MDX Query, Oracle Endeca Query, Oracle BI Analysis, HTTP (XML Feed), View Object, Web Service, CSV File, Microsoft Excel File, and XML File. A message at the bottom says: 'Click the New Data Set button to create new data set definition.'

Provide following information:

Name: Provide Descriptive name

Data Source: ApplicationDB_FSCM

SQL Query: Copy / Paste provided SQL Query

```
-- USER ROLES ALL
select peru.USERNAME as "USER_NAME",
       pern.FULL_NAME as "FULL_NAME",
       pere.EMAIL_ADDRESS as "EMAIL_ADDRESS",
       rv.ROLE_COMMON_NAME as "ROLE_COMMON_NAME",
       rv.ROLE_NAME as "ROLE_NAME",
       rv.DESCRIPTION as "ROLE_DESCRIPTION"

from   FUSION.PER_USERS peru,
       FUSION.PER_PERSON_NAMES_F_V pern,
       FUSION.PER_EMAIL_ADDRESSES_V pere,
       FUSION.PER_USER_ROLES ur,
       FUSION.PER_ROLES_DN_VL rv
where  1=1
      AND pern.person_id = peru.PERSON_ID
      AND pere.person_id = peru.person_id
      AND pern.EFFECTIVE_END_DATE > SYSDATE + 1
      AND ur.user_id = peru.user_id
      AND rv.role_id = ur.ROLE_ID

      AND UPPER(rv.ROLE_COMMON_NAME) like NVL(UPPER(:P_ROLE_NAME), '%')
      AND UPPER(peru.username) like NVL(UPPER(:P_USERNAME), '%')
      AND UPPER(pern.FULL_NAME) like NVL(UPPER(:P_FULLNAME), '%')

Order by pern.FULL_NAME asc
```

Data Model

Diagram Structure Data Code

+ X

New Data Set - SQL Query

* Name User Roles

* Data Source ApplicationDB_FSCM

* Type of SQL Standard SQL

* SQL Query

```
-- USER ROLES ALL
select peru.USERNAME as "USER_NAME",
       perm.FULL_NAME as "FULL_NAME",
       pere.EMAIL_ADDRESS as "EMAIL_ADDRESS",
       rv.ROLE_COMMON_NAME as "ROLE_COMMON_NAME",
       rv.ROLE_NAME as "ROLE_NAME",
       rv.DESCRIPTION as "ROLE_DESCRIPTION"
from FUSION.PER_USERS peru,
     FUSION.PER_PERSON_NAMES_F_V perm,
     FUSION.PER_EMAIL_ADDRESSES_V pere,
     FUSION.PER_USER_ROLES ur,
     FUSION.PER_ROLES_DN_VL rv
where 1=1
  AND perm.person_id = peru.PERSON_ID
  AND pere.id = ur.person_id
  AND ur.role_id = rv.id
```

Query Builder

Generate Explain Plan OK Cancel

Press <OK> to confirm changes

Accept automatic Parameter creation by selecting Parameters and Confirming by pressing <OK>

Add Parameter - User Roles

Please select one or more bind variables to create corresponding parameters

P_USERNAME

P_ROLE_NAME

P_FULLNAME

OK Cancel

Provide Display Names for your new parameters. I noticed on my demo instance that this name should not have spaces, otherwise parameter name will not be visible on the report (im not sure if this is some kind of bug)

P_FULL_NAME: USER_FULL_NAME
 P_ROLE_NAME: ROLE_NAME
 P_USER_NAME: USER_NAME

Name	Data Type	Default Value	Parameter Type	Row Placement	Reorder
P_FULLNAME	String		Text	1	
P_USERNAME	String		Text	1	
P_ROLE_NAME	String		Text	1	

P_FULLNAME: Type: Text

Display Label: **USER_FULL_NAME**

Text Field Size:

Options: Text field contains comma-separated values. Refresh other parameters on change.

You can also change the order of your parameters here using Reorder column arrow buttons

*Name	Data Type	Default Value	Parameter Type	Row Placement	Reorder
P_FULLNAME	String		Text	1	
P_USERNAME	String		Text	1	
P_ROLE_NAME	String		Text	1	

Click View Data.


The screenshot shows the Oracle Business Intelligence interface for a report titled "User Roles.xdo". On the left, there's a "Data Model" panel with a tree view of properties like Data Sets, Event Triggers, Flexfields, etc. In the center, there's a "Parameters" section with three entries: P_FULLNAME, P_USERNAME, and P_ROLE_NAME, each with dropdown menus for Data Type, Default Value, Parameter Type, Row Placement, and Reorder. At the top right, there are navigation buttons: Return, Manage Private Data Sources, View Data (which is highlighted with a red box), Create Report, and other options like Open and Sign Out.

Click <View> to generate the sample Data

Click <Save As Sample Data> this data will be used later while working on report Layout.

The screenshot shows the Oracle Business Intelligence interface for an untitled report. The left panel shows a "Data Model" with a tree view of properties. The right panel has tabs for Diagram, Structure, Data, and Code, with the Data tab selected. Below the tabs, there are buttons for Rows 5, View, Export, Save As Sample Data (which is highlighted with a red box), and View Engine Log. The main area displays a list of data rows under a section labeled "DATA_DS". Each row contains fields like P_FULLNAME, P_USERNAME, P_ROLE_NAME, and various G_1 sections with detailed information such as USER_NAME, FULL_NAME, EMAIL_ADDRESS, ROLE_COMMON_NAME, ROLE_NAME, and ROLE_DESCRIPTION.

Accept following confirmation.



Save your recently created Data Model. Provide meaningful name. It is a good practice to add DM or datamodel as a suffix e.g. **User Roles datamodel**. Save first to your own folder My Folders > .

Save Data Model


Here you can create New Folder
I created here my own Data Model Folder: **My Data Models**

4. Create Report Layout

Start Creating your report layout: **Create Report**


Accept default settings. New report will be automatically created based on our recently created Data Model.

Click <Next>



We changed Layout to **Landscape**

Press <Next>



Select (Drag and Drop) needed columns needed on the report. You can modify this and many other options after we complete this wizard.

Press <Next>

ORACLE Business Intelligence

Untitled

Data Model

Create Layout

Basic Templates

Blank (Portrait)

Blank (Landscape)

Header and Footer (Portrait)

Header and Footer (Landscape)

Upload or Generate Layout

Upload RTF, PDF, Excel, Flash, XSL, Stylesheet, or eText template file.

Create Report

Search All Advanced Administration Help

Home Catalog Favorites Dashboards New Open Signed In As FIN_IMPL

Parameters Properties View Report

Select Data Select Layout Create Chart Create 2nd Chart **Create Table** Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

Data Source

DATASOURCE

- P_FULLNAME**
- P_USERNAME**
- P_ROLE_NAME**

G_1

- USER_NAME**
- FULL_NAME**
- EMAIL_ADDRESS**
- ROLE_COMMON_NAME**
- ROLE_NAME**
- ROLE_DESCRIPTION**

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora...	PER_LINE_MANAGER	Identifies the person as a manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora...	PER_EMPLOYEE_AB	Identifies the person as a employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora...	GSE_Manager_IT_Developer	GSE Manager Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora...	HR_ANALYST__VIEW_ALL_DATA	HR Analyst All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@...	PER_EMPLOYEE_AB	Identifies the person as a employee.

Show Grand Total Row


Select on the next wizard page <**Customize Report Layout**>

Press <Finish>

The screenshot shows the Oracle Business Intelligence interface. The top navigation bar includes 'ORACLE Business Intelligence', 'Search All', 'Advanced', 'Administration', 'Help', and 'Sign Out'. Below the navigation is a toolbar with 'Home', 'Catalog', 'Favorites', 'Dashboards', 'New', 'Open', and 'Signed In As FIN_IMPL'. The main area is titled 'Untitled' and contains a 'Data Model' search bar. On the left, there's a 'Create Layout' section with 'Basic Templates' showing four options: 'Blank (Portrait)', 'Blank (Landscape)', 'Header and Footer (Portrait)', and 'Header and Footer (Landscape)'. Below this is an 'Upload or Generate Layout' section with an 'Upload' button featuring a green arrow icon. The central part of the screen displays a 'Create Report' dialog box. The dialog has a progress bar at the top with steps: 'Select Data', 'Select Layout', 'Create Chart', 'Create 2nd Chart', 'Create Table', and 'Save Report'. The 'Save Report' step is highlighted. The main content area of the dialog box says 'Congratulations. You created your report! Would you like to view your report or go to the Layout Editor to customize it?'. It lists two options: 'View Report' (with a magnifying glass icon) and 'Customize Report Layout' (with a pencil icon). A red rectangular box highlights the 'Customize Report Layout' option. At the bottom of the dialog are buttons for 'Previous', 'Next', 'Cancel', and 'Finish'. To the right of the dialog, there are tabs for 'Parameters', 'Properties', 'View Report', and a 'Cancel' button.

Save your report.

Provide meaningful name. Create New Directory if Needed. Save first to your own folder. After successful testing you can move this to Shared Custom Folder



Few tips for newly created report

1. Change Page Layout: Paper

Change paper from Letter (default) to e.g. A3

Before able to select this, you have to click over some blank space on the page

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles' report open. The 'Page Layout' tab is active. A red box highlights the dropdown menu for paper size, showing options like Letter, Legal, A4, A3, Executive, B5, Com-10, Monarch, DL, and C5. Another red box highlights the 'Header/Footer' section where 'Page Header' and 'Page Footer' checkboxes are located.

2. Adjust Columns width by simply using your mouse (same way as on Excel)

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles' report open. The 'Page Layout' tab is active. A red box highlights the right edge of the table, indicating where the mouse cursor was used to adjust the column width.

3. Add grouping if needed

Select user column

Select from the ToolBar: Column > Grouping > Group Left

Do the same for Full Name and email address columns

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. On the left, the Data Source pane lists various columns under 'DATA_DS' and 'G_1'. The main area displays a table titled 'User Roles' with the following data:

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_LINE_MANAGER_ABSTRACT	Identifies the person as a line manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	GSE Manager US Developer	GSE Manager US Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	HR_ANALYST__VIEW_ALL_DATA	HR Analyst - View All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mcullum@oradeads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

You should get following layout

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. The 'Grouping' dropdown in the toolbar is set to 'Group Left'. The main area displays a table titled 'User Roles' with the following data:

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_LINE_MANAGER_ABSTRACT PER_EMPLOYEE_ABSTRACT GSE Manager US Developer	Identifies the person as a line manager. Identifies the person as an employee. GSE Manager US Developer
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mcullum@oradeads.com	HR_ANALYST__VIEW_ALL_DATA PER_EMPLOYEE_ABSTRACT	HR Analyst - View All Data Identifies the person as an employee.

4. Add more output lines for the table

Select Table object

Select from the ToolBar: Table > Rows to Display > e.g. 40

This is number of rows visible to you at once time, rest of the rows will be shown using a scroll bar.

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles' report selected. On the left, the Data Source pane lists columns: P_FULLNAME, P_USERNAME, P_ROLE_NAME, G_1 (USER_NAME, FULL_NAME, EMAIL_ADDRESS, ROLE_COMMON_NAME, ROLE_NAME, ROLE_DESCRIPTION). The main area displays a table titled 'User Roles' with two rows of data. The 'Rows to Display' dropdown in the toolbar is set to 40, and the 'Done' button is highlighted with a red box.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOBFINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT PER_EMPLOYEE_ABSTRACT GSE Manager UI Developer HR_ANALYST__VIEW_ALL_DATA	Identifies the person as a line manager. Identifies the person as an employee. GSE Manager UI Developer HR Analyst - View All Data
BARBARAMCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

Click <Save>

Click <Done>

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles' report selected. The Data Source pane is identical to the previous screenshot. The main area displays the same table as before. The 'Saved' button in the toolbar is highlighted with a red box.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOBFINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT PER_EMPLOYEE_ABSTRACT GSE Manager UI Developer HR_ANALYST__VIEW_ALL_DATA	Identifies the person as a line manager. Identifies the person as an employee. GSE Manager UI Developer HR Analyst - View All Data
BARBARAMCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

Viewing Report

Now you can see your report output

This screenshot shows a report titled "User Roles" in Oracle Business Intelligence. The report interface includes search and filter fields for "USER_FULL_NAME", "USER_NAME", and "ROLE_NAME", along with an "Apply" button. The main content area displays a table titled "User Roles" with columns: USER_NAME, FULL_NAME, EMAIL_ADDRESS, ROLE_COMMON_NAME, and ROLE_DESCRIPTION. The table lists various users and their corresponding roles and descriptions.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT PER_EMPLOYEE_ABSTRACT GSE Manager UI Developer HR_ANALYST__VIEW_ALL_DATA	Identifies the person as a line manager. Identifies the person as an employee. GSE Manager UI Developer HR Analyst - View All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT PER_EMPLOYEE_ABSTRACT PER_LINE_MANAGER_ABSTRACT	Identifies the person as an employee. Identifies the person as an employee. Identifies the person as a line manager.
james.aaron	Aaron, James	fap1798-james.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT GSE Employee UI Developer	Identifies the person as an employee. GSE Employee UI Developer
scott.aaron	Aaron, Scott	fap1798-scott.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT GSE_WEBBLOCK_UHP	Identifies the person as an employee. Custom Role to hide Icons
SANTINO.ABATE	Abate, Santino	fap1798-santino.abate@oracleleads.com	PJF_PROJECT_TEAM_MEMBER_ABSTRACT PER_EMPLOYEE_ABSTRACT	Identifies the person assigned to a project as a team member to perform specific roles and functions for that project. Identifies the person as an employee.
RACHIT.INDO	Indo, Rachit	fap1798-rachit.indo@oracleleads.com	GSE_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

You can use parameters using % wild card.

This report search is case insensitive

You can search by User Full Name, User Name or Role Name



This screenshot shows the same "User Roles" report as above, but with a parameter search applied. The "USER_FULL_NAME" field is set to "%scott%". The rest of the interface and data table are identical to the first screenshot.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
scott.aaron	Aaron, Scott	fap1798-scott.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT GSE Employee UI Developer GSE_WEBBLOCK_UHP	Identifies the person as an employee. GSE Employee UI Developer Custom Role to hide Icons
SCOTT.BALES	Bales, Scott	fap1798-scott.bailes@oracleleads.com	GSE_ANALYTICS_UHP GSE_WORKFORCE_UHP GSE_DIRECTORY_UHP GSE_DASHBOARD_UHP GSE_MYTEAM_UHP GSE_GET_STARTED_UHP GSE_MARKETPLACE_UHP GSE_PROMANAGEMENT_UHP GSE_CONTRACTS_UHP GSE_PPM_U Developer PJF_TEAM_COLLABORATOR_ABSTRACT PER_EMPLOYEE_ABSTRACT PJP_PROJECT_TEAM_MEMBER_ABSTRACT	Custom Role to hide icons Custom Role to hide icons Identifies the person in a project organization as a member who can perform, track, and report progress on project and non-project work. Identifies the person as an employee. Identifies the person assigned to a project as a team member to perform specific roles and functions for that project.
SCOTT.CAMPBELL	Campbell, Scott	fap1798-scott.campbell@oracleleads.com	ZBS_SALES_REPRESENTATIVE_JOB ZBS_SALES_VP_JOB	Represents the business to sell its products. Maintains relationships with customers and contacts, builds pipeline, manages leads and opportunities and performs sales forecasting. Manages sales managers within the organization. Responsible for account planning, territory and quota management, and managing sales forecasts for the territory.

Your data model and report can be found now in catalog. You can continue modifying and running this report by accessing this report through BI Catalog.

The screenshot shows the Oracle Business Intelligence Catalog interface. The top navigation bar includes links for Home, Catalog, Favorites, Dashboards, New, Open, Signed In As FIN_IMPL, and Sign Out. The main area is titled "Catalog" and shows a hierarchical tree view under "Folders". The tree includes "My Folders" which contains "Subject Area Contents", "My Dashboard", "Temp", "Drafts", "My Data Models", and "My Reports". Below "My Reports" is a sub-node "Shared Folders". To the right of the tree, there is a "User Roles" section showing "Last Modified 7/13/16 5:48 AM" and "Owner FIN_IMPL". There are buttons for Open, Edit, and More. A search bar at the top is set to "Search All".

Oracle BIP Create Data Model Based on OBIEE



Query Builder - Google Chrome
fa-euth-dev50-saasfademo1.ds.fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql_region=ds_sql_query_-9999_sql&ds=Oracle%20BI%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

- Overridden Cost Center
- Overridden Natural Account
Paying Customer
Paying Customer Account
- Paying Customer Account Profile
- Paying Customer Classification
- Paying Customer Contacts
- Paying Customer Details 
- Paying Customer Identifying Address
- Paying Customer Organization
- Paying Customer Person
Paying Customer Site
- Paying Customer Site Contacts
- Paying Customer Site Profile
Receipt Accounting
- Receipt Accounting
Receipt Details 
- Receipt Distribution Details
Receipt Distributions
- Receipt Distributions
Receipts
Remittance Bank Account
- Subledger Accounting Journals De
Time

Receipt Details

Receipt ID	Receipt Number	Receipt Date	Receipt Accounting Date	Current Record Indicator
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- Paying Customer Details

Paying Customer Number	Paying Customer Name	Paying Customer Type	Paying Customer Taxpayer Identification Number	Paying Customer SIC Code
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Query Builder - Google Chrome
fa-euth-dev50-saasfademo1.ds.fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql_region=ds_sql_query_-9999_sql&ds=Oracle%20BI%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

- Overridden Cost Center
- Overridden Natural Account
Paying Customer
Paying Customer Account
- Paying Customer Account Profile
- Paying Customer Classification
- Paying Customer Contacts
- Paying Customer Details 
- Paying Customer Identifying Address
- Paying Customer Organization
- Paying Customer Person
Paying Customer Site
- Paying Customer Site Contacts
- Paying Customer Site Profile
Receipt Accounting
- Receipt Accounting
Receipt Details 
- Receipt Distribution Details
Receipt Distributions
- Receipt Distributions
Receipts
Remittance Bank Account
- Subledger Accounting Journals De

Receipt Number	Receipt Date	Receipt Status	Paying Customer Number	Paying Customer Name
1012	2012-10-24	Cleared	25350	ABC Corporation Asia
1311	2013-01-09	Cleared	25350	ABC Corporation Asia
1534	2013-03-06	Cleared	25350	ABC Corporation Asia
1847	2013-05-22	Cleared	25350	ABC Corporation Asia
5332	2014-04-01	Cleared	25350	ABC Corporation Asia
11855	2015-08-21	Cleared	25350	ABC Corporation Asia
7874	2014-12-12	Cleared	25350	ABC Corporation Asia
7989	2014-12-19	Cleared	25350	ABC Corporation Asia
85075	2016-12-06	Cleared	25350	ABC Corporation Asia
57961	2016-10-31	Cleared	25350	ABC Corporation Asia
19173	2016-04-27	Cleared	25350	ABC Corporation Asia
124858	2017-12-05	Cleared	25350	ABC Corporation Asia
193221	2019-06-07	Cleared	25350	ABC Corporation Asia
192263	2019-06-01	Cleared	25350	ABC Corporation Asia
158161	2019-01-16	Cleared	25350	ABC Corporation Asia
180212	2019-04-26	Cleared	25350	ABC Corporation Asia
166147	2019-02-22	Cleared	25350	ABC Corporation Asia
254641	2020-04-01	Cleared	25350	ABC Corporation Asia
205295	2019-08-12	Cleared	25350	ABC Corporation Asia
214266	2019-09-26	Cleared	25350	ABC Corporation Asia
218287	2019-10-03	Cleared	25350	ABC Corporation Asia
223381	2019-11-25	Cleared	25350	ABC Corporation Asia
275711	2020-07-14	Cleared	25350	ABC Corporation Asia
295861	2020-10-13	Cleared	25350	ABC Corporation Asia

Query Builder - Google Chrome
fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql_region=ds_sql_query_-9999_sql&ds=Oracle%20B1%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

Only use default schema

```
select "Receipt Details"."Receipt Number" as "Receipt Number",
"Receipt Details"."Receipt Date" as "Receipt Date",
"Receipt Details"."Receipt Status" as "Receipt Status",
"- Paying Customer Details"."Paying Customer Number" as "Paying Customer Number",
"- Paying Customer Details"."Paying Customer Name" as "Paying Customer Name"
from "Receivables - Receipts Details Real Time"."- Paying Customer Details" "- Paying Customer Details",
"Receivables - Receipts Details Real Time"."Receipt Details" "Receipt Details"
```

- Overridden Cost Center
- Overridden Natural Account
Paying Customer
Paying Customer Account
- Paying Customer Account Profile
- Paying Customer Classification
- Paying Customer Contacts
- Paying Customer Details
- Paying Customer Identifying Address
- Paying Customer Organization
- Paying Customer Person
Paying Customer Site
- Paying Customer Site Contacts
- Paying Customer Site Profile
Receipt Accounting
- Receipt Accounting
Receipt Details
- Receipt Distribution Details
Receipt Distributions
- Receipt Distributions
Receipts
Remittance Bank Account
- Subledger Accounting Journals De



Query Builder - Google Chrome
fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql_region=ds_sql_query_-9999_sql&ds=Oracle%20B1%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

Column	Alias	Object	Condition	Sort Type	Sort Order	Show	Function	Group By
Receipt Number	Receipt Number	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Receipt Date	Receipt Date	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Receipt Status	Receipt Status	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Paying Customer Number	Paying Customer Number	- Paying Customer Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Paying Customer Name	Paying Customer Name	- Paying Customer Details		ASC		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>

- Overridden Cost Center
- Overridden Natural Account
Paying Customer
Paying Customer Account
- Paying Customer Account Profile
- Paying Customer Classification
- Paying Customer Contacts
- Paying Customer Details
- Paying Customer Identifying Address
- Paying Customer Organization
- Paying Customer Person
Paying Customer Site
- Paying Customer Site Contacts
- Paying Customer Site Profile
Receipt Accounting
- Receipt Accounting
Receipt Details
- Receipt Distribution Details
Receipt Distributions
- Receipt Distributions
Receipts
Remittance Bank Account
- Subledger Accounting Journals De



Oracle BIP Create Report Based on OBIEE

The screenshot shows the Oracle Business Intelligence Publisher (BIP) interface for creating a report. The top navigation bar includes links for Home, Catalog, Favorites, Dashboards, Create, and Open. The main area is titled "Create Layout" and contains three basic templates: "Blank (Portrait)", "Blank (Landscape)", and "Header Foot (Portrait)". Below these are options for "Upload or Generate Layout" and "Create a report using an existing Data Model". A "Data Model" dropdown is set to "HK-Reports/Positions-DM.xmd". On the right side, there are tabs for Parameters, Properties, and View Report, along with a "Cancel" button. At the bottom are buttons for Previous, Next, Cancel, and Finish.

This screenshot continues the report creation process. The "Select Layout" tab is active. Under "Page Options", "Portrait" is selected for orientation, and "Page Header" and "Page Footer" are checked. Under "Layout", "Table" is selected, with a preview image showing a grid structure. Other layout options like "Chart", "Pivot Table", "Chart and Table", "Chart and Pivot Table", and "Two Charts and Table" are also shown with their respective preview images. The right side features the same "Parameters", "Properties", and "View Report" tabs, along with a "Cancel" button. Navigation buttons at the bottom include Previous, Next, Cancel, and Finish.

Untitled

Select Data Select Layout Create Chart Create 2nd Chart **Create Table** Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

Data Source

- DATA_DS
 - G_1
 - A Position_Code
 - A Position_Name
 - A Job_Name
 - A Job_Code
 - A Manager_Name

[Drop Fields Here]

Show Grand Totals Row **Preview Report**

Previous Next Cancel Finish

Untitled

Select Data Select Layout Create Chart Create 2nd Chart **Create Table** Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

Data Source

- DATA_DS
 - G_1
 - A Position_Code
 - A Position_Name
 - A Job_Name
 - A Job_Code
 - A Manager_Name

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Show Grand Totals Row **Preview Report**

Parameters Properties View Report Cancel

Previous Next Cancel Finish

Untitled Report

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Select Data Select Layout Create Chart Create 2nd Chart Create Table **Save Report**

Parameters

Congratulations. You created your report!

Would you like to view your report or go to the Layout Editor to customize it?



View Report

Run and view the report.



Customize Report Layout

Use the Layout Editor to customize the report.

[Previous](#) [Next](#) [Cancel](#) [Finish](#)

★ Positions-REP : Positions-REP

Home Catalog Favorites Dashboards Create Open

Data Source

- DATA_DS
 - G_1
 - Position_Code
 - Position_Name
 - Job_Name
 - Job_Code
 - Manager_Name

Insert Page Layout

Components

- Layout Grid
- Data Table
- Chart
- Pivot Table
- List
- Repeating Section
- Text Item
- Gauge
- Image

Page Elements

- Page Break
- Page Number
- Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050

Positions-REP

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Components

Properties

★ Positions-REP : Positions-REP

Home Catalog Favorites Dashboards Create Open

Data Source

- DATA_DS
 - G_1
 - Position_Code
 - Position_Name
 - Job_Name
 - Job_Code
 - Manager_Name

Insert Page Layout

Components

- Layout Grid
- Data Table
- Chart
- Pivot Table
- List
- Repeating Section
- Text Item
- Gauge
- Image

Page Elements

- Page Break
- Page Number
- Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050

Positions Report

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Components

Properties

Positions-REP . Positions-REP

Home Catalog Favorites Dashboards Create Open Done

Data Source

- DATA_DS
- G_1
 - A Position_Code
 - A Position_Name
 - A Job_Name
 - A Job_Code
 - A Manager_Name

Components

- Layout Grid
- Data Table
- Chart
- Pivot Table
- List
- Repeating Section
- Text Item
- Gauge
- Image

Page Elements

- Page Break
- Page Number
- Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Components Properties



Positions-REP

Home Catalog Favorites Dashboards Create Open

Positions Report

Hesham Kamal

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063
POS003	Administrator	Administrator	JOB003
POS031	Chief Financial Officer (CFO)	Chief Financial Officer (CFO)	JOB031
POS088	Director of HR Help Desk	Director of HR Help Desk	JOB088
USHCPO5028	Manager Nursing ICU	HC Nursing Manager	USHCJob002
USHCPO5034	Nurse ICU	HC Nurse	USHCJob001
USHCPO5057	Technician Clinical	HC Clinical Technician	USHCJob005



Positions-REP_Positons-REP - Excel

Hesham Mohamed HM

File Home Insert Page Layout Formulas Data Review View Help BI Publisher

Font Alignment Number Styles Cells Editing

A1 Positions Report

Positions Report

Hesham Kamal

	Position_Code	Position_Name	Job_Name	Job_Code
10	POS087	Director of Organizational Development	Director of Organizational Development	JOB087
11	POS082	Director of Recruitment	Director of Recruitment	JOB082
12	POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
13	POS005	Human Resources Manager	Human Resources Administrator	JOB004
14	POS063	Payables Clerk	Payables Clerk	JOB063
15	POS003	Administrator	Administrator	JOB003
16	POS031	Chief Financial Officer (CFO)	Chief Financial Officer (CFO)	JOB031
17	POS088	Director of HR Help Desk	Director of HR Help Desk	JOB088
18	USHCPOS028	Manager Nursing ICU	HC Nursing Manager	USHCJob002

Sheet1

Using Query Builder for preparing the SQL Oracle BIP Create First report

The screenshot shows the Oracle Business Intelligence Publisher (BIP) Query Builder interface. The window title is "Query Builder - Google Chrome". The URL in the address bar is "fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql_region=ds_sql_query_-9999_sql&ds=ApplicationDB_FSCM&dgMod...". The interface has a toolbar with "File", "Home", "Insert", and various clipboard options. A search bar at the top right contains the text "Po_Lin". The main area is divided into three tabs: "Model", "Conditions", and "SQL". The "Model" tab is active, showing two tables: "PO_HEADERS_ALL" and "PO_LINES_ALL". The "PO_HEADERS_ALL" table has columns "ATTRIBUTE1" through "ATTRIBUTE12". The "PO_LINES_ALL" table has columns "CANCELLATION_DATE", "CANCEL_REASON", "FIRM_STATUS_LOOKUP_CODE", "FIRM_DATE", and "VENDOR_PRODUCT_NUM". On the left, a sidebar lists various schema objects like "PO_LINE_LOCATIONS", "PO_LINE_TYPES", etc.

The screenshot shows the Oracle BIP Query Builder interface with the "SQL" tab active. The generated SQL query is:

```

select "PO_HEADERS_ALL"."SEGMENT1" as "SEGMENT",
       "PO_HEADERS_ALL"."AMOUNT_RELEASED" as "AMOUNT_RELEASED",
       "PO_HEADERS_ALL"."USE_NEED_BY_DATE" as "USE_NEED_BY_DATE",
       "PO_HEADERS_ALL"."CURRENCY_CODE" as "CURRENCY_CODE",
       "PO_LINES_ALL"."LINE_NUM" as "LINE_NUM",
       "PO_LINES_ALL"."LINE_STATUS" as "LINE_STATUS",
       "PO_LINES_ALL"."ITEM_DESCRIPTION" as "ITEM_DESCRIPTION",
       "PO_LINES_ALL"."UOM_CODE" as "UOM_CODE",
       "PO_LINES_ALL"."UNIT_PRICE" as "UNIT_PRICE",
       "PO_LINES_ALL"."QUANTITY" as "QUANTITY"
  from "FUSION"."PO_LINES_ALL" "PO_LINES_ALL",
       "FUSION"."PO_HEADERS_ALL" "PO_HEADERS_ALL"
 where "PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID"

```

A red arrow points to the "WHERE" clause of the query.

Query Builder - Google Chrome

File Home Insert

Schema FUSION Model Conditions SQL Results 10 Save Cancel

Search Po_lin

PO_LINE_LOCATIONS

SEGMENT1	AMOUNT_RELEASED	USE_NEED_BY_DATE	CURRENCY_CODE	LINE_NUM	LINE_STATUS	ITEM_DESCRIPTION	UOM_CODE	UNIT_
52166	2455	null	USD	1	OPEN	Color Photo Printer	zzu	149
52166	2455	null	USD	2	OPEN	Color InkJet Printer	zzu	129
52166	2455	null	USD	3	OPEN	Network Laser Printer	zzu	199
52166	2455	null	USD	4	OPEN	Color Laser Printer	zzu	189
52166	2455	null	USD	5	OPEN	Inkjet Black Cartridge	zzu	39
52166	2455	null	USD	6	OPEN	Inkjet Cyan Cartridge	zzu	39
52166	2455	null	USD	7	OPEN	Inkjet Magenta Cartridge	zzu	39
52166	2455	null	USD	8	OPEN	Inkjet Yellow Cartridge	zzu	39
52166	2455	null	USD	9	OPEN	Color Laser Printer Toner Cartridge	zzu	89
52166	2455	null	USD	10	OPEN	Black Laser Printer Toner Cartridge	zzu	79

PO_LINE_TYPES

PO_LINE_TYPES_b

PO_LINE_TYPES_B

PO_LINE_TYPES_ll

PO_LINE_TYPES_LL

PO_LINE_TYPES_V

PO_LINE_TYPES_VAL_V

PO_LINE_TYPES_VL

PO_LINESARCHIVEALL

PO_LINESDRAFTALL

PO_LINES

po_lines_all

PO_LINES_ALL

★ Bookmarks WhatsApp جوال Cloud Sites Tables Data Diction... OIC Raya IS Forms: How to Check... Forms: How to use... Forms: How to Sele... All Bookmarks

Untitled Home Catalog Favorites Dashboards Create Open

Data Model Diagram Structure Data Code

New Data Set - SQL Query Validate Manage Private Data Sources View Data Create Report

Name main Data Source ApplicationDB_FSCM Type of SQL Standard SQL

SQL Query

```
select "PO_HEADERS_ALL"."SEGMENT1" as "SEGMENT1",
"PO_HEADERS_ALL"."AMOUNT_RELEASED" as "AMOUNT_RELEASED",
"PO_HEADERS_ALL"."USE_NEED_BY_DATE" as "USE_NEED_BY_DATE",
"PO_HEADERS_ALL"."CURRENCY_CODE" as "CURRENCY_CODE",
"PO_LINES_ALL"."LINE_NUM" as "LINE_NUM",
"PO_LINES_ALL"."LINE_STATUS" as "LINE_STATUS",
"PO_LINES_ALL"."ITEM_DESCRIPTION" as "ITEM_DESCRIPTION",
"PO_LINES_ALL"."UOM_CODE" as "UOM_CODE",
"PO_LINES_ALL"."UNIT_PRICE" as "UNIT PRICE",
"PO_LINES_ALL"."QUANTITY" as "QUANTITY"
from "FUSION"."PO_LINES_ALL" "PO_LINES_ALL",
"FUSION"."PO_HEADERS_ALL" "PO_HEADERS_ALL",
where "PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID"
```

Generate Explain Plan OK Cancel

ExplainPlan - Notepad

where "PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID"

SQL Query Timeout: 600
Number of SQL Executions: 1
PLAN_TABLE_OUTPUT

Id	Operation	Name	Rows	Bytes	Cost (%CPU)	Time
0	SELECT STATEMENT		263K	17M	5415 (1)	00:00:01
* 1	HASH JOIN		263K	17M	5415 (1)	00:00:01
2	TABLE ACCESS STORAGE FULL	po_headers_all	15694	337K	417 (0)	00:00:01
3	TABLE ACCESS STORAGE FULL	po_lines_all	263K	11M	4997 (1)	00:00:01

Predicate Information (identified by operation id):

```
1 - access("PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID")
```

Ln 1, Col 1 100% Unix (LF) UTF-8

Generate Explain Plan OK Cancel

Using Report schedule

Catalog

User View ▾

Folders

- My Folders
- Shared Folders
 - Apps Library
 - AR and ProcSpend
 - Common Content
 - Custom
 - Customer Data Manage
 - Enterprise Contracts
 - Extension
 - Financials
 - Functional Setup
 - Higher Education

HK-Reports

- Expand
- RSS
- Delete
- Archive
- Unarchive
- Upload

Type All Sort Name A-Z Show More Details

Last Modified 9/5/2024 1:56:25 PM Owner next

Last Modified 9/6/2024 11:00:20 PM Owner next

Last Modified 9/6/2024 10:30:32 PM Owner next

Last Modified 9/6/2024 10:39:15 PM Owner next

Schedule

- History
- Jobs
- Delete
- Copy
- Rename
- Add to Favorites
- Create Shortcut
- Archive

Schedule Report Job

Home Catalog Favorites Dashboards Create Open

Overview

General Created by next
Report Name HK-Reports/Positions-REP.xdo
Schedule Start immediately

Outputs Output1
Destination
Notification

Return Submit

General Output Schedule Notification Diagnostic

Define Schedule Time

Frequency Once →

Run Now

Start Sep 7, 2024 12:07:43 AM (UTC+00:00) Etc/UTC - Coordinated Universal Time (UTC)

Define Schedule Trigger

Use Trigger

Schedule Report Job

Home Catalog Favorites Dashboards Create Open

Overview

General Created by next
Report Name HK-Reports/Positions-REP.xdo
Schedule Start immediately



Outputs Output1
Destination
Notification Email


Return Submit

General Output Schedule Notification Diagnostic

Notify By Email Email Address Hesham.dev@gmail.com

When Report completed
 Report completed with warnings
 Report failed
 Report skipped





Oracle BI Publisher Notification: [Send Report]: Job was successfully processed. [Inbox](#)

evix.bi.sender@workflow.mail.pp1.oraclecloud.com to me 2:10 AM (0 minutes ago)

Job Name : Send Report
Job Executed Date : September 6, 2024 11:10:18 PM UTC
Status : Job was successfully processed.

View History : <https://fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com:443/analytics/saw.dll?bipublisherEntry&Action=historyDetails&itemType=xdo&bipParams=%7B%22phid%22%3A%22458462%22%7D>

[Reply](#) [Forward](#) [Smile](#)

Last Refreshed Sat Sep 07, 2024 02:11:34 AM Coordinated Universal Time [Return](#)

Report Job History

General Information

Report Job ID	458462
Report Job Name	Send Report
Owner	next
Report Name	Positions-REP
Report Scope	Private
Report Job Schedule	9/6/24 11:10:11 PM UTC
Active Start Date	
Active End Date	
Trigger Data Model	
Trigger Name	
Trigger Retry Limit	
Trigger Pause Time	
Trigger Parameters	

No parameters available

Output & Delivery

Status	All
Output Name	Output1
Template	Positions-REP
Format	PDF
Locale	English (United States)
Time Zone	(UTC+00:00) Etc/UTC - Coordinated Universal Time (UTC)
Calendar	Gregorian
Status	
Send	

Report Job History

Home Catalog Favorites Dashboards Create Open

outputDocument

1 / 40 | - 90% + | ☰

Download Print ...

Positions Report

Hesham Kamal

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063
POS003	Administrator	Administrator	JOB003
POS031	Chief Financial Officer (CFO)	Chief Financial Officer (CFO)	JOB031
POS088	Director of HR Help Desk	Director of HR Help Desk	JOB088
USHCPO0028	Manager Nursing ICU	HC Nursing Manager	USHCJob0002
USHCPO0034	Nurse ICU	HC Nurse	USHCJob0001
USHCPO0057	Technician Clinical	HC Clinical Technician	USHCJob0005
PRGUKPO0030	Bid Manager	Bid Manager	PRGUKJOB021
USHCPO0005	Chief Operating Officer	HC Chief Operating Officer	USHCJob0017

outputDocument

1 / 2 | - 90% + 🔍

POs statistics for supplies

Supplier	Count of POs
Advanced Corp	2265
EPI Inc	1681
Staffing Services	1463
JOA	1413
RIM	1015
Total	7837

The chart displays the count of purchase orders (POs) for five suppliers. Advanced Corp leads with 2265 POs, followed by EPI Inc with 1681, Staffing Services with 1463, JOA with 1413, and RIM with 1015.

Supplier	Count of POs
Advanced Corp	2265
EPI Inc	1681
Staffing Services	1463
JOA	1413
RIM	1015
Total	7837

Supplier POs

A pie chart titled "Supplier POs" showing the percentage distribution of PO numbers across five companies. The data is as follows:

Company	Percentage
Advanced Corp.	28.90%
EIP Inc.	21.45%
JGA	18.03%
RSM	12.95%
Staffing Services	18.67%



Legend: Advanced Corp. (Blue), EIP Inc. (Green), JGA (Yellow), RSM (Red), Staffing Services (Purple)



Session 3 : Oracle BIP Create report using RTF



The screenshot shows a web browser window with multiple tabs open. The active tab is titled 'fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/analytics/saw.dll?bipublisherEntry&Action=edit&itemType=xdm&bipPath=%2F...'. The page displays a 'Data Model' interface for a 'Users_Roles-DM' dataset. On the left, there's a tree view of properties like Data Sets, Event Triggers, Flexfields, etc. The main area shows a table with columns: USER_NAME, FULL_NAME, EMAIL_ADDRESS, ROLE_COMMON_NAME, ROLE_NAME, and ROLE_DESCRIPTION. The table contains five rows of data. At the bottom of the table, there is a row number '5'. Above the table, there are buttons for 'Rows 5', 'View', 'Export', 'Save As Sample Data', 'View Engine Log', and 'Generate SQL Monitor Report'. A red arrow points from the top right towards the 'Create Report' button at the top right of the interface. Below the table, there is a code editor window showing XML code corresponding to the data in the table.


USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM_euth-dev50@oraclepdemos.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant
BARBARA MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM_euth-dev50@oraclepdemos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager..
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	DS_FDI_ANALYTICS_KPI_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access

```
1 <?xml version = '1.0' encoding = 'utf-8'?>
2 <!--Generated by Oracle Analytics Publisher -Dataengine, datamodel:_HK_Reports_DM_Users_Roles_DM_xc
3 <<DATA_DS><P_USER_NAME/>
4 <G_1>
5 <USER_NAME>BARBARA.MCCULLUM</USER_NAME><FULL_NAME> McCullum, Barbara</FULL_NAME><EMAIL_ADDRESS>BAR
6 </G_1>
7 <G_1>
8 <USER_NAME>BARBARA.MCCULLUM</USER_NAME><FULL_NAME> McCullum, Barbara</FULL_NAME><EMAIL_ADDRESS>BAR
9 </G_1>
10 <G_1>
11 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADDI
12 </G_1>
13 <G_1>
14 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADDI
15 </G_1>
16 <G_1>
17 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADDI
18 </G_1>
19 <CS_1>5</CS_1>
20 </DATA_DS>
21
```










The screenshot shows the Microsoft Word ribbon with the BI Publisher tab selected. A table has been inserted into the document, displaying the sorted data from the previous step. The table has six columns with the following data:

USER_NAME	FULL_NAME	EMAIL_ADDR	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIP
F	FULL_NAME	EMAIL_ADDR	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTOR
USER_NAME	ME	ESS	AME	ME	ME
USER_NAME	ME	ESS	AME	ME	ME



991725817914337out.pdf

File | C:/Users/Hesham/AppData/Local/Oracle/BIPUBL~1/TEMPPLA~2/tmp/tmp/931725817914337out.pdf

Draw | A | Ask Copilot

1 of 1

Edit with Acrobat

Users and Roles Report


USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA_MCCULLUM	McCullum, Barbara	BARBARA_MCCULLUM_euth-dev50@oraclepdm.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant
BARBARA_MCCULLUM	McCullum, Barbara	BARBARA_MCCULLUM_euth-dev50@oraclepdm.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah_ALMohammed	AL Mohammed Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepdm.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah_ALMohammed	AL Mohammed Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepdm.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager..
Abdullah_ALMohammed	AL Mohammed Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepdm.com	DS_FDI_ANALYTICS_KPI_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access

Screenshot of the Oracle BI Publisher interface showing a Data Model named "Users_Roles-DM". The "Data" tab is selected, displaying a table of user roles. A red arrow points to the "Create Report" button in the top right corner.

User Name	FULL_NAME	E MAIL ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA MCCULLUM	McCullum, Barbara	BARBARA.MC CULLUM.euth-dev5@oracledempos.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	NT Admin Role to enable FA Digital Assistant
BARBARA MCCULLUM	McCullum, Barbara	BARBARA.MC CULLUM.euth-dev5@oracledempos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah ALMohammed_euth-dev5@oracledempos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah ALMohammed_euth-dev5@oracledempos.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies person as a line manager
Abdullah ALMohammed	AL Mohammed , Abdullah	Abdullah ALMohammed_euth-dev5@oracledempos.com	DS_FDI_ANALYTICS_XPL_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access

Screenshot of the Oracle BI Publisher interface showing the report creation wizard. Step 1: "Select Data" is completed. Step 2: "Create a report using an existing Data Model" shows the "Data Model" dropdown set to "HHC-Reports/DM/Users_Roles-DM.rdl". A red arrow points to the "Use Report Editor" link. Step 3: "How do you want to create your report?" shows the "Use Report Editor" radio button selected. A red arrow points to the "Finish" button at the bottom right.

Screenshot of the Oracle BI Publisher interface showing the report creation wizard. Step 1: "Select Data" is completed. Step 2: "Create a report using an existing Data Model" shows the "Data Model" dropdown set to "Users_Roles_DM". A red arrow points to the "Upload" button under "Upload or Generate Layout". Step 3: "How do you want to create your report?" shows the "Use Report Editor" radio button selected. A red arrow points to the "Finish" button at the bottom right.



Users and Roles Report

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM@oracle.com	ACCESS_FA_DIGITAL_ASSTANT	ACCESS_FA_DIGITAL_ASSTANT	Custom Role to enable FA Digital Assistant
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM@oracle.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee.
Abdullah.ALMohammed	AL Mohammed , Abdullah	med_euth-dev50@oraclepede.mos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee.
Abdullah.ALMohammed	AL Mohammed , Abdullah	med_euth-dev50@oraclepede.mos.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager.
Abdullah.ALMohammed	AL Mohammed , Abdullah	med_euth-dev50@oraclepede.mos.com	DS_FDI_ANALYTIC_KPI_GRP	DS_FDI_ANALYTIC_KPI_GRP	To enable my reporting KPIs access
Abdullah.ALMohammed	AL Mohammed , Abdullah	med_euth-dev50@oraclepede.mos.com	SSR_VIEW_INBOUND_SHIP_DETAILS	SSR_VIEW_INBOUND_SHIP_DETAILS	Access to inbound shipment details on receipt.
Abdullah.ALMohammed	AL Mohammed , Abdullah	med_euth-dev50@oraclepede.mos.com	ACCESS_FA_DIGITAL_ASSTANT	ACCESS_FA_DIGITAL_ASSTANT	Custom Role to enable FA Digital Assistant

Screenshot of a web-based reporting interface showing a table of user roles and their descriptions. The table has columns for User Name, Full Name, Email Address, Role Common Name, Role Name, and Role Description.

User Name	Full Name	Email Address	Role Common Name	Role Name	Role Description
Abdullah ALM_ohammed	AL_Mohammed , Abdullah	dev50@oraclepdemom.com	ORA_SVC_HUMAN_RESOURCES_HELP_DESK_USER_JOB	Next Gen Human Resource Help Desk User	User requesting Next Gen Human Resource Help Desk support to resolve their Human Resource related questions and issues.
Abdullah ALM_ohammed	AL_Mohammed , Abdullah	dev50@oraclepdemom.com	GSE_BIP_REPORT_UHP_1	GSE_BIP_REPO_RT_UHP_1	
Abdullah ALM_ohammed	AL_Mohammed , Abdullah	dev50@oraclepdemom.com	GSE_BUILD_A_REPORT_UHP	GSE_BUILD_A_REPORT_UHP	
Abdullah ALM_ohammed	AL_Mohammed , Abdullah	dev50@oraclepdemom.com	GSE My Reporting	GSE My Reporting	Custom role will expose the My Reporting folder on the springboard.
Abdullah ALM_ohammed	AL_Mohammed , Abdullah	dev50@oraclepdemom.com	GSE_HCM_INFOLET_JOB_ROLE	GSE HCM INFOLET JOB ROLE	

On the right side of the interface, there is a toolbar with several export options:




- HTML
- PDF
- RTF
- Excel (*.xlsx)
- PowerPoint (*.pptx)



Screenshot of an Excel spreadsheet titled "UsersRoles_rep_Report_User.xlsx". The spreadsheet contains a table titled "Users and Roles Report" with the following data:

Users and Roles Report					
USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
AAKASH.SHARM_A	Sharma, Aakash	AAKASH.SHARMA_eu.th-dev50@oraclepdemom.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
AAKASH.SHARM_A	Sharma, Aakash	AAKASH.SHARMA_eu.th-dev50@oraclepdemom.com	GSE_HRCONSULTING_UHP	GSE_HRCONSULTING_UHP	
AAKASH.SHARM_A	Sharma, Aakash	AAKASH.SHARMA_eu.th-dev50@oraclepdemom.com	ORA_PJF_TEAM_COLLABORATOR_ABSTRACT	Team Collaborator	Identifies the person in a project organization as a member who can perform, track, and report progress on project and non-project work.
AAKASH.SHARM_A	Sharma, Aakash	AAKASH.SHARMA_eu.th-dev50@oraclepdemom.com	GSE_PPM_UI_Developer	GSE PPM UI Developer	GSE PPM UI Developer
AAKASH.SHARM_A	Sharma, Aakash	AAKASH.SHARMA_eu.th-dev50@oraclepdemom.com	GSE_ANALYTICS_IHID	GSE ANALYTICS	Custom Role to hide items

Oracle BIP Create report using Excel Format


Please note this is another way for layout preparation so consider that the data set already created.






A1 Version

A	B	C	D	E	F	G
1 Version						
2 ARU-dbdrv						
3 Extractor Version						
4 Template Code						
5 Template Type	TYPE_EXCEL_TEMPLATE					
6 Preprocess XSLT File						
7 Last Modified Date						
8 Last Modified By						
9						
10 Data Constraints:						
11 XDO_?XDOFIELD1?	<?USER_NAME?>					
12 XDO_?XDOFIELD2?	<?FULL_NAME?>					
13 XDO_?XDOFIELD3?	<?EMAIL_ADDRESS?>					
14						
15						
16						
17						
18						





Oracle Create analysis report Top 5 customers and receipts

The screenshot shows the Oracle Analytics interface with a blue header bar. Below the header, there's a toolbar with various icons and a 'Home' button. A 'Select Subject Area' dialog box is open on the right side. The dialog has a title 'Select Subject Area' and a search field containing 'rece'. It lists several subject areas under the category 'rece': 'Receivables - Payment Schedules Real Time', 'Receivables - Receipt Conversion Rate Adjustments', 'Receivables - Receipt Details Real Time' (which is highlighted with a red arrow), and 'Receivables - Revenue Adjustments Real Time'. The main workspace below the dialog shows a grid with a placeholder 'Drop Columns Here'.

The screenshot shows the Oracle Analytics 'Untitled' report configuration screen. The top navigation bar includes 'Criteria', 'Results', 'Prompts', and 'Advanced'. The main area is divided into three sections: 'Subject Areas' on the left, 'Selected Columns' in the center, and 'Filters' on the right. In the 'Subject Areas' section, under the 'Receipts' category, 'Receipt Accounted Amount' is selected and highlighted with a red arrow. In the 'Selected Columns' section, 'Receipt Accounted Amount' is listed under the 'Receipts' category. The 'Filters' section contains a placeholder 'Add Filters Here'. At the bottom left, there's a 'Catalog' section with 'List All' and 'My Folders' options.

Untitled

Criteria Results Prompts Advanced

Subject Areas

- Legal Entity
- Paying Customer
- Paying Customer Classification
- Paying Customer Details
 - Paying Customer (Organization) Current
 - Paying Customer (Organization) Next P
 - Paying Customer DUNS Number
 - Paying Customer Email Address
 - Paying Customer Employees Total
 - Paying Customer GSA Indicator
 - Paying Customer Name**
 - Paying Customer Number
 - Paying Customer Preferred Name (Ko)
 - Paying Customer Primary Phone Ext

Catalog

List All

My Folders Shared Folders

Selected Columns

Receipts Receipt Accounted Amount Paying Customer Details Paying Customer Name

Add Filter Here

Untitled

Criteria Results Prompts Advanced

Subject Areas

- Ricevables - Receipts Details Real Time
- Business Unit
- Fiscal Calendar
- Ledger
- Ledger Set
- Legal Entity
- Paying Customer
- Paying Customer Account
- Paying Customer Site
- Receipt Accounting
- Receipt Details
- Receipt Distributions

Catalog

List All

My Folders Shared Folders

Views Title Table

Compound Layout

Table

Receipt Accounted Amount Paying Customer Name

Receipt Accounted Amount	Paying Customer Name
79.485.74	AM Technologies
227.778.554.88	ABC Application Software
200.403.041.88	ABC Corporation Americas
242.220.388.22	ABC Corporation Asia
262.634.226.66	ABC Corporation Worldwide
79.093.695.55	ABC Hardware Manufacturing
298.432.895.73	ABC Telecommunications
4.300	Aby Jai
50	Ajay Rai
110	Alex Sanchez
10.356.404	Aleiza Hotels
50	Alicia Waters
611.135.035.07	Altra Fitness Center
35	America Lanes

Customers_TOP_5

Criteria Results Prompts Advanced

Subject Areas

- Invoice Distribution Self-Assessed Tax Account
- Invoice Lines
- Invoice Self-Assessed Tax Distribution
- Invoice Self-Assessed Tax Lines
- Ledger
- Ledger Set
- Legal Entity
- Party
- Party Site
- Supplier
- Supplier Site
- Supplier Site Address
- Time
- Warehouses - Receipts Details Real Time

Catalog

List All

My Folders Shared Folders

Selected Columns

Receipts Receipt Accounted Amount Paying Customer Details

Edit Filter

Column: Receipt Accounted Amount /x
Operator: is in top
Value: 5

OK Cancel

Subject Areas

- Invoice Distribution Self-Assessed Tax Account
- Invoice Lines
- Invoice Self-Assessed Tax Distribution
- Invoice Self-Assessed Tax Lines
- Ledger
- Ledger Set
- Legal Entity
- Party
- Party Site
- Supplier
- Supplier Site

Catalog

Compound Layout

Title: Top 5 Customers
Customers_TOP_5
This Analysis for showing top 5 customers and their amounts.

Table

Receipt Accounted Amount	Paying Customer Name
684,725,651.88	Bradshaw Hotels
979,481,827.5	Dixon Industries
694,037,220.04	Fit N Fine Equipment
858,669,088.23	Motique Gym
1,048,884,208.04	Silicon Corporate Gym

Untitled

Criteria Results Prompts Advanced

Title

Title: Top 5 Customers Display Saved Name

Logo

Optional - URL of a site image.
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Subtitle

Started Time: Do not display

Help URL

Optional - URL for a document providing help on this analysis.
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Top 5 Customers

Untitled

Criteria Results Prompts Advanced

Title

Title: Top 5 Customers Display Saved Name

Logo

Optional - URL of a site image.
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Subtitle

Started Time: Do not display

Help URL

Optional - URL for a document providing help on this analysis.
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Top 5 Customers

Untitled

Criteria Results Prompts Advanced

Subject Areas

- Receivables - Receipts Details Real Time
 - Business Unit
 - Fiscal Calendar
 - Ledger
 - Ledger Set
 - Legal Entity
 - Paying Customer
 - Paying Customer Account
 - Paying Customer Site
 - Receipt Accounting
 - Receipt Details
 - Receipt Distributions

Catalog

Views

Title Table

Selection Steps

Compound Layout

Top 5 Customers

Table

Receipt Accounted Amount Paying Customer Name

Receipt Accounted Amount	Paying Customer Name
894,725,651.00	Bradshaw Hotels
978,451,827.5	Dixon Industries
684,037,220.04	Fit N Fine Equipment
858,000,000.23	Motique Gym
1,048,864,200.04	Silicon Corporate Gym

Best Visualization

Line Area

Vertical Horizontal Stacked Vertical Stacked Horizontal Time Series Line

Horizontal Stacked Horizontal 100% Stacked Vertical 100% Stacked Horizontal

Bar

Performance Tile Treemap Heat Matrix Trellis Graph Gauge Funnel Map Filters Selection Steps Other Views

Recommended Subtype

Vertical Horizontal Stacked Vertical Stacked Horizontal Time Series Line

Horizontal Stacked Horizontal 100% Stacked Vertical 100% Stacked Horizontal

Criteria Results Prompts Advanced

Subject Areas

- Receivables - Receipts Details Real Time
 - Business Unit
 - Fiscal Calendar
 - Ledger
 - Ledger Set
 - Legal Entity
 - Paying Customer
 - Paying Customer Account
 - Paying Customer Site
 - Receipt Accounting
 - Receipt Details
 - Receipt Distributions
 - Receipts

Catalog

Views

Title Table Graph

Selection Steps

Compound Layout

Top 5 Customers

Table



Receipt Accounted Amount Paying Customer Name



Receipt Accounted Amount	Paying Customer Name
894,725,651.00	Bradshaw Hotels
978,451,827.5	Dixon Industries
684,037,220.04	Fit N Fine Equipment
858,000,000.23	Motique Gym
1,048,864,200.04	Silicon Corporate Gym


Graph

Receipt Accounted Amount

Customer	Receipt Accounted Amount
Bradshaw Hotels	894,725,651.00
Dixon Industries	978,451,827.5
Fit N Fine Equipment	684,037,220.04
Motique Gym	858,000,000.23
Silicon Corporate Gym	1,048,864,200.04







Exporting result

Inbox (4,212) | Boards | Trelio | Oracle Fusion C | Oracle Transact | Customers_rece | Google Keep | (1) WhatsApp | Finish update

fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/analytics/saw.dll?PortalGo&Action=prompt&path=%2Fshared%2FK-Reports%...

Bookmarks WhatsApp الموارد البشرية Cloud Sites Tables Data Dictionary OIC Ray IS Forms: How to Check... Forms:

Customers_rece_TOP_5

Top 5 Customers
Customers_rece_TOP_5

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
405.12	Dixon Industries	59300	CA
942	Dixon Industries	59000	DE
13,829.84	Dixon Industries	59300	GB
523,457,836.93	Dixon Industries	59300	US
105,310,030.10	Dixon Industries	59300	

Receipt Accounted Amount

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

Confirmation

The Export process is complete.

OK

Customers_rece_TOP_5.xlsx 3.3 KB • Done

Users_Report1.xls 26.5 KB • 36 minutes ago

UsersRoles_rep_excel_User_report_Excel (5).xls 3.9 MB • 43 minutes ago

Customers_rece_TOP_5 - Excel

	A	B	C	D	E	F	G	H
1	Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country				
2	466.12	Dixon Industries	59300	CN				
3	942	Dixon Industries	59300	FR				
4	13829.54	Dixon Industries	59300	GB				
5	520457836.9	Dixon Industries	59300	US				
6	186319030.2	Dixon Industries	59300					
7								
8								

fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/analytics/saw.dll?PortalGo&Action=prompt&path=%2Fshared%2FK-Reports%2F

Customers_rece_TOP_5

Customers_rece_TOP_5.pdf

21.2 KB • Done

Top 5 Customers

Customers_rece_TOP_5

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
466.12	Dixon Industries	59300	CN
942	Dixon Industries	59300	FR
13,829.54	Dixon Industries	59300	GB
520,457,836.9	Dixon Industries	59300	US
186,319,030.2	Dixon Industries	59300	

Confirmation

The Export process is complete.

OK

Refresh Print Export Add to Briefing Book Email Copy

The screenshot shows a dashboard titled "Top 5 Customers" for "Customers_rece_TOP_5". The dashboard includes a table of account receivable data for Dixon Industries and five gauge charts for the same company.

Top 5 Customers
Customers_rece_TOP_5

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
466.12	Dixon Industries	59300	CN
942	Dixon Industries	59300	FR
13,829.54	Dixon Industries	59300	GB
520,457,836.93	Dixon Industries	59300	US
186,319,030.19	Dixon Industries	59300	

Receipt Accounted Amount

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

Email the result

Customers_rece_TOP_5

Top 5 Customers

Receipt Accounted Amount

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
499.12 - Dixon Industries	58300	CA	
942 - Dixon Industries	58300	FR	
13,629.54 - Dixon Industries	58300	GB	
520,457.63 - Dixon Industries	58300	US	
100,319.63 - Dixon Industries	58300		

Report Customers_rece_TOP_5

To: []

Subject: Customers_rece_TOP_5

Send: Now Later

Repeat: Never

Dixon Industries

Dixon Industries

Dixon Industries


Dixon Industries

Dixon Industries

More information about email and security

OK Cancel

B61 - Reheen - Print - Export - Add to Brahma Book - Email Report



Gmail

Customers_rece_TOP_5

Oracle Business Intelligence Reporting <auth-dev50.bi.sender@workflow.email.us-phoenix-1.ocs.oraclecloud.com>

Sun, Sep 8, 2024 at 10:09 PM

Top 5 Customers

Customer_rece_TOP_5

Receipt Accounted Amount Paying Customer Name

69472501.5 Bradshaw Hotels
69453722.0 Clix Industries
69453722.0 Fit N Fine Equipment
88889903.2 Molique Gym
104889420.0 Silicon Corporate Gym


Receipt Accounted Amount

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Bradshaw Hotels
Clix Industries
Fit N Fine Equipment
Molique Gym
Silicon Corporate Gym

2 attachments — Download all attachments View all images

Oracle Create report with bursting



Query sample

```
/* Formatted on 9/8/2024 11:27:57 PM (QP5 v5.269.14213.34769) */
SELECT PAPF.PERSON_NUMBER Employee_Number,
       PPNF.DISPLAY_NAME Employee_Name,
       'hesham.dev@gmail.com' AS EMAIL_ADDRESS,
       PAPF.PERSON_ID
  FROM PER_EMAIL_ADDRESSES EM, PER_ALL_PEOPLE_F PAPF,
PER_PERSON_NAMES_F PPNF
 WHERE      PAPF.PERSON_ID = EM.PERSON_ID
   AND PPNF.NAME_TYPE = 'GLOBAL'
   AND PPNF.CHAR_SET_CONTEXT = 'US'
   AND PAPF.PERSON_ID = PPNF.PERSON_ID
   AND TRUNC (SYSDATE) BETWEEN PAPF.EFFECTIVE_START_DATE
                                AND PAPF.EFFECTIVE_END_DATE
   AND TRUNC (SYSDATE) BETWEEN PPNF.EFFECTIVE_START_DATE
                                AND PPNF.EFFECTIVE_END_DATE
AND PAPF.PERSON_NUMBER IN ('7', '10')
```

Employee_bursting_DM

Home Catalog Favorites Dashboards Create Open

Data Model

Properties

- Data Sets
 - main
- Event Triggers
- Flexfields
- List of Values
- Parameters
- Bursting
- Employee Rep

Diagram Structure Data Code

Rows 5 View Export Save As Sample Data View Engine Log Generate SQL Monitor Report

Tree View | Table View

Oracle BI Publisher Date: Sep 8, 2004 9:50:33 PM Page 1 Of 1

EMAIL_ADDRESS	EMPLOYEE_NUMBER	EMPLOYEE_NAME	PERSON_ID
heham.dev@gmail.com	7	Alan Cook	300000047806111
heham.dev@gmail.com	10	Mandy Stewart	300000047828100

Employee_bursting_DM

Home Catalog Favorites Dashboards Create Open

Data Model

Properties

- Data Sets
 - main
- Event Triggers
- Flexfields
- List of Values
- Parameters
- Bursting
- Employee Rep

Bursting

+ X

Name	Type	Data Source	Actions
Employee Rep	SQL Query	ApplicationDB_FSC1	▼

Bursting Query | Attachment

Split By: /DATA_DSIG_1/PERSON_ID ↪

Deliver By: /DATA_DSIG_1/PERSON_ID ↪

Enable Consolidated Output

Group Data by Split Key Values

SQL Query


Query Builder

```
SELECT DISTINCT 'PERSON_ID' KEY,
   Employee_Report TEMPLATE,
   PDF 'TEMPLATE_FORMAT',
   PDF 'LOCAL',
   PDF 'OUTPUT_FORMAT',
   [EMAIL] 'DEL_CHANNEL',
   EMAIL_ADDRESS 'PARAMETER1',
   'heham.mohamed@rayas.com' 'PARAMETER2',
   'Fusion_System@oracle.com' 'PARAMETER3',
   'Training_Employee_Report' 'PARAMETER4,
```

Bursting Query Sample :

```
SELECT DISTINCT "PERSON_ID" KEY,  
    'Employee Report' TEMPLATE,  
    'PDF' TEMPLATE_FORMAT,  
    'en-US' LOCALE,  
    'PDF' OUTPUT_FORMAT,  
    'EMAIL' DEL_CHANNEL,  
    EMAIL_ADDRESS PARAMETER1,  
    'hesham_mohamed@rayais.com' PARAMETER2,  
    'Fusion_system@oracle.com' PARAMETER3,  
    'Training Employee Report' PARAMETER4,  
    'Dears , please PFA ' PARAMETER5,  
    'true' PARAMETER6,  
    NULL PARAMETER7,  
    NULL PARAMETER8
```

```
FROM /* Formatted on 9/8/2024 11:27:57 PM (QP5 v5.269.14213.34769) */  
SELECT PAPF.PERSON_NUMBER Employee_Number,  
      PPNF.DISPLAY_NAME Employee_Name,  
      'hesham.dev@gmail.com' AS EMAIL_ADDRESS,  
      PAPF.PERSON_ID  
  FROM PER_EMAIL_ADDRESSES EM, PER_ALL_PEOPLE_F PAPF,  
PER_PERSON_NAMES_F PPNF  
 WHERE      PAPF.PERSON_ID = EM.PERSON_ID  
 AND PPNF.NAME_TYPE = 'GLOBAL'  
 AND PPNF.CHAR_SET_CONTEXT = 'US'  
 AND PAPF.PERSON_ID = PPNF.PERSON_ID  
 AND TRUNC (SYSDATE) BETWEEN PAPF.EFFECTIVE_START_DATE  
                           AND PAPF.EFFECTIVE_END_DATE  
 AND TRUNC (SYSDATE) BETWEEN PPNF.EFFECTIVE_START_DATE  
                           AND PPNF.EFFECTIVE_END_DATE  
 AND PAPF.PERSON_NUMBER IN ('7', '10')  
)
```



The screenshot shows the BI Publisher software interface. The top menu bar includes AutoSave, Home, Insert, Design, Layout, References, Mailings, Review, View, Help, and BI Publisher. The BI Publisher tab is selected. The ribbon below has sections for XML Schema, Sample XML, Table Wizard, Pivot Table, Chart, Field, Table/Form, Conditional Format, Repeating Group, All Fields, PDF, Excel2000, DOCX, HTML, RTF, Excel, and PowerPoint. The main workspace displays a table with two columns: EMPLOYEE_NUMBER and EMPLOYEE_NAME. The table has two rows, both containing the same values: F_EMPLOYEE_NUMBER and EMPLOYEE_NAME E.

The screenshot shows the BI Publisher catalog interface. The top navigation bar includes Bookmarks, WhatsApp, JavaU, Cloud Sites, Tables Data Diction..., OIC, Raya IS, Forms: How to Check..., Forms: How to use..., Forms: How to Select..., and All Bookmarks. The current page is Employee_bursting_rep. The left sidebar shows a data model named Employee_bursting_DM with an Employee report item. The right panel shows the report properties. A red arrow points from the Employee report item in the catalog to the Properties tab in the report properties dialog. Another red arrow points to the 'Enable Bursting' checkbox in the Advanced section of the Report Properties dialog.

The screenshot shows the BI Publisher catalog interface with the Employee_bursting_rep report selected. The report properties dialog is open, showing the General tab. The 'Enable Bursting' checkbox is checked. A red arrow points to this checkbox. The dialog also includes sections for Caching, Formatting, Font Mapping, and Currency Format. At the bottom are OK and Cancel buttons.

Employee_bursting_rep

Data Model Employee_bursting_DM +

Home Catalog Favorites Dashboards Create Open

Parameters Properties View Report View Thumbnails View a list

Layout

Apply Style Template

Name	Template File	Type	Output Formats	Default Format	Default Layout	Apply Style Template	Active	View Online	Locale	Reorder
Employee	Employee_bursting.mf	PDF	PDF	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	English	<input type="button" value="▲"/>

A red arrow points to the "PDF" dropdown menu in the "Output Formats" column.

Employee_bursting_rep

Bookmarks WhatsApp jsmall Cloud Sites Tables Data Diction... OIC Raya IS Forms: How to Check... Forms: How to use... Forms: How to Select... All Bookmarks

Home Catalog Favorites Dashboards Create Open

Employee

Schedule

A red arrow points to the "Schedule" option in the right-hand sidebar.

Schedule Report Job

General Created by next Report Name HR-Reports/CM/Employee_bursting_rep.rdo Destination Notification Email


Schedule Start immediately

Return Submit

General Output Schedule Notification Diagnostic


Notify By Email Email Address: Hesham.dev@gmail.com

When Report completed Report completed with warnings Report failed Report skipped



A screenshot of the "Report Job History" page. The URL is * Report Job History. The page shows a table of report histories. A red arrow points to the first row of the table, which contains the following data:

Report Job Name	Report Name	Status	Start Processing	End Processing	Owner	Scope
Send Report0	Employee_bursting_rep.xdo	Success	Sep 08, 2024 08:45:24 PM	Sep 08, 2024 08:45:25 PM	next	Private





Oracle report Shearing options

```

    "iag":false,"_xdo":"%2FHK-Reports%2FDM%2Femployee_Param.rep.xdo","_paramsP_Employee_number":"7","_xt":"employee_Param_rep","_xf":'
  
```

A red arrow points from the URL 'https://a-euth-dev50-saaafacadev01.ds-fa.oracleclouddemo.co' in the modal dialog to the text in the code block above it.

Oracle report Working with procedure call as a type of SQL





Settings Tools Macro Run Plugins Window

```

1  <?xml version = '1.0' encoding = 'utf-8'?>
2  <!--Generated by Oracle BI Publisher -Dataengine, datamodel: _erp_integration_Test_Report_Dm xdm -->
3  <DATA_DS><P_FROM_DATE>2020-10-01T04:00:00.000+04:00</P_FROM_DATE><P_TO_DATE>2020-10-01T04:00:00.000+04:00</P_TO_DATE><
4  <ROWTAG>
5  <TEST>1234</TEST> ←
6  </ROWTAG>
7  </TESTNONSQl>
8  <DATA_DS><G_1>
9  <INVOICE_ID>5084</INVOICE_ID><LAST_UPDATE_DATE>2020-10-04T19:28:45.000+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>Kamran
10 </G_1>
11 <INVOICE_ID>300000005173669</INVOICE_ID><LAST_UPDATE_DATE>2020-10-05T08:28:53.000+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>
12 </G_1>
13 <INVOICE_ID>300000005816544</INVOICE_ID><LAST_UPDATE_DATE>2020-04-09T10:12:06.811+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>
14 </G_1>
15 <INVOICE_ID>300000009172868</INVOICE_ID><LAST_UPDATE_DATE>2020-07-05T11:57:30.000+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>
16 </G_1>
17 <INVOICE_ID>300000009076080</INVOICE_ID><LAST_UPDATE_DATE>2020-07-03T06:09:19.000+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>
18 </G_1>
19 </DATA_DS></DATA_DS>
20
21
22
23

```

Oracle report Working with NON-Standard SQL as a type of SQL




```

/* Formatted on 9/11/2024 1:42:10 PM (QP5 v5.269.14213.34769) */
WITH FUNCTION xx_test (p_in IN NUMBER)
    RETURN NUMBER
AS
BEGIN
    RETURN (p_in + 1);
END;

test_q AS (SELECT xx_test (1) out_number FROM DUAL)
SELECT *
FROM test_q

```




Oracle report - Working with Standard report extension

The screenshot shows the Oracle Fusion Cloud Service interface. At the top, there's a navigation bar with links for Apps, Facebook, LinkedIn, Inbox Gmail, Oracle Configuration, Learning, and Oracle. Below the navigation bar is a sidebar titled "Least ACCOUNTING". The sidebar contains several sections: "Academics", "Procurement", "My Enterprise", "Tools", "Configuration", and "Others". Under the "Tools" section, the "Scheduled Processes" item is highlighted with a red arrow. The main content area shows a grid of various service icons and names.

Icon	Name
Announcements	Alerts Composer
Deep Links	Developer Connect
Spaces	Contact Search
Scheduled Processes	Security Console
Import Management	Export Management
Audit Reports	SmartText
Notification Preferences	Collaboration Messaging
Sandboxes	Migration
Structure	User Interface Text
Application Composer	Business Objects
	Page Integration

The screenshot shows the "Overview" page for scheduled processes. At the top, there are search and filter options. Below that is a table of scheduled processes. A red arrow points to the "Schedule New Process" button at the bottom left of the table header. The table has columns for Process ID, Status, Scheduled Time, Submission Time, and Submitted By.

Process ID	Status	Scheduled Time	Submission Time	Submitted By
1400722	Wait	14-Mar-2021 11:00:00 G...	14-Mar-2021 10:00 G...	FUSION_APPS_CR
1400538	Succeeded	14-Mar-2021 10:00:00 G...	14-Mar-2021 09:00 G...	FUSION_APPS_CR
1400554	Succeeded	14-Mar-2021 09:00:00 G...	14-Mar-2021 08:00 G...	FUSION_APPS_CR
1400409	Succeeded	14-Mar-2021 08:00:00 G...	14-Mar-2021 07:00 G...	FUSION_APPS_CR



A screenshot of the Oracle Fusion Middleware Overview page. The top navigation bar includes links for Apps, facebook, LinkedIn, Inbox Gmail, Oracle Configuration..., Learning, Oracle, and Other bookmarks. The main content area shows an 'Overview' section with a search bar and a table of recent processes. The table has columns for 'Name', 'Process ID', and 'Status'. The first process listed is 'Process Click History Mapping Data' with Process ID 1408722 and Status 'Wait'. The second process is 'Process Click History Mapping Data' with Process ID 1408558 and Status 'Succeeded'. The third process is 'Process Click History Mapping Data' with Process ID 1408554 and Status 'Succeeded'. The fourth process is 'Process Click History Mapping Data' with Process ID 1408409 and Status 'Succeeded'. To the right of the table is a 'Settings and Actions' sidebar with options like Personalization, Administration, Troubleshooting, and About This Application. A red arrow points from the bottom right towards the 'Settings and Actions' sidebar.

Setup: Compensation Management

Functional Areas

- * Initial Users
- * Enterprise Profile
- * Legal Structures
- * Organization Structures
- * Financial Reporting Structures
- * Workforce Structures
- * Users and Security
- HCM Data Loader
- Vinodice Information
- * Basic Payroll
- * Base Pay
- * Benefits
- * Individual Compensation
- * Workforce Compensation
- * Total Compensation Statements

Change Feature Opt-in

Search Tasks

Initial Users

Task

Run User and Roles Synchronization Process

Columns Hidden: 4

Manage Implementation Projects
Copy Configurations
Manage Configuration Packages
Manage Export and Import Processes
Purge Export and Import Processes
Manage Setup Content
Review Topology
Run Job

Search

ManageJobScheduler

Match With: Tasks, Task List, Business Objects

Name	Type	Details
Manage Adjustment Schedules	Task	
Manage Burden Schedules	Task	
Manage Capitalized Interest Rate Schedules	Task	
Manage Due Date Schedules	Task	
Manage Enterprise Scheduler Job Definitions and Job Sets for Customer Relationship Management and Related Applications	Task	
Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications	Task	
Manage Enterprise Scheduler Job Definitions and Job Sets for Human Capital Management and Related Applications	Task	
Manage Facility Schedule Exceptions	Task	
Manage Facility Schedules	Task	
Manage Fee Schedules	Task	

Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications

Manage Job Definitions | Manage List of Values Sources | Manage Job Sets

Create Customer Statement

Filling Temp table with data

Delete data from Temp table

Name	Description	Path	Execution Type	Job Type
*StatementGen... Create Customer Statement Subprocess	Generates state...	oracle/appcess...	Process	BIPJobType
*StatementGen... Create Customer Statements	Generates state...	oracle/appcess...	PL/SQL	PLJobType
*StatementGen... Create Customer Statements: Generate Log	Generates a log...	oracle/appcess...	Java	BIPJobType

Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications

Actions: View + Detach

Name	Display Name	Description	Path	Execution Type	Job Type
*StatementGen	Create Customer Statements Subprocess	Generates statements	/oracle/apps/financials/receivables/shared	Process	CodeType
*StatementGen	Create Customer Statements	Generates statements	/oracle/apps/financials/receivables/shared	PL/SQL	ProcedureType
*StatementGen	Create Customer Statements: Generate Log	Generates a log	/oracle/apps/financials/receivables/shared	Java	BLOBType

Edit Job Definition

Job Definition: Create Customer Statements: Generate Log

Display Name: Create Customer Statements: Generate Log

Path: /oracle/apps/financials/receivables/shared

Application: Receivables

Description: Generates a log file for the generation of statements for selected customers and customer sites.

Refines:

Job Category:

Timeout Period:

Job Application Name: FndmEx

Job Type: EIPJobType

Class Name: oracle/rds/service/client/scheduler/EIPJobExecutable

Default Output Format: Report ID: Financials/Receivables/Receivables/Balances/StatementGeneration.xdo

Priority: Allow Multiple Pending Submissions

StatementGenerationReport: Parameters: User Properties

Parameter Prompt: No data to display

Actions: View Detach

User View: Location /Shared Folders/Financials/Receivables/Receivables Balances

Folders: My Folders, Shared Folders, Common Content, Content, Customer Data Management, Customer Contracts, Extension, Financials, Subject Area Content, Dashboards, Bill Management, Bill Control, Cash Management, Calculations, Expenses

Tasks: Receivables Balances, Expand, Archive, Unarchive, Create, Upload

Reports: Account Status Report, Customer Balance Revaulation Report, Customer Balance Revaulation Report, Document Number Audit Report, Statement Generation Report, Late Charges Report, Open Balances Revaulation Report, AR Open Balances Revaulation Report, Print Bills Receivable, Process Lockbox Execution Report, Process Lockbox Execution Report, Process Revenue Recognition Execution Report, Process Revenue Recognition Execution Report

Statement Generation Report: Data Model: Statement Generation Data Model





Generate Statement Report: Statement Generation Report




Address Bar: statementGeneration.xdo?path=%2Fshared%2FFinancials%2FReceivables%2FReceivables%2FBalances%2FStatementGeneration.xdo

Toolbar: Back, Forward, Stop, Refresh, Home, Search, Favorites, Help, Sign Out, Oracle Configuration, Learning, Oracle, Other bookmarks

Header: ORACLE Transactional Business Intelligence, Generate Statement Report, Search: All, Advanced, Administration, OTBI Help, Help, Signed In As, Oracle Consultancy

Footer: Home, Catalog, Favorites, Dashboards, New, Open, View Report, View Thumbnails, View a list, Add New Layout





The screenshot shows the Oracle BI Publisher Enterprise Catalog interface. The top navigation bar includes links for Apps, facebook, LinkedIn, Inbox, Gmail, Oracle Configuration, Learning, and Oracle, along with a search bar and administration options. The main title is "Catalog". On the left, a sidebar titled "Folders" lists categories like My Folders, Shared Folders, Common Content, Custom, and Financials, with "Financials" currently expanded to show sub-items such as AR Reports, AutoConfig, CloudTools, Customer Relationship, Data Migration, Tg_Accrualconnect_outts, Enhanced_cust, and AP. Below the sidebar is a "Tasks" section with options like "Receivables Balances", "Expand", "Upload", "Delete", and "Download". The central workspace displays a report titled "Generate Statement Report" with details: Last Modified 3/14/21 12:00 PM, Created By erp.integration, and a "Print statement" link. The location path in the header is "/Shared Folders/Custom/Financials/Receivables/Receivable".

The screenshot shows a software application window. On the left, there is a sidebar titled "Folders" containing a tree view of reports. The "Receivables" folder is expanded, showing sub-items like "B&F Prepayment" and "Receivables Balances". The "Receivables Balances" item is highlighted with a blue selection bar. To its right, the main panel displays detailed information about a report: "Data Model" (Last Modified 3/14/21 12:03 PM, Created By erp integration). Below this, another report is listed: "Generate Statement Report" (Last Modified 3/14/21 12:00 PM, Created By erp integration). At the bottom of the main panel, there is an "Edit Report" button with a small "E" icon and a tooltip "Edit Report".

Oracle report – call the report from SAAS on spring board Working with Sandbox

The screenshot shows the Oracle Fusion Middleware Control Center interface. On the left, there is a navigation tree with sections like Academics, Procurement, My Enterprise, Tools, and Configuration. Under Configuration, the 'Sandbox' link is highlighted with a red arrow. The main pane displays a list of available sandboxes, and the right pane shows a 'Navigator' window titled 'Springboard'.

This screenshot shows the 'Available Sandboxes' list in the Oracle Fusion Middleware Control Center. The list includes various sandboxes such as 'Enable HTML', 'Add OFF', 'PER C', 'TEST PER', 'Learning1', 'ODA_WWW_CE', 'LR1', 'ENABLE SUIC PLAN', '1234567899', 'Logo', 'Add Payroll to Job Offer 12', 'test1', 'Salary Descriptive', 'test po description', 'Country Sandbox', and 'Flechdz'. A red arrow points to the 'Create Sandbox' button located at the top right of the list. The interface also includes tabs for 'Available Sandboxes' and 'Published Sandboxes'.

Create Sandbox

Name: OC_TECHNICAL_TEST	Description: OC_TECHNICAL_TEST	Create	Create and Enter	Cancel																																																																	
Publishable: Yes																																																																					
All Tools																																																																					
<table border="1"> <thead> <tr> <th>Active</th> <th>Name</th> <th>Description</th> <th>Supported Context</th> <th>Additional Information</th> </tr> </thead> <tbody> <tr><td><input checked="" type="checkbox"/></td><td>Application Composer</td><td>Create custom objects and fields; extend user interfaces and business logic.</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Configure Business Objects</td><td>Configure Business Objects</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>HCM Experience Design Studio</td><td>HCM Experience Design Studio</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Appearance</td><td>Change the look and feel of the application</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Structure</td><td>Configure the navigator and springboard</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Manage Service Mappings</td><td>Search, create, edit, or delete service mappings</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>User Interface Test</td><td>User Interface Test</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Integration</td><td>Create new pages, add tabs to existing pages</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Composer</td><td>Add and edit page content</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Template Composer</td><td>Add and edit page template content</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Data Security</td><td>Create data security policies for business objects, and add grants to the objects</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Lookups</td><td>Create lookups, and modify the existing ones</td><td>Site</td><td></td></tr> </tbody> </table>					Active	Name	Description	Supported Context	Additional Information	<input checked="" type="checkbox"/>	Application Composer	Create custom objects and fields; extend user interfaces and business logic.	Site		<input checked="" type="checkbox"/>	Configure Business Objects	Configure Business Objects	Site		<input checked="" type="checkbox"/>	HCM Experience Design Studio	HCM Experience Design Studio	Site		<input checked="" type="checkbox"/>	Appearance	Change the look and feel of the application	Site		<input checked="" type="checkbox"/>	Structure	Configure the navigator and springboard	Site		<input checked="" type="checkbox"/>	Manage Service Mappings	Search, create, edit, or delete service mappings	Site		<input checked="" type="checkbox"/>	User Interface Test	User Interface Test	Site		<input checked="" type="checkbox"/>	Page Integration	Create new pages, add tabs to existing pages	Site		<input checked="" type="checkbox"/>	Page Composer	Add and edit page content	Site		<input checked="" type="checkbox"/>	Page Template Composer	Add and edit page template content	Site		<input checked="" type="checkbox"/>	Data Security	Create data security policies for business objects, and add grants to the objects	Site		<input checked="" type="checkbox"/>	Lookups	Create lookups, and modify the existing ones	Site	
Active	Name	Description	Supported Context	Additional Information																																																																	
<input checked="" type="checkbox"/>	Application Composer	Create custom objects and fields; extend user interfaces and business logic.	Site																																																																		
<input checked="" type="checkbox"/>	Configure Business Objects	Configure Business Objects	Site																																																																		
<input checked="" type="checkbox"/>	HCM Experience Design Studio	HCM Experience Design Studio	Site																																																																		
<input checked="" type="checkbox"/>	Appearance	Change the look and feel of the application	Site																																																																		
<input checked="" type="checkbox"/>	Structure	Configure the navigator and springboard	Site																																																																		
<input checked="" type="checkbox"/>	Manage Service Mappings	Search, create, edit, or delete service mappings	Site																																																																		
<input checked="" type="checkbox"/>	User Interface Test	User Interface Test	Site																																																																		
<input checked="" type="checkbox"/>	Page Integration	Create new pages, add tabs to existing pages	Site																																																																		
<input checked="" type="checkbox"/>	Page Composer	Add and edit page content	Site																																																																		
<input checked="" type="checkbox"/>	Page Template Composer	Add and edit page template content	Site																																																																		
<input checked="" type="checkbox"/>	Data Security	Create data security policies for business objects, and add grants to the objects	Site																																																																		
<input checked="" type="checkbox"/>	Lookups	Create lookups, and modify the existing ones	Site																																																																		

OC_TECHNICAL_TEST Tools

- Sandbox Detail
 - Push
 - Leave Sandbox
- Available Sandboxes Published Sandboxes

Tools	Name	Context	Publishable	Tools	Enter Sandbox
<input type="checkbox"/>	Application Composer	Site	Yes	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Configure Business Objects	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	HCM Experience Design Studio	Site	Yes	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Appearance	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Structure	Site	Yes	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Manage Service Mappings	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	User Interface Test	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	TEST PER	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Learning	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	ODA_HRM_CE	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>


OC_TECHNICAL_TEST Tools

- Sandbox Detail
 - Push
 - Leave Sandbox
- Available Sandboxes Published Sandboxes

Tools	Name	Context	Publishable	Tools	Enter Sandbox
<input type="checkbox"/>	Application Composer	Site	Yes	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Configure Business Objects	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	HCM Experience Design Studio	Site	Yes	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Appearance	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Structure	Site	Yes	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	Manage Service Mappings	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>
<input type="checkbox"/>	User Interface Test	Site	Yes	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/>

Left Sidebar:


- Academics
- Procurement
- My Enterprise
- Tools
 - Set Preferences
 - Deep Links
 - Spaces
 - Scheduled Processes
 - Import Management
 - Audit Reports
 - Notification Preferences
- Configuration
 - Sandboxes
 - Structure
 - Application Composer




This for show the report to certain roles

```
1  #{securityContext.userInRole['ORA_AR_ACCOUNTS_RECEIVABLE_MANAGER_JOB']}  
2  || securityContext.userInRole['ORA_AR_ACCOUNTS_RECEIVABLE_SPECIALIST_JOB'] }
```

This for security to
show the report to
specific roles





* Name : Test Customer Statement

* Icon

Show on Navigator EL Expression



Show on Springboard EL Expression

Mobile Enabled No


Link Type Static URL

Secure Destination



* Destination #{\$paramsP_SOLVED:'N'} || '#{\$PL_SL_ALL_ERRORS_v2}' || '#{\$A_initToReportValue}'



Don't foregate to assign the roles that in sandbox link to the user to can see the changes



Run the following process to see the changes then re login the application



Contents

Introduction.....	1
Oracle Security Flow.....	2
Oracle BIP Create First report.....	3
Custom BIP Report: User Roles.....	3
1. Navigator > Tools > Reports and Analytics	3
2. Click Browse Catalog to open OBI Catalog	3
3. Create Data Model	3
4. Create Report Layout.....	9
Few tips for newly created report	14
1. Change Page Layout: Paper	14
2. Adjust Columns width by simply using your mouse (same way as on Excel)	14
3. Add grouping if needed	15
4. Add more output lines for the table.....	15
Viewing Report	17
Oracle BIP Create Data Model Based on OBIEE	19
Oracle BIP Create Report Based on OBIEE.....	23
Using Query Builder for preparing the SQL Oracle BIP Create First report	30
Session 3 : Oracle BIP Create report using RTF	37
Oracle BIP Create report using Excel Format.....	46
Oracle Create analysis report Top 5 customers and receipts	50
Oracle Create report with bursting.....	60
Oracle report Shearing options	66
Oracle report Working with procedure call as a type of SQL	67
Oracle report Working with NON-Standard SQL as a type of SQL.....	68
Oracle report - Working with Standard report extension.....	70
Oracle report – call the report from SAAS on spring board Working with Sandbox.....	77

