

#### Copyright © 2023, Oracle and/or its affiliates.

#### Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

## **Restricted Rights Notice**

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

#### **Trademark Notice**

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

## Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1009202023

# **Table of Contents**

usion Inventory Implementation Project: Case Study	5
INVENTORY STOCK MOVEMENT: Case Study	6
Business Description	6
Implementation Challenge: Phase I – Manage Enterprise Information Settings	10
Task 1: Locations	10
Task 2: Manage Business Units	10
Task 3: Assign Business Unit Business Function	10
Task 4: Manage Value Set Values	11
Implementation Challenge: Phase II – Defining Organizational Structures	12
Task 1: Facility Shifts	12
Task 2: Facility Workday Patterns	12
Task 3: Facility Schedules	12
Implementation Challenge: Phase III – Inventory Org Structure	13
Task 1: Item Organizations	13
Task 2: Inventory Organizations	13
Implementation Challenge: Phase IV – Physical Separation of Inventory Organization	15
Task 1: Manage Subinventories	15
Task 2: Manage Locators	15
Implementation Challenge: Phase V – Manage Receiving Parameters	16
Implementation Challenge: Phase VI – Manage Item Definition	17
Task 1: Item Definition	17
Task 2: Manage Item Class	17
Task 3: Item Org Assignment	17
Implementation Challenge: Phase VII – Configuration for Inventory Transactions	18
Task 1: Define Interorganizational Parameters	18
Task 2: Manage Mapping Set	18
Task 3: Manage Data Access to User	18
Practice Overview: Implementer Sign-Ins	20
Overview	20
Annexure I: Business Axis	21

Fusion Inventory Implementation Project: Case Study

# **INVENTORY STOCK MOVEMENT: Case Study**

As an Implementation Consultant, you will examine the client's actual business process and the specifications provided. Your goal is to validate the concepts that you have learned during the Inventory training sessions.

This document provides the notes from the client discovery workshops. These notes provide details on the legal entities, business units, managing Inventory and subinventory organizations, locators, inventory transaction configurations, managing receiving parameters, and items of the client. Using these notes, you will configure the new unit consisting of a production plant and a warehouse, which will result in large stock movement and inventory transactions.

As an expert Implementation Consultant tasked with designing and configuring the InFusion Financials enterprise structure, you will apply the Inventory Cloud setup into an Oracle instance. In this Implementation, you will:

- Enter enterprise and organization structure based on the provided information
- Enable inventory functions for a new business unit (BU)
- Set up a new item
- Define a new inventory organization and item assignment
- Configure new subinventory and locator combinations

Upon request, an environment and an Implementer ID (such as scm\_impl01) will be given to you. This environment is being used by multiple users at the same time, so refer to the chart provided for the code (xx) you should use to complete this case study. For example, if your code is **scm\_implxx**, substitute your Implementer ID for xx.

**Note:** Be sure to use only your assigned code to not interfere with other users in the environment.

### **Business Description**

InFusion Financials, headquartered in Atlanta, Georgia, operates with different business units (BUs) for US and UK business processes.


To expand its operations under the UK legal entity, it plans to establish a new BU in Manchester. This new unit will include a manufacturing plant and warehouse, resulting in significant stock movement and inventory transactions.

The following are the details to set up the new entity:

- Default working hours are: 9:00 to 17:00 with a 40-hour work week
- The transactions belonging to the new BU will be mostly in the GBP (British Pound) currency.
- The new business unit should be enabled to perform all inventory transactions.
- Inventory material transactions will be within the same organization.
- Material transactions can occur across different organizations.

### **Miscellaneous Transaction**

This transaction type is used to issue and receive material/stock into the inventory organization. The item can be received or issued from a specific combination of subinventory and locator of an inventory.




## Interorganizational Transfer

Transfer multiple items in a single transaction, including transferring partial quantities of the same item to different subinventories and locators.

**Note:** The items you transfer must already exist in both organizations. Additionally, you have the option to transfer expense and asset items from one organization to another using in-transit inventory.


Inter org transfer is used mostly when there is shortage of item stock in one inventory and the other inventory has the required stock available, within the same company.



**Note:** If the item is serial-controlled, you must enter the serial details by using record **lot** and **serial numbers**.

# **Subinventory Transfer**

This transaction is used to move item stock from one subinventory to another. During transaction, you specify the "From" and "To" subinventories, that is the source and destination subinventories of same organization. You can also move material between locators within a subinventory.



# Implementation Challenge: Phase I – Manage Enterprise Information Settings



Your first task as an Inventory Implementation Consultant is to design and configure the company's enterprise structure. You will configure locations, business units, and business functions with Enterprise Information settings.

#### Task 1: Locations

Define a new location within Manage Locations, which involves identifying a physical address in the system.

This location is a part of basic inventory configuration, which is the base for any further inventory configurations.

**Note:** There is no specific requirement for data hiding or a particular data set. Therefore, you can assign this location as **Common Set**.

# **Task 2: Manage Business Units**

You will define a new business unit (BU) by using the location defined in Task 1.

## Task 3: Assign Business Unit Business Function

This configuration task enables the products/functions in the new business unit. Modules required to support the business requirement would be enabled in this task.

Enable the XX UK Manchester BU business unit functions:

- Materials Management
- Receiving

#### **Financial Reporting**


- The primary ledger belonging to the new business unit needs to be assigned here.
- Assign the UK Primary Ledger and Default UK Legal Entity in the Financial Reporting section for this new BU defined.

# Task 4: Manage Value Set Values

Use the same chart of accounts (CoA) assigned for the UK Primary Ledger. A new company code will need to be defined to track the operations in the new entity.

Add a new value to an existing CoA value set code. Use this new value to generate a new account code combination belonging to the transactions of the new business unit.

# Implementation Challenge: Phase II – Defining Organizational Structures



You have completed configuring the Enterprise Information Settings to match your client's requirements. You will now configure the timing of operations, the pattern of working, and facility schedule for the organization.

# Task 1: Facility Shifts

Ensure the timings of operations in the new entity are defined in the system as part of this task.

**Note**: The working hours, are 9:00 to 17:00, facility shift as the **UK Day Shift**.

### **Task 2: Facility Workday Patterns**


Ensure the Workday pattern is defined for the organization.

Note: The new facility operates in the Day Shift, seven days a week, i.e. **UK Standard Work Week**.

### **Task 3: Facility Schedules**

Ensure the facility schedules are associated with the inventory organizations.

# Implementation Challenge: Phase III – Inventory Org Structure



Now, you will be configuring the most essential part of the implementation, where you will define the complete inventory design and structure, assign business unit to organizations, legal entities, and ledger, based on which you will perform all the inventory transactions.

## **Task 1: Item Organizations**

Check the Master Item organization

**Note**: The following are the item organizations currently available within the system:

Name: Operations

Usage: Item Management

Location Address Name: Headquarters

Internal or External: Internal

## **Task 2: Inventory Organizations**

An inventory organization is the facility where items are stored and transacted. The organization must define at least one inventory organization to perform any transaction related to items.

Use the following steps to define a new inventory org in the system:

- Define new inventory organization.
- Assign the newly created business unit to the new inventory organization.
- Assign the existing Legal Entity: UK Legal Entity.
- Profit center BU value should autopopulate as the new business unit.
- Location details should autopopulate based on the BU details.
- Repeat the same process to define multiple inventory organizations.

# **Item Definition Settings**


Ensure the existing Item Master Organization: Operations

# **Inventory Settings**

Ensure the existing Schedule: UK STANDARD WORK WEEK SCHEDULE

**Note**: Retain the default values for the rest of the options as there is no specific requirement for the definition of the inventory organization.

# Implementation Challenge: Phase IV – Physical Separation of Inventory Organization



After you have defined the inventory org, you can now define the unique physical or logical division of inventory into subinventories as storage locations.

## **Task 1: Manage Subinventories**

Define the subinventory that will be used to store or track the items in your inventory organization.

**Note**: Important things to consider while defining a new subinventory in the system:

- Material status
- Subinventory type
- Locator control option and locator structure
- Subinventories with the same name can be created in different organizations


### Task 2: Manage Locators

Locators are used to identify physical areas where inventory items are stored. They can track item quantities. Items can also be restricted to specific locators.

Important things to consider while defining the new locator in the system:

- Material status
- Locator structure
- Locator type
- Locators with the same name can be created in different organizations

# Implementation Challenge: Phase V – Manage Receiving Parameters




Followed by the inventory configurations, you need to define the receiving parameters at the organization level. General receiving parameters must be set up before using Oracle Receiving for recording and transacting receipts.

**Note**: Important things to consider while defining receiving parameters are:

- Over-receipt Action
- Receipt Generation
- Receipt Routing

# Implementation Challenge: Phase VI - Manage Item Definition



As part of the item definition process, you will now create items in the item master by using an item template that groups and defines their attributes for reuse. Additionally, you need to select the item class, which determines the characteristics of the item.

#### Task 1: Item Definition

Define and update items and the attributes associated with them in the Master item window (such as description, lead time, unit of measure, lot control, and so on).

**Note**: Important things to consider while defining new item are:

- Item Class
- Templates

## Task 2: Manage Item Class

Item class data security is not enabled for the item. To make the item securely accessible to specific organizations and users, this setup is used.

By using the Security tab within manage item class, all the required actions on an item can be permitted to the user, so that user can read, edit, delete, and assign item to the organization.


Ensure to repeat the series of steps for each org, 000, XXINVORG1, XXINVORG2, and save.

### Task 3: Item Org Assignment

After an item is defined in the item master, to make the item available in different organizations for inventory transactions, you must associate the item to a newly created organization.

With this assignment, you can restrict item use for transactions specific to inventory organizations.

# Implementation Challenge: Phase VII – Configuration for Inventory Transactions



In this phase you will configure the interorganizational parameters, mapping set, and data access to orgs for the user.

## **Task 1: Define Interorganizational Parameters**

To transfer material between inventory organizations, you need to set up relationships between source and destination inventory organizations. This relationship is created by using Manage Interorganizational Parameters.

The source and destination orgs combinations to be specified, and org combinations also need to be defined.

## Task 2: Manage Mapping Set

Define mapping sets that can be used to associate a specific output value with an account or segment. You can use mapping sets in account rules to build the account.

**Note**: Important things to consider while defining mapping set are:

In-Transit Inventory Value:

- Input Source
- Chart of Accounts and UK Chart of Accounts Mappings
- Inventory Organizations
- Account Codes

Inter Inventory Transfer Credit:

- Input Source
- Chart of Accounts and UK Chart of Accounts Mappings
- Inventory Organizations
- Account Codes

### Task 3: Manage Data Access to User

Associate the new BU and new inventory org to ensure the correct data access of BU and Inv org is available to the user.

**Note**: Below are the important components to be used while defining data access to the user:

User: Student, SCMXX

- Business Unit: XX UK Manchester BU
- Roles: Inventory Manager, Warehouse Manager, Product Data Steward
- Security Context: Business Unit, Inventory Org
- Security Context values: XXINVORG1, XXINVORG2

# **Practice Overview: Implementer Sign-Ins**

# Overview

For this case study, whenever you need to sign in as an implementer, use the student number and the corresponding implementer sign-ins assigned to you for all scenarios.

Student Number	Implementer Sign-in
01	SCM01.Student
02	SCM02.Student
03	SCM03.Student
04	SCM04.Student
05	SCM05.Student
06	SCM06.Student
07	SCM07.Student
08	SCM08.Student
09	SCM09.Student
10	SCM010.Student
11	SCM11.Student
12	SCM12.Student
13	SCM13.Student
14	SCM14.Student
15	SCM15.Student
16	SCM16.Student
17	SCM17.Student
18	SCM18.Student
19	SCM19.Student
20	SCM20.Student

# **Annexure I: Business Axis**

Enterprise and Inventory Org Structure

