



# Oracle Fusion OTBI Report

Hesham Kamal  
Oracle Technical Lead and Instructor  
EBS - Fusion  
[Hesham.dev@gmail.com](mailto:Hesham.dev@gmail.com)  
+2 0100 929 6900

## Introduction



## Cloud Service Models



### IaaS – Infrastructure as a Service

**Cloud Service Provider provides infrastructure and resources**  
**Manufacturing organization manages OS, data and software applications**



### PaaS – Platform as a Service


**Cloud Service Provider provides infrastructure and development platform**  
**Manufacturing organization can develop its own software applications**



### SaaS – Software as a Service

**Cloud Service Provider has a full control over cloud and software**  
**Manufacturing organization rents software applications**

## Oracle Security Flow




## Oracle BIP Create First report

### Custom BIP Report: User Roles

1. Navigator > Tools > Reports and Analytics


2. Click Browse Catalog to open OBI Catalog



3. Create Data Model

Start creating new custom report by creating your own Data Model:

**New > Published Reporting > Data Model**



Create new SQL Data Set: **New Data Set (+) > SQL Query**

A screenshot of the Oracle Business Intelligence Data Model screen. The top navigation bar shows 'ORACLE Business Intelligence', 'Untitled', and various menu items. The main area has tabs for 'Diagram', 'Structure', 'Data', and 'Code'. On the left, a tree view under 'Data Model' shows 'Properties' expanded, with 'Data Sets' selected and highlighted by a red box. To the right, a list of data source types is shown: SQL Query, LDAP Query, MDX Query, Oracle Endeca Query, Oracle BI Analysis, HTTP (XML Feed), View Object, Web Service, CSV File, Microsoft Excel File, and XML File. A note at the bottom says 'Click the New Data Set button to create new data set definition'.

**Provide following information:**

**Name:** Provide Descriptive name

**Data Source:** ApplicationDB\_FSCM

**SQL Query:** Copy / Paste provided SQL Query

```
-- USER ROLES ALL
select peru.USERNAME as "USER_NAME",
       pern.FULL_NAME as "FULL_NAME",
       pere.EMAIL_ADDRESS as "EMAIL_ADDRESS",
       rv.ROLE_COMMON_NAME as "ROLE_COMMON_NAME",
       rv.ROLE_NAME as "ROLE_NAME",
       rv.DESCRIPTION as "ROLE_DESCRIPTION"

from   FUSION.PER_USERS peru,
       FUSION.PER_PERSON_NAMES_F_V pern,
       FUSION.PER_EMAIL_ADDRESSES_V pere,
       FUSION.PER_USER_ROLES ur,
       FUSION.PER_ROLES_DN_VL rv
where  1=1
      AND pern.person_id = peru.PERSON_ID
      AND pere.person_id = peru.person_id
      AND pern.EFFECTIVE_END_DATE > SYSDATE + 1
      AND ur.user_id = peru.user_id
      AND rv.role_id = ur.ROLE_ID

      AND UPPER(rv.ROLE_COMMON_NAME) like NVL(UPPER(:P_ROLE_NAME), '%')
      AND UPPER(peru.username) like NVL(UPPER(:P_USERNAME), '%')
      AND UPPER(pern.FULL_NAME) like NVL(UPPER(:P_FULLNAME), '%')

Order by pern.FULL_NAME asc
```

ORA  
CLE Business Intelligence

Untitled

Search All Home Catalog Favorites Manage Pr

Data Model Diagram Structure Data Code

Properties Data Sets Event Triggers Flexfields List of Values Parameters Bursting

New Data Set - SQL Query

\* Name User Roles

\* Data Source ApplicationDB\_FSCM


\* Type of SQL Standard SQL

\* SQL Query

```
-- USER ROLES ALL
select peru.USERNAME as "USER_NAME",
       pern.FULL_NAME as "FULL_NAME",
       pere.EMAIL_ADDRESS as "EMAIL_ADDRESS",
       rv.ROLE_COMMON_NAME as "ROLE_COMMON_NAME",
       rv.ROLE_NAME as "ROLE_NAME",
       rv.DESCRIPTION as "ROLE_DESCRIPTION"
from   FUSION.PER_USERS peru,
       FUSION.PER_PERSON_NAMES_F_V pern,
       FUSION.PER_EMAIL_ADDRESSES_V pere,
       FUSION.PER_USER_ROLES ur,
       FUSION.PER_ROLES_DN_VL rv
where  1=1
      AND pern.person_id = peru.PERSON_ID
      AND pere.person_id = pern.person_id
```


Query Builder

Generate Explain Plan OK Cancel



Press <OK> to confirm changes

Accept automatic Parameter creation by selecting Parameters and Confirming by pressing <OK>



Provide Display Names for your new parameters. I noticed on my demo instance that this name should not have spaces, otherwise parameter name will not be visible on the report (im not sure if this is some kind of bug)

P\_FULL\_NAME: USER\_FULL\_NAME  
 P\_ROLE\_NAME: ROLE\_NAME  
 P\_USER\_NAME: USER\_NAME

Name	Data Type	Default Value	Parameter Type	Row Placement	Reorder
P_FULLNAME	String		Text	1	
P_USERNAME	String		Text	1	
P_ROLE_NAME	String		Text	1	

**P\_FULLNAME: Type: Text**

Display Label: **USER\_FULL\_NAME**

Text Field Size:

Options:  Text field contains comma-separated values  
 Refresh other parameters on change

You can also change the order of your parameters here using Reorder column arrow buttons

Name	Data Type	Default Value	Parameter Type	Row Placement	Reorder
P_FULLNAME	String		Text	1	
P_USERNAME	String		Text	1	
P_ROLE_NAME	String		Text	1	

## Click View Data.


The screenshot shows the Oracle Business Intelligence interface with the title 'User Roles.xdo'. In the top right corner, there is a toolbar with various buttons. One of the buttons, 'View Data', is highlighted with a red box. The main area displays a 'Data Model' section on the left and a 'Parameters' section on the right. The 'Parameters' section contains three rows with columns for Name, Data Type, Default Value, Parameter Type, Row Placement, and Reorder. The first row has 'P\_FULLNAME' as the name, 'String' as the data type, and 'Text' as the parameter type. The second row has 'P\_USERNAME' as the name, 'String' as the data type, and 'Text' as the parameter type. The third row has 'P\_ROLE\_NAME' as the name, 'String' as the data type, and 'Text' as the parameter type.

Click <View> to generate the sample Data

Click <Save As Sample Data> this data will be used later while working on report Layout.

The screenshot shows the Oracle Business Intelligence interface with the title 'Untitled'. The 'Data' tab is selected in the top navigation bar. Below the navigation bar, there is a toolbar with several buttons: 'Rows 5', 'View', 'Export', 'Save As Sample Data', and 'View Engine Log'. The 'Save As Sample Data' button is highlighted with a red box. The main area displays a 'Data Model' section on the left and a data preview section on the right. The data preview section shows a table with columns P\_FULLNAME, P\_USERNAME, and P\_ROLE\_NAME. There are three rows of data, each containing the same values: USER\_NAME (JAKOB.FINSTROM), FULL\_NAME (Finstrom, Jakob), and EMAIL\_ADDRESS (fap1798-jakob.finstrom@oracleleads.com). Below the table, there are three groups labeled G\_1, G\_2, and G\_3, each containing the same three columns with the same data values.

Accept following confirmation.



Save your recently created Data Model. Provide meaningful name. It is a good practice to add DM or datamodel as a suffix e.g. **User Roles datamodel**. Save first to your own folder My Folders > .

**Save Data Model**


Here you can create New Folder  
I created here my own Data Model Folder: **My Data Models**

#### 4. Create Report Layout

Start Creating your report layout: **Create Report**


Accept default settings. New report will be automatically created based on our recently created Data Model.

Click <Next>



We changed Layout to **Landscape**

Press <Next>



Select (Drag and Drop) needed columns needed on the report. You can modify this and many other options after we complete this wizard.

Press <Next>

**Create Report**

Select Data Select Layout Create Chart Create 2nd Chart **Create Table** Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

Data Source

	USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESC
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora		PER_LINE_MANAGER	Identifies the person as a manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora		PER_EMPLOYEE_AN	Identifies the person as a employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora		GSE_Manager_UI_Dev	GSE Manager Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@ora		HR_ANALYST_ALL_DATA	HR Analyst All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@ora		PER_EMPLOYEE_AN	Identifies the person as a employee.

Show Grand Totals Row Previous Next Cancel **Finish**

Select on the next wizard page <Customize Report Layout>

Press <Finish>

**Create Report**

Select Data Select Layout Create Chart Create 2nd Chart **Create Table** Save Report

Congratulations. You created your report!  
Would you like to view your report or go to the Layout Editor to customize it?


**View Report** Run and view the report.

**Customize Report Layout** Use the Layout Editor to customize the report.

Previous Next Cancel **Finish**

Save your report.

Provide meaningful name. Create New Directory if Needed. Save first to your own folder. After successful testing you can move this to Shared Custom Folder



## Few tips for newly created report

### 1. Change Page Layout: Paper

Change paper from Letter (default) to e.g. A3

Before able to select this, you have to click over some blank space on the page

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles' report open. The 'Page Layout' tab is active. In the 'Paper' dropdown, 'Letter' is selected. Below it, under 'Header/Footer', 'Page Header' and 'Page Footer' are listed. The main report area displays a table titled 'User Roles' with data for several users.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT	Identifies the person as a line manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	GSE Manager UI Developer	GSE Manager UI Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	HR_ANALYST__VIEW_ALL_DATA	HR Analyst - View All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

### 2. Adjust Columns width by simply using your mouse (same way as on Excel)

The screenshot shows the same 'User Roles' report after adjusting the column widths. The vertical scroll bar on the right indicates that the columns have been resized to fit the content better.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT	Identifies the person as a line manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	GSE Manager UI Developer	GSE Manager UI Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	HR_ANALYST__VIEW_ALL_DATA	HR Analyst - View All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

### 3. Add grouping if needed

Select user column

Select from the ToolBar: Column > Grouping > Group Left

Do the same for Full Name and email address columns

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. On the left, the Data Source pane lists various columns under 'DATA\_DS' and 'G\_1'. The main area displays a table titled 'User Roles' with the following data:

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_LINE_MANAGER_ABSTRACT	Identifies the person as a line manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	GSE Manager UI Developer	GSE Manager UI Developer
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	HR_ANALYST__VIEW_ALL_DATA	HR Analyst - View All Data
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mcullum@oradeads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

You should get following layout

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. The toolbar now shows 'Group Left' selected in the 'Grouping' dropdown. The main area displays the same table as before, but the grouping has changed:

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_LINE_MANAGER_ABSTRACT	Identifies the person as a line manager.
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oradeads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
BARBARA.MCULLUM	McCullum, Barbara	fap1798-barbara.mcullum@oradeads.com	GSE Manager UI Developer	GSE Manager UI Developer
			HR_ANALYST__VIEW_ALL_DATA	HR Analyst - View All Data
			PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

### 4. Add more output lines for the table

Select Table object

Select from the ToolBar: Table > Rows to Display > e.g. 40

This is number of rows visible to you at once time, rest of the rows will be shown using a scroll bar.

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. On the left, the Data Source pane lists various fields under 'DATA\_DS' and 'G\_1'. The main area displays a table titled 'User Roles' with two rows of data. The toolbar at the top includes options like Insert, Page Layout, Table, Filter, Conditional Formatting, Show, and Done. A red box highlights the 'Table' button and the 'Rows to Display' dropdown menu set to 10. Another red box highlights the 'Done' button in the top right corner.

Click <Save>

Click <Done>

The screenshot shows the Oracle Business Intelligence interface with the 'User Roles : User Roles' report selected. The Data Source pane is visible on the left. The main area displays the same 'User Roles' table with two rows. The toolbar at the top includes Insert, Page Layout, and other buttons. A red box highlights the 'Saved' button in the top right corner, indicating the report has been saved.

# Viewing Report

Now you can see your report output

The screenshot shows the Oracle Business Intelligence interface with the title 'User Roles'. At the top, there are search fields for 'USER\_FULL\_NAME', 'USER\_NAME', and 'ROLE\_NAME', along with an 'Apply' button. The main area displays a table titled 'User Roles' with columns: USER\_NAME, FULL\_NAME, EMAIL\_ADDRESS, ROLE\_COMMON\_NAME, and ROLE\_DESCRIPTION. The data in the table includes various user roles such as PER\_LINE\_MANAGER\_ABSTRACT, PER\_EMPLOYEE\_ABSTRACT, GSE Manager UI Developer, etc.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
JAKOB.FINSTROM	Finstrom, Jakob	fap1798-jakob.finstrom@oracleleads.com	PER_LINE_MANAGER_ABSTRACT PER_EMPLOYEE_ABSTRACT GSE Manager UI Developer HR_ANALYST__VIEW_ALL_DATA	Identifies the person as a line manager. Identifies the person as an employee. GSE Manager UI Developer HR Analyst - View All Data
BARBARA.MCCULLUM	McCullum, Barbara	fap1798-barbara.mccullum@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.
james.aaron	Aaron, James	fap1798-james.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT PER_LINE_MANAGER_ABSTRACT	Identifies the person as an employee. Identifies the person as a line manager.
scott.aaron	Aaron, Scott	fap1798-scott.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT GSE Employee UI Developer GSE_WEBBLOCK_UHP	Identifies the person as an employee. GSE Employee UI Developer Custom Role to hide Icons
SANTINO.ABATE	Abate, Santino	fap1798-santino.abate@oracleleads.com	PJF_PROJECT_TEAM_MEMBER_ABSTRACT PER_EMPLOYEE_ABSTRACT	Identifies the person assigned to a project as a team member to perform specific roles and functions for that project. Identifies the person as an employee.
DACAT.MDDO	Mddo, Dacat	fap1798-dacat.mddo@oracleleads.com	PER_EMPLOYEE_ABSTRACT	Identifies the person as an employee.

You can use parameters using % wild card.

This report search is case insensitive

You can search by User Full Name, User Name or Role Name

The screenshot shows the same Oracle Business Intelligence interface as above, but with a red box highlighting the 'User Roles' search field. This field contains the placeholder '%scott%'. The rest of the interface and data table are identical to the first screenshot.

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_DESCRIPTION
scott.aaron	Aaron, Scott	fap1798-scott.aaron@oracleleads.com	PER_EMPLOYEE_ABSTRACT GSE Employee UI Developer GSE_WEBBLOCK_UHP	Identifies the person as an employee. GSE Employee UI Developer Custom Role to hide Icons
SCOTT.BALES	Bales, Scott	fap1798-scott.bales@oracleleads.com	GSE_ANALYTICS_UHP GSE_WORKFORCE_UHP GSE_DIRECTORY_UHP GSE_DASHBOARD_UHP GSE_MYTEAM_UHP GSE_GET_STARTED_UHP GSE_MARKETPLACE_UHP GSE_PROMANAGEMENT_UHP GSE_CONTRACTS_UHP GSE_PPM_UI Developer PJF_TEAM_COLLABORATOR_ABSTRACT PER_EMPLOYEE_ABSTRACT	Custom Role to hide icons Custom Role to hide icons Identifies the person in a project organization as a member who can perform, track, and report progress on project and non-project work. Identifies the person as an employee.
SCOTT.CAMPBELL	Campbell, Scott	fap1798-scott.campbell@oracleleads.com	ZBS_SALES_REPRESENTATIVE_JOB ZBS_SALES_VP_JOB	Represents the business to sell its products. Maintains relationships with customers and contacts, builds pipeline, manages leads and opportunities and performs sales forecasting. Manages sales managers within the organization. Responsible for account planning, territory and quota management, and managing sales forecasts for the territory.

Your data model and report can be found now in catalog. You can continue modifying and running this report by accessing this report through BI Catalog.

The screenshot shows the Oracle Business Intelligence Catalog interface. The top navigation bar includes links for Home, Catalog, Favorites, Dashboards, New, Open, Signed In As FIN\_IMPL, and Sign Out. The main area is titled "Catalog" and shows a sidebar titled "Folders" containing "My Folders" with sub-items: Subject Area Contents, My Dashboard, Temp, Drafts, My Data Models, and My Reports (which is highlighted). The main content area displays a single item named "User Roles" with the last modified date as 7/13/16 5:48 AM and owner FIN\_IMPL. There are "Open", "Edit", and "More" buttons for this item. A search bar at the top is set to "Search All".

# Oracle BIP Create Data Model Based on OBIEE

The screenshot shows the Oracle BI Publisher interface for creating a data model. The top navigation bar includes Home, Catalog, Favorites, Dashboards, Create, and Open. The main area has tabs for Diagram, Structure, Data, and Code. On the left, a sidebar titled 'Data Model Properties' lists categories like Data Sets, Event Triggers, Flexfields, List of Values, Parameters, and Bursting. A central panel displays a list of data source types: SQL Query, LDAP Query, MDX Query, Analysis, HTTP (XML Feed), View Object, Web Service, CSV File, Microsoft Excel File, XML File, and Content Server. A placeholder text 'Click the New Data Set button to create new data set definition' is visible.

This screenshot shows the 'New Data Set - SQL Query' dialog box. It includes fields for Name (Query), Data Source (Oracle BI EE), Type of SQL (Standard SQL), and a large text area for the SQL Query itself. Buttons at the bottom include Generate Explain Plan, OK, and Cancel.

Query Builder - Google Chrome  
fa-euth-dev50-saasfademo1.ds.fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql\_region=ds\_sql\_query\_-9999\_sql&ds=Oracle%20BI%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

- Overridden Cost Center  
- Overridden Natural Account  
Paying Customer  
Paying Customer Account  
- Paying Customer Account Profile  
- Paying Customer Classification  
- Paying Customer Contacts  
- Paying Customer Details  
- Paying Customer Identifying Address  
- Paying Customer Organization  
- Paying Customer Person  
Paying Customer Site  
- Paying Customer Site Contacts  
- Paying Customer Site Profile  
Receipt Accounting  
- Receipt Accounting  
Receipt Details  
- Receipt Distribution Details  
Receipt Distributions  
- Receipt Distributions  
Receipts  
Remittance Bank Account  
- Subledger Accounting Journals De  
Time

**Receipt Details**

Receipt ID	Receipt Number	Receipt Date	Receipt Accounting Date	Current Record Indicator
	<input checked="" type="checkbox"/> Receipt Number	<input checked="" type="checkbox"/> Receipt Date	<input type="checkbox"/> Receipt Accounting Date	<input type="checkbox"/> Current Record Indicator

**- Paying Customer Details**

Paying Customer Number	Paying Customer Name	Paying Customer Type	Paying Customer Taxpayer Identification Number	Paying Customer SIC Code
<input checked="" type="checkbox"/> Paying Customer Number	<input checked="" type="checkbox"/> Paying Customer Name	<input type="checkbox"/> Paying Customer Type	<input type="checkbox"/> Paying Customer Taxpayer Identification Number	<input type="checkbox"/> Paying Customer SIC Code

Query Builder - Google Chrome  
fa-euth-dev50-saasfademo1.ds.fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql\_region=ds\_sql\_query\_-9999\_sql&ds=Oracle%20BI%20EE&dgMode=0

Catalog Receivables - Receipts Details ▾ Model Conditions SQL Results 50 Save Cancel

Search

- Overridden Cost Center  
- Overridden Natural Account  
Paying Customer  
Paying Customer Account  
- Paying Customer Account Profile  
- Paying Customer Classification  
- Paying Customer Contacts  
- Paying Customer Details  
- Paying Customer Identifying Address  
- Paying Customer Organization  
- Paying Customer Person  
Paying Customer Site  
- Paying Customer Site Contacts  
- Paying Customer Site Profile  
Receipt Accounting  
- Receipt Accounting  
Receipt Details  
- Receipt Distribution Details  
Receipt Distributions  
- Receipt Distributions  
Receipts  
Remittance Bank Account  
- Subledger Accounting Journals De

**Receipt Details**

Receipt Number	Receipt Date	Receipt Status	Paying Customer Number	Paying Customer Name
1012	2012-10-24	Cleared	25350	ABC Corporation Asia
1311	2013-01-09	Cleared	25350	ABC Corporation Asia
1534	2013-03-06	Cleared	25350	ABC Corporation Asia
1847	2013-05-22	Cleared	25350	ABC Corporation Asia
5332	2014-04-01	Cleared	25350	ABC Corporation Asia
11855	2015-08-21	Cleared	25350	ABC Corporation Asia
7874	2014-12-12	Cleared	25350	ABC Corporation Asia
7989	2014-12-19	Cleared	25350	ABC Corporation Asia
85075	2016-12-06	Cleared	25350	ABC Corporation Asia
57961	2016-10-31	Cleared	25350	ABC Corporation Asia
19173	2016-04-27	Cleared	25350	ABC Corporation Asia
124858	2017-12-05	Cleared	25350	ABC Corporation Asia
193221	2019-06-07	Cleared	25350	ABC Corporation Asia
192263	2019-06-01	Cleared	25350	ABC Corporation Asia
158161	2019-01-16	Cleared	25350	ABC Corporation Asia
180212	2019-04-26	Cleared	25350	ABC Corporation Asia
166147	2019-02-22	Cleared	25350	ABC Corporation Asia
254641	2020-04-01	Cleared	25350	ABC Corporation Asia
205295	2019-08-12	Cleared	25350	ABC Corporation Asia
214266	2019-09-26	Cleared	25350	ABC Corporation Asia
218287	2019-10-03	Cleared	25350	ABC Corporation Asia
228381	2019-11-25	Cleared	25350	ABC Corporation Asia
275711	2020-07-14	Cleared	25350	ABC Corporation Asia
295861	2020-10-13	Cleared	25350	ABC Corporation Asia

Query Builder - Google Chrome

fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql\_region=ds\_sql\_query\_-9999\_sql&ds=Oracle%20BI%20EE&dgMode=0


Catalog Receivables - Receipts Detail ▾ Model Conditions SQL Results 50 Save Cancel

Search

Only use default schema

```
select "Receipt Details"."Receipt Number" as "Receipt Number",
       "Receipt Details"."Receipt Date" as "Receipt Date",
       "Receipt Details"."Receipt Status" as "Receipt Status",
       "- Paying Customer Details"."Paying Customer Number" as "Paying Customer Number",
       "- Paying Customer Details"."Paying Customer Name" as "Paying Customer Name"
  from "Receivables - Receipts Details Real Time"."- Paying Customer Details" "- Paying Customer Details",
       "Receivables - Receipts Details Real Time"."Receipt Details" "Receipt Details"
```

- Overridden Cost Center  
- Overridden Natural Account  
Paying Customer  
Paying Customer Account  
- Paying Customer Account Profile  
- Paying Customer Classification  
- Paying Customer Contacts  
- Paying Customer Details  
- Paying Customer Identifying Address  
- Paying Customer Organization  
- Paying Customer Person  
Paying Customer Site  
- Paying Customer Site Contacts  
- Paying Customer Site Profile  
Receipt Accounting  
- Receipt Accounting  
Receipt Details  
- Receipt Distribution Details  
Receipt Distributions  
- Receipt Distributions  
Receipts  
Remittance Bank Account  
- Subledger Accounting Journals De



Query Builder - Google Chrome

fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/xmlpserver/qb/mainWrap.jsp?sql\_region=ds\_sql\_query\_-9999\_sql&ds=Oracle%20BI%20EE&dgMode=0


Catalog Receivables - Receipts Detail ▾ Model Conditions SQL Results 50 Save Cancel



Search

Only use default schema

Column	Alias	Object	Condition	Sort Type	Sort Order	Show	Function	Group By
Receipt Number	Receipt Number	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Receipt Date	Receipt Date	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Receipt Status	Receipt Status	Receipt Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Paying Customer Number	Paying Customer Number	- Paying Customer Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>
Paying Customer Name	Paying Customer Name	- Paying Customer Details		ASC		<input checked="" type="checkbox"/>		<input type="checkbox"/>

- Overridden Cost Center  
- Overridden Natural Account  
Paying Customer  
Paying Customer Account  
- Paying Customer Account Profile  
- Paying Customer Classification  
- Paying Customer Contacts  
- Paying Customer Details  
- Paying Customer Identifying Address  
- Paying Customer Organization  
- Paying Customer Person  
Paying Customer Site  
- Paying Customer Site Contacts  
- Paying Customer Site Profile  
Receipt Accounting  
- Receipt Accounting  
Receipt Details  
- Receipt Distribution Details  
Receipt Distributions  
- Receipt Distributions  
Receipts  
Remittance Bank Account  
- Subledger Accounting Journals De





# Oracle BIP Create Report Based on OBIEE

This screenshot shows the initial step of creating a report. The top navigation bar includes Home, Catalog, Favorites, Dashboards, Create, and Open. The main area has a 'Data Model' section with a search icon and a '+' button. Below it is a 'Create Layout' section with 'Basic Templates' showing 'Blank (Portrait)', 'Blank (Landscape)', and 'Header Footer (Portrait)'. There are three buttons: 'Use Data Model' (blue), 'Upload Spreadsheet' (green), and 'Use Subject Area' (purple). A sub-section titled 'Create a report using an existing Data Model' shows a dropdown menu with 'HK-Reports/Positions-DM.xdm' selected. A 'Data Model' search bar is also present. On the right, there are tabs for Parameters, Properties, View Report, and a 'Cancel' button.

This screenshot shows the second step of creating a report. The top navigation bar remains the same. The main area has a 'Select Data' tab selected. The 'Create Layout' section is identical to the previous step. On the right, the 'Select Layout' section is expanded, showing 'Page Options' with 'Portrait' selected and 'Landscape' as an option. It also shows 'Layout' options: 'Table' (selected), 'Chart', 'Pivot Table', 'Chart and Table', 'Chart and Pivot Table', and 'Two Charts and Table'. The right side features tabs for Parameters, Properties, View Report, and a 'Cancel' button.

Untitled

Home Catalog Favorites Dashboards Create Open

Data Model Select Data Select Layout Create Chart Create 2nd Chart Create Table Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

**Data Source**

- DATA\_DS
  - G\_1
    - A Position\_Code
    - A Position\_Name
    - A Job\_Name
    - A Job\_Code
    - A Manager\_Name

[Drop Fields Here]

Show Grand Totals Row  Preview Report

Previous Next Cancel Finish

Untitled

Home Catalog

Data Model Select Data Select Layout Create Chart Create 2nd Chart Create Table Save Report

Drag fields from the Data Source to create the table. Sample data is displayed.

**Data Source**

- DATA\_DS
  - G\_1
    - A Position\_Code
    - A Position\_Name
    - A Job\_Name
    - A Job\_Code
    - A Manager\_Name

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Show Grand Totals Row  Preview Report

Previous Next Cancel Finish

## Untitled Report

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Select Data Select Layout Create Chart Create 2nd Chart Create Table [Save Report](#)

Parameters

Congratulations. You created your report!

Would you like to view your report or go to the Layout Editor to customize it?

**View Report**  
Run and view the report.

**Customize Report Layout**  
Use the Layout Editor to customize the report.

[Previous](#) [Next](#) [Cancel](#) [Finish](#)

Positions-REP : Positions-REP

Home Catalog Favorites Dashboards Create Open 9

Data Source

- DATA\_DS
  - G\_1
    - Position\_Code
    - Position\_Name
    - Job\_Name
    - Job\_Code
    - Manager\_Name

Insert Page Layout

Components

- Layout Grid
- Data Table
- Chart
- Pivot Table
- List
- Repeating Section
- Text Item
- Gauge
- Image

Page Elements

- Page Break
- Page Number
- Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050

Positions-REP

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Components

Properties

Positions-REP : Positions-REP

Home Catalog Favorites Dashboards Create Open 9

Data Source

- DATA\_DS
  - G\_1
    - Position\_Code
    - Position\_Name
    - Job\_Name
    - Job\_Code
    - Manager\_Name

Insert Page Layout

Components

- Layout Grid
- Data Table
- Chart
- Pivot Table
- List
- Repeating Section
- Text Item
- Gauge
- Image

Page Elements

- Page Break
- Page Number
- Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050

Positions Report

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Positions-REP : Positions-REP

Home Catalog Favorites Dashboards Create Open

Data Source

Components Page Layout

Page Elements

Layout Grid Data Table Chart Pivot Table List Page Break Page Number



Repeating Section Text Item Gauge Image Total Pages

50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1000 1050



Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063

Components Properties



Positions-REP\_Positions-REP - Excel

Hesham Mohamed HM

File Home Insert Page Layout Formulas Data Review View Help BI Publisher

Font Alignment Number Styles Cells

Clipboard

A1 Positions Report

1 **Positions Report**

2

3

4   
Hesham Kamal  
Oracle Technical Lead & Instructor (Cloud – APPS)

5

6

7

8

9 Position\_Code Position\_Name Job\_Name Job\_Code

10 POS087 Director of Organizational Development Director of Organizational Development JOB087

11 POS082 Director of Recruitment Director of Recruitment JOB082

12 POS023 Human Resources Senior Director Compensation Senior Director JOB023

13 POS005 Human Resources Manager Human Resources Administrator JOB004

14 POS063 Payables Clerk Payables Clerk JOB063

15 POS003 Administrator Administrator JOB003

16 POS031 Chief Financial Officer (CFO) Chief Financial Officer (CFO) JOB031

17 POS088 Director of HR Help Desk Director of HR Help Desk JOB088

18 USHCPOS028 Manager Nursing ICU HC Nursing Manager USHCJob002

Sheet1

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063
POS003	Administrator	Administrator	JOB003
POS031	Chief Financial Officer (CFO)	Chief Financial Officer (CFO)	JOB031
POS088	Director of HR Help Desk	Director of HR Help Desk	JOB088
USHCPOS028	Manager Nursing ICU	HC Nursing Manager	USHCJob002

## Using Query Builder for preparing the SQL Oracle BIP Create First report

```

select "PO_HEADERS_ALL"."SEGMENT1" as "SEGMENT1",
       "PO_HEADERS_ALL"."AMOUNT_RELEASED" as "AMOUNT_RELEASED",
       "PO_HEADERS_ALL"."USE_NEED_BY_DATE" as "USE_NEED_BY_DATE",
       "PO_HEADERS_ALL"."CURRENCY_CODE" as "CURRENCY_CODE",
       "PO_LINES_ALL"."LINE_NUM" as "LINE_NUM",
       "PO_LINES_ALL"."LINE_STATUS" as "LINE_STATUS",
       "PO_LINES_ALL"."ITEM_DESCRIPTION" as "ITEM_DESCRIPTION",
       "PO_LINES_ALL"."UOM_CODE" as "UOM_CODE",
       "PO_LINES_ALL"."UNIT_PRICE" as "UNIT_PRICE",
       "PO_LINES_ALL"."QUANTITY" as "QUANTITY"
  from "FUSION"."PO_LINES_ALL" "PO_LINES_ALL",
       "FUSION"."PO_HEADERS_ALL" "PO_HEADERS_ALL"
 where "PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID"

```

AutoSave

Schema FUSION

Search  Model Conditions SQL Results 10

	SEGMENT1	AMOUNT_RELEASED	USE_NEED_BY_DATE	CURRENCY_CODE	LINE_NUM	LINE_STATUS	ITEM_DESCRIPTION	UOM_CODE	UNIT
PO_LINE_LOCATIONS	52166	2455	null	USD	1	OPEN	Color Photo Printer	zzu	149
po_line_locations_all	52166	2455	null	USD	2	OPEN	Color InkJet Printer	zzu	129
PO_LINE_LOCATIONS_ALL_ALL	52166	2455	null	USD	3	OPEN	Network Laser Printer	zzu	199
PO_LINE_LOCATIONS_ALL_SEC	52166	2455	null	USD	4	OPEN	Color Laser Printer	zzu	189
po_line_locations_archive_all	52166	2455	null	USD	5	OPEN	Inkjet Black Cartridge	zzu	39
PO_LINE_LOCATIONS_ARCHIVE	52166	2455	null	USD	6	OPEN	Inkjet Cyan Cartridge	zzu	39
po_line_locations_draft_all	52166	2455	null	USD	7	OPEN	Inkjet Magenta Cartridge	zzu	39
PO_LINE_LOCATIONS_DRAFT_A	52166	2455	null	USD	8	OPEN	Inkjet Yellow Cartridge	zzu	39
po_line_locations_gt	52166	2455	null	USD	9	OPEN	Color Laser Printer Toner Cartridge	zzu	89
PO_LINE_LOCATIONS_INTERFACE	52166	2455	null	USD	10	OPEN	Black Laser Printer Toner Cartridge	zzu	79
PO_LINE_LOCATIONS_INTERFA									
PO_LINE_TYPES									
po_line_types_b									
PO_LINE_TYPES_B									
po_line_types_ll									
PO_LINE_TYPES_LL									
PO_LINE_TYPES_VL									
PO_LINE_TYPES_VAL_V									
PO_LINE_TYPES_VL									
PO_LINELOCATIONSARCHIVEALL									
PO_LINESDRAFTALL									
PO_LINES									
po_lines_all									
PO_LINES_ALL									

★ Bookmarks 3 WhatsApp 📲 المفروض 📲 Cloud Sites 📲 Tables Data Diction... 📲 OIC 📲 Raya IS 📲 Forms: How to Chec... 📲 Forms: How to use... 📲 Forms: How to Sele... ➡️ 📲 All Bookmarks

Home Catalog Favorites Dashboards Create Open

Untitled

Data Model Diagram Structure Data Code Validate Manage Private Data Sources View Data Create Report

New Data Set - SQL Query

Name: main

Data Source: ApplicationDB\_FSCM

Type of SQL: Standard SQL

SQL Query:

```
select "PO_HEADERS_ALL"."SEGMENT1" as "SEGMENT1",
"PO_HEADERS_ALL"."AMOUNT_RELEASED" as "AMOUNT_RELEASED",
"PO_HEADERS_ALL"."USE_NEED_BY_DATE" as "USE_NEED_BY_DATE",
"PO_HEADERS_ALL"."CURRENCY_CODE" as "CURRENCY_CODE",
"PO_LINES_ALL"."LINE_NUM" as "LINE_NUM",
"PO_LINES_ALL"."LINE_STATUS" as "LINE_STATUS",
"PO_LINES_ALL"."ITEM_DESCRIPTION" as "ITEM_DESCRIPTION",
"PO_LINES_ALL"."UOM_CODE" as "UOM_CODE",
"PO_LINES_ALL"."UNIT_PRICE" as "UNIT_PRICE",
"PO_LINES_ALL"."QUANTITY" as "QUANTITY"
from "FUSION"."PO_LINES_ALL" "PO_LINES_ALL",
"FUSION"."PO_HEADERS_ALL" "PO_HEADERS_ALL"
where "PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID"
```

Generate Explain Plan OK Cancel

ExplainPlan - Notepad

Untitled

where "PO\_HEADERS\_ALL"."PO\_HEADER\_ID"="PO\_LINES\_ALL"."PO\_HEADER\_ID"

SQL Query Timeout: 600  
Number of SQL Executions: 1  
PLAN\_TABLE\_OUTPUT

Id	Operation	Name	Rows	Bytes	Cost (%CPU)	Time
0	SELECT STATEMENT		263K	17M	5415 (1)	00:00:01
* 1	HASH JOIN		263K	17M	5415 (1)	00:00:01
2	TABLE ACCESS STORAGE FULL	po_headers_all	15694	337K	417 (8)	00:00:01
3	TABLE ACCESS STORAGE FULL	po_lines_all	263K	11M	4997 (1)	00:00:01

Predicate Information (identified by operation id):

```
1 - access("PO_HEADERS_ALL"."PO_HEADER_ID"="PO_LINES_ALL"."PO_HEADER_ID")
```

Ln 1, Col 1    100%    Unix (LF)    UTF-8

Generate Explain Plan    OK    Cancel

## Using Report schedule

Catalog

User View ▾

Folders

- My Folders
- Shared Folders
  - Apps Library
  - AR and ProcSpend
  - Common Content
  - Custom
  - Customer Data Manage
  - Enterprise Contracts
  - Extension
  - Financials
  - Functional Setup
  - Higher Education

Tasks

HK-Reports

Customers\_TOP\_5

PO\_Details-DM

Positions-DM

Positions-REP

Schedule

History

Jobs

Delete

Copy

Rename

Add to Favorites

Create Shortcut

Archive

Schedule Report Job

Home Catalog Favorites Dashboards Create Open

Overview General Created by next Report Name HK-Reports\Positions-REP.xdo Schedule Start immediately Outputs Output1 Destination Notification

General Output Schedule Notification Diagnostic

Define Schedule Time

Frequency Once →

Run Now Start Sep 7, 2024 12:07:43 AM (UTC+00:00) Etc/UTC - Coordinated Universal Time (UTC)

Define Schedule Trigger

Use Trigger

Schedule Report Job



Home Catalog Favorites Dashboards Create Open


Overview General Created by next Report Name HK-Reports\Positions-REP.xdo Schedule Start immediately Outputs Output1 Destination Notification Email

General Output Schedule Notification Diagnostic

Notify By  Email Email Address Hesham.dev@gmail.com

When  Report completed  Report completed with warnings  Report failed  Report skipped





Oracle BI Publisher Notification: [Send Report]: Job was successfully processed. Inbox

evix.bi.sender@workflow.mail.pp1.oraclecloud.com  
to me 2:10 AM (0 minutes ago)

Job Name : Send Report  
Job Executed Date : September 6, 2024 11:10:18 PM UTC  
Status : Job was successfully processed.

View History : <https://fa-euth-dev50-saasfadem01.ds-fa.oraclepdemos.com:443/analytics/saw.dll?bjpublisherEntry&Action=historyDetails&itemType=xdo&bjpParams=%7B%22jobid%22%3A%22458462%22%7D>

Reply Forward Smile



\* Report Job History Home Catalog Favorites ▾ Dashboards ▾ Create ▾ Open ▾

Last Refreshed Sat Sep 07, 2024 02:11:34 AM Coordinated Universal Time Return

General Information		Report Job Execution Information	
Report Job ID	458462	Report Job Status	<span style="color: green;">✓</span> Success
Report Job Name	Send Report	Start Processing Time	9/6/24 11:10:16 PM UTC
Owner	next	End Processing Time	9/6/24 11:10:18 PM UTC
Report Name	Positions-REP	Time Elapsed	1.623 seconds
Report Scope	Private		
Report Job Schedule	9/6/24 11:10:11 PM UTC		
Active Start Date			
Active End Date			
Trigger Data Model			
Trigger Name			
Trigger Retry Limit			
Trigger Pause Time			
Trigger Parameters			
No parameters available			
Output & Delivery			
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px 5px;">XML Data</span> <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px 5px;">Diagnostic Log</span> <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px 5px;">Republish</span>			
Status	All		
Output Name	Template	Format	Locale
Output1	Positions-REP	PDF	English (United States)
			Time Zone (UTC+00:00) Etc/UTC - Coordinated Universal Time (UTC)
			Calendar Gregorian
			Status <span style="color: green;">✓</span>
			Send <span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px 5px;">Email</span>

Report Job History

Home Catalog Favorites Dashboards Create Open 9

outputDocument 1 / 40 - 90% + ⌂ ⌂

**Positions Report**

Hesham Kamal

Position_Code	Position_Name	Job_Name	Job_Code
POS087	Director of Organizational Development	Director of Organizational Development	JOB087
POS082	Director of Recruitment	Director of Recruitment	JOB082
POS023	Human Resources Senior Director Compensation	Senior Director	JOB023
POS005	Human Resources Manager	Human Resources Administrator	JOB004
POS063	Payables Clerk	Payables Clerk	JOB063
POS003	Administrator	Administrator	JOB003
POS031	Chief Financial Officer (CFO)	Chief Financial Officer (CFO)	JOB031
POS088	Director of HR Help Desk	Director of HR Help Desk	JOB088
USHCPOS028	Manager Nursing ICU	HC Nursing Manager	USHCJob002
USHCPOS034	Nurse ICU	HC Nurse	USHCJob001
USHCPOS057	Technician Clinical	HC Clinical Technician	USHCJob005
PRGUKPOS030	Bid Manager	Bid Manager	PRGUKJOB021
USHCPOS005	Chief Operating Officer	HC Chief Operating Officer	USHCJob017

outputDocument 1 / 2 - 90% + ⌂ ⌂

**POs statistics for supplies**

Supplier	Count of POs
Advanced Corp	2265
EIP Inc	1681
Staffing Services	1463
JGA	1413
RSM	1015
	7837

1 2

**Supplier POs**



Supplier	Percentage
Advanced Corp	28.90%
EIP Inc	21.45%
Staffing Services	18.67%
JGA	12.95%
RSM	10.03%



## Session 3 : Oracle BIP Create report using RTE



The screenshot shows the Oracle BI Publisher Data Model interface. On the left, there's a tree view of the data model structure under 'Data Model'. The 'Data' tab is selected. In the center, there's a preview area showing a table of user roles. A red arrow points from the 'Export' button in the preview toolbar to a tooltip that says 'Users\_Roles-DM.xml 1,951 B • Done'. Another red arrow points from the bottom of the preview area to the XML code in the bottom half of the screen. The XML code is a generated XML structure for the data in the preview.


USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM_euth-dev50@oraclepdemos.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM_euth-dev50@oraclepdemos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah.ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah.ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager..
Abdullah.ALMohammed	AL Mohammed , Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepdemos.com	DS_FDI_ANALYTICS_KPI_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access

```
1 <?xml version = '1.0' encoding = 'utf-8'?>
2 <!--Generated by Oracle Analytics Publisher -Dataengine, datamodel:_HK_Reports_DM_Users_Roles_DM_xm
3 <DATA_DS><P_USER_NAME/>
4 <G_1>
5 <USER_NAME>BARBARA.MCCULLUM</USER_NAME><FULL_NAME> McCullum, Barbara</FULL_NAME><EMAIL_ADDRESS>BARI
6 </G_1>
7 <G_1>
8 <USER_NAME>BARBARA.MCCULLUM</USER_NAME><FULL_NAME> McCullum, Barbara</FULL_NAME><EMAIL_ADDRESS>BARI
9 </G_1>
10 <G_1>
11 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADD
12 </G_1>
13 <G_1>
14 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADD
15 </G_1>
16 <G_1>
17 <USER_NAME>Abdullah.ALMohammed</USER_NAME><FULL_NAME>AL Mohammed , Abdullah </FULL_NAME><EMAIL_ADD
18 </G_1>
19 <CS_1>5</CS_1>
20 </DATA_DS>
21
```










USER_NAME	FULL_NAME	EMAIL_ADDR	ROLE_COMMON_N	ROLE_NA	ROLE_DESCRIP
USER_NAME	FULL_NAME	EMAIL_ADDR	ROLE_COMMON_N	ROLE_NA	ROLE_DESCRIP
USER_NAME	FULL_NAME	EMAIL_ADDR	ROLE_COMMON_N	ROLE_NA	ROLE_DESCRIP



991725817839797out.pdf x 991725817914337out.pdf

File | C:/Users/Hesham/AppData/Local/Oracle/BIPUBL~1/TEMPLA~2/tmp/tmp/991725817914337out.pdf

Draw | Ask Copilot | 1 of 1 | Edit with Acrobat



**Users and Roles Report**

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA_MCCULLUM	McCullum, Barbara	BARBARA_MCCULLUM_euth-dev50@oraclepde mos.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant
BARBARA_MCCULLUM	McCullum, Barbara	BARBARA_MCCULLUM_euth-dev50@oraclepde mos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah_ALMohammed	AL Mohammed , Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepde mos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah_ALMohammed	AL Mohammed , Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepde mos.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager..
Abdullah_ALMohammed	AL Mohammed , Abdullah	Abdullah_ALMohammed_euth-dev50@oraclepde mos.com	DS_FDI_ANALYTICS_KPI_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access

This screenshot shows the Oracle BI Publisher Data Model interface. The top navigation bar includes links for Bookmarks, WhatsApp, المحرر, Cloud Sites, Tables Data Diction..., OIC, Raya IS, Forms: How to Check..., Forms: How to use..., Forms: How to Select..., Home, Catalog, Favorites, Dashboards, Create, Open, and All Bookmarks. The main area is titled "Data Model" and has tabs for Diagram, Structure, Data, and Code. The Data tab is selected, showing a table with columns: USER\_NAME, FULL\_NAME, EMAIL\_ADDRESS, ROLE\_COMMON\_NAME, ROLE\_NAME, and ROLE\_DESCRIPTION. The table contains five rows of data. A red arrow points to the "Create Report" button in the top right corner of the Data tab.

This screenshot shows the first step of the Oracle BI Publisher report creation wizard, titled "Untitled". The top navigation bar is identical to the previous screenshot. The main area is titled "Create Layout" and includes sections for "Basic Templates" (Blank (Portrait), Blank (Landscape), Header and Footer (Portrait), Header and Footer (Landscape)), "Upload or Generate Layout" (Upload RTF, PDF, Excel, Flash, XSL Stylesheet, or eText template file), and "Select Data" (Use Data Model, Upload Spreadsheet, Use Subject Area). A red arrow points to the "Use Report Editor" link under "How do you want to create your report?". Another red arrow points to the "Finish" button at the bottom right of the wizard.

This screenshot shows the second step of the Oracle BI Publisher report creation wizard, titled "UsersRoles\_rept". The top navigation bar is identical. The main area is titled "Create Layout" and includes sections for "Basic Templates" and "Upload or Generate Layout" (Upload RTF, PDF, Excel, Flash, XSL Stylesheet, or eText template file). A red arrow points to the "Upload" button in the "Upload or Generate Layout" section. The "Generate" button is also visible. The top right corner shows a "Cancel" button.



Users and Roles Report

USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM.M_euth-dev50@oraclepede.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant
BARBARA.MCCULLUM	McCullum, Barbara	BARBARA.MCCULLUM.M_euth-dev50@oraclepede.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah.ALMohammed	AL Mohammed ,Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepede.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
Abdullah.ALMohammed	AL Mohammed ,Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepede.com	PER_LINE_MANAGER_ABSTRACT	Line Manager	Identifies the person as a line manager..
Abdullah.ALMohammed	AL Mohammed ,Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepede.com	DS_FDI_ANALYTICS_KPI_GRP	DS_FDI_ANALYTICS_KPI_GRP	To enable my reporting KPIs access
Abdullah.ALMohammed	AL Mohammed ,Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepede.com	SSR_VIEW_INBOUND_SHIP_DETAILS	SSR_VIEW_INBOUND_SHIP_DETAILS	Access to inbound shipment details on receipt.
Abdullah.ALMohammed	AL Mohammed ,Abdullah	Abdullah.ALMohammed_euth-dev50@oraclepede.com	ACCESS_FA_DIGITAL_ASSISTANT	ACCESS_FA_DIGITAL_ASSISTANT	Custom Role to enable FA Digital Assistant

Screenshot of the Oracle BI Publisher interface showing a report titled "UsersRoles.rep". The report displays a table of user roles and descriptions. On the right side, there is a toolbar with options for exporting the data into various formats: HTML, PDF, RTF, Excel (\*.xlsx), and PowerPoint (\*.pptx). Red arrows point from the "Excel (\*.xlsx)" and "PowerPoint (\*.pptx)" buttons to the corresponding icons in the export menu.




User Name	Role	Description			
Abdullah ALM ohammed	AL Mohammed , Abdullah	Abdullah ALMoham med_euth- dev50@oraclepde mos.com	ORA_SVC_HUMAN_RESOURCES_HELP_DESK_USER_JOB	Next Gen Human Resource Help Desk User	User requesting Next Gen Human Resource Help Desk support to resolve their Human Resource related questions and issues.
Abdullah ALM ohammed	AL Mohammed , Abdullah	Abdullah ALMoham med_euth- dev50@oraclepde mos.com	GSE_BIP_REPORT_UHP_1	GSE_BIP_REPO_RT_UHP_1	
Abdullah ALM ohammed	AL Mohammed , Abdullah	Abdullah ALMoham med_euth- dev50@oraclepde mos.com	GSE_BUILD_A_REPORT_UHP	GSE_BUILD_A_REPORT_UHP	
Abdullah ALM ohammed	AL Mohammed , Abdullah	Abdullah ALMoham med_euth- dev50@oraclepde mos.com	GSE My Reporting	GSE My Reporting	Custom role will expose the My Reporting folder on the springboard.
Abdullah ALM ohammed	AL Mohammed , Abdullah	Abdullah ALMoham med_euth- dev50@oraclepde mos.com	GSE_HCM_INFOLET_JOB_ROLE	GSE HCM INFOLET JOB ROLE	



Screenshot of Microsoft Excel showing the "Users and Roles Report" spreadsheet. The data is presented in a table with columns: USER\_NAME, FULL\_NAME, EMAIL\_ADDRESS, ROLE\_COMMON\_NAME, ROLE\_NAME, and ROLE\_DESCRIPTION. The data rows correspond to the entries shown in the BI Publisher screenshot above.

Users and Roles Report					
USER_NAME	FULL_NAME	EMAIL_ADDRESS	ROLE_COMMON_NAME	ROLE_NAME	ROLE_DESCRIPTION
AAKASH.SHARMA	Sharma, Aakash	AAKASH.SHARMA_euth-dev50@oraclepdemos.com	PER_EMPLOYEE_ABSTRACT	Employee	Identifies the person as an employee..
AAKASH.SHARMA	Sharma, Aakash	AAKASH.SHARMA_euth-dev50@oraclepdemos.com	GSE_HRCONSULTING_UHP	GSE_HRCONSULTING_UHP	
AAKASH.SHARMA	Sharma, Aakash	AAKASH.SHARMA_euth-dev50@oraclepdemos.com	ORA_PPF_TEAM_COLLABORATOR_ABSTRACT	Team Collaborator	Identifies the person in a project organization as a member who can perform, track, and report progress on project and non-project work.
AAKASH.SHARMA	Sharma, Aakash	AAKASH.SHARMA_euth-dev50@oraclepdemos.com	GSE PPM UI Developer	GSE PPM UI Developer	GSE PPM UI Developer
AAKASH SHARMA	Sharma	AAKASH SHARMA_euth-dev50@oraclepdemos.com	GSE ANALYTICS_UHP	GSE ANALYTICS	Custom Role to hire icons


## Oracle BIP Create report using Excel Format


Please note this is another way for layout preparation so consider that the data set already created.





A	B	C	D	E	F	G
1 Version						
2 ARU-dbdrv						
3 Extractor Version						
4 Template Code						
5 Template Type	TYPE_EXCEL_TEMPLATE					
6 Preprocess XSLT File						
7 Last Modified Date						
8 Last Modified By						
9						
10 Data Constraints:						
11 XDO_?XDOFIELD1?	<?USER_NAME?>					
12 XDO_?XDOFIELD2?	<?FULL_NAME?>					
13 XDO_?XDOFIELD3?	<?EMAIL_ADDRESS?>					
14						
15						
16						
17						
18						








## Oracle Create analysis report Top 5 customers and receipts

The screenshot shows the Oracle Analytics interface with a blue header bar containing various links like 'Tables Data Diction...', 'Forms: How to Check...', 'Forms: How to use...', and 'All Bookmarks'. Below the header is a navigation bar with links for 'Home', 'Catalog', 'Favorites', 'Dashboards', 'Create', 'Open', and a user icon. The main area has a large text input field with placeholder 'Drop Columns Here'. To the right is a 'Select Subject Area' dialog box. The search term 'rece' is entered in the search field. The results list includes:

- Receivables - Payment Schedules Real Time
- Receivables - Receipt Conversion Rate Adjustments
- Receivables - Receipt Details Real Time (highlighted with a red arrow)
- Receivables - Revenue Adjustments Real Time

The screenshot shows the 'Untitled' report configuration screen. The top navigation bar includes 'Criteria', 'Results', 'Prompts', and 'Advanced'. The left sidebar has sections for 'Subject Areas' (with 'Receipt Accounted Amount' highlighted with a red arrow) and 'Catalog' (listing 'My Folders' and 'Shared Folders'). The main area contains three panels: 'Selected Columns' (containing 'Receipts' and 'Receipt Accounted Amount'), 'Filters' (empty), and 'Add Filters Here'.



Subject Areas

- Invoice Distribution Self-Assessed Tax Account
- Invoice Lines
- Invoice Self-Assessed Tax Distribution
- Invoice Self-Assessed Tax Lines
- Ledger
- Ledger Set
- Legal Entity
- Party
- Party Site
- Supplier
- Supplier Site

Catalog

Compound Layout

Title: Top 5 Customers  
Customers\_TOP\_5  
This Analysis for showing top 5 customers and their amounts

Table

Receipt Accounted Amount	Paying Customer Name
684,725,651.06	Bradshaw Hotels
978,461,827.5	Dixon Industries
684,037,220.04	Fit N Fine Equipment
858,069,068.23	Motique Gym
1,048,884,208.04	Silicon Corporate Gym

Untitled

Criteria Results Prompts Advanced

Title

Title: Top 5 Customers  
 Display Saved Name  
 Logo

Optional - URL of a title image.  
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Subtitle

Started Time: Do not display

Help URL

Optional - URL for a document providing help on this analysis.  
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

**Top 5 Customers**

Untitled

Criteria Results Prompts Advanced

Title

Title: Top 5 Customers  
 Display Saved Name  
 Logo

Optional - URL of a title image.  
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

Subtitle

Started Time: Do not display

Help URL

Optional - URL for a document providing help on this analysis.  
Note: When running in a secured environment, only resources that are located on the Oracle Analytics Presentation Server may be used. These resources are referenced using a relative path prefixed with "fmap".

**Top 5 Customers**

Untitled

Criteria Results Prompts Advanced

Subject Areas

- Receivables - Receipts Details Real Time
  - Business Unit
  - Fiscal Calendar
  - Ledger
  - Ledger Set
  - Legal Entity
  - Paying Customer
  - Paying Customer Account
  - Paying Customer Site
  - Receipt Accounting
  - Receipt Details
  - Receipt Distributions

Catalog

List All

- My Folders
- Shared Folders

Views

- Title
- Table

Selection Steps

Compound Layout

Top 5 Customers

Table

Receipt Accounted Amount	Paying Customer Name
684,725,651.88	Bradshaw Hotels
978,451,827.5	Dixon Industries
684,037,220.04	Fit N Fine Equipment
858,669,068.23	Motique Gym
1,048,884,208.04	Silicon Corporate Gym

Bar

Best Visualization

Recommended Subtype

Vertical

Horizontal

Stacked Vertical

Stacked Horizontal

Time Series Line

100% Stacked Vertical

100% Stacked Horizontal

Pareto

Scatter

Bubble

Trellis

Radar

Graph

Gauge

Funnel

Map

Filters

Selection Steps

Other Views

Criteria Results Prompts Advanced

Subject Areas

- Receivables - Receipts Details Real Time
  - Business Unit
  - Fiscal Calendar
  - Ledger
  - Ledger Set
  - Legal Entity
  - Paying Customer
  - Paying Customer Account
  - Paying Customer Site
  - Receipt Accounting
  - Receipt Details
  - Receipt Distributions
  - Receipts

Catalog

List All

- My Folders
- Shared Folders

Views

- Title
- Table
- Graph

Selection Steps

Compound Layout

Top 5 Customers



Table



Receipt Accounted Amount	Paying Customer Name
684,725,651.88	Bradshaw Hotels
978,451,827.5	Dixon Industries
684,037,220.04	Fit N Fine Equipment
858,669,068.23	Motique Gym
1,048,884,208.04	Silicon Corporate Gym

Graph

Receipt Accounted Amount

Customer	Amount
Bradshaw Hotels	684,725,651.88
Fit N Fine Equipment	978,451,827.5
Silicon Corporate Gym	1,048,884,208.04





**Top 5 Customers**  
**Customers\_rece\_TOP\_5**

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number
706,792,104.78	Dixon Industries	59300
271,669,722.72	Dixon Industries	59301

**Receipt Accounted Amount**

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Dixon Industries

[Edit](#) - [Refresh](#) - [Print](#) - [Export](#) - [Add to Briefing Book](#) - [Email](#) - [Copy](#)

## Exporting result

[Inbox \(4,212\) · h](#) [Boards Trello](#) [Oracle Fusion C](#) [Oracle Transact](#) [Customers\\_rece](#) [Google 44444](#) [\(1\) WhatsApp](#)

Bookmarks [WhatsApp](#) [جامعة](#) [Cloud Sites](#) [Tables Data Diction...](#) [OIC](#) [Raya IS](#) [Forms: How to Chec...](#) [Forms:](#)

**Customers\_rece\_TOP\_5**

**Top 5 Customers**  
**Customers\_rece\_TOP\_5**

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
488.12	Dixon Industries	59200	CN
942	Dixon Industries	59300	FR
13,828.54	Dixon Industries	59300	GB
520,457,839.93	Dixon Industries	59300	US
186,319,030.19	Dixon Industries	59200	

**Receipt Accounted Amount**

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

[Edit](#) - [Refresh](#) - [Print](#) - [Export](#) - [Add to Briefing Book](#) - [Email](#) - [Copy](#)

**Confirmation**

The Export process is complete.

OK

Customers\_rece\_TOP\_5.xlsx 3.3 KB • Done

Users\_Report.xls 26.5 KB • 38 minutes ago

UsersRoles\_report\_excel\_User\_report\_Excel (5).xls 3.9 MB • 43 minutes ago

Customers\_rece\_TOP\_5 - Excel

	A	B	C	D	E	F	G	H
1	Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country				
2	466.12	Dixon Industries	59300	CN				
3	942	Dixon Industries	59300	FR				
4	13829.54	Dixon Industries	59300	GB				
5	520457836.9	Dixon Industries	59300	US				
6	186319030.2	Dixon Industries	59300					
7								
8								

fa-euth-dev50-saasfademo1.ds-fa.oraclepdemos.com/analytics/saw.dll?PortalGo&Action=prompt&path=%2Fshared%2FHK-Reports%...

Customers\_rece\_TOP\_5

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
466.12	Dixon Industries	59300	CN
942	Dixon Industries	59300	FR
13,829.54	Dixon Industries	59300	GB
520,457,836.9	Dixon Industries	59300	US
186,319,030.2	Dixon Industries	59300	

The Export process is complete.

**Top 5 Customers**  
Customers\_rece\_TOP\_5

Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
466.12	Dixon Industries	59300	CN
942	Dixon Industries	59300	FR
13,829.54	Dixon Industries	59300	GB
520,457,838.93	Dixon Industries	59300	US
186,319,030.19	Dixon Industries	59300	

Receipt Accounted Amount

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

Dixon Industries

## Email the result

**Top 5 Customers**  
Customers\_rece\_TOP\_5


Receipt Accounted Amount	Paying Customer Name	Paying Customer Account Number	Payer Location Country
466.12	Dixon Industries	59300	CN
942	Dixon Industries	59300	FR
13,829.54	Dixon Industries	59300	GB
520,457,838.93	Dixon Industries	59300	US
186,319,030.19	Dixon Industries	59300	

Receipt Accounted Amount

■ 0% - 33% ■ 33% - 67% ■ 67% - 100%

Dixon Industries

Report: Customers\_rece\_TOP\_5  
To: \_\_\_\_\_  
Subject: Customers\_rece\_TOP\_5  
Send: Now  Later  
Repeat: Never   
Customers\_rece\_TOP\_5  
OK Cancel



Gmail

**Customers\_rece\_TOP\_5**

Oracle Business Intelligence Reporting <auth-dev50.bi.sender@workflow.email.us-phoenix-1.ocs.oraclecloud.com>

Hesham Kamal <hesham.dev@gmail.com>

Sun, Sep 8, 2024 at 10:09 PM

**Top 5 Customers**

**Customers\_rece\_TOP\_5**

Receipt Accounted Amount Paying Customer Name

Customer Name	Receipt Accounted Amount
Bradshaw Hotels	894725851.0
Dixon Industries	975491827.5
FK FN Fine Equipment	856394000.0
Motique Gym	888990088.2
Silicon Corporate Gym	104804200.0

Receipt Accounted Amount

0% - 38% 31% - 47% 67% - 100%


Bradshaw Hotels  
Dixon Industries  
FK FN Fine Equipment  
Motique Gym  
Silicon Corporate Gym

2 attachments — [Download all attachments](#) [View all images](#)

Receipt Accounted Amount  
Receipt Accounted Percent

noname 37K View Download

## Oracle Create report with bursting



## Query sample

```
/* Formatted on 9/8/2024 11:27:57 PM (QP5 v5.269.14213.34769) */
SELECT PAPF.PERSON_NUMBER Employee_Number,
       PPNF.DISPLAY_NAME Employee_Name,
       'hesham.dev@gmail.com' AS EMAIL_ADDRESS,
       PAPF.PERSON_ID
  FROM PER_EMAIL_ADDRESSES EM, PER_ALL_PEOPLE_F PAPF,
PER_PERSON_NAMES_F PPNF
 WHERE      PAPF.PERSON_ID = EM.PERSON_ID
   AND PPNF.NAME_TYPE = 'GLOBAL'
   AND PPNF.CHAR_SET_CONTEXT = 'US'
   AND PAPF.PERSON_ID = PPNF.PERSON_ID
   AND TRUNC (SYSDATE) BETWEEN PAPF.EFFECTIVE_START_DATE
                                AND PAPF.EFFECTIVE_END_DATE
   AND TRUNC (SYSDATE) BETWEEN PPNF.EFFECTIVE_START_DATE
                                AND PPNF.EFFECTIVE_END_DATE
AND PAPF.PERSON_NUMBER IN ('7', '10')
```

Employee\_bursting\_DM

Data Model

Properties

- Data Sets
  - main
- Event Triggers
- Flexfields
- List of Values
- Parameters
- Bursting
- Employee Rep

Diagram Structure Data Code

Validate Manage Private Data Sources View Data Create Report

Rows 5 View Export Save As Sample Data View Engine Log Generate SQL Monitor Report

Tree View Table View

Oracle BI Publisher Date: Sep 8, 2024 8:50:33 PM Page 1 Of 1

EMAIL_ADDRESS	EMPLOYEE_NUMBER	EMPLOYEE_NAME	PERSON_ID
hesham.dev@gmail.com	7	Alan Cook	300000047826111
hesham.dev@gmail.com	10	Mandy Stewart	300000047826100

Employee\_bursting\_DM

Data Model

Properties

- Data Sets
  - main
- Event Triggers
- Flexfields
- List of Values
- Parameters
- Bursting
- Employee Rep

Bursting

Name	Type	Data Source	Actions
Employee Rep	SQL Query	ApplicationDB_FSC1	

Bursting Query | Attachment

Split By /DATA\_DS/G\_1/PERSON\_ID

Deliver By /DATA\_DS/G\_1/PERSON\_ID

Enable Consolidated Output

Group Data by Split Key Values


SQL Query

```
SELECT DISTINCT 'PERSON_ID' KEY,
   Employee_Report TEMPLATE,
   PDF TEMPLATE_FORMAT,
   en-US LOCAL,
   PDF OUTPUT_FORMAT,
   EMAIL DEL_CHANNEL,
   EMAIL_ADDRESS PARAMETER1,
   hesham.mohamed@grayais.com PARAMETER2,
   Fusion_System@oracle.com PARAMETER3,
   Training_Employee_Report PARAMETER4,
   IParameter5 PARAMETER5
```

Query Builder

## **Bursting Query Sample :**

```
SELECT DISTINCT "PERSON_ID" KEY,  
    'Employee Report' TEMPLATE,  
    'PDF' TEMPLATE_FORMAT,  
    'en-US' LOCALE,  
    'PDF' OUTPUT_FORMAT,  
    'EMAIL' DEL_CHANNEL,  
    EMAIL_ADDRESS PARAMETER1, --to  
    'hesham_mohamed@rayais.com' PARAMETER2,  
    'Fusion_system@oracle.com' PARAMETER3,  
    'Training Employee Report' PARAMETER4,  
    'Dears , please PFA ' PARAMETER5,  
    'true' PARAMETER6,  
    NULL PARAMETER7,  
    NULL PARAMETER8  
  
FROM /* Formatted on 9/8/2024 11:27:57 PM (QP5 v5.269.14213.34769) */  
SELECT PAPF.PERSON_NUMBER Employee_Number,  
    PPNF.DISPLAY_NAME Employee_Name,  
    'hesham.dev@gmail.com' AS EMAIL_ADDRESS,  
    PAPF.PERSON_ID  
    FROM PER_EMAIL_ADDRESSES EM, PER_ALL_PEOPLE_F PAPF,  
PER_PERSON_NAMES_F PPNF  
    WHERE PAPF.PERSON_ID = EM.PERSON_ID  
    AND PPNF.NAME_TYPE = 'GLOBAL'  
    AND PPNF.CHAR_SET_CONTEXT = 'US'  
    AND PAPF.PERSON_ID = PPNF.PERSON_ID  
    AND TRUNC (SYSDATE) BETWEEN PAPF.EFFECTIVE_START_DATE  
                                AND PAPF.EFFECTIVE_END_DATE  
    AND TRUNC (SYSDATE) BETWEEN PPNF.EFFECTIVE_START_DATE  
                                AND PPNF.EFFECTIVE_END_DATE  
    AND PAPF.PERSON_NUMBER IN ('7', '10')  
)
```






The screenshot shows the Oracle Reports interface for configuring a report named 'Employee\_bursting\_rep'. The 'Data Model' is set to 'Employee\_bursting\_DM'. The 'Layout' section is open, showing a table with columns: Name, Template File, Type, Output Formats, Default Format, Default Layout, Apply Style Template, Active, View Online, Locale, and Reorder. The 'Employee' row has 'Employee\_bursting\_rtf.rtf' as the template file, 'PDF' as the output format, and 'Active' checked. A red arrow points to the 'PDF' dropdown menu.

The screenshot shows the Oracle Reports interface for configuring the 'Employee\_bursting\_rep' report. The right sidebar contains a menu with options: Edit Report, Edit Layout, Export, Send, Schedule (which is highlighted), Jobs, Job History, Republish from History, Share Report Link, and Online Diagnostics. A red arrow points to the 'Schedule' option.


The screenshot shows the 'Schedule Report Job' configuration page for the 'Employee\_bursting\_rep' report. The 'General' tab is selected, showing details like 'Report Name: HRReports/DM/Employee\_bursting\_rep.rdo' and 'Destination: Notification Email'. The 'Notification' tab is highlighted. It shows 'Notify By Email' with the address 'Hesham.dev@gmail.com' entered. Under 'Where', several checkboxes are checked: 'Report completed', 'Report completed with warnings', 'Report failed', and 'Report skipped'. A red arrow points to the 'Notification' tab.




A screenshot of the 'Report Job History' page. The page shows a table of report job histories. One row is highlighted, showing the following details:

Report Job Name	Report Name	Status	Start Processing	End Processing	Owner	Scope
Send Report5	Employee_bursting_rep.xdo	Success	Sep 08, 2024 08:45:24 PM	Sep 08, 2024 08:45:25 PM	next	Private

A red arrow points to the 'Send Report5' entry in the table.



## Oracle report Shearing options





```

    "iag": "false", "xdo": "%2FHK-Reports%2FDM%2Femployee_Param_rep.xdo", "params": { "P_Employee_number": "7" }, "xt": "employee_Param_rep", "xf": ""
  
```

A red arrow points from the URL in the code snippet to the URL in the browser's address bar.

## Oracle report Working with procedure call as a type of SQL





```

1  <?xml version = '1.0' encoding = 'utf-8'?>
2  <!--Generated by Oracle BI Publisher -Dataengine, datamodel: _erp_integration_Test_Report_Dm.xdm -->
3  <DATA_DS><P_FROM_DATE>2020-10-01T04:00:00.000+04:00</P_FROM_DATE><P_TO_DATE>2020-10-01T04:00:00.000+04:00</P_TO_DATE><
4  <ROWTAG>
5  <TEST>1234</TEST> ←
6  </ROWTAG>
7  </TESTNONSQl>
8  <DATA_DS><G_1>
9  <INVOICE_ID>5084</INVOICE_ID><LAST_UPDATE_DATE>2020-10-04T19:28:45.000+00:00</LAST_UPDATE_DATE><LAST_UPDATED_BY>Kamran
10 </G_1>
11 <G_1>
12 <INVOICE_ID>300000005173669</INVOICE_ID><LAST_UPDATE_DATE>2020-10-05T08:28:53.000+00:00</LAST_UPDATE_DATE><LAST_UPDATE
13 </G_1>
14 <G_1>
15 <INVOICE_ID>300000005816544</INVOICE_ID><LAST_UPDATE_DATE>2020-04-09T10:12:06.811+00:00</LAST_UPDATE_DATE><LAST_UPDATE
16 </G_1>
17 <G_1>
18 <INVOICE_ID>300000009172868</INVOICE_ID><LAST_UPDATE_DATE>2020-07-05T11:57:30.000+00:00</LAST_UPDATE_DATE><LAST_UPDATE
19 </G_1>
20 <G_1>
21 <INVOICE_ID>300000009076080</INVOICE_ID><LAST_UPDATE_DATE>2020-07-03T06:09:19.000+00:00</LAST_UPDATE_DATE><LAST_UPDATE
22 </G_1>
23 </DATA_DS></DATA_DS>
24

```

## Oracle report Working with NON-Standard SQL as a type of SQL



```

/* Formatted on 9/11/2024 1:42:10 PM (QP5 v5.269.14213.34769) */
WITH FUNCTION xx_test (p_in IN NUMBER)
    RETURN NUMBER
AS
BEGIN
    RETURN (p_in + 1);
END;

test_q AS (SELECT xx_test (1) out_number FROM DUAL)
SELECT *
FROM test_q

```



The screenshot shows the Oracle Database SQL Developer interface with the 'Data Miner' tool open. The left pane displays the 'Properties' section, specifically the 'Data Sets' category, which contains three entries: 'TestFunction', 'TestFromSql', and 'test'. The right pane shows a tree view of data structures under 'DATA\_D8'. The tree structure includes nodes like 'P\_FROM\_DATE', 'P\_TO\_DATE', 'TESTFUNCTION', 'ROWFUNCTION', and 'NUMBER'. A red arrow points to the 'NUMBER' node, which is highlighted with a blue box.

## Oracle report - Working with Standard report extension

The screenshot shows the Oracle Fusion Cloud UI homepage. On the left, there is a sidebar with various links categorized under 'Academics', 'Procurement', 'My Enterprise', 'Tools', 'Configuration', and 'Others'. Under the 'Tools' category, the 'Scheduled Processes' link is highlighted with a red arrow. The main content area on the right displays a search results page with a message: 'No results found. Try a different search term or browse for analysis, report, or dashboard. Click the star icon to favorite this page.' A blue circular icon is also visible in the bottom right corner.

The screenshot shows the 'Overview' page of the standard report extension. At the top, there is a search bar and a 'Search Results' section. Below that, there are buttons for 'Actions', 'View', and 'Schedule New Process'. The 'Schedule New Process' button is highlighted with a red arrow. The main content area displays a table of scheduled processes with columns for 'Process ID', 'Status', 'Scheduled Time', 'Submission Time', and 'Submitted By'. The table shows four entries, all of which have a status of 'Succeeded'.

	Process ID	Status	Scheduled Time	Submission Time	Submitted By
Process Click History Mapping Data	1488722	Wait	14-Mar-2021 11:00 G...	14-Mar-2021 10:00 G...	FUSION_APPS_CR...
Process Click History Mapping Data	1488938	Succeeded	14-Mar-2021 10:00 G...	14-Mar-2021 09:00 G...	FUSION_APPS_CR...
Process Click History Mapping Data	1488554	Succeeded	14-Mar-2021 09:00 G...	14-Mar-2021 08:00 G...	FUSION_APPS_CR...
Process Click History Mapping Data	1488459	Succeeded	14-Mar-2021 08:00 G...	14-Mar-2021 07:00 G...	FUSION_APPS_CR...



fa-emfh-test-saasaprod1.fa.ocs.oraclecloud.com/fscmUI/faces/FuseOvervie...

☰ ORACLE

Overview ?

Search

Search Results ?

View  Flat List  Hierarchy

Actions ▼ View ▼ Schedule New Process Resubmit Put On Hold Cancel Process Release Process View Log ...

Name	Process ID	Status
Process Click History Mapping Data	1498722	Wait
Process Click History Mapping Data	1498638	Succeeded
Process Click History Mapping Data	1498554	Succeeded
Process Click History Mapping Data	1498469	Succeeded

Settings and Actions Sign Out

Personalization  
Access Accessibility Settings  
Set Preferences

Administration  
Edit Pages  
Edit Global Page Template  
Manage Configurations  
**Setup and Maintenance** Red Arrow  
Highlight Fields

Troubleshooting  
Run Diagnostics Tests  
Record Issue

About This Application  
Print Me  
Hide Help Icons  
Applications Help

Setup: Compensation Management

**Functional Areas**

- Initial Users
- Enterprise Profile
- Legal Structures
- Organization Structures
- Financial Reporting Structures
- Workforce Structures
- Users and Security
- HCM Data Loader
- Workforce Information
- Basic Payroll
- Base Pay
- Benefits
- Individual Compensation
- Workforce Compensation
- Total Compensation Statements

**Initial Users**

Task

Run User and Roles Synchronization Process

Columns Hidden: 4

Change Feature Opt In

Search Tasks

Manage Implementation Projects  
Copy Configurations  
Manage Configuration Packages  
Manage Export and Import Processes  
Purge Export and Import Processes  
Manage Setup Content  
Review Topology  
**Run User and Roles Synchronization Process**

Search

Name

Name	Type	Details
Manage Adjustment Schedules	Task	
Manage Burden Schedules	Task	
Manage Capitalized Interest Rate Schedules	Task	
Manage Due Date Schedule	Task	
Manage Enterprise Scheduler Job Definitions and Job Sets for Customer Relationship Management and Related Applications	Task	
<b>Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications</b>	Task	
Manage Enterprise Scheduler Job Definitions and Job Sets for Human Capital Management and Related Applications	Task	
Manage Facility Schedule Exceptions	Task	
Manage Facility Schedules	Task	
Manage Fee Schedules	Task	

Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications

Manage Job Definitions Manage List of Values Sources Manage Job Sets

Create Customer Statements

Filling Temp table with data

Delete data from Temp table

Name	Display Name	Description	Path	Execution Type	Job Type
*StatementGen... Create Customer Statements: Subprocess		Generates state...	/oracle/apps/ess...	Process	CJobType
*StatementGen... Create Customer Statements		Generates state...	/oracle/apps/ess...	PLSQL	PLSQLJobType
*StatementGen... Create Customer Statements: Generate Log		Generates a log...	/oracle/apps/ess...	Java	BIPJobType

Manage Enterprise Scheduler Job Definitions and Job Sets for Financial, Supply Chain Management, and Related Applications

Actions View + Detach

Name	Display Name	Description	Path	Execution Type	Job Type
*StatementGen...	Create Customer Statements: Subprocess	Generates state...	/oracle/apples/...	Process	JobType
*StatementGen...	Create Customer Statements	Generates state...	/oracle/apples/...	PL SQL	ProcJobType
*StatementGen...	Create Customer Statements: Generate Log	Generates a log...	/oracle/apples/...	Java	BIPJobType

Edit Job Definition

Job Definition Show More

Display Name: Create Customer Statements: Generate Log

Name: StatementGenerationReport

Path: /oracle/apples/financials/receivables/shared/

Application: Receivables

Description: Generates a log file for the generation of statements for selected customers and customer sites.

Retries:

Job Category:

Timeout Period:

Job Application Name: FscmEBS

Job Type: BIPJobType

Class Name: oracle.rdo.service.client.scheduler.BIPJobExecutable

Default Output Format: Report ID: /Financials/Receivables/Balances/StatementGeneration.xdo

Priority: Allow Multiple Pending Submissions

StatementGenerationReport: Parameters User Properties

Actions View Detach

Parameter Prompt: No data to display.

Data Type Page Element Default Value Read Only Required

User View Location: /Shared Folders/Financials/Receivables/Receivables Balances

Folders: My Folders, Shared Folders, Common Content, Custom, Customer Data Manager, Enterprise Contracts, Extension, Financials, Receivables, Receivables Balances, Tasks.

Generate Statement Report: Last Modified 12/4/2020 6:13:50 PM Owner: System Account

Customer Balance Revaluation Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Document Number Audit Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Generate Statement Report: Last Modified 12/4/2020 6:13:50 PM Owner: System Account

Late Charges Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Open Balances Revaluation Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Print Bills Receivable: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Process Lockbox Execution Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Process Revenue Recognition Execution Report: Last Modified 12/4/2020 6:13:56 PM Owner: System Account

Report URL: http://[REDACTED]/StatementGeneration.xdo





Oracle Transactional Business Intelligence




Generate Statement Report

Data Model: Statement Generation Data Model

Parameters Properties View Report

Statement Generation Report





Apps    facebook    LinkedIn    Inbox Gmail    Oracle Configuration...    Learning    Oracle    Other b

ORACLE BI Publisher Enterprise

Catalog

Location: /Shared Folders/Custom/Financials/Receivables/Receivable

Search: All    Administration    Help

Folders

- My Folders
- Shared Folders
  - Common Content
  - Custom
    - AR Reports
    - AutoConfig
    - CloudTools
    - Customer Relationship
    - Data Migration
    - Eg\_Azureconnect\_custo
    - Eithad\_cust
    - Financials
      - AP
      - AR

Tasks

- Receivables Balances
  - Expand
  - Upload
  - Delete
  - Download

Apps    facebook    LinkedIn    Inbox Gmail    Oracle Configuration...    Learning    Oracle    state 1/2    Other bookmarks

ORACLE BI Publisher Enterprise

Catalog

Location: /Shared Folders/Financials/Receivables/Receivable

Administration    Help    Sign Out

Folders

- Higher Education
- Human Capital Management
- Incentive Compensation
- Loyalty
- Manufacturing
- Marketing
- Moved\_from\_Test\_Server
- Moved\_Reports\_from\_Test
- Partner
- Procurement
- Projects
- Public Sector
- Risk Management

Tasks

- StatementGenerationOn
  - Edit
  - Delete
  - Copy
  - Permissions
- StatementGenerationOff
  - Download
  - Out
  - Rename
  - Export XLF

avascript:void(0)

StatementGenerationOff

Show all

Folders

- CM
- FA
- FSG Reports
- OL
- Payments
- Receivables
  - Bill Presentment
  - Receivables Balances
    - Data Model
  - VAT Liability Report

Data Model    Last Modified 3/14/21 12:03 PM    Created By erp integration

Generate Statement Report    Last Modified 3/14/21 12:00 PM    Created By erp integration

Print Statement Job History Edit More

Edit Report

## Oracle report – call the report from SAAS on spring board Working with Sandbox

The screenshot shows the Oracle Fusion Middleware interface. On the left, there is a navigation sidebar with various links like 'Academics', 'Procurement', 'My Enterprise', 'Tools', and 'Configuration'. Under 'Configuration', the 'Sandbox' link is highlighted with a red arrow. The main pane shows a grid of items, likely sandboxes, with a 'Navigator' and 'Springboard' header.

The screenshot shows the 'Available Sandboxes' page. It has tabs for 'Available Sandboxes' and 'Published Sandboxes'. Below is a search bar and a 'Create Sandbox' button with a red arrow pointing to it. The main area displays a table of sandboxes with columns for 'Name', 'Context', 'Publishable', 'Tools', and 'Enter Sandbox'.

Name	Context	Publishable	Tools	Enter Sandbox
Enable HR	Site	Yes		
Add DFF	Site	Yes		
PER C	Site	Yes		
TEST PER	Site	Yes		
Learning1	Site	Yes		
ODA_WM_CE	Site	Yes		
LR1	Site	Yes		
ENABLE SUC-PLAN	Site	Yes		
1234567890	Site	Yes		
Logo	Site	Yes		
Add Payroll to Job Offer 12	Site	Yes		
test01	Site	Yes		
Salary Descriptive	Site	Yes		
test po descripton	Site	No		
Country Sandbox	Site	No		
Fields				

Create Sandbox

Name: OC_TECHNICAL_TEST	Description: OC_TECHNICAL_TEST	<b>Create</b>	<b>Create and Enter</b>	<b>Cancel</b>																																																																	
Publishable: <input checked="" type="radio"/> Yes <input type="radio"/> No																																																																					
All Tools																																																																					
<table border="1"> <thead> <tr> <th>Active</th> <th>Name</th> <th>Description</th> <th>Supported Context</th> <th>Additional Information</th> </tr> </thead> <tbody> <tr><td><input checked="" type="checkbox"/></td><td>Application Composer</td><td>Create custom objects and fields; extend user interfaces and business lo...</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Configure Business Objects</td><td>Configure Business Objects</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>HCM Experience Design Studio</td><td>HCM Experience Design Studio</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Appearance</td><td>Change the look and feel of the application</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Structure</td><td>Configure the Navigator and springboard</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Manage Service Mappings</td><td>Search, create, edit, or delete service mappings</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>User Interface Text</td><td>User Interface Text</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Integration</td><td>Create new pages, add tabs to existing pages</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Composer</td><td>Add and edit page content.</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Page Template Composer</td><td>Add and edit page template content.</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Data Security</td><td>Create data security policies for business objects; and add grants to the ...</td><td>Site</td><td></td></tr> <tr><td><input checked="" type="checkbox"/></td><td>Lookups</td><td>Create lookups; and modify the existing ones.</td><td>Site</td><td></td></tr> </tbody> </table>					Active	Name	Description	Supported Context	Additional Information	<input checked="" type="checkbox"/>	Application Composer	Create custom objects and fields; extend user interfaces and business lo...	Site		<input checked="" type="checkbox"/>	Configure Business Objects	Configure Business Objects	Site		<input checked="" type="checkbox"/>	HCM Experience Design Studio	HCM Experience Design Studio	Site		<input checked="" type="checkbox"/>	Appearance	Change the look and feel of the application	Site		<input checked="" type="checkbox"/>	Structure	Configure the Navigator and springboard	Site		<input checked="" type="checkbox"/>	Manage Service Mappings	Search, create, edit, or delete service mappings	Site		<input checked="" type="checkbox"/>	User Interface Text	User Interface Text	Site		<input checked="" type="checkbox"/>	Page Integration	Create new pages, add tabs to existing pages	Site		<input checked="" type="checkbox"/>	Page Composer	Add and edit page content.	Site		<input checked="" type="checkbox"/>	Page Template Composer	Add and edit page template content.	Site		<input checked="" type="checkbox"/>	Data Security	Create data security policies for business objects; and add grants to the ...	Site		<input checked="" type="checkbox"/>	Lookups	Create lookups; and modify the existing ones.	Site	
Active	Name	Description	Supported Context	Additional Information																																																																	
<input checked="" type="checkbox"/>	Application Composer	Create custom objects and fields; extend user interfaces and business lo...	Site																																																																		
<input checked="" type="checkbox"/>	Configure Business Objects	Configure Business Objects	Site																																																																		
<input checked="" type="checkbox"/>	HCM Experience Design Studio	HCM Experience Design Studio	Site																																																																		
<input checked="" type="checkbox"/>	Appearance	Change the look and feel of the application	Site																																																																		
<input checked="" type="checkbox"/>	Structure	Configure the Navigator and springboard	Site																																																																		
<input checked="" type="checkbox"/>	Manage Service Mappings	Search, create, edit, or delete service mappings	Site																																																																		
<input checked="" type="checkbox"/>	User Interface Text	User Interface Text	Site																																																																		
<input checked="" type="checkbox"/>	Page Integration	Create new pages, add tabs to existing pages	Site																																																																		
<input checked="" type="checkbox"/>	Page Composer	Add and edit page content.	Site																																																																		
<input checked="" type="checkbox"/>	Page Template Composer	Add and edit page template content.	Site																																																																		
<input checked="" type="checkbox"/>	Data Security	Create data security policies for business objects; and add grants to the ...	Site																																																																		
<input checked="" type="checkbox"/>	Lookups	Create lookups; and modify the existing ones.	Site																																																																		

OC\_TECHNICAL\_TEST Tools

Sandbox Detail

- Push
- Leave Sandbox

Available Sandboxes Published Sandboxes

Find: All

Name	Context	Published	Tools	Enter Sandbox
OC_TECHNICAL_TEST	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	<b>Enter Sandbox</b>
Enable HM	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	
Add DFF	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	
PER C	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	
TEST PER	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	
Learning1	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	
ODA_WB_CIE	Site	Yes	<input checked="" type="checkbox"/> Application Composer <input checked="" type="checkbox"/> Configure Business Objects <input checked="" type="checkbox"/> HCM Experience Design Studio <input checked="" type="checkbox"/> Appearance <input checked="" type="checkbox"/> Structure <input checked="" type="checkbox"/> Manage Service Mappings <input checked="" type="checkbox"/> User Interface Text	

Apps facebook LinkedIn Inbox Gmail Oracle Configuration... Learning Oracle

Sandbox Mode Edit

Leave HUMLING

Academics

Academic Tools

Procurement

My Enterprise


Tools

- Set Preferences
- Announcements
- Alerts Composer
- Deep Links
- Developer Connect
- Worklist
- Spaces
- Contact Search
- Reports and Analytics
- Scheduled Processes
- Security Console
- Sales and Service Access Management
- Import Management
- Export Management
- File Import and Export
- Audit Reports
- SmartText
- Transaction Console
- Notification Preferences
- Collaboration Messaging

Configuration

- Sandboxes
- Migration
- Appearance
- Spaces
- User Interface Text
- Business Objects
- Application Composer
- Page Integration


**Sandboxes**




## This for show the report to certain roles

```
1  #{securityContext.userInRole['ORA_AR_ACCOUNTS_RECEIVABLE_MANAGER_JOB']}  
2  || securityContext.userInRole['ORA_AR_ACCOUNTS_RECEIVABLE_SPECIALIST_JOB'] }
```

This for security to  
show the report to  
specific roles





ORACLE Transactional Business Intelligence

PL\_SI\_All\_Errors\_Fix Report

Ledger All  
Error Message Number All  
\* From Date: 03-14-2021  
\* To Date: 03-14-2021  
Lines Solved: No

Apply

PL\_SI\_MAP New Layout ERP PL\_SI\_ALL\_ERRORS PL\_SI\_ALL\_ERRORS\_V2

Report Options:

- Edit Report
- Edit Layout
- Export
- Send
- Schedule
- Jobs
- Job History
- Republish from History
- Share Report Link
- Online Diagnostics
- Document Only

A red arrow points to the 'CurrentPage' option in the 'Share Report Link' menu.

\* Name: Test Customer Statement

\* Icon:

Group: Receivables

Show on Navigator: EL Expression

Show on Springboard: EL Expression



Mobile Enabled: No

Link Type: Static URL


Secure Destination

\* Destination: `o'__paramsP_SOLVED:'N'__x'PL_SI_ALL_ERRORS_V2'__y'fix'&_initToReport=true'`




Red arrows point to the 'Show on Navigator', 'Show on Springboard', 'Link Type' dropdown, and the 'Destination' input field.



**Don't foregate to assign the roles that in sandbox link to the user to can see the changes**



## Run the following process to see the changes then re login the application



## Contents

Introduction.....	1
Oracle Security Flow.....	2
Oracle BIP Create First report.....	3
Custom BIP Report: User Roles .....	3
1. Navigator > Tools > Reports and Analytics.....	3
2. Click Browse Catalog to open OBI Catalog .....	3
3. Create Data Model .....	3
4. Create Report Layout .....	9
Few tips for newly created report.....	14
1. Change Page Layout: Paper .....	14
2. Adjust Columns width by simply using your mouse (same way as on Excel).....	14
3. Add grouping if needed .....	15
4. Add more output lines for the table.....	15
Viewing Report.....	17
<b>Oracle BIP Create Data Model Based on OBIEE.....</b>	<b>19</b>
<b>Oracle BIP Create Report Based on OBIEE .....</b>	<b>23</b>
<b>Using Query Builder for preparing the SQL Oracle BIP Create First report .....</b>	<b>30</b>
<b>Session 3 : Oracle BIP Create report using RTF .....</b>	<b>37</b>
<b>Oracle BIP Create report using Excel Format.....</b>	<b>46</b>
<b>Oracle Create analysis report Top 5 customers and receipts.....</b>	<b>50</b>
<b>Oracle Create report with bursting .....</b>	<b>60</b>
<b>Oracle report Shearing options .....</b>	<b>66</b>
<b>Oracle report Working with procedure call as a type of SQL.....</b>	<b>67</b>
<b>Oracle report Working with NON-Standard SQL as a type of SQL.....</b>	<b>68</b>
<b>Oracle report - Working with Standard report extension.....</b>	<b>70</b>
<b>Oracle report – call the report from SAAS on spring board Working with Sandbox.....</b>	<b>77</b>

