

White Paper

Oracle ERP Cloud

General Ledger Calculation Manager for Allocations – Use Cases

Oracle ERP Cloud General Ledger Product Management

Contents

Introduction	3
1. Oracle Essbase	4
2. Calculation Manager	6
3. Setup Used	7
4. How to Create Calculation Manager Objects.....	8
4.1 Run-Time Prompt Variable.....	8
4.2 POV.....	12
4.3 Formula	17
4.4 Allocation	22
4.5 Rule Set	27
4.6 Generate Allocation	30
4.7 Recurring Journals: Schedule Generate Allocation for Reoccurrence	32
5. Calculation Manager Use Cases	35
5.1 Simple headcount-based expense allocation	35
5.2 Simple bad debts reserve formula.....	38
5.3 Simple step down use case with no original balance in target.....	39
5.4 Simple step down use case with initial + the allocated balance to allocated in step 2	47
5.5 Offset Looping Over Allocation Range	53
5.6 Nullify account balances for a range of segment values & move it to single segment value	60
5.7 Reclassify balances from one account to another.....	64
5.8 Transfer balances to an elimination balancing segment value for consolidation	69
5.9 Cross Ledger Intercompany Allocations.....	71
5.10 Intercompany Eliminations	75
5.11 Recurring Journals Using GL Scheduling	83
6. Troubleshooting Tips	86
6.1 Create Allocation Rules	86
6.1.1 Create, Edit, Delete, Deploy, Export and Import Allocation Rule/Rulesets	86
6.2 Generate Allocations.....	87
6.2.1 Allocations Rule/Ruleset Submission.....	87
6.2.2 Rule/Ruleset Execution	87


Introduction

Oracle ERP Cloud are next generation applications that provide a new standard for innovation, work, and adoption. Oracle EPM technology is embedded throughout Oracle ERP Cloud Applications. This includes the ***Calculation Manager*** that leverages Oracle Essbase, the industry-leading multidimensional analysis engine for ERP Allocations.

In Oracle ERP Cloud, the Calculation Manager provides an allocation wizard that is easy to understand, and formula components that can be used to define recurring journal formulas with the advantages of Oracle Essbase. The Calculation Manager also provides rule set functionality that allows users to group different rules and generate allocations as a group. The Calculation Manager is a powerful tool that leverages Oracle Essbase; and provides flexibility, automation, intelligence, and control in distributing costs and revenues across the enterprise.

1. Oracle Essbase

Oracle Essbase is seamlessly embedded within General Ledger and provides multidimensional Balances cubes. Every time a transaction or journal is posted in General Ledger, the Balances cubes are updated at the same time.



Balances are stored in cubes by dimensions.

Example dimensions include the following:

- Accounting Periods

- Ledgers and Ledger Sets

- Dimensions per Chart of Account Segments

- Scenario (Actual, Allocated, Total for Allocations, Budget)

- Balance Amount (Beginning Balance, Period Activity, Ending Balance)

- Amount Type (PTD, QTD, YTD)

- Currency

- Currency Type

Users can perform account analysis by pivoting on dimensions either online or via the Smart View add-in to Microsoft Excel. Balances are also pre-aggregated in a Balances cube at every level of dimension and account hierarchy for rapid analysis. This enables faster performance when generating allocation rules.

2. Calculation Manager

The Calculation Manager is used to create allocation and other formulaic journal templates for generating periodic journal entries automatically. Allocations are defined and generated on top of the pre-aggregated balances in the Balances cubes and provide the following benefits:

- Immediate real-time access to financial balances for allocations
- Accelerated performance with highly scalable allocations

Allocation components include run-time variables, rules, formulas, and rule sets. These components are stored in Oracle Essbase. The Calculation Manager provides the following features:

- Distributes revenues or costs with recursive allocation rules
- Creates complex formula rules using formula component
- Contains an Allocation Wizard to define allocation and formula rules
- Uses real-time check of rule definitions to validate correctness of rules
- Minimizes setup and maintenance with reusable components
- Simplifies allocation generation process by integrating with enterprise scheduler
- Groups rules together in rule sets to cascade allocations for processing efficiencies
- Creates primary, statistical, or foreign currency allocation and formula rules

3. Setup Used

The setup below is used for all the use cases discussed in this document.

The accounting for InFusion Foods is carried out using three primary ledgers. Accounting for all USA based legal entities occurs in the primary ledger InFusion Foods US, for Brazil based legal entities in InFusion Foods BZ and for Germany based legal entities in InFusion Foods DE. All three ledgers share a common Chart of Accounts and Calendar; hence balances for these ledgers are stored in the same Essbase cube. The country currency is the functional currency for each ledger. These three ledgers are grouped together under a ledger set, InFusion Cross ledgerset1.

The Chart of Accounts consists of the following segments: Company, Division, Account, Cost Center, Product, Program, Location and Intercompany.

The Calendar starts from January 2017, has monthly period frequency and one adjusting period at the end of the year.

Refer to the excel workbook below for the hierarchy of values used for each of the segments.



InFusion Foods
COA.xls

4. How to Create Calculation Manager Objects


In this section you will find detailed screenshots on how to create various Calculation Manager Objects.

4.1 Run-Time Prompt Variable


Before defining a rule, you can define a run-time prompt (RTP) variable. A RTP variable is an optional component of a rule. There are two steps to using a RTP variable. First, define the RTP variable for a dimension. Second, use the RTP variable in the allocation definition. When you generate an allocation based on a rule with an RTP variable, you will be prompted to specify the dimension member for which the RTP variable has been used. The input provided will be used in the allocation calculation. An example of an RTP variable is `Accounting_Period` that prompts the user to specify what period to use in the allocation calculation. It can also be created for other dimensions like `Ledger`, `Company` etc. The RTP variable can be created once and shared across multiple rules.

To create an RTP variable, execute the following steps:


1. Navigate to the Journals Work Area.
2. Click on Create Allocation Rules under Tasks.



3. Once the Workspace opens in a new browser window, navigate to the Calculation Manager (Navigate -> Administer -> Calculation Manager). To define the run time prompt, select Variables under the Tools menu.



- Expand to the 'db' under the required cube, right click on it, and select New from the menu.



 **Tip:** Ensure that you expand to and select 'db' before you right click to create the new RTP variable. This will define the RTP variable with the Database scope. This is necessary to include it in rules which also have a Database scope.

5. The Variable Designer opens in a new tab. Enter the variable header and value information.

Note: A default value must be entered and the variable name cannot contain any spaces.

Variable Header Information

Name	Accounting_Period
Type	Member

Variable Value Information

Dimension	AccountingPeriod
Default Value	Jan-12
RTP	<checked>
RTP Text	Enter Accounting Period

Oracle Enterprise Performance Management System Workspace, Fusion Edition

Logged in as FINUSER1 Help Log Off

Navigate File View Favorites Tools Help

System View Variable Designer

Variable Navigator

- Esbase
 - ADB_VF_USA_Accounting_Fle
 - InFLedger
 - InFuseLedger
 - InFusionFoods
 - db
 - JACNAccountingKeyFlexfiel
 - JACNAccountingKeyFlexfiel_2
 - OperationsAccountingFlex
 - OperationsAccountingFlex_2
 - OperationsAccountingFlex_3
 - OperationsAccountingFlex_4
 - Projects
 - TM_00_00
 - TM_00_01
 - VF_USA_Accounting_Flexfie
 - VF_USA_Accounting_Flexfie_2
 - VF_USA_Accounting_Flexfie_3

Replacement Execution

Name	Description	Type	Default Value	Group

Properties

Scope: InFusionFoods.db Description:

Name: Accounting_Period

Group: Member

Dimension	Limits	Default Value	RTP	RTP Text
AccountingPeriod		*Jan-12*	☒	Enter Accounting Period

Click on the Save icon.

The RTP variable is ready for use.


 **Tip:** You can skip adding defining Limits for a RTP variable. This functionality is not supported in Oracle ERP Cloud Financials.

4.2 POV


A Point of View is used to define dimension values that remain fixed over the various components of the allocation rule. For example, assume a chart of accounts includes a segment for future use. The Point of View fixes the value to be the default value so that the dimension value does not have to be selected while defining the source, basis, target, offset, or allocation range.

To create a POV, execute the following steps:


1. Navigate to the Journals Work Area.
2. Click on Create Allocation Rules under Tasks.
3. Once the Allocation Manager opens in a new browser window, expand to the db -> Rules under the required cube, highlight the row, right-click on the row, and select New from the menu.




4. Enter the rule name and click on the OK button.
5. The Rule Designer opens in a new tab. Under New Objects, click, hold, and drag the Point of View object. Place it between the Begin and End nodes in the Rule Designer. Enter a caption.



6. Enter a variable dimension value. Click on the Value field for AccountingPeriod. Click on the Actions icon and select Variable from the dropdown list. Under Category, select Application from the dropdown list. Click on Accounting_Period. Click on the OK button.





- Enter member dimension values. Click on the Value field for another dimension. Click on the Actions icon and select Member from the dropdown list. Select a member and click on the blue select arrow pointing right. Click on the OK button. Repeat for all dimensions to include in the Point of View.
Note: In this scenario, the following are fixed dimension values.

Ledger = InFusion Foods USA

Company = 3111

Division = 0000

Product = 0000

Program=0000

Location=0000

Intercompany= 0000

Currency Type = Total

Member Selector

Dimensions

Ledger

Members

Functions

Search

Name	Alias
▲ Ledger	Ledger
▲ All Ledgers	All Ledgers
● Not Specified	Not Specified
● InFusion Foods BR	InFusion Foods BR
● InFusion Foods DE	InFusion Foods DE
● InFusion Foods US	InFusion Foods US

+

→

←

⇐

Selections

Name	Selection Type
Ledger	Dimension
InFusion Foods US	member

Selection: InFusion Foods US

Help

OK

Cancel

Properties **Point of View**

Dimension	Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	
CostCenter	
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	
Currency	
Currency Type	"Total"

Reset Grid


 *Tip: You should skip adding defining Scenario dimension member since allocation process automatically uses the appropriate dimension member for the source and target.*

4.3 Formula

Formula object can be used when you want to create an account balance by performing a mathematical operation on an existing account balance.

In the example below, we create a POV where all dimensions except Account are fixed and then use the Formula Object to create a Bad Debt Reserve (75555) by multiplying the existing balance of the Accounts Receivable Account (13060) by 0.05 i.e. the bad debt reserve is calculated as 5% of the accounts receivables balance. The offset account (13060) is used to create a balanced journal.

1. Under New Objects, click, hold, and drag the Formula component. Place it between the Point of View nodes in the Rule Designer.




2. Enter the Offset member.

Note: In this scenario, the offset is defined as account 13060, Bad Debt Reserve. The offset is the child combination 3111-0000-13060-000-0000-0000-0000 when combined with the fixed member dimension values in the Point of View.


Note: Offset is not mandatory in case of formula component.

3. Enter the formula member dimension value.

Note: In this scenario, if the formula member dimension value is defined as account 75555, Bad Debt Expense will be charged to child combination 3111-0000-75555-000-0000-0000-0000 when combined with the fixed member dimension values in the Point of View.




4. Click on the icon for the formula field and select Member from the dropdown list.



5. Select the Account dimension value, highlight the row, and click on the blue select value pointing right.

Note: In this scenario, the goal is to calculate an allowance for bad debt based on the PTD period activity in Accounts Receivables account 13005. Accounts Receivable is child combination 3111-0000-

13005-000-0000-0000-0000-0000 when combined with the fixed member dimension values in the Point of View.



- Repeat for the other formula member values and click on the OK button when all formula members are selected.

Note: In this scenario, the following dimension values are selected. Selection of members for the dimensions below is mandatory for the source in a formula component.

Scenario = Actual

Balance Amount = Period Activity

Amount Type = PTD

Member Selector

Dimensions: Scenario ▼ NEXT

Members		Selections	
Name	Alias	Name	Selection Type
Scenario	Scenario	Account	Dimension
Actual	Actual	13005	member
Allocated	Allocated	Balance Amount	Dimension
Total for Allocations	Total for Allocations	Ending Balance	member
Forecast Q1	Forecast Q1-Forecast for Quart	Amount Type	Dimension
Forecast Q2	Forecast Q2-Forecast for Quart	PTD	member
Forecast Q3	Forecast Q3-Forecast for Quart	Scenario	Dimension
Forecast Q4	Forecast Q4-Forecast for Quart	Actual	member
Original Budget	Original Budget-		
Revised Budget	Revised Budget-		

Selection: Actual

Help OK Cancel

7. Multiply the formula expression by 0.05. User has to manually type “*0.05” in the row.

Properties **Formula** **Usages**

Offset Member: "13060"

Comment			
"75555"	=	"13005"->"Actual"->"Ending Balance"->"PTD"	
<Enter member name>	=	<Enter formula>	
<Enter member name>	=	<Enter formula>	
<Enter member name>	=	<Enter formula>	

Click on the Save icon


8. Click on the Validate and Deploy icon.

4.4 Allocation

The Allocation object is most often used to allocate existing balance from an account (source) to other accounts (target) using certain existing balances in some other account (basis). The offset amount to create a balanced journal can either be same as the source or a different account.

In the example below, we use the POV defined in 4.2 (check the reference). The allocation defined distributes the Sales Salaries (52151) incurred at Cost Center CFO Office (521), to the children of Cost Center Accounting (530) on the basis of the Headcount (14070) in those Cost Centers. The offset amount is posted to the source account.

1. Under New Objects, click, hold, and drag the Allocation object. Place it between the Point of View nodes in the Rule Designer. The Allocation Wizard opens up automatically. It can also be invoked at any time by double clicking the Allocation icon. Click Next for the Point of View.



2. Enter source dimension values and click on the Next button.

Note: The source defines the location of the pool balance. In this scenario, if the source is defined as cost center 521, account 52151 and currency USD. The pool balance is located in 3111-0000-52151-

521-0000-0000-0000-0000 when combined with the fixed member dimension values in the Point of View. The Scenario, Amount Type, and Balance Amount dimension members default.

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"52151"
CostCenter	"521"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to ☐ Stop processing the allocation

Back Next Save Finish Exit

3. Enter allocation range dimension values and click on the Next button. In this case we choose to allocate over the level 0 descendants of the Cost Center parent value 530.

Note: The allocation range defines the range of values on which to allocate. This is used for the basis and target by default. These values must be parent values.

The highlighted text below "4-530" indicates the member 530 is member of the 4th segment (CostCenter) of the account combination. The rest of the text is system code for the member selected.

Allocate Wizard

Point of View > *Source* > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	
CostCenter	urrentl.[999].[500].[520].[530]
Currency	

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back
 Next
 Save
 Finish
 Exit

4. Enter target dimension values and click on the Next button.

Note: In this scenario, if the target is defined as account 52151, the pool balance is allocated to the child combinations within 3111-0000-52151-530-0000-0000-0000-0000, when combined with the allocation range and the fixed member dimension values in the Point of View.

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"52151"
Currency	"USD"

Back

Next

Save

Finish

Exit

- Enter offset dimension values and click on the Next button.
Note: In this scenario, the offset is defined as account 52151, the same account as the pool balance. It is not required for the offset to be the same account as the pool balance.

Allocate Wizard

Point of View > *Source* > *Allocation Range* > *Target* > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"52151"
CostCenter	"521"
Currency	"USD"

Back
 Next
 Save
 Finish
 Exit

6. Optionally enter any dimension values to exclude from the allocation range and click on the Next button.
7. Enter basis dimension values and click on the Next button.
 Note: In this scenario, the basis is defined as account 14070. The basis is the headcount statistical balances of child combinations within 3111-0000-14070-530-0000-0000-0000-0000 when combined with the allocation range and the fixed member dimension values in the Point of View. Alternatively, "Allocate Evenly" could have been selected as the allocation method instead of entering a basis.

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > **Basis**

Basis

⊕ The basis determines the percentage to be applied to each allocated member.

Select an allocation method: Allocate using a basis

Select members for the basis: Use Predefined Selection Member Selector

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"14060"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"All Location Values"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"STAT"
Currency Type	"Total"


Back Next Save Finish Exit

8. Click on the Next button.
9. Click on the Finish button.
10. Click on the Save icon


4.5 Rule Set

Rule Sets can be created by combining two or more related rules so that they are launched sequentially. To create a rule set, execute the following steps:

1. Navigate to the Journals Work Area.
2. Click on Create Allocation Rules under Tasks.
3. Once the Calculation Manager opens in a new browser window, expand to Rule Sets under the highlighted cube, highlight the row, right click on the row, and select New from the menu.




4. Enter the rule set name and click on OK button.
5. The Ruleset Designer opens in a new tab. Expand to the db under the cube for which the rule set will be created, expand the rules, and drag desired rules under the rule set.



6. Click on the row for the rule set, click on the Variables tab, and check on Merge Variables.

Tip: Merge Variables means that common variables among all of the rules in the rule set are merged so that the user only has to select the run-time prompt value once when submitting the Generate Allocations process.




7. Click on the Save icon
8. Click on the Validate and Deploy icon.


4.6 Generate Allocation

To generate allocation journal entries, execute the following steps:

1. Navigate to the Journal Work Area.
2. Click either on Generate General Ledger Allocations or Generate Intercompany Allocations under Tasks.




3. Select a rule or rule set and enter any run-time prompt values.



Note: Here 'Enter Accounting Period' if the RTP variable used while defining the allocation rule.

4. Uncheck the Post Allocations checkbox if automatically posting the generated allocations is not desired.
5. Click on the Submit button.
6. Generate Allocations will submit four processes consecutively (three if Post Allocations is not selected) that will calculate the allocation, write back the results to the GL_INTERFACE table, import the batches/journals, and post the batches/journals to General Ledger.



4.7 Recurring Journals: Schedule Generate Allocation for Reoccurrence

Define recurring journal formulas for transactions that you repeat every accounting period, such as:

- Accruals
- Depreciation charges
- Reserves
- Periodic expenses
- Allocations

Your formulas can be simple or complex. You can quickly create recurring formulas by copying and modifying existing formulas.

You can generate your Recurring Journal Batch according to schedules in Oracle ERP Cloud Applications; schedules you define in Oracle Applications, or schedule you define in General Ledger.

Recurring Journals: Types

You normally use three types of recurring journal entries to reduce data entry time and increase accuracy for journal entries that repeat each period.

Skeleton: Contain the same accounts each period, but have different amounts.	• Dr Temporary Labor • Cr Salaries Payable	<No Amounts> <No Amounts>
Standard: Contain the same accounts and amounts each period.	• Dr Auto Lease Expenses • Cr Amounts Payable	10000 dollars 10000 dollars
Formula: Contain formulas created to calculate journal amounts that vary from period to period.	• Dr Bad Debt Expense • Cr Bad Debt Reserve	<Variable Amt> <Variable Amt>

ORACLE

Recurring Journals: Recommendations

Type	Example	Recommendation
Skeleton	To record statistical journals, such as headcount, units sold, barrels of oil, or other statistical factors.	Create journal entries in spreadsheets or copy existing journals.
Standard	To record fixed monthly expenses like rent, fixed overheads allocations etc	Create journals in Spreadsheets or create using Calculation Manager if you need to schedule them.
Formula	To calculate journal amounts that vary from period to period, to perform simple or complex allocations or eliminations.	Create using Calculation Manager and formula component.

ORACLE

Automatic Journal Scheduling lets you generate Allocation Rules and Rule Sets according to a schedule you define. For example, you can schedule the same journal and allocation sets to be generated every month as part of your month-end closing procedures.

Now the Accounting Period Parameter will be automatically incremented for scheduled requests.

Standard Scheduling Capabilities:

Journals
Data Access Set: Vision Foods - USA Ledger [Change]

Tasks

- Journals**
 - Manage Journals
 - Create Journal
 - Create Journal in Spreadsheet
 - Run AutoPost
 - Run AutoReverse
- Allocations**
 - Create Allocation Rules
 - Generate General Ledger Allocations
 - Generate Intercompany Allocations
- Journal Import**
 - Import Journals
 - Correct Import Errors
 - Delete Import Data
- Subledger Accounting**
 - Review Subledger Journals

Generate General Ledger All...

Name: Generate General Ledger Allocations
Description: Allocates Oracle Fusion General Ledger balances.
Schedule: Using a schedule

Parameters | **Schedule** | Notification

Run: ☐ As soon as possible
☒ Using a schedule

Frequency: Monthly

Repeat: ☒ By day
☐ By date

Week of the Month: ☐ First ☐ Second ☐ Third ☐ Fourth ☒ Last

Day of the Week: ☐ Monday ☐ Tuesday ☐ Wednesday ☐ Thursday ☒ Friday ☐ Saturday ☐ Sunday

* Start Date: 11/5/13 12:14 PM (UTC+00:00) GMT
* End Date: (UTC+00:00) GMT

Customize Times

General Ledger scheduling capabilities: If you have business cycles that do not coincide with monthly calendars, you can define your own schedule in General Ledger. General Ledger schedules are based on your General Ledger calendar. Refer to section 5.11 (check reference) for details of schedule creation.

ORACLE

Setup and Maintenance

Manage Processing Schedules ?

Time Zone: (UTC+00:00) UTC

View Format + X [Icons]

Name	Accounting Calendar	Run Day	Run Time	Enabled
AR_PSCH	AccountingMon1	Last Day	08:00:00	✓
Monthly Allocations	VF_USA	1	08:00:00	✓
SR_Schedule	AccountingMon1	8	07:59:59	✓

Accounting Period parameter will now be incremented automatically for the scheduled Rule and Rule Sets jobs.

Create or define recurring journals, enter submission parameters during generation, and select a schedule to automate the generation of your journals.

5. Calculation Manager Use Cases

In this section we will look at certain common use cases for Calculation Manager. The screenshots below show how these use cases can be met. The screenshots of forms where default values can be accepted is not shown below. Refer to Section 6 to learn how different Calculation Manager Objects can be created.


5.1 Simple headcount-based expense allocation

Description: Allocate the expense incurred at a cost center to the range of cost centers on the basis of the headcount in each cost center.

In the worked example below, we use the POV object created in 6.2 and the Allocation object created in 6.4.

Solution:

The POV is fixed as follows:



The screenshot shows the 'Point of View' configuration window. It includes a 'Variable Selector' button with a question mark icon, a checkbox for 'Link Variable Dynamically' (which is unchecked), and a 'Member Selector' button with a list icon. Below these controls is a table with two columns: 'Dimension' and 'Value'. The table lists various dimensions and their corresponding values, with a small icon in the rightmost column of each row.

Dimension	Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	
CostCenter	
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	
Currency	
Currency Type	"Total"

The Allocation is defined as follows:


Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"52151"
CostCenter	"521"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	
CostCenter	[t].[999].[500].[520].[530]
Currency	

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"52151"
Currency	"USD"

Back

Next

Save

Finish

Exit

Allocate Wizard


Point of View > Source > Allocation Range > Target > Offset

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"52151"
CostCenter	"521"
Currency	"USD"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"14060"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"All Location Values"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"STAT"
Currency Type	"Total"

Back Next Save Finish Exit

5.2 Simple bad debts reserve formula

Description: Create a bad debt reserve which is 5% of the balance existing in receivables account.

In the worked example below, we use the POV is defined such that all dimensions except Account are fixed to the values we require on the LHS of the formula. The Formula used is the same as in 6.3.

Solution:

The POV is fixed as follows:

Properties **Point of View**

Variable Selector 

☐ Link Variable Dynamically 

Member Selector 

Dimension	Value	
AccountingPeriod	{Accounting_Period}	
Ledger	"InFusion Foods US"	
Company	"[All Company Values].[3111]"	
Division	"[All Division Values].[0000]"	
Account		
CostCenter	"000"	
Product	"[All Product Values].[0000]"	
Program	"[All Program Values].[0000]"	
Location	"[All Location Values].[0000]"	
Intercompany	"[All Intercompany Values].[0000]"	
Scenario		
Currency	"USD"	
Currency Type	"Total"	

The Formula is defined as follows:

Properties **Formula** Usages

Offset Member: "13060" 

Comment					
"75555"	=	"13005"->"Actual"->"Ending Balance"->"PTD"		+	-

 **Tip:** The Offset member is optional.

The Left Hand Side (LHS or Target) of each formula line lists only those dimensions that have not been fixed in the POV. The Right Hand Side (RHS or Source) lists all the dimensions as you can override the POV for your source. The dimension members selected in the RHS will override the members selected in the POV in case of an overlap.

5.3 Simple step down use case with no original balance in target

Description: Allocate an expense incurred at a cost center to a range of cost centers on the basis of an account balance in these cost centers. Further, allocate the expense from one of the target cost centers to another range of cost centers. Only the amount allocated in the first step should be allocated further.


In the worked example below, we define the POV to fix all the dimensions except Account and Cost Center.

In the first step, we create the allocation to distribute the International Accommodation expense (53442) incurred at Cost Center, CEO Office (510) to children of Cost Center, General Admin (200) on the basis of the Miscellaneous Expenses (60041) at those Cost Centers. The offset amount is posted to the same Cost Center and Account as the source.

In the second step, we take use only the allocated amount for International Accommodation expense (53442) at Cost Center, GandA US (210, a child of 200) and allocate it to the same account (53442) for children of Cost Center, Accounting (530) on the basis of balance in Sales Salaries account (52151) at these Cost Centers. The offset is posted to Miscellaneous Expense (60041) and Cost Center, GandA US (210).

Solution:

The POV is fixed as follows:

Point of View		
Variable Selector 		
☐ Link Variable Dynamically 		
Member Selector 		
Dimension	Value	
AccountingPeriod	{Accounting_Period}	
Ledger	"InFusion Foods US"	
Company	"[All Company Values].[3111]"	
Division	"[All Division Values].[0000]"	
Account		
CostCenter		
Product	"[All Product Values].[0000]"	
Program	"[All Program Values].[0000]"	
Location	"[All Location Values].[0000]"	
Intercompany	"[All Intercompany Values].[0000]"	
Scenario		
Currency	"USD"	
Currency Type	"Total"	

The first allocation is defined as follows:

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"53442"
CostCenter	"510"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	
CostCenter	Center InFusion Foods Current1.[9991].[2001]

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > *Source* > *Allocation Range* > **Target**

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53442"

Back

Next

Save

Finish

Exit

Allocate Wizard


Point of View > *Source* > *Allocation Range* > *Target* > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53442"
CostCenter	"510"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"60041"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

The second allocation is defined as follows:

 **Tip:** In the second step the Scenario dimension member of the Source should be set to "Allocated" to allocate only the balance generated in step 1. Any pre existing balances in this account will not be allocated.


Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53442"
CostCenter	"210"
Scenario	"Allocated"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit


Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	
CostCenter	nt].[999].[500].[520].[530]"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"53442"

Back

Next

Save

Finish

Exit

 **Tip:** It is recommended that the Offset account in the second step should not be the same as the Source account. This is because the allocation process cannot write multiple times to the same account combination within the same process. If the Offset is set to the same account combination as the source then an unbalanced journal is generated which will not be posted unless Suspense Account has been enabled for that ledger.

45

Calculation Manager Use Cases | Oracle Corporation

Allocate Wizard


[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > [Offset](#)

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60041"
CostCenter	"210"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > [Offset](#) > [Exclude](#) > [Basis](#)

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"52151"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

5.4 Simple step down use case with initial + the allocated balance to allocated in step 2

Description: Allocate an expense incurred at a cost center to a range of cost centers on the basis of an account balance. Further, allocate this expense plus any existing balances at one of the target cost centers in step one to another range of cost centers.

In the worked example below, we define the POV to fix all the dimensions except Account and Cost Center.

In the first step, we create the define the allocation to distribute the Domestic Accommodation expense (53431) incurred at Cost Center, CEO Office (510) to children of Cost Center, General Admin (200) on the basis of the Domestic Airfare expense (53432) at those Cost Centers. The offset amount is posted to the same Cost Center and Account as the source.

In the second step, we take use the allocated amount plus any existing balance in Domestic Accommodation expense (53431) at Cost Center, GandA US (210, a child of 200) and allocate it to the same account (53431) for children of Cost Center, Accounting (530) on the basis of balance in Miscellaneous Expenses account (60041) at these Cost Centers. The offset is posted to Miscellaneous Expense account (60041) and Cost Center, GandA US (210).

Solution:

The POV is fixed as follows:

Dimension	Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	
CostCenter	
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	
Currency	"USD"
Currency Type	"Total"

Step_Down_Total_Balance
Application:InFusionFood
Database:db

The first allocation is defined as follows:


Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53431"
CostCenter	"510"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit


Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	
CostCenter	Center InFusion Foods Current1.19991.12001

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit


Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > **Target**

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53431"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard


[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53431"
CostCenter	"510"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"53432"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Ending Balance"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

The second allocation is defined as follows:

 **Tip:** In the second step the Scenario dimension member of the Source should be set to "Total for Allocations" to allocate the balance generated in step 1 plus any existing balances for that account combination.

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53431"
CostCenter	"210"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	
CostCenter	ision Foods Currentl.[999].[500].[520].[530]

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > **Target**

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53431"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard


[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60041"
CostCenter	"210"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"60041"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

5.5 Offset Looping Over Allocation Range

Description: Allocate expense over a range of cost centers and offset this against a range of cost centers.

 **Tip:** The Calculation Manager allows only child values to be entered in the Offset account form, so it is not possible to offset over a range of cost centers in one step.

The workaround is to achieve this in two steps. In the first step, allocate the original expense to a range of cost centers and offset this against a temporary account. In the second step, use the temporary offset account as source and allocate this amount over the desired same range of cost centers as before with the target account being the desired offset account. Ensure that the offset account in the second step is the same as the temporary account to nullify the balances.

In the first step, we create the define the allocation to distribute the International Tax expense (53446) incurred at Cost Center, CEO Office (510) to children of Cost Center, Manufacturing Operations (400) on the basis of the Domestic Tax expense (53435) at those Cost Centers. The offset amount is posted to the Suspense account (60042) for Cost Center, CEO Office (510).

In the second step, we use the allocated amount in the Suspense account (60042) at Cost Center, CEO Office (510) as the source and allocate it to the Miscellaneous Expenses account (60041) for children of

Cost Center, Manufacturing Operations (400) on the basis of Domestic Tax expenses account (53435) at these Cost Centers. The offset is posted to Miscellaneous Expense account (60042) and Cost Center, CEO Office (510).

Solution:

The POV is fixed as follows:

Properties

Point of View

Variable Selector

#?

#?

☐ Link Variable Dynamically

i

Member Selector

Dimension	Value	
AccountingPeriod	{Accounting_Period}	
Ledger	"InFusion Foods US"	
Company	"[All Company Values].[3111]"	
Division	"[All Division Values].[0000]"	
Account		
CostCenter		
Product	"[All Product Values].[0000]"	
Program	"[All Program Values].[0000]"	
Location	"[All Location Values].[0000]"	
Intercompany	"[All Intercompany Values].[0000]"	
Scenario		
Currency	"USD"	
Currency Type	"Total"	

The first allocation is defined as follows:

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53446"
CostCenter	"510"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then:

Stop processing the allocation



Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53446"
CostCenter	"510"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then:

Stop processing the allocation



Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"53446"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60042"
CostCenter	"510"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"53435"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

The second allocation is defined as follows:

 **Tip:** Ensure that the offset account in the second step is the same as the temporary account (60042) to nullify the balances.

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60042"
CostCenter	"510"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then:

Stop processing the allocation



Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	
CostCenter	on Foods Current]. [999]. [400]"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Back

Next

Save

Finish

Exit

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > **Target**

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60041"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60042"
CostCenter	"510"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"53435"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

5.6 Nullify account balances for a range of segment values & move it to single segment value

Description: Nullify the account balances for a set of cost centers (or departments, divisions etc.) and move it to a single cost center.

Solution:

 *Tip: If we allocate a value which is equal but of opposite sign to the existing balance then we can nullify the existing balance. The parent of a range of cost centers has an existing balance which is the sum of the balances at each cost center. If you multiply this balance by -1 and allocate it to the cost centers in the same proportion as the existing balances then you will be able to nullify the existing balances at each of these cost centers. The offset account can be used to move this balance to the required cost center.*

In the worked example below, we move the nullify the balances in Miscellaneous Expenses account (60041) for Cost Centers under parent Manufacturing Operations (400) and move the balances to the same account (60041) at Cost Center, CEO Office (510) by using it as the offset account.

The POV is fixed as follows:

Properties

Point of View

Variable Selector

?

#

☐ Link Variable Dynamically

i

Member Selector

?

#

Dimension	Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	
CostCenter	
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	
Currency	"USD"
Currency Type	"Total"

The allocation is defined as follows:

Allocate Wizard

Point of View

> Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection

?

#

Member Selector

?

#

Dimension	Select Value
Account	"60041"
CostCenter	"InFusion Foods Current].[999].[400]"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"*-1
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

?

#

If the source amount you want to allocate is equal to zero then:

Stop processing the allocation

▼

Back

Next

Save

Finish

Exit

61

Calculation Manager Use Cases | Oracle Corporation

 **Tip:** The source cost center dimension value should be the parent of the cost centers for which you wish to nullify balances. Also note that any one of the dimension values can be an expression. In this case Balance Amount dimension value is multiplied by -1.

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection 

Member Selector 

Dimension	Select Value
Account	
CostCenter	Ion Foods Current], [999], [400]" 

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

 **Tip:** Note that although the Allocation Range points to the same parent, it is in fact substituted by the level 0 descendants of the parent. Target Account is same as Source Account.

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > **Target**

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60041"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > **Offset**

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60041"
CostCenter	"510"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

Point of View > Source > Allocation Range > Target > Offset > Exclude > Basis

Basis

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Division	"[All Division Values].[0000]"
Account	"60041"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Back Next Save Finish Exit

 **Tip:** Note that the offset cost center is different from the source. This is the cost center to which the balances should be moved to. Basis Account should be the same as Source and Target Account.


5.7 Reclassify balances from one account to another

Description: Move all balances from one natural account to another and nullify the existing balances for this account.

Solution:

 **Tip:** In this use case, we need to loop through all the values of all the other segments. One way to achieve this is by using the @Level0Descendants function for a member in the POV. Select the top level member in your hierarchy and then choose the function as shown in the screenshot below.

Please note that selecting the POV in this manner will result in a large number of combinations of the segment values, sometimes running into millions. This will result in performance issues. It is therefore advised that you fix as many dimensions as possible and only loop through dimensions where necessary. In the example below we only loop through Company, CostCenter and Product dimensions and fix the rest.



In the worked example below, we move balances for Site Improvements account (17200) at all Companies, Cost Centers and Products to the Leasehold Improvements account (17500). The offset is posted to a Suspense account (60042) which can be nullified in another step.

The POV is fixed as follows:

Properties

Point of View

Variable Selector

☐ Link Variable Dynamically

Member Selector

Dimension	Value	
AccountingPeriod	{Accounting_Period}	
Ledger	"InFusion Foods US"	
Company	@Level0Descendants("[Company].[Company InFusion Foods-Company InFusion Foods Current]")	
Division	"[All Division Values].[0000]"	
Account		
CostCenter	@Level0Descendants("[CostCenter InFusion Foods-CostCenter InFusion Foods Current]")	
Product	@Level0Descendants("[Product InFusion Foods-Product InFusion Foods Current]")	
Program	"[All Program Values].[0000]"	
Location	"[All Location Values].[0000]"	
Intercompany	"[All Intercompany Values].[0000]"	
Scenario		
Currency	"USD"	
Currency Type	"Total"	



Tip: There should be two allocation steps here. The first allocation is from the source natural account to the target natural account with the offset going to a temporary account. The second allocation is from the temporary account to the original source account with the same temporary account used as offset. The effect of the second step is to nullify balances in the original source as well as the temporary account. The basis in both steps is the existing balance in the source account.

However since the allocations are based on looping, for performance reasons, we will have only the first allocation as a part of this rule. The second allocation can be run separately in another rule with the same POV.

The allocation is defined as follows:

Allocate Wizard

Point of View > Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection

Member Selector

Dimension	Select Value
Account	"17200"
Scenario	"Total for Allocations"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then:

Select the next pool record

BackNextSaveFinishExit

 **Tip:** Since there will be quite a few combinations of members where no balance is available it is necessary to choose 'Select the next pool record' option as highlighted above.

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"17500"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of view > Source > Allocation Range > Target > Offset

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"60042"

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of view > Source > Allocation Range > Target > Offset > Exclude > **Basis**

Basis

+ The basis determines the percentage to be applied to each allocated member.

Select an allocation method: Allocate using a basis

Select members for the basis: Use Predefined Selection Member Selector

Dimension	Select Value
Account	"17200"
Scenario	"Actual"
Balance Amount	"Balance Amount"
Amount Type	"PTD"

Back **Next** Save Finish Exit

5.8 Transfer balances to an elimination balancing segment value for consolidation

Description: For the consolidation process it may be required that the intercompany receivables and intercompany payables balance are transferred from the existing primary balancing segment values (PBSV) to a common primary balancing segment value (clearing company).

Tip: The solution uses a formula object to transfer existing balances to a clearing company PBSV. The POV will loop over all the dimensions where balances are expected. The PBSV in the POV is fixed to the clearing company. Each line in the formula will assign the existing intercompany receivables/payables balance for a PBSV to the intercompany receivables/payables account of the clearing company PBSV.

In the worked example below, we move the balances of the Intercompany Receivables account (13011) and Intercompany Payables account (21081) for companies 3111, 3121, 3211 and 3221 to the same accounts for company 3888 which is the elimination company.

The POV is fixed as follows:

The formula is defined as follows:

The total Intercompany Receivables balances for company 3111 present in the combination 3111-0000-13011-000-0000-0000-0000-3100 are transferred to the account 3888-0000-13011-000-0000-0000-0000-3111. The total Intercompany Payables balances for company 3111 present in the combination 3111-0000-21081-000-0000-0000-0000-3100 are transferred to the account 3888-0000-21081-000-0000-0000-0000-3111. The same transfers are repeated for companies 3121, 3211 and 3221.

We are assigning the balances without any change in sign. The eliminations can be achieved in the reporting solution by subtracting these balances from the total of all other companies. Alternately, you can multiply the RHS expression by -1 and add these balances to those of all other companies to eliminate intercompany balances.



Use Case Variation: The COA does not have an intercompany segment

For this use case, in the POV you can loop through all the segments except Company which will be fixed as the eliminations company. Again, it is advisable to fix the segments to members where the intercompany balances are expected.

The Formula will have at least two lines for each Company, one for the Intercompany Receivables and one for Intercompany Payables account.

For example, to transfer the intercompany balances for company 3111 the formula lines will be:

13011 = 3111->13011->Actual->Ending Balance->PTD

21081 = 3111->21081->Actual->Ending Balance->PTD

5.9 Cross Ledger Intercompany Allocations

Description: Allocate amounts from a PBSV in one ledger to PBSV's in other ledgers.

Solution:



Tip: To perform cross ledger allocations we have to ensure that

- *All the ledgers to which allocations will be made are a part of a Ledger Set and hence have to have a common COA and Calendar. This Ledger Set will be used in the Allocation Range form and should contain have the Ledger used in the Source.*
- *The Intercompany rules have been set up in order to create the balancing lines for each PBSV.*

In the worked example below Company, Account, Currency and Currency Type dimensions are not fixed in the POV. The source is the Cash Checking account (11010) for Company 3111 which has a USD balances. The balance is allocated over all the companies under the parent value 6000 to another Cash Checking account (11016). The basis for allocation is the statistical balance in the account 00000 for each company. The offset amount is posted to the account 11020 for the source company 3111.

The POV is fixed as follows:

Properties

Point of View

Variable Selection

☐ Link Variable Dynamically

Member Selector

Dimension	Value
AccountingPeriod	{Accounting_Period}
Ledger	
Company	
Division	"[All Division Values].[0000]"
Account	
CostCenter	"000"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	
Currency	
Currency Type	

The Allocation is defined as follows:

Allocate Wizard

Point of View

> Source

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Use Predefined Selection

Member Selector

Dimension	Select Value
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Account	"11010"
Scenario	"Total for Allocations"
Balance Amount	"Period Activity"
Amount Type	"PTD"
Currency	"USD"
Currency Type	"Total"

Optional - Enter a amount to be allocated instead of the selections above:

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Use Predefined Selection



Member Selector



Dimension	Select Value
Ledger	"InFusion Cross Ledgerset1"
Company	"[Company].[Company InFusion Food"
Account	
Currency	
Currency Type	

The allocation will calculate the level 0 descendants of the member you have selected above.

Back

Next

Save

Finish

Exit

Allocate Wizard

Point of View > Source > Allocation Range > Target

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Use Predefined Selection



Member Selector



Dimension	Select Value
Account	"11016"
Currency	"USD"
Currency Type	"Total"

Back

Next

Save

Finish

Exit

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > [Offset](#)

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Use Predefined Selection



Member Selector



Dimension	Select Value
Ledger	"InFusion Foods US"
Company	"[All Company Values].[3111]"
Account	"11020"
Currency	"USD"
Currency Type	"Total"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

Allocate Wizard

[Point of View](#) > [Source](#) > [Allocation Range](#) > [Target](#) > [Offset](#) > [Exclude](#) > [Basis](#)

Basis

MEMBER SELECTOR

Dimension	Select Value
AccountingPeriod	{Accounting_Period}
Division	"[All Division Values].[0000]"
Account	"00000"
CostCenter	"000"
Product	"[All Product Values].[0000]"
Program	"[All Program Values].[0000]"
Location	"[All Location Values].[0000]"
Intercompany	"[All Intercompany Values].[0000]"
Scenario	"Actual"
Balance Amount	"Period Activity"
Amount Type	"PTD"
Currency	"STAT"
Currency Type	"Total"

[Back](#)

[Next](#)

[Save](#)

[Finish](#)

[Exit](#)

5.10 Intercompany Eliminations

During the period end close, accountants need to eliminate intercompany account balances from their consolidated financial results. This use case illustrates using the Allocation component to define an allocation to eliminate intercompany balances within a ledger. One allocation is used to eliminate intercompany receivables; and another allocation is used to eliminate intercompany payables.

Eliminate Intercompany Receivables Allocation

- Enter values that will remain constant into the outer POV.

Point of View	
Variable Selector	[H] 12
☐ Link Variable Dynamically	
Dimension	
AccountingPeriod	"12-17"
Ledger	"US Primary Ledger"
Company	
Line of Business	
Account	
Cost Center	"[All Cost Center Values].[000]"
Product	"[Product]@[000]"
Intercompany	
Scenario	
Currency	"USD"
Currency Type	"Total"

- Source – select the dimension values for the intercompany receivables account balances. In the Balance Amount dimension, type '*-1' to generate credit values for the intercompany receivable accounts.

Summary	
Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions	
Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Account	"18100"
Intercompany	"All Intercompany Values"
Scenario	"Actual"
Balance Amount	"Ending Balance"*-1
Amount Type	"Base"
Optional - Enter a amount to be allocated instead of the selections above:	
If the source amount you want to allocate is equal to zero then: Stop processing the allocation	

- **Allocation Range** – select the values that you want to eliminate by selecting a parent value for those segments. The allocation will loop through the detail values (i.e level zero descendants) of the parent value selected. For example, parent company 100 is selected here and the allocation will process detail companies 101, 102, 103, 131 and 151. Select values for the other dimensions for which you want to specify a range. This will eliminate the intercompany receivable balances against the original Company values. If your organization desires to eliminate the intercompany receivable balances against an Elimination Company value instead, then leave the Company dimension blank.

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Account	
Intercompany	"All Intercompany Values"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

Member Selector

Dimensions: Company

Members		Selections	
Name	Alias	Name	Selection Type
Company	Company	Company	Dimension
All Company Values	All Company Values	100	member
All Corporate Company-V1	All Corporate Company-V1		
T	T-TOTAL		
300	300-EMEA		
200	200-LAD		
100	100-North-America		
151	151-Canada		
131	131-US 2 Health		
102	102-US 1 LE 2		
101	101-US 1 LE 1 BU 1		
000	000-None		
400	400-APAC		
All Corporate Company-V2cfs	All Corporate Company-V2cfs		

- **Target** – select the intercompany receivable account that you want to eliminate. The other dimensions are not displayed here because you had already selected values for them in the range or POV. If your organization desires to eliminate the intercompany receivable balances against an Elimination Company value instead, then select the Elimination Company value here for the Company dimension.

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Dimension	Select Value
Account	"18 100"

- **Offset** – select the account to which you want to offset the allocation. In this example, Company 999 is the Elimination Company value, and 18800 is a clearing account. The Intercompany Payables Elimination Allocation will also use the same clearing account.

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"

- **Basis** – select the basis for the allocation. In this example, we want to eliminate the full intercompany receivable balance for each intercompany receivable account combination. Therefore, the basis is the intercompany receivables account. It will be used in conjunction with the values selected in the Allocation Range to allocate or eliminate intercompany receivables for each combination of company, line of business and intercompany segment value.

Basis


Select an allocation method: Allocate using a basis

Select members for the basis:

Dimension	Select Value
Account	"18100"
Cost Center	"[All Cost Center Values].[000]"
Product	"[Product]@[000]"
Scenario	"Actual"
Balance Amount	"Ending Balance"
Amount Type	"Base"

At this point the allocation will generate an unbalance journal because the journal lines for the target accounts have company values of the intercompany receivables accounts while the offset account has the Elimination company. Therefore, we need an additional allocation component to balance the journal entry. If you selected the Elimination Company value in the Target, then your journal will be balanced at this point and the second allocation component is not needed.

- **Source** – select the values from the Offset of the previous allocation component. Be sure to select 'Allocated' for the Scenario.



Properties Summary

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"
Scenario	"Allocated"
Balance Amount	"Period Activity"
Amount Type	"Base"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then: Stop processing the allocation

- **Allocation Range** – select the parent Company value from the prior allocation Source. The allocation will loop through the detail values (i.e. level zero descendants) of the parent value

selected. For example, parent company 100 is selected here and the allocation will process detail companies 101, 102, 103, 131 and 151. If you want the clearing account to retain detail values for the other segments also, then select parent values for those segments. This will create clearing account balances against the original company, line of business and intercompany segment values.

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Account	
Intercompany	"All Intercompany Values"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

- **Target** – select the clearing account. The other dimensions are not displayed here because you had already selected values for them in the range or POV.

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (""):

Dimension	Select Value
Account	"18800"

- **Offset** – select the offset values from the prior allocation component.

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"

- **Basis** – select the intercompany receivable account as the basis. It will be used in conjunction with the values selected in the Allocation Range to allocate the clearing account balance based on the original intercompany receivable account balances by company, line of business and intercompany segment value.

Basis

Select an allocation method: Allocate using a basis

Select members for the basis:

Dimension	Select Value
Account	"18100"
Scenario	"Actual"
Balance Amount	"Ending Balance"
Amount Type	"Base"

- This allocation generates a journal that (1) credits and eliminates the intercompany receivable account balances (see 'target 1' in image below and (2) debits the sum to the Elimination Company and clearing account (see 'offset 1'). In order to balance the journal lines, the second Allocation component (3) credits and reverses the amount allocated to the Elimination Company (see 'offset 2'), and allocates it across the company values of the intercompany receivables


accounts (see 'target 2'). The resulting journal eliminates the intercompany receivables account balances and records them to the clearing account by company value. This same clearing account is used in the Intercompany Payables Allocation to clear the intercompany payables account balances.

Account	Entered		
	Debit	Credit	
101.10.18100.000.000.000		1,373,280.61	target 1
101.10.18100.000.000.102		258,417.00	target 1
102.10.18100.000.000.000		89,634.04	target 1
102.10.18100.000.000.101		6,900.00	target 1
151.90.18100.000.000.101		725,073,079.53	target 1
101.10.18800.000.000.000	1,373,280.61		target 2
101.10.18800.000.000.102	258,417.00		target 2
102.10.18800.000.000.000	89,634.04		target 2
102.10.18800.000.000.101	6,900.00		target 2
151.90.18800.000.000.101	725,073,079.53		target 2
999.10.18800.000.000.000	727,021,094.18		offset 1
999.10.18800.000.000.000		727,021,094.18	offset 2

Eliminate Intercompany Payables Allocation

Tip: You can open the Intercompany Receivables Allocation and 'Save As' with a new name to create the Intercompany Payables Allocation. Then replace all instances of the intercompany receivables account with the intercompany payables account.

- Enter values that will remain constant into the outer POV.



- **Source** – select the dimension values for the intercompany payables account balances. In the Balance Amount dimension, type “*-1” to generate debit values for the intercompany payable accounts.

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Account	"29100"
Intercompany	"All Intercompany Values"
Scenario	"Actual"
Balance Amount	"Ending Balance"*-1
Amount Type	"Base"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then: Stop processing the allocation

- **Allocation Range** – select the values that you want to eliminate by selecting a parent value for those segments. The allocation will loop through the detail values (i.e level zero descendants) of the parent value selected. For example, parent company 100 is selected here and the allocation will process detail companies 101, 102, 103, 131 and 151. Select values for the other dimensions for which you want to specify a range. This will eliminate the intercompany payable balances against the original Company values. If your organization desires to eliminate the intercompany payable balances against an Elimination Company value instead, then leave the Company dimension blank.

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Intercompany	"All Intercompany Values"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

- **Target** – select the intercompany payable account that you want to eliminate. The other dimensions are not displayed here because you had already selected values for them in the range or POV. If your organization desires to eliminate the intercompany payable balances against an Elimination Company value instead, then select the Elimination Company value here for the Company dimension.

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Dimension	Select Value
Account	"29100"

- **Offset** – select the account to which you want to offset the allocation. In this example, Company 999 is the Elimination Company value, and 18800 is a clearing account. The Intercompany Receivables Elimination Allocation uses the same clearing account.

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"

- **Basis** – select the basis for the allocation. In this example, we want to eliminate the full intercompany payable balance for each intercompany payable account combination. Therefore, the basis is the intercompany payables account. It will be used in conjunction with the values selected in the Allocation Range to allocate or eliminate intercompany payables for each combination of company, line of business and intercompany segment value.

Basis

Select an allocation method: Allocate using a basis

Select members for the basis:

Dimension	Select Value
Account	"29100"
Cost Center	"[All Cost Center Values].[000]"
Product	"[Product]@[000]"
Scenario	"Actual"
Balance Amount	"Ending Balance"
Amount Type	"Base"

At this point the allocation will generate an unbalance journal because the journal lines for the target accounts have company values of the intercompany payables accounts while the offset account has the Elimination company. Therefore, we need an additional allocation component to balance the journal entry. If you selected the Elimination Company value in the Target, then your journal will be balanced at this point and the second allocation component is not needed.

- **Source** – select the values from the Offset of the previous allocation component. Be sure to select 'Allocated' for the Scenario.

Properties Summary

Source

Select for each of the available dimensions a member from which to allocate the data (*). You can enter an expression for one of the available dimensions

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"
Scenario	"Allocated"
Balance Amount	"Period Activity"
Amount Type	"Base"

Optional - Enter a amount to be allocated instead of the selections above:

If the source amount you want to allocate is equal to zero then: Stop processing the allocation

- **Allocation Range** – select the parent Company value from the prior allocation Source. The allocation will loop through the detail values (i.e. level zero descendants) of the parent value selected. For example, parent company 100 is selected here and the allocation will process detail companies 101, 102, 103, 131 and 151. If you want the clearing account to retain detail values for the other segments also, then select parent values for those segments. This will create clearing account balances against the original company, line of business and intercompany segment values.

Allocation Range

Enter the parent member for the dimensions you want to use for the allocation:

Dimension	Select Value
Company	"[Company]@[100]"
Line of Business	"All Line of Business Values"
Account	
Intercompany	"All Intercompany Values"

The allocation will calculate the level 0 descendants of the member you have selected above.

Note: You will select members for dimensions that are not part of the allocation range later in this wizard.

- **Target** – select the clearing account. The other dimensions are not displayed here because you had already selected values for them in the range or POV.

Target

For the remaining dimensions (those that are not part of the allocation range), select a member to which to allocate the data (*):

Dimension	Select Value
Account	"18800"

- **Offset** – select the offset values from the prior allocation component.

Offset

Define an offset for the following dimensions

A compensating value (which is the sum of all rounded allocation values) will be written to this offset:

Dimension	Select Value
Company	"[Company]@[999]"
Line of Business	"10"
Account	"18800"
Intercompany	"[All Intercompany Values].[000]"

- Basis – select the intercompany payable account as the basis. It will be used in conjunction with the values selected in the Allocation Range to allocate the clearing account balance based on the original intercompany payable account balances by company, line of business and intercompany segment value.

Basis

Select an allocation method: Allocate using a basis

Select members for the basis:

Dimension	Select Value
Account	"29100"
Scenario	"Actual"
Balance Amount	"Ending Balance"
Amount Type	"Base"

- This allocation generates a journal that (1) debits and eliminates the intercompany payable account balances (see 'target 1' in image below and (2) credits the sum to the Elimination Company and clearing account (see 'offset 1'). In order to balance the journal lines, the second Allocation component (3) debits and reverses the amount allocated to the Elimination Company (see 'offset 2'), and allocates it across the company values of the intercompany payables accounts (see 'target 2'). The resulting journal eliminates the intercompany payables account balances and records them to the clearing account by company value. This same clearing account is used in the Intercompany Receivables Allocation to clear the intercompany receivables account balances.

Account	Entered		
	Debit	Credit	
101.10.18800.000.000.000		1,330,948.43	target 2
101.10.18800.000.000.102		6,900.00	target 2
102.10.18800.000.000.101		252,197.00	target 2
102.10.18800.000.000.303		2,000.00	target 2
102.10.18800.000.000.311		8,000.00	target 2
102.20.18800.000.000.000		89,634.04	target 2
999.10.18800.000.000.000	726,966,088.46		offset 2
999.10.18800.000.000.000		726,966,088.46	offset 1
101.10.29100.000.000.000	1,330,948.43		target 1
101.10.29100.000.000.102	6,900.00		target 1
102.10.29100.000.000.101	252,197.00		target 1
102.10.29100.000.000.303	2,000.00		target 1

5.11 Recurring Journals Using GL Scheduling

Description: Section 6.7 described how to create recurring journals using the standard scheduling functionality. You can also define general ledger processing schedules which can then be referenced to schedule any recurring journals.

Solution:

Define a schedule as follows:

1. Access the Manage Processing Schedules task in the FSM task list

Task	Go Hel to Sel Sc Sta	Predecessor Tasks	Assigned To	Due Date	Assignment Permission	Authorized Roles	Notes	View
Financials								
* Define Common Applications Configuration for Financials	?							
* Define Synchronization of Users and Roles from LDAP	?							
* Define Implementation Users	?							
* Define Enterprise Structures for Financials	?							
* Define Ledgers	?							
* Define Accounting Configurations	?							
* Define General Ledger Options	?							
Manage Ledger Sets	?							
* Manage Data Access Sets	?							
* Verify Data Role Generation for Data Access Sets	?							
* Provision Roles to Implementation Users for Data Access Sets	?							
Manage Suspense Accounts	?							
Manage Statistical Units of Measure	?							
Manage Document Sequences for General Ledger	?							
Manage Accounting and Reporting Sequences	?							
Manage Journal Sources	?							
Manage Journal Categories	?							
Manage Journal Approval Rules	?							
Manage AutoPost Criteria Sets	?							
Manage Journal Reversal Criteria Sets	?							
Manage General Ledger Profile Options	?							
Manage General Ledger Descriptive Flexfields	?							
Manage General Ledger Lookup Values	?							
Manage Processing Schedules	?							

Alternately, you can access Navigator -> Setup and Maintenance page and search for the 'Manage Processing Schedule' task:

Click Go to Task from the search results

vision

Manage Processing Schedules

Time Zone (UTC+00:00) UTC

View Format + X [Icon] [Icon]

* Name	* Accounting Calendar	Run Day	* Run Time	Enabled
Every Thursday	ANZ Calendar	1	00:00:00	☒

Save Save and Close Cancel

2. Click the Add Row button on the table toolbar to create a new schedule

Manage Processing Schedules

Time Zone (UTC+05:30) Asia/Calcutta

View Format + X [Icon] [Icon]

Add Row

* Name	* Accounting Calendar	Run Day	* Run Time	Enabled
AR PSCH	AccountingMon1	Last Day	13:30:00	☒
SR_Schedule	AccountingMon1	8	13:29:59	☒
	AccountingMon1	1	13:30:00	☒

Save Save and Close Cancel

3. Provide the Name; select the Accounting Calendar, Run day and Run Time. Check the Enabled check box.

Manage Processing Schedules Save Save and Close Cancel

Time Zone (UTC+05:30) Asia/Calcutta

View Format + - Print

* Name	* Accounting Calendar	Run Day	* Run Time	Enabled
> InFusion Month End	InFusion Foods	Last Day	17:30:00	☒
> AR_PSCH	AccountingMon1	Last Day	13:30:00	☒
> SR_Schedule	AccountingMon1	8	13:29:59	☒

4. Click Save and Close.

Use the defined schedule when scheduling a recurring journal batch.

6. Troubleshooting Tips

6.1 Create Allocation Rules

i. After Calculation Manager is launched it is not pointing / selecting to the right Essbase application.

Resolution: Please select the appropriate Data Access Set on the Journals page before launching the Calculation Manager. After launching the calculation manager please wait until the revolving icon on the top right corner stops to get the request completed.

Tip: If user is experiencing any unexpected issues on Launching or working in Calc Manager, it is recommended to clear the browser cache and restart the browser to avoid weird issues.

6.1.1 Create, Edit, Delete, Deploy, Export and Import Allocation Rule/Rulesets

i. 'No access error' while creating/editing a Rule / Ruleset.

Resolution: Create/Editing of a rule requires to access the outline of the concerned Essbase application. So, please make sure that no dimension/cube build program is running at that time which in turn locks application and do not allow other users to access. If any such program is in progress, please try your action by re-login after the program gets completed. Also user needs to make sure that required privileges are granted.

ii. A Rule/Ruleset is deleted from Calc Manager, but that rule is still appearing in GL UI.

Resolution: To keep both GL and Calc Manager DBs in sync, user needs to run Application level deployment which deletes all the Allocations artifacts for that Essbase application from the GL db and recreates the fresh list of artifacts. Please note that application level deployment needs Calculation Manager Administrator privilege.

iii. I have created some rule/rulesets on a test environment; can I export the rules from test environment and import them to production environment or vice versa?

Yes, Calculation manager provides Export/Import feature on Rule/Rules/Application level.

In addition to this Calc Manager Feature GL is providing Export/Import feature through setup services like other GL setup services.

iv. RTP is appearing twice on the Generate Allocations UI.

Resolution: If a Rule is part of Ruleset and both of them already deployed, and user edits the rule after some time, then it is recommended to deploy the whole ruleset rather than deploying the individual rule to avoid any mismatches in the variables(i.e RTP appearing twice on the UI).

6.2 Generate Allocations

6.2.1 Allocations Rule/Ruleset Submission

i. Null Point Exception/ Application error after selecting a Rule/Ruleset from Generate Allocations UI

Resolution: On selecting a Rule/Ruleset from LOV it tries to get all the Run Time Prompts (variables defined at the time of Rule design) from Essbase. Please make sure Essbase is up and running, if passwords are reset please make sure that change is reflected in the CSF or not with the help of environment admin. Also make sure that Essbase application is not locked by any other user, this happens when any cube/dimension build programs are going in the background which in turn locks application and do not allow other users to access.

Tip: If the value is typed for the RTP, it is better to tab out before you move to other field which will set the value in the background. There is an ADF limitation for Ess parameters are not validated for mandatory before submission.

6.2.2 Rule/Ruleset Execution

i. Execute Allocations is failing with error " Essbase generated [0] cells"

Resolution: This error comes if there are no balances for the defined source/basis in the Allocation rule. In Release 4 we are displaying the user-friendly message if there are no balances. "Either source or basis defined in the allocation rule are empty or not having balances, Select appropriate option for source and basis in rule definition to know the exact cause".