

MC.050 – Application Configuration Document

Project / Module: General Ledger (GL) & Financials AI Components

Feature Ref: Release 26B What's New – Feature F43814 (Ledger Agent)

Author: Hamdy Abdou · Oracle Finance Lead

Version: 1.0

1. Document Control

1.1 Reviewers & Approvals

Name	Role	Signature / Status	Date
	General Ledger Lead		
	Security & Compliance Lead		
	Delivery / Practice Director		

1.2 Change Record

Version	Date	Author	Change Description
1.0	June 2026	Hamdy Abdou	Initial baseline for 26B Ledger Agent Configuration

2. Configuration Purpose & Scope

The purpose of this configuration document is to define and guide the enabling of the Oracle Fusion General Ledger AI agent (the "Ledger Agent") in a Release 26B environment, including cross-functional subledger drill-downs into Payables (AP) and Receivables (AR) supporting details. This guide provides configuration consultants a precise sequence leveraging standard Security Console and Setup and Maintenance tasks without requiring any custom coding or technical modifications.

2.1 Core Capability Areas

- **Proactive Monitoring:** Predefined and configurable monitoring prompts scan balances, journals, and transactions to surface critical exceptions (e.g., manually posted journals without approval) at defined intervals (e.g., Day-5 or daily).
- **Insight Explanations:** Surfaced insights are backed by conversational, context-aware root-cause summaries addressing variances, reconciliation differences, and period-end checks.
- **Account Analysis & Balance Inquiry:** Users interact using natural-language questions regarding accounts, periods, and comparatives, or utilize guided, syntax-based prompt templates for precise account analysis.

- **Ledger Functions:** Directly accesses accounting functions, including journals, process statuses, and allocations from within the native conversational experience.

3. System Prerequisites & Environment States

Before executing the functional configurations detailed in Section 4, verify that the following ecosystem states are true:

- **Release 26B Applied:** The target pod must be actively upgraded to Release 26B, including any cohort-specific mandatory patches.
- **GenAI Region (OC1):** GenAI services rely on Oracle Cloud Infrastructure Commercial Realm (OC1). Environments hosted outside OC1 will gain capabilities as GenAI rolls out regionally.
- **General Ledger Baseline Access:** Base functional setup must exist; target users must already hold foundational GL access via seeded or custom roles and have Data Access Sets (DAS) explicitly assigned.
- **Configurator Access:** Consultants must possess standard administrator privileges, including Security Console access, Setup and Maintenance access, and permissions to run scheduled processes.

4. Application Configuration Setup (MC.050 Steps)

Work through Steps 1 to 5 in chronological sequence. Steps 1, 2a, 2b, 4, and 5 are mandatory for all environments; Step 2c is conditional, and Step 3 is optional.

Step 1: Grant Access via the Ledger Inquiry Assistant Role

Access to the agent interface is explicitly governed by the seeded discretionary job role Ledger Inquiry Assistant paired with permission groups. Choose the scenario below that matches your enterprise security model.

Scenario A — GL Users Carry a Custom Job Role Architecture

- 1. Navigate to Security Console > Roles and search for your enterprise custom GL job role.
- 2. Click Edit Role, enable the option "Enable Permission Groups", and save.
- 3. Go to Role Hierarchy > Roles and Privileges and add the Ledger Inquiry Assistant discretionary job role.
- 4. Go to Role Hierarchy > Roles and Permission Groups and add the Ledger Inquiry Assistant role again (both locations are strictly required).
- 5. Save and submit changes. Repeat for all custom GL roles requiring agent capabilities.

Scenario B — GL Users Carry Standard Seeded Roles (e.g., General Accountant)

Establish a thin custom job role extension to act as the security carrier:

- 1. In Security Console > Roles, create a new role:
 - Role Name: Ledger Agent Custom Role
 - Role Code: LEDGER_AGENT_CUSTOM_ROLE
 - Role Category: Financials – Job Roles
- 2. Check the box to "Enable Permission Groups" and save.
- 3. Add the Ledger Inquiry Assistant role under BOTH Roles and Privileges and Roles and Permission Groups.
- 4. Assign the target users to this new custom job role, then save and submit.

- 5. Open the Manage Data Access for Users task and provision the appropriate Data Access Set (DAS) for each user mapped to this new custom role code.

Step 2: Enable Supporting Setup & Functional Profiles

2a. Deploy GL# Key Flexfield Business Service

Navigate to Setup and Maintenance > Manage Key Flexfields. Search for GL#, select the row, and click Deploy Flexfield. You must monitor and wait until Actions > Flexfields Business Object Service Synchronization Status returns status: APM_DEPLOYMENT_DEFAULTED before continuing.

2b. Enable AI Support Business Objects Profile Option

Navigate to Setup and Maintenance > Manage Profile Categories and search for ORA_FND_AUTH_REST_ACCESS. In its child Profile Options section, add the profile option AI Support business objects Enabled (Internal Code: ORA_FND_BOSS_AI_ENABLED). If it is already present, any unique-constraint error can be safely bypassed.

2c. Configure Segment Value Security (SVS) — Conditional

Skip this step unless value-set/segment-level security rules are actively enforced in your General Ledger. When applicable, runtime security views must be appended to the permission-groups-enabled role:

- 1. Ensure "Enable Permission Groups" is turned on for the relevant job roles.
- 2. In Security Console, edit the target job role.
- 3. Under Permission Groups > Add Permission Group, search and append the specific value set pattern: read:<value_set_code> (e.g., read:VF_Company).
- 4. Under Details > Security Views, click Add Security Views and map the applicable security views generated during the KFF deployment.

Step 3: Establish Monitoring-Prompts Administration Role (Optional)

Create this administrative extension only if senior finance leads or IT administrators require the ability to globally manage, view, and share monitoring prompts across multiple enterprise users.

- Role Name: Sensors Prompt Admin Custom Role
- Role Code: SENSORS_PROMPT_ADMIN_CUSTOM_ROLE
- Category: Financials – Job Roles
- Parameters: Enable "Enable Permission Groups"
- Function Security Privilege: Administer Monitoring Prompts
- Role Hierarchy (Roles & Permission Groups): Monitoring Prompt Administration Duty

Step 4: Synchronize Enterprise Security (LDAP Processes)

Navigate to Scheduled Processes and submit the following synchronization jobs in exact chronological order:

- 1. Import User and Role Application Security Data
- 2. Send Pending LDAP Requests
- 3. Retrieve Latest LDAP Changes

Step 5: Synchronize Data Access Sets to SAS & Core Tables

- 1. Open the Manage Data Access for Users setup task.
- 2. Click the top-level button: Process Permission Group Policies. This action triggers the back-end ecosystem process.

- 3. Navigate to Scheduled Processes and verify that the resulting Financials Maintenance Stream job completes successfully.

Note: A background system process runs automatically at 00:00 UTC to finalize role/permission group mapping syncs. If the agent does not appear immediately after Step 5, allow for this cycle to clear before troubleshooting.

5. AP & AR Subledger Drill-Down Mapping

In Release 26B, the Ledger Agent delivers native cross-functional integration directly into Payables (AP) and Receivables (AR) subledger supporting details from a core GL balance or journal query. There is no independent subledger feature switch or independent profile option required to activate this. It is a built-in capability of the agent framework. Access and data isolation are strictly governed by user data authorization:

- **Pair Access:** Consultants must ensure that users requiring subledger insights have their GL profiles paired with appropriate subledger data access (e.g., Business Unit data security or subledger inquiry roles) alongside their GL Data Access Sets. Without explicit BU security, subledger queries will return empty sets by design.
- **Metadata Standards:** Because the generative AI engine interprets natural language queries against your physical metadata structures, ensure clear, fully-formed text descriptions exist for ledgers, journal sources/categories, legal entities, and segment values to maximize linguistic accuracy.
- **Ecosystem Boundaries:** AP and AR are the primary subledgers with inline supporting detail in this phase; other subledgers (e.g., Assets, Projects) are routed via standard guided UI navigation parameters.

6. Verification & Smoke Testing Playbook

Seq	Verification Check	Expected Result Vector	Status (P/F)
1	Navigate to the Ledger Agent screen	The Ledger Agent user interface loads cleanly without authorization errors.	
2	Execute single-account balance inquiry	A valid period-end balance matching core GL inquiry forms is returned.	
3	Request journal summary by source/category	Totals group correctly by source and category parameters for the period.	
4	Trigger AP drill-down from a ledger balance	Payables supporting subledger details are extracted and displayed for authorized users.	
5	Trigger AR drill-down from a ledger balance	Receivables supporting subledger details are extracted and displayed for authorized users.	

Seq	Verification Check	Expected Result Vector	Status (P/F)
6	Activate an automated monitoring prompt	Prompt initializes successfully and surfaces insights based on scheduled data frequencies.	

7. Configuration Troubleshooting Matrix

Symptom / Error State	Likely Core Structural Cause	Remediation / Resolution Action
Ledger Agent page is completely inaccessible.	Role hierarchy incomplete, permission groups disabled, or LDAP sync pending.	Confirm role carries Ledger Inquiry Assistant under both Privileges and Permission Groups; verify "Enable Permission Groups" is on; execute Step 4 and 5 processes; allow 00:00 UTC cycle.
Agent interface initializes but returns no balance or journal data.	Data Access Set (DAS) not assigned or successfully processed into SAS tables.	Validate user mapping in Manage Data Access for Users; run Process Permission Group Policies; ensure non-production pod contains active data records.
AP or AR subledger drill-down queries return empty sets.	User account lacks matching functional subledger security / Business Unit data access.	Provision appropriate subledger inquiry roles or Business Unit data assignments to the target user profiles (see Section 5).
"VALUE_NOT_IN_HIERARCHY" error during multi-level structure query.	The query targeted an unverified tree version or expressed an ambiguous concept.	Utilize precise chart-of-accounts segment nodes present in the active tree version; refine phrasing to rely on clear constraints.
Page throws immediate systemic error upon initial access attempt.	Oracle-managed backend technology components are unprovisioned or inactive.	Log a Service Request (SR) with Oracle Support explicitly targeting the Ledger Agent technology stack.
Segment Value Security (SVS) constraints are not enforced at runtime.	The relevant permission group or secure database view was not bound to the role.	Verify and append the read:<value_set_code> permission group and its

Symptom / Error State	Likely Core Structural Cause	Remediation / Resolution Action
		associated security views to the job role (Step 2c).

8. Oracle References & Source Documentation

Official Source Document / Reference	Location / Uniform Resource Identifier
Ledger Agent for Agentic AI-Powered General Ledger Experience — 26B What's New (Feature F43814)	docs.oracle.com/en/cloud/saas/readiness/erp/26b/fins26b/26B-fin-wn-f43814.htm
Ledger Agent – Adoption Guidance	Oracle Cloud Customer Connect (community.oracle.com)
AI Agents for Financials — Oracle Help Center (Release 26B)	docs.oracle.com/en/cloud/saas/financials/26b/agents.html
Customer Connect Forum — Ledger Agent Interactive Q&A	community.oracle.com — Ledger Agent Forum

9. Appendix A — Configuration Checklist

Status	Configuration Checklist Item Description	Source Step Reference
[]	"Enable Permission Groups" activated on target custom GL job roles.	Step 4.1
[]	Ledger Inquiry Assistant role appended under Roles and Privileges.	Step 4.1
[]	Ledger Inquiry Assistant role appended under Roles and Permission Groups.	Step 4.1
[]	GL Data Access Sets assigned to custom roles (Manage Data Access for Users).	Step 4.1 / 4.4
[]	GL# Key Flexfield business service synchronized (APM_DEPLOYMENT_DEFAULTED).	Step 4.2.1

Status	Configuration Checklist Item Description	Source Step Reference
[]	Profile option ORA_FND_BOSS_AI_ENABLED successfully appended.	Step 4.2.2
[]	Segment Value Security read permission groups and views mapped (Conditional).	Step 4.2.3
[]	Sensors Prompt Admin Custom Role established and provisioned (Optional).	Step 4.3
[]	LDAP Security Synchronization jobs executed sequentially (Import/Send/Retrieve).	Step 4.3
[]	Process Permission Group Policies completed via Data Access interface.	Step 4.4
[]	Verify target users hold valid Payables/Receivables Business Unit data access.	Section 5
[]	All playbook validation smoke tests passed successfully.	Section 6