


Agenda


-
- ❑ Accounting Hub in Oracle Ecosystem (High Level)
 - ❑ Deep Dive on Structure of Accounting Hub “Engine”
 - ❑ Key components of the Engine including Journal Entry Rule Set.
 - ❑ Supporting References
 - ❑ Application Screenshots
 - ❑ Next Steps

Where does Accounting Hub fit in overall Oracle Financials Ecosystem ?



Structure of Accounting Hub Cloud (Built on Sub Ledger Accounting)

(AHC/SLA) Engine Components



Handled in SLA Rules (Journal Entry Rules)

This example uses standard Receivable, but principle is same for custom application like Purify

Name Create Accounting

Description Creates subledger journal entries. ☐ Notify me when this process

Schedule As soon as possible **Submission Notes**

Basic Options

Parameters

* Subledger Application Receivables

* Ledger

Process Category

* End Date

* Accounting Mode Adjustments

* Process Events Bills Receivable

* Report Style Miscellaneous Receipts

* Transfer to General Ledger Standard Receipts

* Post in General Ledger Transactions

Yes

Understanding the Engine Structure using Standard Application (Receivable)
Similar Structure to be built for Custom Applications.

Event Model ?

View ▾

Adjustments

Bills Receivable

Miscellaneous Receipts

Standard Receipts

Transactions

Chargeback

Credit Memo

Debit Memo

Invoice

Invoice Completed

Invoice Created

Invoice Deleted

Invoice Printed

Invoice Tax Overridden

Invoice Updated

Process Category
(Only 1 for AHC)

Event Class
(Only 1 for AHC)

Event Type
(Multiple Allowed)

»

Event Class: Invoice

View ▾ + × ?

* Identifier	* View Column
Customer Name	CUSTOMER_NAME
Customer Number	CUSTOMER_NUMBER
Business Unit	BU_NAME
Invoice Number	TRX_NUMBER
Invoice Document Number	TRX_DOCUMENT_NUMBER
Invoice Date	TRX_DATE
Invoice Transaction Type	TRX_TYPE
Batch Source	TRX_BATCH_SOURCE

We need to identify Transaction Type per application

Key Component of AHC - Journal Entry Rule Sets (Bag of Rules)

Edit Subledger Journal Entry Rule Set ?

Actions ▼

Save

Save and Close

Save and Create Another

* Name CUSTOM AR INVOICE JERS

Short Name CUSTOMARINJERS

Description CUSTOM AR INVOICE JERS

Subledger Application Receivables

Event Class Invoice

Event Type All

Chart of Accounts NextGen

Status Active

Details

Created By FIN_IMPL

Creation Date 3/27/25 2:24 PM

Last Updated By FIN_IMPL

Last Update Date 3/27/25 2:25 PM

Journal Entry

Accounting Date Accounting Event Date ▼

Description Rule Invoice ▼

Journal Lines

View ▼

+

×

📄

Freeze

📄

Detach

* Line Type	* Journal Line Rule	Accounting Class	Account Combination Rule	Segment Rules						Line Description Rule
				Company	LOB	CostCenter	Account	Location	Intercompany	
Credit	Credit Account for Invoice Export Under Ref...	Tax Liability	Transaction Distribution GL ▼	▼	▼	▼	▼	▼	▼	▼

These Rules also include Supporting References

Edit Subledger Journal Entry Rule Set ?

Credit	Invoice Prepayment	Prepayment	Transaction Distribution GL
Credit	Invoice Revenue	Revenue	Transaction Distribution GL
Credit	Invoice Revenue Rounding Correction	Revenue	Transaction Distribution GL
Credit	Invoice Rounding	Rounding	Transaction Distribution GL
Credit	Invoice Suspense	Suspense	Transaction Distribution GL
Credit	Invoice Tax	Tax	Transaction Distribution GL
Credit	Invoice Unbilled Receivable	Unbilled receivable	Transaction Distribution GL
Credit	Invoice Unbilled Receivable Rounding Corr...	Unbilled receivable	Transaction Distribution GL
Debit	Debit Account for Invoice Export Under Ref...	Refund	Transaction Distribution GL
Debit	Invoice Default Receivable	Receivable	Transaction Distribution GL

Columns Hidden 23 Columns Frozen 4

▲ Credit, Invoice Revenue: Supporting References

View + X  Detach

Supporting Reference
CUSTOMER_SUP_REF_01
CUSTOMER_SUP_REF_02
SUPPORT_REF_NO_BAL_01

Multiple Supporting
References for one
Accounting Line
(Cr/Dr Line)

Data Flow for Supporting References

APPLICATION 1 (Purify)

DATA FILE

FIELDS/ATTRIBUTES

HEADER LEVEL FIELD

LINE LEVEL FIELDS

SOURCE

APPLICATION 2 (Workday)

DATA FILE

FIELDS/ATTRIBUTES


HEADER LEVEL FIELD

LINE LEVEL FIELDS

SOURCE

SUPPORTING REFERENCES

SUBLEDGER JOURNAL LINES



Header Level Vs Line Level Supporting Reference

Several Data Fields come from Source Application (example Workday , Purify)

They could have both header & Line Level Information.

Header Level Example – Invoice Number

Line Level Example – Revenue Line and Receivable Line

The Data Fields become “**Sources**” of Supporting References in Oracle.

Supporting References are “**attached**” at Line level in SLA .

They could be from Header or Line Sources, but they are always attached at line level in Oracle

Supporting References are not available in Core GL (General Ledger).

They are only available in Subledger .

But we can **drill down** from General Ledger back to Subledger to see this information.

Oracle provides OTBI Reports to display balance by Supporting References.

Supporting References Sources

Supporting References are attributes for storing additional information coming from sources.

Supporting References have “Sources”.


And these “Sources” can be at Header or Line Level.

Manage Sources: AHC Loan ?

View ▾ + ×   Freeze

* Object Column Name	* Name	* Level	* Data Type
ACCOUNT_CURRENCY	Account Currency	Header	Alphanumeric
ACCOUNT_NUMBER	Account Number	Header	Alphanumeric
APPLICATION_ID	Application Identifier	Header	Number
BANK	Bank	Header	Alphanumeric
CONVERSION_DATE	Conversion Date	Line	Date
CONVERSION_RATE	Conversion Rate	Line	Number
CONVERSION_TYPE	Conversion Type	Line	Alphanumeric
CUSTOMER	Customer	Header	Alphanumeric
CUSTOMER_CATEGORY	Customer Category	Header	Alphanumeric
DEFAULT_AMOUNT	Default Amount	Line	Number
DEFAULT_CURRENCY	Default Currency	Line	Alphanumeric

Supporting Reference Types



Manage Supporting References ?

[Without Balances](#) [With Balances](#) [Assignments](#)

Supporting References

Actions View + X [Grid Icon] [Print Icon] [Detach]

	Number	Name	Short Name	Description
	15	Insurance Policy State	INS_STATE	Personal Insurance Policy State
	16	Insurance Policy Term	INS_POLICY_TERM	Commercial Insurance Policy Term
	17	Insurance Underwriting Country	INS_COUNTRY	Commercial Insurance Underwriting Country
	18	Insured Name	INSURED_NAME	Insured Name
	19	Inventory Organization	CST_INV_ORG_ID_SR	Inventory organization where the underlying transi
	20	Item	CST_INVENT...Y_ITEM_ID_SR	Item for which the underlying transaction was crea
	21	Journal Line Rule	CST_ACCOUNTING_LINE_TYPE...	Journal line rule for which the journal was created
	22	Pledge ID	PLEDGE_ID	Endowment Donations Pledge ID
	23	Policy Holder	POLICY HOLDER	LI - Policy Holder
	24	Territory	TERRITORY	Sales Territory

Account Manager: Sources

View [Grid Icon] X [Print Icon] [Print Icon] [Detach]

	Subledger Application	Event Class	Source
	Fusion Accounting Hub: Billing Sys...	Billing System	Account Manager

Other Attribute Storage Options but will flow into GL Journal

- Journal Batch Descriptive Flex Fields (20)
- Journal Header Descriptive Flex fields (20)
- Journal Line Descriptive Flex fields (20)

Name		Name	Type
ATTRIBUTE_DATE1		ATTRIBUTE_NUMBER1	NUMBER
ATTRIBUTE_DATE2		ATTRIBUTE_NUMBER2	NUMBER
ATTRIBUTE_DATE3		ATTRIBUTE_NUMBER3	NUMBER
ATTRIBUTE_DATE4		ATTRIBUTE_NUMBER4	NUMBER
ATTRIBUTE_DATE5		ATTRIBUTE_NUMBER5	NUMBER



name	type
ATTRIBUTE1	VARCHAR2
ATTRIBUTE2	VARCHAR2
ATTRIBUTE3	VARCHAR2
ATTRIBUTE4	VARCHAR2
ATTRIBUTE5	VARCHAR2
ATTRIBUTE6	VARCHAR2
ATTRIBUTE7	VARCHAR2
ATTRIBUTE8	VARCHAR2
ATTRIBUTE9	VARCHAR2
ATTRIBUTE10	VARCHAR2

Supporting References vs. Attributes – Key Differences

Feature	Supporting References (SR)	Attributes
Purpose	Used for tracking, reconciliation, and drill-down analysis	Used to store additional transaction details but not necessarily for reporting
Storage Level	Can be derived from source or line but in SLA its stored at line	Available at Header Level and Line Level
Use in Accounting	Can be used to drive balancing (Balance by SR option)	Does not affect balancing
Indexing & Performance	Indexed for faster reporting & query performance	Not indexed, used mainly for data storage
Used in Reporting?	Yes, used in OTBI, BI Reports, and GL drill-downs	No direct impact on reporting
Used for Balancing?	Yes, can be enabled for " Balance by Supporting Reference "	No, cannot be used for balancing

High Level Questions

- ✓ Identify external systems generate financial transactions, and how are those transactions categorized
- ✓ What key data attributes from the source system are required for accounting
- How frequently do transactions will flow from the source system — real-time, daily batch, or other schedules?
- What is the data format and structure of the source system's output (CSV, JSON, XML)?
- What are the different types of business events that should trigger accounting entries (e.g., invoice creation, revenue recognition, refund, write-off)?
- For each event, what accounting rules should apply (e.g., accrual vs. cash, deferrals, adjustments)?
- Are there any derived accounting attributes (e.g., default accounts based on product type or region)?
- What additional data needs to be carried to the General Ledger (e.g., customer ID, contract number) for reporting or reconciliation?
- Are accounting rules consistent across all business units, or do you need region-specific or product-specific rules?
- How should multi-currency transactions be handled — source currency, functional currency, or reporting currency?
- What validations should occur before transactions create accounting entries (e.g., customer exists, amounts balance, valid account segments)?
- How should errors be managed — should invalid transactions be rejected or suspended for manual correction?
- What level of reporting and drill-down is required — source-level, event-level, or journal-level?
- Who will manage accounting rules, and what approval workflows are needed before posting to GL?



Thank You