

ORACLE CLOUD

Business Intelligence Cloud Connector (BICC)

Course Material

Prepared By

Eng. Amer S. Ali

+1 (816) 218-5938

Amer.Ali.Oracle@gmail.com

Version 1.0 | 2025

Oracle Fusion Applications | ERP | SCM | HCM | CX

Table of Contents

Table of Contents	2
Section 1: What is BICC?.....	4
1.1 Key Features & Capabilities	4
1.2 BICC Capabilities at a Glance	4
1.3 Universal Content Management (UCM)	5
Section 2: Roles Configuration	7
2.1 Provisioning a User for BI Cloud Connector Console Access	7
Role A — BIACM_ADMIN: Roles Hierarchy.....	7
Role B — BICC_UCM_CONTENT_ADMIN: Roles Hierarchy.....	7
2.2 Accessing UCM Fusion Instance	11
2.3 Accessing BICC.....	12
Section 3: Creating Your First BICC Extract (Full).....	13
3.1 Steps to Create an Extract	13
3.2 View Objects Considered	13
3.3 Important Configuration Terms.....	14
3.4 Step-by-Step Navigation.....	15
3.5 Creating a Job	18
3.6 Customizing the Data Output	20
3.7 Creating a Schedule	24
3.8 Reviewing Output in UCM	29
Section 4: Running Incremental Extracts.....	31
4.1 Creating a New AP Invoice for Testing	33
4.2 Running the Incremental Job	36
Section 5: Securing Your BICC Extract (Encryption)	39
5.1 Generating PGP Keys	39
5.2 Configuring Encryption in BICC.....	41
5.3 Running the Encrypted Job	43

5.4 Decrypting Files with Kleopatra (GPG4Win)	46
Section 6: Summary & OIC Automation Workflow	49
6.1 Data Download Options	49
6.2 Key Takeaways	49
6.3 OIC Automated Extraction Workflow	49
6.4 Reference Links & Metalink Notes	51

Section 1: What is BICC?

Oracle Business Intelligence Cloud Connector (BICC) is a tool integrated into Oracle Applications Cloud to extract large volumes of data (bulk/incremental) for loading into data warehouses, data lakes, or third-party applications. It enables scheduling or on-demand extraction of predefined View Objects (PVOs) from ERP, SCM, HCM, and CX modules, typically storing data in OCI Object Storage.

1.1 Key Features & Capabilities

Feature	Description
Bulk & Incremental Loads	Efficiently handles initial massive data extracts and subsequent incremental updates.
Supported Storage	Pushes data to Oracle Cloud Infrastructure (OCI) Object Storage or UCM.
Optimal Performance	Supports parallel processing (8 threads recommended) and file compression.
Flexible Scheduling	Offers on-demand or scheduled job execution.
Data Customization	Allows selecting specific data entities, applying filters, and managing custom offerings.

1.2 BICC Capabilities at a Glance

- Extract bulk data in CSV format
- Available as part of Oracle Cloud ERP license
- Configure external storage locations for your data needs
- Extract complete or partial data — select offerings or specific objects
- Run extracts on-demand or schedule them daily, weekly, or monthly
- Run incremental extracts to capture only changed data since the last extract
- Schedule multiple independent extracts at convenient intervals

- Monitor extracts and review logs
- Export configured offerings and associated data stores
- Manage refresh metadata and specify dates for incremental refresh comparison

1.3 Universal Content Management (UCM)

WebCenter Content Server (UCM) is used by Oracle Cloud Applications to store all files including FBDI files and output of ESS and BICC jobs.

- Content in UCM is secured through users, roles, privileges, and accounts
- User Interface access: <https://<cloudInstance>/cs>
- Webservices: The UCM webservice GenericSoapPort is used for upload, download, list, and delete operations
- UCM File Transfer Utility API




Figure 1 — UCM / Procurement Configuration Overview

Section 2: Roles Configuration

2.1 Provisioning a User for BI Cloud Connector Console Access

To access the BICC Console, two roles must be provisioned for the user:

Property	Role A (Console Access)	Role B (UCM Content Admin)
Role Code	BIACM_ADMIN	BICC_UCM_CONTENT_ADMIN
Role Name	BIACM_ADMIN	BICC_UCM_CONTENT_ADMIN
Role Type	BI – Abstract Roles	BI – Abstract Roles

Role A — BIACM_ADMIN: Roles Hierarchy

1. ESB Administrator Role (ESSAdmin)
2. Application Implementation Administrator (ORA_ASM_APPLICATION_IMPLEMENTATION_ADMIN_ABSTRACT)

Role B — BICC_UCM_CONTENT_ADMIN: Roles Hierarchy

Upload and download data from on-premise system to cloud system:

- OBIA_EXTRACTTRANSFORMLOAD_RWD




Figure 2 — Role Assignment Screen

The screenshot shows the Oracle Cloud BICC console interface. At the top, there is a navigation bar with the 'vision' logo and a series of numbered steps (1-8) representing the setup process. Step 1, 'Basic Information', is currently active. Below the navigation bar, the title 'Create Role BIACM_ADMIN: Basic Information' is displayed. To the right of the title are three buttons: 'Back', 'Next', and 'Cancel'. The main form area contains the following fields:

- *Role Name:** A text input field containing 'BIACM_ADMIN'.
- *Role Code:** A text input field containing 'BIACM_ADMIN'.
- *Role Category:** A dropdown menu with 'BI - Abstract Roles' selected.
- Enable Permission:** A checkbox that is checked.
- Groups:** A section with a 'Roles' button.
- Description:** A large text area for entering a description.

Figure 3 — Role Hierarchy View



After creating both roles, you can access the BICC console.

←

Roles

Users

Analytics

Certificates

User Categories

Application Extensions

API Authentication

Administration

Edit User Account: PL

*User Name

Paul.Lee

First Name

*Last Name

PL

Email

Phone

Date

☒ Active ☐ Locked

Associated Worker Information

Worker Name

PL

Person Number

7787

Manager

Job

Business Unit

US1 Business Unit

Department

Roles

Updates involving more than twenty role memberships are processed using the user-to-user role memberships transfer job.

Add Role

Add Auto-Provisioned Roles

Remove All Roles

Role	Role Code	Assignable	Auto-Provisioned	
Asset Accounting Manager Progress US Corporate Book	FA_ASSET_ACCOUNTING_MANAGER_JOB_PROGRESS US	☐	☐	×
Attachments AdministratorCopy	AttachmentsAdmin_COPY	☐	☐	×
BIACM_ADMIN	BIACM_ADMIN	☒	☐	×
BICC_UCM_CONTENT_ADMIN	BICC_UCM_CONTENT_ADMIN	☒	☐	×
Backlog Manager	ORA_MSC_BACKLOG_MANAGER_JOB	☐	☐	×
Billing Manager	AR_BILLING_MANAGER_JOB	☒	☐	×
Billing Specialist	AR_BILLING_SPECIALIST_JOB	☒	☐	×

Figure 4 — BICC Console Access

Oracle Business Intelligence Cloud Connector (BICC)

2.2 Accessing UCM Fusion Instance

Navigate to the UCM login screen using the following URL pattern:

```
https://<FusionInstance>/cs
```




Figure 5 — UCM Login Screen

2.3 Accessing BICC

Navigate to the BICC interface using the following URL pattern:

```
https://<FusionInstance>/biacm
```




Figure 6 — BICC Navigation

Section 3: Creating Your First BICC Extract (Full)

3.1 Steps to Create an Extract

3. Plan the extract — identify which columns/fields from which database tables and corresponding Public View Objects (PVOs) are needed. PVO names typically end with 'PVO'.
4. Create a custom offering and associate data stores comprising one or more public VOs with the required columns.
5. Create a job — select the offering, then select the data stores for which data needs to be extracted. PVOs can be customized at the job level.
6. Create a schedule — provide recurrence, notification, and file parameter details. Extract files will be generated in UCM for each VO, along with a manifest file listing extracted filenames.

3.2 View Objects Considered

View Object	Path
Invoice Header PVO	FscmTopModelAM.FinApiInvTransactionsAM.InvoiceHeaderPVO
Invoice Line PVO	FscmTopModelAM.FinApiInvTransactionsAM.InvoiceLinePVO

3.3 Important Configuration Terms

Configuration Term	Description
Disable Effective Date Filter	Enable to extract all historical records. Confirm data is effective-dated before enabling.
Extract Data Store Metadata	Enable to extract data store metadata (e.g., attribute definitions) with the job.
Silent Error	Default setting. Deselect to allow errors to surface.
Use OTBI Metadata Dependent Extract	Select to use OTBI Metadata Dependent Mode; default is Independent Mode.
Use UNION ALL for Incremental Extract	Default uses OR strategy. Select to use UNION ALL instead.
Query Filter	Specify a query to filter extracted data.
Support Chunking	Chunk large data VOs by initial extract date, creation date, or primary date.
Prune Time	Look-back window (minutes) for incremental jobs. Ensures dependency synchronization across objects.

3.4 Step-by-Step Navigation

The screenshot shows the Oracle Business Intelligence Cloud Connector Console. The page title is "Enabled Data Stores". The search section includes filters for Offering (All), Data Store, Effective Date, and Disabled. There are also checkboxes for Supports Incremental, Extract Data Store Metadata, Silent Error, Enabled for Extract, and Enabled for Jobs. A Job dropdown menu is set to All. Search and Clear buttons are present. The table below has columns: Business Object, Data Store, Job Name, Supports Incremental, Enabled for Extract, Last Extract Date, Effective Date Disabled, Extract Data Store Metadata, Silent Error, and Actions. The table is currently empty, showing "No data to display." The navigation menu on the right includes links for Manage Offerings and Data Stores, which is highlighted with a red box.

Search

Offering: All

Data Store:

Effective Date:

Disabled:

Supports Incremental:

Extract Data Store Metadata:

Silent Error:

Enabled for Extract: ☒

Enabled for Jobs: ☒

Job: All

Search Clear

View

Business Object	Data Store	Job Name	Supports Incremental	Enabled for Extract	Last Extract Date	Effective Date Disabled	Extract Data Store Metadata	Silent Error	Actions
No data to display.									

Manage Offerings and Data Stores

Figure 7 — BICC Navigation Menu

Navigate to: Manage Offerings and Data Stores → Action → Create Offering





Figure 8 — Create Offering Screen

Search by InvoiceHeaderPVO and InvoiceLinePVO in the filter section:



ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Create Offering ? Save Cancel

* Offering Code

* Offering Name

Offering Description

Associate Data Store

Filter

Data Store

	FscmTopModelAM.FinAplInvTransactionsAM.InvoiceHeaderPVO
	FscmTopModelAM.FinAplInvTransactionsAM.InvoiceLinePVO

Figure 9 — Searching for PVOs

After creating the offering, you can run it on-demand (no schedule attached):




Figure 10 — Run On-Demand

3.5 Creating a Job

Navigate to: Manage Jobs → Create New Job

OCI Instance mazen class Homepage - Fall 20... JOBS Ora instance VBS Movie Explorer - Ga... Instant SQL Formatt... ChatGPT PL/SQL file upload f... Chat | Google AI Stu... All Bookmarks

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Manage Extract Schedules ?

Search

Schedules

Actions View + Cancel Schedule Delete Schedule Delete Inactive Schedules

Name	Schedule Id	Recurrence	Submitter	State	External Storage	Global	JobType
xxxx_job_test	9247545	IMMEDIATE	BIAdmin	SUCCEEDED	UCM	—	Application C

Columns Hidden 1

Manage Jobs Manage Job Schedules

Figure 11 — Manage Jobs Screen

Manage Jobs ?

Jobs

View +

Job Id	Name	Description	Actions
16331...	bicc		⚙️
20067...	xxxxx_job		⚙️
22523...	CELONIS_JOB_705d248f-6a97-4368-9ead-f1418727b05c_FscmTopModelAM.FinExtractAM.ApBiccExtractAM.Invo...	Celonis Job, please DO NOT UPDATE.	⚙️
24398...	s1		⚙️
36069...	AgreementJob		⚙️

Detach

Figure 12 — New Job Creation

ORACLE Oracle Business Intelligence Cloud Connector Console

Help Paul.Lee

Add Job

Name My First AP BICC Job

Description Created by Eng. Amer S. Ali

Data Stores

View Offering My First BICC AP invoices Extract Detach

Business Object	Data Store	Data Store Code	Enabled for Extract
FinAplnvTransactions	FscmTopModelAM.FinAplnvTransactionsAM.InvoiceHeaderPVO	FscmTopModelAM.FinAplnvTransactionsAM.InvoiceHeaderPVO	☒
FinAplnvTransactions	FscmTopModelAM.FinAplnvTransactionsAM.InvoiceLinePVO	FscmTopModelAM.FinAplnvTransactionsAM.InvoiceLinePVO	☒

Figure 13 — Job Configuration

3.6 Customizing the Data Output

Click the job name → select the desired VO → configure as shown:

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Job Details : My First AP BICC Job Edit Edit Group Done

Name: My First AP BICC Job Description: Created by Eng. Amer S. Ali

Data Stores

View Detach

Business Object	Data Store	Supports Incremental	Last Extract Date	Effective Date Disabled	Extract Data Store Metadata	Silent Error	Actions
FinApInvTransactions	FscmTopModelAM.FinApInvTransactionsAM.InvoiceHeaderP\	☒		☐	☐	☒	
FinApInvTransactions	FscmTopModelAM.FinApInvTransactionsAM.InvoiceLinePVO	☒		☐	☐	☒	

Columns Hidden: 3

Figure 14 — Select View Object

Customize the view object — apply WHERE clause filters or include/exclude specific fields:

RACLE Oracle Business Intelligence Cloud Connector Console

scmTopModelAM.FinApInvTransactionsAM.InvoiceHeaderPVO

Data Store Code:

Query Filter:

Last Extract Date:

Silent Error ☒

Disable Effective Date Filter ☐

Extract Data Store Metadata ☐

Use UNION ALL for incremental extract ☐

Use Broker Mode for Extract ☐

Job Name:

Offerings:

Edit Data Store Details **Select Columns** **Done**

Limit the data **Limit the fields**

Data Store Columns

107 columns selected

Column Name	Select List	Incremental Filter	Primary Key	Effective Start Date	Creation Date
AttachmentFlag	✓	—	—	—	—
DistributionSetOrgId	✓	—	—	—	—
DocSeqCatDescription	✓	—	—	—	—
DocSeqCatName	✓	—	—	—	—
DocSequenceName	✓	—	—	—	—
FirstPartyTaxRegistrationLastUpdateDate	✓	—	—	—	—
FirstPartyTaxRegistrationRegistrationNumber	✓	—	—	—	—
InvDistCount	✓	—	—	—	—
InvDistDraftCount	✓	—	—	—	—
InvDistPostedCount	✓	—	—	—	—
InvDistSelectCount	✓	—	—	—	—

Figure 15 — Customize View Object

Click 'Select Columns' to add a new field (e.g., InvoiceHeaderOrgId):

ORACLE Oracle Business Intelligence Cloud Connector Console Help ▼ Paul.Lee ▼

Data Store Column Selection : My First AP BICC Job ? Cancel Save

Data Store Key: `FscmTopModelAM.FinAplInvTransactionsAM.InvoiceHeaderPVO` Download Sample CSV File

Data Store Columns Search Column Names

Actions ▼ View ▼ Filter Varchar Type Columns Select ▼

Column Name	Label	Data Type	Select List	Primary Key
AdjustmentPeriodFlagDummy	AdjustmentPeriodFlagDummy	VARCHAR	☐	☐
InvoiceHeaderTaxInvoiceInternalSeq	Internal Sequence Number	VARCHAR	☒	☐
InvoiceHeaderExchangeRateType	Conversion Rate Type	VARCHAR	☐	☐
PersonNameDisplayName	Requester	VARCHAR	☒	☐
InvoiceHeaderCheckVatAmountPaid	InvoiceHeaderCheckVatAmountPaid	VARCHAR	☐	☐
InvoiceHeaderBankChargeBearer	InvoiceHeaderBankChargeBearer	VARCHAR	☐	☐
InvoiceHeaderCreatedBy	Invoice Created by User Name	VARCHAR	☒	☐
InvoiceConversionTypeUserConversionType	Conversion Rate Type	VARCHAR	☒	☐
InvoiceHeaderTrxBusinessCategory	InvoiceHeaderTrxBusinessCategory	VARCHAR	☐	☐
InvoiceHeaderNetOfRetainageFlag	InvoiceHeaderNetOfRetainageFlag	VARCHAR	☒	☐
InvAprvHistAllApproverId	Approver User Name	VARCHAR	☐	☐
InvoiceHeaderCustRegistrationNumber	First-Party Taxpayer ID	VARCHAR	☐	☐

Fetching Data...

Figure 16 — Column Selection

Click 'Edit Data Store Details' to apply data filtering:




Figure 17 — Data Store Filtering

Example filter — extracting only AP Invoices from the US1 Business Unit:

```
SELECT * FROM FUN_ALL_BUSINESS_UNITS_V WHERE bi_id = 300000046987012 -- US1 Business Unit
```

3.7 Creating a Schedule

Navigate to: Manage Job Schedules → Add New Schedule

fa-etaj-saasfademo1.ds-fa.oraclepdemos.com/biacm/faces/setup?Adf-Window-Id=whs1thzvo&Adf-Page-Id=0

OCI Instance mazen class Homepage - Fall 20... JOBS Ora instance VBS Movie Explorer - Ga... Instant SQL Formatt... ChatGPT PL/SQL file upload f... Chat | Google AI Stu... All Bookmarks

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Manage Jobs ?

- Manage Jobs
- Manage Job Schedules

Jobs

View + X ↺

Job Id	Name	Description
16331...	bicc	
20067...	xxxxx_job	
22523...	CELONIS_JOB_705d248f-6a97-4368-9ead-f1418727b05c_FscmTopModelAM.FinExtractAM.ApBiccExtractAM.Invo...	Celonis Job, please DO NOT UPDATE.
24398...	s1	
29089...	My First AP BICC Job	Created by Eng. Amer S. Ali

Figure 18 — Manage Job Schedules

ORACLE Oracle Business Intelligence Cloud Connector Console Help ▾ Paul Lee ▾

Manage Job Schedules ?

► Search

Schedules

Actions ▾ View ▾ **+**  Cancel Schedule Delete Schedule Delete Inactive Schedules   Detach

Name	Schedule Id	Job	Job Id	Recurrence	Submitter	State	Job Type	External Storage
xxxx_schedule	9247411	xxxxx_job	200671039480173	DAILY	BIAdmin	WAIT	Application Data Extract	UCM

Columns Hidden 1

Schedule Requests

View ▾   View All Runs ☐  Detach

Name	Schedule Time	Submission Time	End Time	Request Id	State	Message
No data to display						

Figure 19 — New Schedule Setup

fa-etaj-saasfademo1.ds-fa.oraclepdemos.com/biacm/faces/setup?Adf-Window-Id=whs1thzvo&Adf-Page-Id=0

OCI Instance mazen class Homepage - Fall 20... JOBS Ora instance VBS Movie Explorer - Ga... Instant SQL Formatt... ChatGPT PL/SQL file upload f... Chat | Google AI Stu... All Bookmarks

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Schedule ?

Save Cancel

Job * My First AP BICC Job Name * AmerAliJobScheduleUCM

Job Type * Application Data Extract

External * UCM

Storage Recurrence

* Recurrence

- Immediate
- Immediate
- Simple
- Hourly
- Daily
- Weekly
- Monthly (day of the month)

Notification

Notification U Yearly ification

Notify on ☐ Start ☐ Success ☐ Failure

Mail To Addresses

File Parameters

Use Global File Parameters ☒ Yes ☐ No

Compression type Zip

Split file size(GB) 1

Uploaded file expiry(Days) 90

OCI object storage uploaded file name prefix

Figure 20 — Schedule Configuration



Select 'Immediate' to run the job right away and continue the process without waiting for a scheduled time.

Oracle Business Intelligence Cloud Connector Console

Manage Job Schedules

Search

Schedules

Actions View + Cancel Schedule Delete Schedule Delete Inactive Schedules Detach

Name	Schedule Id	Job	Job Id	Recurrence	Submitter	State	Job Type	External Storage
AmerAliJobScheduleUCM	9252392	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	WAIT	Application Data Extract	UCM
xxxx_schedule	9247411	xxxxx_job	200671039480173	DAILY	BIAdmin	WAIT	Application Data Extract	UCM

Columns Hidden 1

Schedule Requests

View View All Runs Detach

Name	Schedule Time	Submission Time	End Time	Request Id	State	Message
AmerAliJobScheduleUCM	2026.03.23 PM 11:59:48	2026.03.23 PM 11:59:48		9252392	RUNNING	

Figure 21 — Job Schedule Running

Track the job from the Scheduled Processes page using the Request ID:

Overview ?

Search

Name

Process ID

9252392

Status

Submission Time

After

3/23/26 11:04 PM

(UTC+00:00) Coordinated Universal Time (UTC)

Submission Notes

Contains

Submitted By

Saved Search

Last hour

Search

Reset

Download Results

Search Results ?

View

☒ Flat List

☐ Hierarchy

Actions

View

Schedule New Process

Resubmit

Put On Hold

Cancel Process

Release Process

View Log

Name	Process ID	Status	Metadata Name	Scheduled Time	Submission Time	Submission Notes
BICloudConnector.JobDefinition	9252392	Running	BICloudConnector.JobDefinition	3/23/26 11:59 PM UTC	3/23/26 11:59 PM UTC	AmerAli.JobScheduleUCM

Figure 22 — Scheduled Processes Tracking

3.8 Reviewing Output in UCM

After the job succeeds, open UCM to view the generated files:

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Manage Job Schedules ?

Search

Schedules

Actions View + Cancel Schedule Delete Schedule Delete Inactive Schedules Detach

Name	Schedule Id	Job	Job Id	Recurrence	Submitter	State	Job Type	External Storage
AmerAliJobScheduleUCM	9252392	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM
xxxx_schedule	9247411	xxxxx_job	200671039480173	DAILY	BIAdmin	WAIT	Application Data Extract	UCM

Columns Hidden 1

Schedule Requests

View X View All Runs Detach

Name	Schedule Time	Submission Time	End Time	Request Id	State	Message
AmerAliJobScheduleUCM	2026.03.23 PM 11:59:48	2026.03.23 PM 11:59:48	2026.03.24 AM 01:07:32	9252392	SUCCEEDED	

Figure 23 — UCM File Browser

Page 1 of 10

Select	ID	Title	Date	Author	Actions
☐	UCMFA07396649	MANIFEST_DATA_290894571000093-SCHEDULE_9252392_REQUEST_9252392.MF	3/24/26	FUSION_APPS_1	
☐	UCMFA07396650	EXTRACT_STATUS_DATA_290894571000093-SCHEDULE_9252392_REQUEST_9252392-20260324_000007.JSON	3/24/26	FUSION_APPS_1	
☐	UCMFA07396648	file_fscmtopmodelam_finapinvtransactionsam_invoiceinvoicebatch218801339-20260324_004116.zip	3/24/26	FUSION_APPS_1	

Figure 24 — UCM Search



Each run produces 3 files per extract: .zip (data), .json (metadata), and .mf (manifest file). The same data is also accessible from Tools → File Import and Export.

Section 4: Running Incremental Extracts

After completing the full extract of AP Invoice headers and lines, incremental extraction captures any new AP invoices created since the last run and loads them to UCM automatically.

Incremental extraction depends on the Prune Time setting. Configure it as follows:

Navigate to: Manage Offerings and Data Stores → Action → Extract Preferences




Figure 25 — Extract Preferences

Set the Prune Time to 3 minutes:

fa-etaj-saasfademo1.ds-fa.oraclepdemos.com/biacm/faces/setup?Adf-Window-Id=whs1thzvo&Adf-Page-Id=0

OCI Instance mazen class Homepage - Fall 20... JOBS Ora instance VBS Movie Explorer - Ga... Instant SQL Formatt... ChatGPT PL/SQL file upload f... Chat | Google AI Stu... All Bookmarks

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Extract Preferences ?

Save Cancel

General

Preferred Extract Language American English

* Prune time in Minutes 3

Job Settings

* Timeout in Hours 10

Timeout Force Fail ☒

File Parameters

Compression type Zip

* Split file size(GB) 1

* Uploaded file expiry(Days) 90

Figure 26 — Prune Time Configuration

4.1 Creating a New AP Invoice for Testing

Create a new AP invoice from the Payables module to test incremental extraction:

The screenshot shows the Oracle Vision Invoices interface. The top navigation bar includes the 'vision' logo and a search icon. The main dashboard displays five key metrics: Scanned (3 Incomplete, 0 Complete, 59 Total), Recent (44 Incomplete, 6 Complete, 50 Total), Holds (35 Validation, 1 Purchasing, 7 Other), Approval (0 Pending, 18 Others, 8 Rejected), and Prepaid (4 Incomplete, 0 Complete, 17 Total). Below these metrics is a table of invoices with columns for Invoice Number, Amount, Supplier, Supplier Site, Validation Status, Invoice Date, Business Unit, Creation Date, and Assignee. The table lists three invoices: APIINV-193264, APIINV-193265, and APIINV-193267, all with an amount of 548.75 EUR and a status of 'Needs revalidation'. On the right side, a sidebar menu is visible, with the 'Invoices' section highlighted and the 'Create Invoice' option selected.

Invoices

- Create Invoice
- Create Invoice from Spreadsheet
- Create Recurring Invoices
- Manage Invoices
- Apply Missing Conversion Rates
- Validate Invoices
- Initiate Approval Workflow
- Import Invoices
- Correct Import Errors
- Import Payment Requests
- Run Payables Exceptions Listing

Accounting

- Create Accounting
- Create Adjustment Journal
- Review Journal Entries
- Payables to Ledger Reconciliation

Assets

- Create Mass Additions

Payables Periods

- Manage Accounting Periods

Invoice Number	Amount	Supplier	Supplier Site	Validation Status	Invoice Date	Business Unit	Creation Date	Assignee
APIINV-193264	548.75 EUR	ABC Consulting	ABC US1	Needs revalidation	3/19/26	US1 Business Unit	3/19/26 9:57 AM	
APIINV-193265	548.75 EUR	ABC Consulting	ABC US1	Needs revalidation	3/19/26	US1 Business Unit	3/19/26 10:02 AM	
APIINV-193267	548.75 EUR	ABC Consulting	ABC US1	Needs revalidation	3/19/26	US1 Business Unit	3/19/26 11:14 AM	

Figure 27 — Create AP Invoice

Invoice Header [Show More](#)

Identifying PO

Business Unit US1 Business Unit

Supplier ABC Consulting

Supplier Number 1288

Supplier Site ABC US1

* Legal Entity US1 Legal Entity

Invoice Group

* Number AmerAli0001

* Amount USD - 545.00

Type Standard

Description test BICC increment

Date 3/23/26

* Payment Terms Immediate

Terms Date 3/23/26

Requester

Attachments None

Note

Lines [?](#) Match Invoice Lines

View [+](#) [-](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#)

Search Results

Search: Invoice Advanced Saved Search All Invoices ▼

Actions ▼ View ▼      Detach Validate Pay in Full Approval ▼ Post ▼

Invoice Number	Invoice Date	Creation Date	Supplier or Party	Supplier Site	Unpaid Amount	Invoice Amount	Applied Prepayments	Invoice Type	Notes	Validation Status	Approval Status	Holds	Details	Business U
AnerAli0001	3/23/26	3/24/26 2:05 AM	ABC Consulting	ABC US1	490.50 USD	545.00 USD	0.00 USD	Standard		Validated	Not required	0		US1 Busine

Figure 29 — Invoice Search Verification

4.2 Running the Incremental Job

Run the job again — it should return only the newly created invoice with its single line:

The screenshot displays the Oracle Business Intelligence Cloud Connector Console interface. The top header shows the Oracle logo and the text 'Oracle Business Intelligence Cloud Connector Console'. On the right, there are links for 'Help' and 'Paul.Lee'. The main content area is divided into sections: 'Schedule', 'Recurrence', 'Notification', and 'File Parameters'. In the 'Schedule' section, the 'Job' field is set to 'My First AP BICC Job' and the 'Name' field is set to 'My First Incremental Run'. The 'Job Type' is 'Application Data Extract' and the 'External' system is 'UCM'. The 'Recurrence' section shows 'Recurrence' set to 'Immediate'. The 'Notification' section shows 'Notification' set to 'Use Global Extract Schedule Notification'. Under 'Notify on', the 'Start' checkbox is checked, while 'Success' and 'Failure' are unchecked. The 'Mail To Addresses' field is empty. The 'File Parameters' section shows 'Use Global File Parameters' set to 'Yes'.

Schedule ?

Job * My First AP BICC Job Name * My First Incremental Run

Job Type * Application Data Extract

External * UCM

Storage

Recurrence

* Recurrence Immediate

Notification

Notification Use Global Extract Schedule Notification

Notify on ☒ Start ☐ Success ☐ Failure

Mail To Addresses

File Parameters

Use Global File Parameters ☒ Yes ☐ No

Figure 30 — Re-run Job

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul.Lee

Manage Job Schedules ?

► Search

Schedules

Actions ▾ View ▾ + ↺ Cancel Schedule Delete Schedule Delete Inactive Schedules 📄 🔗 Detach

Name	Schedule Id	Job	Job Id	Recurrence	Submitter	State	Job Type	External Storage
My First Incremental Run	9252795	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	RUNNING	Application Data Extract	UCM
AmerAliJobScheduleUCM	9252392	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM
xxxx_schedule	9247411	xxxxx_job	200671039480173	DAILY	BIAdmin	WAIT	Application Data Extract	UCM

Columns Hidden 1

Schedule Requests

View ▾ ✕ ↺ View All Runs ☐ 📄 Detach

Name	Schedule Time	Submission Time	End Time	Request Id	State	Message
My First Incremental Run	2026.03.24 AM 02:10:30	2026.03.24 AM 02:10:30		9252795	RUNNING	

Figure 31 — Incremental Results (1 Invoice)

Figure 32 — Incremental Output Files

Section 5: Securing Your BICC Extract (Encryption)

BICC supports PGP encryption and decryption to protect generated extract files.

5.1 Generating PGP Keys

Use the PGP key generation tool to generate your PGP key pair:

<https://pgpkeygen.com>

Generate a PGP key pair

Use the form below to generate a PGP key pair.

OPTIONS

Amer Ali

Amer.Ali.Oracle@gmail.com

BICC File Encryption

RSA (Recommended)

1024 bits (good for testing purposes)

8 years

..... ✓

FINISHED

YOUR KEYS

-----BEGIN PGP PUBLIC KEY BLOCK-----
Version: Keybase OpenPGP v1.0.0
Comment: https://keybase.io/crypto

xo0EacH1xQEEALDZq4w6rBs0eWsjpveXKNPFYcM6lqpJlZvudefeZe4ew4in8uJf
kZXzyl/4XATIZNuAhkPQRZLAjRiwV8zl7GhLkZqFv8L5DnE+mFN+0qLA5y16lhCY
k0tkpcnIPJeS2tYwf3+OezcfdCOBEc0sgMUGmh3lp6RJSzw9aYQZnChABEBAA
HN
O0FtZXlglQWxpIChCSUNDIEZpbGUgRW5jcnlwdGlvbikgPEFtZXluQWxpLk9yYW
Ns
ZlURbWVhbnC5b20+wg0FEwFKARcFampR9clJCGv8DCwkHaxLkCAleAOIXGA

DOWNLOAD PUBLIC KEY

-----BEGIN PGP PRIVATE KEY BLOCK-----
Version: Keybase OpenPGP v1.0.0
Comment: https://keybase.io/crypto

xcFGBGnB9cUBBACw2auMOqwbNHlrlqb3lyjTxWHDOpaqSSGb7nXn3mXuHsOI
p/Li
X5GV88pf+FwE4mTbglZD0EWSwl0YsFfM5exoS5Gahb/C+Q5xPphTftKiwOctepY
Q
mJNLZKXJ5TyXmUtrWMH9/jns3H3QjgRHNLIIDFBpod5aekSUs8PWmEGZwpwA
RAQAB
/okDCN8HRV/SVniOIYDI7ha8MS1V/tzv6mJGVLitbhc2hJSG8oficC9YevPTa6z64k

DOWNLOAD PRIVATE KEY

Figure 33 — PGP Key Generation

Download both the Public Key and the Private Key.

5.2 Configuring Encryption in BICC

Navigate to: Configure External Storage




Figure 36 — Configure External Storage

Upload the public key and enable the Data Encryption option:

OCI Instance mazen class Homepage - Fall 20... JOBS Ora instance VBS Movie Explorer - Ga... Instant SQL Formatt... ChatGPT PL/SQL file upload f... Chat | Google AI Stu... >> All Bookmarks

ORACLE Oracle Business Intelligence Cloud Connector Console Help Paul Lee

Configure External Storage ?

Storage Service Connection OCI Object Storage Connection **UCM Connection**

UCM Connection ?

Save Cancel

Name UCM

Protocol https

Host fa-internal.oracleoutsourcing.com

Port 10663

Test UCM Connection

Data Encryption Configuration

Data Encryption ☒

View Import Certificate 0xF2E8ED0C-pub.asc Update... Sign Extract File ☐ Download Signing Key Detach

Key Id	UID	Expiry Date	Default	Actions
F2E8ED0C	[full] Amer Ali (BICC File Encryption) <Amer.Ali.Oracle@gmail.com>		☒	

Staging Folder Configuration

Download Folder /podscratch/bi/download

Upload Folder /podscratch/bi/upload

Figure 37 — Upload Public Key & Enable Encryption

5.3 Running the Encrypted Job

Run the job again to generate a new encrypted BICC export file:

Schedules									
Actions ▾	View ▾	+	↺	Cancel Schedule	Delete Schedule	Delete Inactive Schedules			Detach
Name	Schedule Id	Job	Job Id	Recurrence	Submitter	State	Job Type	External Storage	
My first Encryption	9252881	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM	
My Second incremental	9252829	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM	
My First Incremental Run	9252795	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM	
AmerAliJobScheduleUCM	9252392	My First AP BICC Job	290894571000093	IMMEDIATE	Paul.Lee	SUCCEEDED	Application Data Extract	UCM	
xxxx_schedule	9247411	xxxxx_job	200671039480173	DAILY	BIAdmin	WAIT	Application Data Extract	UCM	
Columns Hidden 1									
Schedule Requests									
View ▾	✕	↺	View All Runs						
Name	Schedule Time	Submission Time	End Time	Request Id	State	Message			
My first Encryption	2026.03.24 AM 02:32:11	2026.03.24 AM 02:32:11	2026.03.24 AM 02:33:40	9252881	SUCCEEDED				

Figure 38 — Encrypted Job Run

All generated files will now be encrypted:

☐	UCMFA07396951	EXTRACT_STATUS_DATA_290894571000093-SCHEDULE_9252881_REQUEST_9252881-20260324_023224.JSON.gpg	3/24/26	FUSION_APPS_	
☐	UCMFA07396950	MANIFEST_DATA_290894571000093-SCHEDULE_9252881_REQUEST_9252881.MF.gpg	3/24/26	FUSION_APPS_	
☐	UCMFA07396949	file_fscmtopmodelam_finapinvtransactionsam_invoicepvo-batch1138281827-20260324_023337.zip.gpg	3/24/26	FUSION_APPS_	
☐	UCMFA07396948	file_fscmtopmodelam_finapinvtransactionsam_invoiceheaderpvo-batch1138281827-20260324_023320.zip.gpg	3/24/26	FUSION_APPS_	

Figure 39 — Encrypted Files Listed

Oracle Business Intelligence Cloud Connector (BICC)

Figure 40 — Encrypted File Contents

5.4 Decrypting Files with Kleopatra (GPG4Win)

Download and install Kleopatra from the GPG4Win website to handle decryption:

<https://gpg4win.org>




Figure 41 — Kleopatra — Import Private Key




Figure 42 — Kleopatra — Decryption



When opening the downloaded encrypted .zip file in Kleopatra, it will prompt for the passphrase you specified when generating the keys. Upon entry, the file will be decrypted.

Section 6: Summary & OIC Automation Workflow

Oracle BICC (Business Intelligence Cloud Connector) is a cloud-based service for extracting data from Oracle Fusion Applications and loading it into a data warehouse or data mart.

BICC supports data extraction from ERP, HCM, SCM, and CX modules. Once data is in UCM or Oracle Object Storage, it can be retrieved through several methods:

6.1 Data Download Options

- Manual download from UCM
- Use ODI (Oracle Data Integrator) to download data
- Use OIC (Oracle Integration Cloud) to automate downloads

6.2 Key Takeaways

7. In FSCM Cloud, custom View Objects cannot be created — only Public VOs (ending with 'PVO' or 'FVO') are available.
8. There is no provision to establish joins among VOs within BICC.
9. Extracts can be Full or Incremental. The first run is always Full; subsequent runs are Incremental by default but can be reset to Full at any time.
10. BICC View Objects are analogous to Subject Areas in OTBI.
11. The download of extracts can be automated by invoking a web service or writing Java code.

6.3 OIC Automated Extraction Workflow

The diagram below illustrates a high-level process flow for downloading BICC extract files from UCM using an OIC integration, and loading them into an on-premise or cloud database for reporting and analytics:




Figure 43 — BICC + OIC Automated Workflow

6.4 Reference Links & Metalink Notes

Reference	Details
BI Cloud Connector: How to Find Information About Objects and Attributes for Extraction?	Doc ID: 2506210.1

End of Course Material

Oracle Cloud BICC | Prepared by Eng. Amer S. Ali | Amer.Ali.Oracle@gmail.com