

# 데이터 정의서

## DML SCRIPT

|                         |                         |
|-------------------------|-------------------------|
| 작성일자                    | 2024-03-08 ~ 2024-03-08 |
| 쌍용교육센터 오라클 프로젝트 4 조     |                         |
| 김희연, 김민곤, 정혜정, 정원혁, 장원준 |                         |

# INDEX

| 테이블명                  | 페이지 | 테이블명                    | 페이지 |
|-----------------------|-----|-------------------------|-----|
| tblOnlineLecture      | 2   | tblAvailableSubjectList | 160 |
| tblCurriculumProgress | 3   | tblRecommendTextbook    | 170 |
| tblRoom               | 4   | tblOpenSubjectList      | 171 |
| tblTrainees           | 5   | tblTestInfo             | 178 |
| tblManager            | 43  | tblInterviewResults     | 180 |
| tblTeacher            | 44  | tblOpenCurriculum       | 190 |
| tblAttendanceStatus   | 45  | tblSubjectList          | 191 |
| tblEquipment          | 46  | tblTraineeList          | 196 |
| tblCoursePeriod       | 47  | tblNotice               | 213 |
| tblTextbook           | 47  | tblAttendancePapers     | 215 |
| tblSubject            | 49  | tblAttendance           | 228 |
| tblQuestion           | 52  | tblEmploymentStatus     | 412 |
| tblPublicHoliday      | 128 | tblOnlineCourseList     | 416 |
| tblExamPaper          | 131 | tblCurriculumEvaluation | 589 |

| 테이블명                  | 페이지 | 테이블명                    | 페이지 |
|-----------------------|-----|-------------------------|-----|
| tblOnlineLecture      | 2   | tblAvailableSubjectList | 160 |
| tblCurriculumProgress | 3   | tblRecommendTextbook    | 170 |
| tblRoom               | 4   | tblOpenSubjectList      | 171 |
| tblTrainees           | 5   | tblTestInfo             | 178 |
| tblManager            | 43  | tblInterviewResults     | 180 |
| tblTeacher            | 44  | tblOpenCurriculum       | 190 |
| tblAttendanceStatus   | 45  | tblSubjectList          | 191 |
| tblEquipment          | 46  | tblTraineeList          | 196 |
| tblCoursePeriod       | 47  | tblNotice               | 213 |
| tblTextbook           | 47  | tblAttendancePapers     | 215 |
| tblSubject            | 49  | tblAttendance           | 228 |
| tblCurriculum         | 147 | tblGrades               | 594 |
| tblInterviewSchedule  | 148 | tblLocker               | 651 |

## 데이터 스크립트

|  |                  |     |            |
|--|------------------|-----|------------|
| 테이블명   | tblOnlinelecture | 작성일 | 2024-03-08 |
| System   | 온라인 강의           | 작성자 | 장원준        |
| DML  |                  |     |            |
| <pre>insert into tblOnlineLecture values (1,'화면설계');<br/><br/>insert into tblOnlineLecture values(2,'화면구현');<br/><br/>insert into tblOnlineLecture values(3,'웹 표준에 맞는 HTML5 프로그래밍');<br/><br/>insert into tblOnlineLecture values(4,'JavaScript 기초');<br/><br/>insert into tblOnlineLecture values(5,'요구사항 확인 2');<br/><br/>insert into tblOnlineLecture values(6,'웹 앱 개발을 위한 JSP');<br/><br/>insert into tblOnlineLecture values(7,'AWS 와 Elasticsearch 활용');</pre> |                  |     |            |

|   |                       |     |            |
|---|-----------------------|-----|------------|
| 테이블명  | tblCurriculumProgress | 작성일 | 2024-03-08 |
| System  | 강의 진행 여부              | 작성자 | 장원준        |
| DML   |                       |     |            |
| insert into tblCurriculumProgress values(1,'강의 진행 예정');<br><br>insert into tblCurriculumProgress values(2,'강의 진행 중');<br><br>insert into tblCurriculumProgress values(3,'강의 종료'); |                       |     |            |

|      |         |     |            |
|------|---------|-----|------------|
| 테이블명 | tblRoom | 작성일 | 2024-03-08 |
|------|---------|-----|------------|

|  |     |     |     |
|--|-----|-----|-----|
| System   | 강의실 | 작성자 | 장원준 |
| DML  |     |     |     |
| <pre>insert into tblRoom values (1, '1 강의실', 30, 'SIST_1', 'sist34821');<br/>insert into tblRoom values (2, '2 강의실', 30, 'SIST_2', 'sist34821');<br/>insert into tblRoom values (3, '3 강의실', 30, 'SIST_3', 'sist34821');<br/>insert into tblRoom values (4, '4 강의실', 26, 'SIST_4', 'sist34821');<br/>insert into tblRoom values (5, '5 강의실', 26, 'SIST_5', 'sist34821');<br/>insert into tblRoom values (6, '6 강의실', 26, 'SIST_6', 'sist34821');</pre> |     |     |     |

|   |             |     |            |
|---|-------------|-----|------------|
| 테이블명  | tblTrainees | 작성일 | 2024-03-08 |
| System  | 교육생         | 작성자 | 장원준        |
| DML   |             |     |            |
| INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)<br>VALUES (1, '천유서', 'D9TUYJOG07', 4760829, '01097751191', '23/08/05', '신한은행', '842-330-403393');<br>INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)<br>VALUES (2, '양기탁', 'BMTITRQUQDQ', 3752621, '01080543905', '23/10/31', '우리은행', '788-703-369788');<br>INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)<br>VALUES (3, '류함맹', '5MPSNISEF', 7274122, '01066590732', '23/11/22', '카카오뱅크', '413-014-111155');<br>INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)<br>VALUES (4, '고방한', '6JHILWKEFS', 5538608, '01017625513', '23/10/05', '농협은행', '950-448-045228');<br>INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)<br>VALUES (5, '맹천맹', 'KECU', 2022264, '01078584063', '24/02/22', '국민은행', '242-285-669812');<br>INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account) |             |     |            |

```
VALUES (6, '박류조', '4LL65I7ADW', 7696713, '01012390418', '23/10/12', '신한은행', '522-50-146215');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (7, '안유양', 'WS6GS', 2946069, '01099914337', '23/10/10', '우리은행', '535-811-077311');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (8, '한기안', 'SQ89WSG', 7060652, '01061777935', '23/12/04', '카카오뱅크', '035-811-137646');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (9, '송한서', 'KYPHRG', 5941915, '01008313040', '24/02/26', '농협은행', '777-079-758664');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (10, '황추함', 'IHFJX', 5207894, '01013190294', '23/10/21', '국민은행', '595-515-283138');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (11, '혁염모', 'A1HKQ', 4929489, '01069627706', '24/02/26', '신한은행', '770-445-484261');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (12, '허곤김', 'DNEGGKTH', 6009455, '01067174095', '24/02/19', '우리은행', '191-949-132611');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (13, '진백허', 'U2BW3XH8G', 3655645, '01065495971', '23/12/31', '카카오뱅크', '201-902-620319');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```



```
VALUES (14, '정오류', 'RJZLJVV', 2602427, '01053300968', '23/12/26', '농협은행', '407-466-192991');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (15, '유진이', 'V4CD9X7KED8', 6703772, '01042108459', '23/10/14', '국민은행', '897-414-342602');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (16, '천손모', 'FNIQ28', 3467834, '01006216679', '24/01/04', '신한은행', '603-156-227685');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (17, '희기현', 'RIMMRN', 5073270, '01071638703', '23/09/29', '우리은행', '401-424-823477');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (18, '홍손손', 'REFNTLEC', 7045698, '01023899158', '24/02/25', '카카오뱅크', '441-614-290746');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (19, '변소류', '5L0YGMJ', 6277402, '01042862906', '23/09/24', '농협은행', '089-137-475498');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (20, '연권배', 'R7V14PP5YD', 6574849, '01051320237', '23/12/27', '국민은행', '502-720-143073');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (21, '배국신', 'Q35A5I056S', 3605940, '01034910806', '23/11/04', '신한은행', '724-229-433387');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (22, '방추함', 'DAJ0XEF5', 2600735, '01095572051', '23/12/18', '우리는행', '082-718-872707');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (23, '백박희', 'WHA1', 2929950, '01083914187', '23/08/21', '카카오뱅크', '239-531-823194');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (24, '박이홍', 'JFM0FC', 5480245, '01088735526', '23/09/09', '농협은행', '260-240-532838');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (25, '백유한', 'L2E5XV0', 6976576, '01026966009', '24/01/04', '국민은행', '831-860-734776');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (26, '유윤나', '7FRQ6ORZ6I0V', 4592923, '01089632753', '23/08/02', '신한은행', '831-833-327770');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (27, '천한도', 'LNLE0', 1547929, '01091709985', '24/02/08', '우리는행', '411-363-840052');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (28, '맹진추', 'WGKACRCJ5', 2665575, '01083929241', '23/11/27', '카카오뱅크', '099-866-025225');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (29, '모배혁', 'VY7WKZX', 3458818, '01044522495', '23/10/12', '농협은행', '899-141-122848');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (30, '소손강', 'HJTQTGIN5HH', 1808188, '01033711630', '23/12/30', '국민은행', '659-490-092410');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (31, '모백양', 'D70E2R', 7255258, '01055433962', '23/11/24', '신한은행', '423-181-225791');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (32, '곤엄윤', 'W625YTOKDLS', 1629847, '01038630494', '23/12/18', '우리은행', '729-445-458491');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (33, '현염장', 'IGA31', 4201013, '01086791810', '24/02/20', '카카오뱅크', '039-011-638440');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (34, '진윤백', 'ROYA4TA', 2140201, '01079406637', '23/10/17', '농협은행', '274-272-824494');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (35, '탁모전', '7SYDA7', 3225060, '01088641103', '23/12/12', '국민은행', '575-352-049120');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (36, '모제유', 'LL8HW', 6169950, '01043689814', '23/12/07', '신한은행', '363-355-066042');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (37, '노희강', 'I9JN4GZKOA', 7944522, '01059174541', '23/08/13', '우리은행', '261-128-845964');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (38, '한박제', 'AYZLVWK', 3450626, '01037326245', '23/12/29', '카카오뱅크', '580-973-182171');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (39, '손홍추', 'N67SGI66', 7127666, '01081093204', '23/12/24', '농협은행', '521-053-745447');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (40, '맹노양', '0ANDXRRE', 1646321, '01014480996', '23/11/09', '국민은행', '664-535-313671');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (41, '현신강', 'YONWLXLZV', 2787496, '01000922154', '23/10/06', '신한은행', '271-427-405949');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (42, '오백혜', '4E1ZARBOOD3B', 5028300, '01013397636', '23/12/22', '우리은행', '319-133-233798');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (43, '조안도', 'UOZW0I2KTHR', 6766692, '01089637972', '24/01/15', '카카오뱅크', '537-020-966862');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (44, '신유노', '2YY281VVSNH', 6697433, '01017844363', '24/02/12', '농협은행', '950-806-371816');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (45, '송김황', 'VZP2Z6S1316', 3728970, '01069492040', '23/11/02', '국민은행', '735-968-153719');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (46, '이곤서', 'RW7RX', 7867958, '01030173777', '24/02/22', '신한은행', '166-448-032773');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (47, '임박탁', 'V2FC3V1', 7327596, '01097872307', '23/09/24', '우리은행', '263-015-879227');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (48, '공엽노', 'HZD0CHZ26J0', 5182644, '01044677855', '23/11/04', '카카오뱅크', '364-828-126573');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (49, '문장문', 'BE2DFNO7HE', 4704839, '01098206227', '23/12/01', '농협은행', '596-818-071221');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (50, '진천이', 'K9CYNLFLMFT', 5909530, '01048052692', '23/12/22', '국민은행', '429-835-469811');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (51, '장배허', '6U1DICO1', 5426540, '01048529184', '23/12/11', '신한은행', '811-775-908651');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (52, '전양추', 'N7GW1', 4184313, '01029000112', '24/02/05', '우리은행', '605-088-837657');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (53, '추양서', 'KHDJ91', 1400876, '01041587602', '24/01/09', '카카오뱅크', '417-321-055554');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (54, '연조임', 'DN6FSH', 2085327, '01096642866', '23/10/04', '농협은행', '550-554-287519');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (55, '임허혜', 'SBR0L12O', 1084027, '01078426903', '24/02/28', '국민은행', '605-462-449234');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (56, '나노국', 'KU1JOYJLZE', 5048543, '01024235102', '23/08/29', '신한은행', '969-734-222598');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (57, '희연조', 'I55ZUB', 4879317, '01089926690', '23/09/17', '우리은행', '686-470-984044');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (58, '곤탁손', 'XNN9T6987F', 2686810, '01016808108', '23/09/13', '카카오뱅크', '480-169-589512');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (59, '조염홍', '5JQSXK73BNS', 4878018, '01038182129', '24/02/13', '농협은행', '293-073-860502');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (60, '소혜천', 'GOGX0FH6LO', 5034609, '01092874454', '24/01/12', '국민은행', '186-703-822164');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (61, '조천지', '56VG', 5952149, '01022846761', '23/12/02', '신한은행', '549-820-978594');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (62, '최유제', 'JZ2CC', 5032280, '01088062683', '23/09/12', '우리은행', '725-557-218388');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (63, '기맹장', '7YRPTV', 1894128, '01072416147', '23/12/02', '카카오뱅크', '443-208-810094');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (64, '모조추', '1QMQSBI', 4509933, '01055761856', '23/08/09', '농협은행', '189-816-523173');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (65, '양함전', 'YHD4F', 1377612, '01050759649', '23/11/06', '국민은행', '878-673-816651');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (66, '모송전', 'YSVJ13PQA', 6271236, '01008627957', '24/02/18', '신한은행', '396-451-054465');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (67, '류오윤', '2FXN6SOI', 2472849, '01018246878', '23/09/12', '우리은행', '747-957-590141');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (68, '문배조', 'CEOHKYO8', 5124997, '01079657524', '23/09/22', '카카오뱅크', '513-283-616114');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (69, '추혜조', 'NYEIPAQ', 7798969, '01079507332', '23/10/28', '농협은행', '334-964-125592');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (70, '황기오', 'C686H9', 3022980, '01088793321', '23/11/01', '국민은행', '953-901-119273');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (71, '제염연', 'HILCSQ90Y', 4934491, '01076133633', '23/10/09', '신한은행', '958-764-325719');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (72, '백조모', 'AAIL4', 2798625, '01099841253', '24/01/05', '우리은행', '321-643-930894');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (73, '공맹소', '39V649KG6', 6796328, '01012979553', '23/12/13', '카카오뱅크', '934-235-003337');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (74, '제오혁', 'WL5O3755X7PF', 3971163, '01051521134', '23/09/20', '농협은행', '430-159-567478');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (75, '혁한나', 'IT9J0PB3Q', 6009595, '01052351300', '23/10/25', '국민은행', '407-891-635610');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (76, '소홍장', '56HII', 1270364, '01066932286', '23/11/10', '신한은행', '702-719-326634');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (77, '모나공', 'A4KDE', 3675679, '01096202483', '23/10/29', '우리은행', '877-905-333890');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```



```
VALUES (78, '염진지', 'B8CQ2', 5066380, '01028456921', '23/08/31', '카카오뱅크', '776-566-546004');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (79, '조국허', 'D1I3NZBD', 6897120, '01033789924', '23/09/22', '농협은행', '061-785-724075');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (80, '서기기', 'JIASUKTZ', 6844297, '01046685505', '23/09/14', '국민은행', '963-375-892168');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (81, '방홍신', 'HJ74IIO4OL4', 6617416, '01006179991', '23/09/28', '신한은행', '029-311-060523');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (82, '최신유', 'CNLD', 3774901, '01084642840', '23/09/23', '우리은행', '867-713-003119');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (83, '도송송', 'RWQ1B34', 5858802, '01054928506', '23/10/29', '카카오뱅크', '799-463-412522');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (84, '윤희장', 'O9LN8NLHAEZ', 4797178, '01017653737', '23/08/21', '농협은행', '964-411-847619');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (85, '박고제', 'H74AXDDZR4FM', 1066809, '01064243406', '23/09/03', '국민은행', '071-286-577107');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (86, '소천이', '9J3OQ', 2555429, '01037401516', '24/01/08', '신한은행', '037-273-690777');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (87, '희모오', '5OO6D5', 2307862, '01035839534', '23/10/15', '우리은행', '622-239-216816');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (88, '전염유', '412NY0O6SE', 5200385, '01049016272', '23/08/30', '카카오뱅크', '415-516-945431');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (89, '혁조유', 'IG0K', 7130744, '01065314856', '24/01/23', '농협은행', '878-273-182144');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (90, '기오오', 'WL65N2', 2701949, '01099314228', '23/09/10', '국민은행', '422-752-668593');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (91, '진혜희', 'JVUSQPB49G', 4763364, '01013643702', '23/08/04', '신한은행', '469-575-202091');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (92, '전노엄', 'J7N1BBNC22', 6387833, '01062065487', '23/12/18', '우리은행', '563-198-803038');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (93, '고연엄', 'WKA6CNP88X', 3153827, '01075529114', '23/09/19', '카카오뱅크', '629-041-687845');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (94, '양함류', 'BJ7RA2SVG', 5589389, '01042714880', '24/02/24', '농협은행', '087-033-814742');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (95, '오윤조', 'GXDIFT536OB', 5463504, '01033175023', '23/09/02', '국민은행', '590-276-592610');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (96, '신유취', 'S24OH7SMC', 6697250, '01038488229', '23/08/24', '신한은행', '838-559-128254');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (97, '조소염', 'P7HW2YMJMX', 1735895, '01049778569', '23/11/09', '우리은행', '233-815-637225');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (98, '나백전', '7VJ24DRJ9VK', 4466623, '01087122705', '23/08/17', '카카오뱅크', '538-326-387060');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (99, '유신염', 'J8C0ZO1', 2775624, '01066511791', '23/11/05', '농협은행', '143-714-212362');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (100, '함염연', 'A4DZF2X', 4227744, '01035050249', '23/09/17', '국민은행', '503-849-998650');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (101, '오김조', 'EP4HmwLOBVOG', 2678341, '01043083878', '23/02/24', '신한은행', '452-876-584598');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (102, '국이안', 'JRR93PIJ1Y', 3240404, '01085051361', '23/12/27', '우리은행', '635-418-766944');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (103, '헤허허', '48PYWTEGW', 4253744, '01065164859', '23/09/07', '카카오뱅크', '949-594-632125');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (104, '희한희', 'Q1JL918JM2X', 3052119, '01047812837', '24/02/10', '농협은행', '360-431-200627');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (105, '곤혜양', 'Y0ZHE3N8GBT', 5184980, '01078829467', '23/08/01', '국민은행', '768-268-172441');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (106, '소탁공', 'F0NYZ', 5953782, '01067920999', '23/10/13', '신한은행', '458-526-788828');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (107, '탁제양', 'PJ3FNJC', 5192330, '01014300226', '24/01/25', '우리은행', '588-177-604534');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (108, '곤백안', 'MF4Z', 5782293, '01012529532', '23/09/09', '카카오뱅크', '413-162-798310');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (109, '도오이', 'ZI4TR5AZCV0', 1966966, '01013689409', '23/10/15', '농협은행', '913-020-383551');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (110, '도정양', 'MUDWH', 1234094, '01004489431', '23/11/02', '국민은행', '283-418-770395');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (111, '오공탁', '9QF59', 4258620, '01083132410', '23/09/08', '신한은행', '610-539-273172');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (112, '권정도', 'F02GJH25X0', 2705341, '01018033084', '23/10/06', '우리은행', '082-767-236060');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (113, '유혁서', 'DEGL7HC', 5364758, '01031382791', '23/10/24', '카카오뱅크', '976-579-342589');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (114, '권송소', 'DHQK8NJI0UV', 6266210, '01003288784', '23/10/26', '농협은행', '086-258-589569');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (115, '제류혁', 'ZOYQCKU', 2416619, '01015027083', '23/12/31', '국민은행', '783-517-633885');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (116, '장손황', 'H09WOQOF1', 7497020, '01080481225', '23/10/08', '신한은행', '918-518-015665');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (117, '최장도', 'SFXSVH5WAG', 2652794, '01072945140', '23/12/08', '우리은행', '304-858-989077');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (118, '신안진', '7O2V3', 1394568, '01018028237', '23/12/31', '카카오뱅크', '221-629-021845');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (119, '곤문권', 'FLUM2QPO', 7073049, '01049288083', '23/08/30', '농협은행', '140-101-526143');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (120, '최조양', 'BY39G', 7700346, '01026550971', '24/01/31', '국민은행', '395-127-093622');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (121, '국임혁', '459UKQBR6WO', 1249737, '01052833232', '23/10/16', '신한은행', '361-177-895446');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (122, '허염권', 'G70NPB', 6485915, '01046228449', '24/01/05', '우리은행', '556-852-297603');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (123, '박김변', 'U662', 2214173, '01081368710', '23/11/23', '카카오뱅크', '892-418-891244');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (124, '양손탁', 'R37PA0RNLU', 6471899, '01094900044', '23/12/07', '농협은행', '951-358-485018');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (125, '한허공', 'YXZS', 7129444, '01091261243', '23/10/12', '국민은행', '506-259-904704');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (126, '양김방', 'KOICXMAQ36Y', 6441655, '01034898292', '23/10/08', '신한은행', '343-979-241060');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (127, '유황나', 'ZD5R', 7238797, '01024986392', '23/11/08', '우리은행', '034-850-228134');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (128, '신조류', '7K72D0', 2180149, '01085660854', '23/10/30', '카카오뱅크', '074-639-034650');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (129, '추엄탁', 'NVELBIX', 6942196, '01056062504', '23/10/13', '농협은행', '683-081-922406');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (130, '임이문', 'Y9OUAO', 5953757, '01013052444', '23/11/04', '국민은행', '103-583-907633');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (131, '강공업', 'C683MM987RPJ', 1645237, '01051273686', '24/01/28', '신한은행', '341-617-310763');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (132, '현정최', 'YGL2', 7092143, '01090990038', '23/10/29', '우리은행', '506-131-804851');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (133, '추유손', 'YM4IWFL9Q', 2111573, '01006136413', '24/02/12', '카카오뱅크', '548-775-050598');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (134, '유지전', 'SAHQNH', 4574385, '01098153611', '23/09/25', '농협은행', '336-090-463448');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (135, '고조류', 'GAW6LAGVPMV', 5969664, '01034801902', '23/09/29', '국민은행', '691-734-452451');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (136, '모모혁', 'XPDA2XU766', 6745184, '01042110384', '23/09/19', '신한은행', '066-003-544991');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (137, '유염조', 'KR0MDRYUB43X', 5394879, '01085762736', '23/12/21', '우리은행', '764-891-776404');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (138, '노노제', 'PHWBOVZ1L', 6121620, '01033622862', '24/01/17', '카카오뱅크', '086-485-225542');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (139, '지엄홍', 'M44T0U0', 6769568, '01055791752', '24/01/17', '농협은행', '377-439-470740');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (140, '공혜황', 'SJM1GDSPB', 4591917, '01038510278', '23/11/26', '국민은행', '103-111-335118');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (141, '정혜진', 'BEJZIF', 3692870, '01033664558', '23/08/05', '신한은행', '607-100-635196');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```



```
VALUES (142, '이소오', '62A8V', 2469267, '01049523056', '23/08/18', '우리은행', '189-789-852557');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (143, '모진백', 'DOLCDYH15', 5825309, '01001992143', '23/08/13', '카카오뱅크', '162-220-328645');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (144, '조장천', 'T0E8YG8O', 4627804, '01082562543', '23/11/25', '농협은행', '570-422-499340');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (145, '천희추', 'BG042T2474', 6656037, '01046166659', '23/12/19', '국민은행', '876-155-063624');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (146, '지노현', '3SVHAPT49IA', 3221886, '01096627127', '23/08/19', '신한은행', '605-379-519287');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (147, '강황모', 'RU4I6B70', 3959359, '01013218204', '23/09/28', '우리은행', '418-915-535322');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (148, '유모조', '2495', 4533496, '01033381904', '23/10/04', '카카오뱅크', '973-838-205024');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (149, '양배박', 'KVKX2K9FZB', 4447557, '01049495105', '23/12/12', '농협은행', '783-718-231066');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (150, '추양최', 'DRKUJ9K7VDX', 2814384, '01023327640', '23/10/23', '국민은행', '347-431-536318');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (151, '류황홍', 'Z2QPYGW223R', 5879190, '01095092823', '23/10/07', '신한은행', '907-233-946994');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (152, '양기곤', '7ZJI', 5413626, '01072306021', '23/11/03', '우리은행', '401-287-454607');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (153, '최허현', 'MGOMAD0L', 6006109, '01085730790', '23/08/20', '카카오뱅크', '011-764-288723');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (154, '연조최', '39XYRB', 3033774, '01085667397', '23/10/01', '농협은행', '467-397-190602');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (155, '모백안', '5CHWH3AV', 4456234, '01058868692', '23/11/05', '국민은행', '735-727-379168');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (156, '정정임', '3AY83JHXJL4N', 3599706, '01078564524', '23/10/12', '신한은행', '454-915-174732');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (157, '탁지조', '97OP5DKVO', 6465455, '01019861248', '23/10/07', '우리은행', '226-713-083175');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (158, '최신조', 'YMM0OAK', 6291984, '01055838489', '23/11/12', '카카오뱅크', '164-057-649522');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (159, '제추양', 'K5TM', 7763156, '01009164607', '23/11/23', '농협은행', '490-672-385860');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (160, '박한유', 'MNTA805G', 7295507, '01046463314', '23/11/29', '국민은행', '523-270-458478');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (161, '박천김', '6Z6C8389', 2244390, '01019159160', '24/01/25', '신한은행', '663-687-984876');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (162, '안엄공', 'LTO21HRRLA', 6140386, '01059181161', '23/08/28', '우리은행', '066-895-920118');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (163, '유황국', 'RDT8O2', 4671894, '01079766372', '23/12/06', '카카오뱅크', '582-699-067746');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (164, '문현추', 'SUQHRDAXZ', 5845884, '01000071772', '23/10/23', '농협은행', '282-713-764100');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (165, '연기혜', '43GTX4SR', 4455481, '01015755666', '23/08/17', '국민은행', '956-439-410197');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (166, '공모한', '9RBK6XQYWL', 5221516, '01012312956', '23/11/16', '신한은행', '328-388-480763');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (167, '최양장', 'OK419Q', 3209213, '01082689267', '23/10/22', '우리은행', '460-856-973992');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (168, '홍서천', 'RD72H7ORHWR', 7982596, '01036625629', '23/09/04', '카카오뱅크', '536-700-007841');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (169, '제희소', 'IG9DANAVZG', 6503367, '01084859868', '23/10/07', '농협은행', '455-411-158982');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (170, '박희소', 'A1BEQKOW', 7456337, '01068803019', '24/01/01', '국민은행', '485-425-378835');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (171, '권유신', 'Y12HHW7', 6796077, '01027987010', '23/12/13', '신한은행', '828-168-908818');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (172, '기김한', '6V7HYBKH', 6715358, '01022821382', '23/12/12', '우리은행', '515-679-798129');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (173, '백희조', 'ZZR0DUA2Q', 4088417, '01007062246', '24/01/23', '카카오뱅크', '358-198-280167');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (174, '연엄홍', 'KGLEUPUUC', 5785283, '01038481264', '23/09/07', '농협은행', '560-816-352611');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (175, '백지추', 'JZH218', 3915699, '01007024684', '23/09/06', '국민은행', '893-967-405342');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (176, '서전천', '6Q7QR2O2JJ3', 6998619, '01091753836', '24/01/28', '신한은행', '928-997-414812');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (177, '배허조', 'LMCPNAFFZT', 2753060, '01086929218', '23/08/11', '우리은행', '006-367-480560');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (178, '안양강', 'NH3H', 6477274, '01079464726', '23/08/29', '카카오뱅크', '136-222-435182');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (179, '허양허', 'NKSAQ', 1061027, '01083242729', '24/01/03', '농협은행', '583-560-609759');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (180, '백추유', 'PQ9GZ15', 5678912, '01029242179', '24/01/25', '국민은행', '081-150-220967');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (181, '소송강', '9I5IR7', 7022712, '01073459390', '23/10/07', '신한은행', '366-456-425285');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (182, '추탁김', 'V92YASQLMLV', 1776499, '01096215320', '24/01/15', '우리은행', '512-526-686779');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (183, '모오혁', '9H0QE4Q9', 7152128, '01044038227', '24/01/07', '카카오뱅크', '555-404-496228');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (184, '손소박', '9SVDXHD3', 6072432, '01070515512', '23/12/12', '농협은행', '370-509-968212');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (185, '추장방', 'M9PIRNP', 6743092, '01006599943', '24/01/12', '국민은행', '629-514-016880');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (186, '고공맹', '47EKZ51', 3411214, '01060912627', '24/01/23', '신한은행', '353-337-147735');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (187, '모연고', '3G1Q9', 7615906, '01055776579', '24/01/05', '우리은행', '340-146-268613');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (188, '서맹제', 'FYYKF', 1929143, '01004798129', '23/12/23', '카카오뱅크', '997-329-106697');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (189, '엄황국', 'U1BNGJK3XM', 5733888, '01087197465', '23/09/25', '농협은행', '686-382-724585');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (190, '소염희', '5L93XII', 6850434, '01029518336', '24/01/30', '국민은행', '132-867-429718');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (191, '양장조', 'JGPR', 2702976, '01091544580', '24/01/06', '신한은행', '607-767-885534');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (192, '국천유', '3Q231VPTB', 7645250, '01018712567', '23/09/27', '우리은행', '369-524-235557');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (193, '함곤이', 'E68ZGXOD1O6F', 2331706, '01012064203', '23/08/04', '카카오뱅크', '110-294-105464');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (194, '문윤모', 'UME9L6W0', 5636159, '01060769034', '24/01/09', '농협은행', '705-116-607078');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (195, '오서이', 'RHW3Y6OK7A', 3454266, '01093775036', '23/08/25', '국민은행', '437-038-250051');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (196, '유국유', 'KO3YODY4KYS', 1046347, '01020348350', '23/12/16', '신한은행', '650-794-857662');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (197, '최고혁', 'H9VXJ', 6727412, '01007752371', '24/02/28', '우리은행', '838-718-482356');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (198, '홍함제', 'UVC170', 1161003, '01030289237', '23/10/19', '카카오뱅크', '301-737-913569');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (199, '송유노', '5GFVV', 4140138, '01000133967', '24/01/17', '농협은행', '114-720-361526');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (200, '안염임', 'VVG5GKFS5HP', 4260796, '01086415666', '24/01/02', '국민은행', '329-990-744115');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (201, '유지한', 'FNEH25', 1370755, '01051565371', '23/09/21', '신한은행', '294-761-682116');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (202, '최노방', '249OIHKX13', 5525932, '01084066934', '24/01/25', '우리은행', '673-432-692917');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (203, '한권정', 'CZNI6', 4956647, '01005994889', '23/09/08', '카카오뱅크', '709-442-063980');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (204, '송서장', 'FEDHQ7FSMW', 5706391, '01008496889', '23/10/18', '농협은행', '796-989-339513');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (205, '국고제', '8KXFLHZNJ', 2896371, '01043137926', '23/10/04', '국민은행', '193-306-008043');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```



```
VALUES (206, '모이전', 'FWKC4G', 4926731, '01025797956', '24/01/03', '신한은행', '518-302-747708');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (207, '장조진', '7GN3N', 2968873, '01085793225', '23/12/10', '우리은행', '991-635-947372');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (208, '희천연', 'JCFWMOVSJ', 3003470, '01052871019', '23/09/29', '카카오뱅크', '303-685-003299');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (209, '백손조', '6ROONG', 3569786, '01068643254', '24/02/03', '농협은행', '662-939-148364');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (210, '서진연', 'VZ16HK7', 7785159, '01020947098', '24/02/12', '국민은행', '192-495-296654');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (211, '소장나', 'EIT6WTGJSU', 3415458, '01024108154', '23/10/13', '신한은행', '096-504-429972');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (212, '조국공', 'X40RIKX1O', 6983888, '01015350203', '23/10/22', '우리은행', '879-579-420571');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (213, '고문추', 'NDFCB42I4T', 4290398, '01060284985', '23/11/25', '카카오뱅크', '522-592-793523');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (214, '양모유', 'QMYQAU9', 6428651, '01099557978', '24/01/13', '농협은행', '871-319-417981');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (215, '황업함', 'ZG1AIE', 5990936, '01083257392', '23/09/30', '국민은행', '353-099-292995');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (216, '모허창', 'PRV2QTUT', 3261059, '01018340273', '24/02/06', '신한은행', '896-987-310380');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (217, '노조조', 'R072I9509H', 5225466, '01059552936', '23/11/20', '우리은행', '286-095-361705');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (218, '모임손', '629SQP', 7863301, '01045491305', '23/12/06', '카카오뱅크', '170-303-708168');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (219, '이진강', 'DT6Y41ZV', 1094547, '01050143148', '24/01/06', '농협은행', '021-362-982014');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (220, '윤연백', 'QWRMTJ', 5830111, '01082303372', '24/02/12', '국민은행', '731-087-028701');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (221, '탁탁박', 'LD9DHU37', 2244234, '01025896387', '23/11/26', '신한은행', '642-111-387377');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (222, '류문장', 'KKF5', 1544608, '01038702745', '23/12/05', '우리은행', '041-052-297621');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (223, '배고현', 'G7Z9F1FY', 7415823, '01068201760', '24/01/28', '카카오뱅크', '175-036-730042');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (224, '기탁혁', 'W8JE', 4656832, '01019826952', '24/01/18', '농협은행', '612-946-732967');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (225, '허희곤', '8MG11V', 2350995, '01070218038', '23/10/08', '국민은행', '775-233-984247');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (226, '지국조', '5796Y1ET', 4376139, '01029788397', '23/12/18', '신한은행', '608-690-314499');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (227, '배신장', '3AVINT', 2303509, '01011720780', '23/12/29', '우리은행', '098-765-505007');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (228, '유이함', '1NCDNV6HYMG', 6859128, '01005018741', '23/08/14', '카카오뱅크', '907-023-544722');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (229, '국곤안', 'G2G8TX28', 3266474, '01037527318', '23/09/18', '농협은행', '571-171-591615');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (230, '고한전', 'AENN5ZQ', 2359371, '01070863616', '23/09/17', '국민은행', '587-189-760993');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (231, '유오나', 'XA1HKC9', 1024147, '01059118407', '23/10/24', '신한은행', '234-289-819168');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (232, '한조양', 'K39C9P', 2511785, '01080627235', '23/08/30', '우리은행', '401-833-967524');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (233, '한추소', 'ZDH52EUUS8VX', 2653279, '01066130036', '24/02/10', '카카오뱅크', '538-007-836392');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (234, '안이방', '0H03882U', 7190710, '01067788972', '24/01/26', '농협은행', '055-578-066313');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (235, '유변도', 'HU3SVYYF', 1802713, '01000560015', '23/12/05', '국민은행', '514-388-025968');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (236, '엄황황', 'ENTIY', 3779736, '01082009517', '24/01/13', '신한은행', '066-761-445042');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (237, '허기이', '9BIWR1O4', 1254754, '01028613993', '24/02/14', '우리은행', '811-286-353582');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (238, '오손양', 'V48FP', 7647654, '01053405716', '24/01/03', '카카오뱅크', '064-837-993478');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (239, '배노진', '2DLUQOC2RMW', 2089456, '01065937312', '23/12/01', '농협은행', '020-448-634898');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (240, '현송손', 'EKVF', 7043313, '01021519077', '23/11/21', '국민은행', '522-788-728079');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (241, '혁안윤', '7OWGFF', 5638245, '01073356724', '23/12/11', '신한은행', '671-229-444320');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (242, '고백오', '5Z4J6DL', 1647519, '01088038138', '24/02/16', '우리은행', '106-969-715362');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (243, '맹연김', 'A7UPEVAAIP', 2272151, '01060111759', '23/08/27', '카카오뱅크', '947-950-216521');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (244, '신유노', '6D7VPO0QD1O', 6223711, '01088378789', '23/10/23', '농협은행', '319-425-394208');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (245, '전혜양', 'UELXRO3ZMD', 5503528, '01064993625', '23/10/05', '국민은행', '206-467-738550');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (246, '양모기', '18VW8BVH', 6280947, '01080417747', '23/10/27', '신한은행', '154-923-151729');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (247, '혁배현', 'AJLL5H5TZPS4', 3291728, '01046009910', '23/11/22', '우리은행', '857-307-289820');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (248, '황서조', 'M3OZ25D7G', 6926519, '01099194003', '23/09/01', '카카오뱅크', '120-500-216903');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (249, '손도송', 'SMPDEUW', 6307219, '01072905145', '23/12/06', '농협은행', '593-008-237778');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (250, '유천서', 'KCSS', 1004696, '01048288797', '23/10/18', '국민은행', '212-518-579178');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (251, '황공양', 'HK03X0', 4811147, '01042794571', '23/10/21', '신한은행', '501-828-807389');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (252, '제나탁', '8FAC1W', 2759536, '01042936429', '24/01/08', '우리은행', '022-900-066422');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (253, '도나나', '651P7W9', 1010229, '01030444341', '23/12/05', '카카오뱅크', '827-230-273133');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (254, '유오산', '1DA8AYHP1Y', 5617214, '01092021041', '23/11/18', '농협은행', '383-110-876636');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (255, '송양오', 'VGSHYT0', 5383221, '01086061678', '24/01/02', '국민은행', '335-450-631496');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (256, '국황장', 'SNPEE', 2647343, '01007971920', '23/08/06', '신한은행', '437-889-243047');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (257, '양유강', 'K62N0RLTJ2AH', 2606596, '01046685795', '24/01/06', '우리은행', '940-318-809689');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (258, '배정고', 'M86T', 7120195, '01021549161', '23/12/20', '카카오뱅크', '814-128-699043');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (259, '천최유', '1PT2EJL8D9', 7129632, '01082908791', '23/12/26', '농협은행', '390-891-220517');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (260, '양황손', 'CIUC87UP', 2990614, '01020435364', '23/08/09', '국민은행', '737-556-354929');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (261, '임국손', 'WYXNCOF3Z', 4329850, '01095878126', '24/02/02', '신한은행', '108-187-933273');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (262, '제장변', '2TIITLBI4RZ', 1627004, '01044203859', '23/10/05', '우리은행', '867-867-339893');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (263, '황방현', 'HZPGCO', 2811086, '01088343118', '23/08/17', '카카오뱅크', '315-113-827927');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (264, '천서황', '6YTTM9', 4174205, '01009140188', '23/09/07', '농협은행', '998-399-080923');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (265, '한함양', '72LR8NE', 6410356, '01031103776', '23/09/02', '국민은행', '519-748-941297');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (266, '양유신', 'D6UPJLE370L', 1945830, '01031158861', '24/01/18', '신한은행', '708-353-802302');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (267, '노윤희', 'CBGBFADZI12', 6036464, '01076586334', '24/01/16', '우리은행', '646-254-012957');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (268, '송윤탁', 'LPIIW', 6783022, '01067298965', '24/02/21', '카카오뱅크', '020-094-774822');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (269, '양윤안', '8OXGV', 4122019, '01012211166', '24/02/15', '농협은행', '262-515-434709');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```



```
VALUES (270, '천홍공', 'O6AB9', 7060960, '01089339488', '23/11/21', '국민은행', '829-921-947294');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (271, '백유백', 'QMALVL0I', 6742873, '01010064427', '23/12/24', '신한은행', '364-304-369652');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (272, '손방박', 'XE62XBOSB', 5897120, '01027990416', '23/10/31', '우리은행', '942-547-948435');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (273, '손백엄', 'ABTOMQ', 2452422, '01023363574', '24/01/07', '카카오뱅크', '753-336-675027');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (274, '노이모', 'VGPQUN1CTJT', 7382476, '01061225747', '23/08/04', '농협은행', '221-128-303440');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (275, '유박장', 'NGWADN', 7903473, '01027917256', '24/02/15', '국민은행', '827-321-878771');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (276, '현임조', 'X9KKVK241', 4166290, '01044713237', '23/12/31', '신한은행', '752-849-626301');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (277, '변최모', 'Y0YCTRB8JD', 2343600, '01087997215', '24/01/12', '우리은행', '790-923-817010');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (278, '맹홍양', '8XBBAS5T', 1681947, '01073865635', '24/02/18', '카카오뱅크', '364-639-299315');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (279, '맹지희', 'NV35WLV2UTL', 5644657, '01096748099', '24/01/09', '농협은행', '813-697-775930');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (280, '권유박', '1EOLI', 1027049, '01068890940', '23/12/02', '국민은행', '630-674-807061');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (281, '강배혁', '0ZJ9', 6565665, '01098080326', '23/09/12', '신한은행', '045-819-818478');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (282, '방기홍', '1N68ZKNKNGP', 2133319, '01019194460', '23/10/09', '우리은행', '442-978-793392');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (283, '천곤오', '0HA8DQLM1Q', 7740967, '01015251644', '23/09/30', '카카오뱅크', '527-089-616836');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (284, '탁유서', 'P4XOM', 1545478, '01024784084', '23/11/26', '농협은행', '696-676-919324');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (285, '유천홍', 'ZS4MGZ2E', 4019105, '01011739667', '24/02/17', '국민은행', '879-852-745905');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (286, '함유맹', 'ZRIYP', 4301530, '01040485050', '23/09/08', '신한은행', '789-024-954315');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (287, '공천홍', '2Z2C9', 7021310, '01065927109', '24/02/23', '우리은행', '928-617-314514');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (288, '맹염홍', '3GX634U1', 7824257, '01076961774', '23/10/26', '카카오뱅크', '646-293-164291');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (289, '오공김', '340E86Y0HUM', 6579785, '01040497302', '23/12/06', '농협은행', '337-670-750834');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (290, '조안권', 'K41D', 3742677, '01021367695', '24/01/03', '국민은행', '552-741-381746');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (291, '유모정', 'SNU25HWUEC', 3689168, '01047023155', '24/02/14', '신한은행', '927-799-948745');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (292, '희국양', 'DC3HHZ98P', 7322357, '01039298382', '23/10/24', '우리은행', '347-670-143865');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (293, '현임류', '518AK', 2277433, '01068765216', '23/10/09', '카카오뱅크', '312-297-173513');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)
```

```
VALUES (294, '장조탁', 'I32W', 1049919, '01017115744', '24/02/18', '농협은행', '943-688-054373');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (295, '양도유', '538A97D', 5932195, '01021526391', '23/11/08', '국민은행', '631-278-449238');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (296, '박유도', 'XSLSRBCO2', 5467990, '01042501686', '23/09/20', '신한은행', '702-529-038402');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (297, '유임엄', 'KZLRFIFJXW5', 2621469, '01035274487', '23/08/03', '우리은행', '316-485-680307');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (298, '나김문', 'W66UKGDSQW3', 3476151, '01083450393', '24/02/14', '카카오뱅크', '163-144-920318');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (299, '장이함', '99A2NVJ43L', 4184192, '01085218348', '24/02/04', '농협은행', '435-966-781051');

INSERT INTO tblTrainees (seq_trainee, name, id, ssn, tel, registrationDate, bank, account)

VALUES (300, '최서안', 'BDW1796N3A', 6120173, '01025578451', '23/10/31', '국민은행', '611-568-608569');
```

|   |            |     |            |
|---|------------|-----|------------|
| 테이블명  | tblManager | 작성일 | 2024-03-08 |
| System  | 관리자        | 작성자 | 장원준        |
| DML   |            |     |            |
| <pre>insert into tblManager values(1,'홍길동','hong','1111');<br/>insert into tblManager values(2,'강민수','asdf1234','0291');<br/>insert into tblManager values(3,'이채린','linear99','xcjsdf1');<br/>insert into tblManager values(4,'손영익','son77','askzn1');<br/>insert into tblManager values(5,'정우주','space0198','1dsgf1');<br/>insert into tblManager values(6,'이혜정','hyehye328','05i6tu');<br/>insert into tblManager values(7,'김민정','junga','1vklss0');<br/>insert into tblManager values(8,'이웅규','dnsdei37','1zxvkn1');<br/>insert into tblManager values(9,'이하나','hanahana','fghn43');<br/>insert into tblManager values(10,'조혜정','jo238pp','dffjnr');</pre> |            |     |            |

|  |
|--|
|  |
|--|

|  |            |     |            |
|--|------------|-----|------------|
| 테이블명   | tblTeacher | 작성일 | 2024-03-08 |
| System   | 교사         | 작성자 | 장원준        |
| DML  |            |     |            |
| <pre>--교사  insert into tblTeacher(seq_teacher, name, id, ssn, tel) values(1,'김민곤','momo1236','1685587','01073998257');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (2, '김희연', 'khy1212', '2554877', '01048789865');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (3, '정혜정', 'jhj2311', '2487662', '01058446522');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (4, '정원혁', 'jwh1234', '1584470', '01065658725');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (5, '장원준', 'jwj77', '1423879', '01024651213');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (6, '홍길동', 'kildong9', '1687725', '01077458865');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (7, '아무개', 'amg1234', '1544689', '01023231212');  INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (8, '박대기', 'parkwait7', '1633587', '01084776523');</pre> |            |     |            |

```
INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (9, '김민수', 'minsuk123', '1557120', '01012314456');  
  
INSERT INTO tblTeacher(seq_teacher, name, id, ssn, tel) VALUES (10, '김민지', 'prettymg7', '2658798', '01044028836');
```

|   |                     |     |            |
|---|---------------------|-----|------------|
| 테이블명  | tblAttendanceStatus | 작성일 | 2024-03-08 |
| System  | 출결 상태               | 작성자 | 장원준        |
| DML   |                     |     |            |
| insert into tblAttendanceStatus values (1, '정상'); |                     |     |            |
| insert into tblAttendanceStatus values (2, '지각'); |                     |     |            |
| insert into tblAttendanceStatus values (3, '조퇴'); |                     |     |            |
| insert into tblAttendanceStatus values (4, '외출'); |                     |     |            |
| insert into tblAttendanceStatus values (5, '병가'); |                     |     |            |
| insert into tblAttendanceStatus values (6, '기타'); |                     |     |            |

|   |              |     |            |
|---|--------------|-----|------------|
| 테이블명  | tblEquipment | 작성일 | 2024-03-08 |
| System  | 기자재          | 작성자 | 장원준        |
| DML   |              |     |            |
| insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (1, '사물함', to_date('2016-01-17', 'yyyy-mm-dd'), null,176,0);<br><br>insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (2, '모니터', to_date('2024-01-25', 'yyyy-mm-dd'), to_date('2027-01-25', 'yyyy-mm-dd'),140,2);<br><br>insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (3, '본체', to_date('2024-02-14', 'yyyy-mm-dd'), to_date('2027-02-14', 'yyyy-mm-dd'),140,3);<br><br>insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (4, '키보드', to_date('2024-02-14', 'yyyy-mm-dd'), to_date('2027-02-14', 'yyyy-mm-dd'),140,4);<br><br>insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (5, '마우스', to_date('2024-02-14', 'yyyy-mm-dd'), to_date('2027-02-14', 'yyyy-mm-dd'),140,3); |              |     |            |



```
insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (6, '책상', to_date('2015-08-21', 'yyyy-mm-dd'), null,145,5);

insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (7, '의자', to_date('2012-03-13', 'yyyy-mm-dd'), null,145,5);

insert into tblEquipment (seq_equipment, name, importDate, expectedExportDate, amount, brokenAmount) values (8, '빔 프로젝터', to_date('2019-09-10', 'yyyy-mm-dd'), to_date('2024-03-10', 'yyyy-mm-dd'),6,1);
```

|  |                 |     |            |
|--|-----------------|-----|------------|
| 테이블명   | tblCoursePeriod | 작성일 | 2024-03-08 |
| System                                       | 과정 기간           | 작성자 | 장원준        |
| DML  |                 |     |            |
| insert into tblcoursePeriod values (1, 165); |                 |     |            |
| insert into tblcoursePeriod values (2, 180); |                 |     |            |
| insert into tblcoursePeriod values (3, 210); |                 |     |            |

|   |             |     |            |
|---|-------------|-----|------------|
| 테이블명  | tblTextbook | 작성일 | 2024-03-08 |
| System  | 교재          | 작성자 | 장원준        |
| DML   |             |     |            |
| <pre> insert into tblTextbook values(1,'자바의 정석','도우출판');  insert into tblTextbook values(2,'이것이 자바다','한빛미디어');  insert into tblTextbook values(3,'혼자서 공부하는 파이썬','한빛미디어');  insert into tblTextbook values(4,'프론트엔드 기초부터 완성까지','비제이퍼블릭');  insert into tblTextbook values(5,'핵심만 골라 배우는 SwiftUI 기반의 iOS 프로그래밍','제이펍');  insert into tblTextbook values(6,'Kotlin in Action','에이콘');  insert into tblTextbook values(7,'생활코딩 React','위키북스');  insert into tblTextbook values(8,'바로 쓰는 오라클 클라우드','에이콘');  insert into tblTextbook values(9,'스프링 5 레시피','한빛미디어');  insert into tblTextbook values(10,'예제로 배우는 스프링 부트 입문','비제이퍼블릭');  insert into tblTextbook values(11,'예제로 배우는 Django 4','영진'); </pre> |             |     |            |

```

insert into tblTextbook values(12,'너를 자극하는 JSP','한빛미디어');

insert into tblTextbook values(13,'Flask 기반의 파이썬 웹 프로그래밍','제이펍');

insert into tblTextbook values(14,'기초부터 다지는 Elasticsearch 운영 노하우','프로그래밍 인사이트');

insert into tblTextbook values(15,'코드 없는 알고리즘과 데이터 구조','동양북스');

insert into tblTextbook values(16,'컴퓨터 편집 이론과 실제','창과현');

insert into tblTextbook values(17,'그림으로 이해하는 AWS 구조와 기술','길벗');

insert into tblTextbook values(18,'완벽한 IT 인프라 구축을 위한 Docker','정보문화사');

insert into tblTextbook values(19,'완벽한 IT 인프라 구축의 자동화를 위한 Kubernetes 쿠버네티스','정보문화사');

```

|  |            |     |            |
|--|------------|-----|------------|
| 테이블명   | tblSubject | 작성일 | 2024-03-08 |
| System   | 과목         | 작성자 | 장원준        |
| DML  |            |     |            |
| <pre> insert into tblSubject values (1,'자바',30);  insert into tblSubject values (2,'오라클',30); </pre> |            |     |            |

```
insert into tblSubject values (3,'프론트',30);
insert into tblSubject values (4,'JSP',30);
insert into tblSubject values (5,'Spring',30);
insert into tblSubject values (6,'Python',30);
insert into tblSubject values (7,'Django',30);
insert into tblSubject values (8,'Flask',30);
insert into tblSubject values (9,'Swift',30);
insert into tblSubject values (10,'Kotlin',30);
insert into tblSubject values (11,'React',30);
insert into tblSubject values (12,'ElasticSearch',15);
insert into tblSubject values (13,'데이터 구조 알고리즘',15);
insert into tblSubject values (14,'컴퓨터 이론',15);
insert into tblSubject values (15, 'AWS', 15);
insert into tblSubject values (16, 'Docker', 15);
insert into tblSubject values (17, 'Kubernetes', 15);
```

|  |            |     |            |
|--|------------|-----|------------|
| 테이블명   | tblSubject | 작성일 | 2024-03-08 |
| System   | 과목         | 작성자 | 장원준        |
| DML  |            |     |            |
| <pre>insert into tblSubject values (1,'자바',30); insert into tblSubject values (2,'오라클',30); insert into tblSubject values (3,'프론트',30); insert into tblSubject values (4,'JSP',30); insert into tblSubject values (5,'Spring',30); insert into tblSubject values (6,'Python',30); insert into tblSubject values (7,'Django',30); insert into tblSubject values (8,'Flask',30); insert into tblSubject values (9,'Swift',30); insert into tblSubject values (10,'Kotlin',30); insert into tblSubject values (11,'React',30); insert into tblSubject values (12,'ElasticSearch',15);</pre> |            |     |            |

```
insert into tblSubject values (13,'데이터 구조 알고리즘',15);
```

```
insert into tblSubject values (14,'컴퓨터 이론',15);
```

```
insert into tblSubject values (15, 'AWS', 15);
```

```
insert into tblSubject values (16, 'Docker', 15);
```

```
insert into tblSubject values (17, 'Kubernetes', 15);
```

|  |             |     |            |
|--|-------------|-----|------------|
| 테이블명   | tblQuestion | 작성일 | 2024-03-08 |
| System   | 문제          | 작성자 | 장원준        |
| DML  |             |     |            |
| <pre>insert into tblQuestion<br/>values(<br/>1,'자바 소스 확장자는?','3');</pre> |             |     |            |

```
insert into tblQuestion
```

```
values(
```

```
2,'컴파일된 파일의 확장자는?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
3,'자바 언어를 개발한 사람은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
4,'자바를 개발한 목적으로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
5,'자바 개발을 하고자 할 때 필요한 프로그램은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
6,'WORA 는 어떤 뜻을 가지는가?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
7,'자바의 특징을 잘못 설명한 것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
8,'다음 중 자바에서 날짜를 불러오는 방법으로 올바른 것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
9,'자바에서 sort 를 통해 정렬 시 사용되는 정렬 알고리즘은?','2');
```



```
insert into tblQuestion
```

```
values(
```

```
10,'자바가 파이썬에 비해 코드 길이가 긴 이유는 ?','1');
```

```
-- 오라클 문제
```

```
insert into tblQuestion
```

```
values(
```

```
11,'오라클 db 에서 varchar2 의 의미로 올바른것은?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
12,'오라클에서 join 을 사용할 때 필요한 키는?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
13,'오라클과 MongoDB 의 차이를 올바르게 설명하는 것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
14,'오라클은 NoSQL 이 아니다 그렇다면 오라클만의 특성으로 올바른 것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
15,'오라클 뷰를 생성할 때 쓰는 코드로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
16,'오라클에서 조회를 할 때 사용하는 코드로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
17,'튜플의 의미로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
18,'오라클에서 그룹에 대한 조건을 걸 때 쓰는 코드는?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
19,'오라클 db 를 만든 사람의 이름으로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
20,'오라클은 SQL 즉 관계형이다 관계형이 가지는 특징은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
21,'HTML 을 만든 사람으로 맞는것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
22,'CSS 를 만든 사람으로 올바른것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
23,'JS 를 만든 사람으로 올바른것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
24,'JS 와 동일하게 스크립트를 사용하는 언어를 고르시오','5');
```

```
insert into tblQuestion
```

```
values(
```

```
25,'검색엔진이 좋아하는 태그가 아닌것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
26,'HTML5 에서 문서 구조화와 관련이 먼 태그?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
27,'버튼을 만드는 방법으로 틀린것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
28,'HTTP 세션 설명으로 올바른것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
29,'브라우저에 의해 저장되는 로컬 저장소가 아닌것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
30,'쿠키가 저장되는 곳으로 올바른 것은?','5');
```

```
--JSP 문제
```

```
insert into tblQuestion
```

```
values(
```

```
31,'JSP 실행순서로 올바른 순서는?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
32,'JSP 가 이용하는 프로그래밍 문법은?','3');
```

```
insert into tblQuestion
```

```
values(
```

33,'JSP 지시자 역할로 올바른것은?','2');

insert into tblQuestion

values(

34,'JSP 가 받을 수 있는 코드가 아닌것은?','1');

insert into tblQuestion

values(

35,'JSP 의 표현식으로 올바른 것은?','2');

insert into tblQuestion

values(

36,'JSP 페이지 구성요소에 존재하지 않는 것은?','5');

insert into tblQuestion

values(

```
37,'쿠키에 대한 설명으로 옳은것은?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
38,'HTTP 특징으로 올바른 것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
39,'세션 동작 방식으로 올바른 것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
40,'세션의 특징으로 올바른 것은?','2');
```

```
--Spring 문제
```

```
insert into tblQuestion
```



```
values(
```

```
41,'스프링 프레임워크가 가지는 구조로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
42,'MVC 구조로 틀린 것은?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
43,'DAO 설명으로 올바른 것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
44,'DTO 설명으로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
45,'IOC 설명으로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
46,'DI 의미로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
47,'Spring 의 장점으로 올바른 것은?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
48,'JVM 의미로 올바른 것은?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
49,'ORM 가 하는 기능이 아닌것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
50,'JPA 로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
51,'Python 이 가지는 특징으로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
52,'Python 을 만든 사람은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
53,'Python 의 장점으로 올바른 것은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
54,'Python 의 단점으로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
55,'Python 의 라이브러리로 올바른 것은?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
56,'Python 을 통해 할 수 없는 작업은?','5');
```

```
insert into tblQuestion
```

```
values(  
57,'Python 언어가 자바에 비해 짧은 이유는?','2');
```

```
insert into tblQuestion
```

```
values(  
58,'Python 패키지 관리 프로그램은?','4');
```

```
insert into tblQuestion
```

```
values(  
59,'Python 문법으로 올바른 것은?','3');
```

```
insert into tblQuestion
```

```
values(  
60,'Python 이 최초 공개 된 시점은?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
61,'Flask 는 어떤 언어로 작성되었나요??','2');
```

```
insert into tblQuestion
```

```
values(
```

```
62,'Flask 가 가벼운 웹 프레임워크라고 불리는 이유는 무엇인가요?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
63,'Flask 에서 라우팅을 설정하는 방법은 무엇인가요?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
64,'Flask 의 템플릿 엔진인 Jinja2 의 역할은 무엇인가요?','2');
```

```
insert into tblQuestion
```

values(

65,'Flask 에서 HTTP 요청을 처리하는 함수를 무엇이라고 하나요?','1');

insert into tblQuestion

values(

66,'Flask 에서 세션 관리를 위해 사용하는 라이브러리는 무엇인가요?','1');

insert into tblQuestion

values(

67,'Flask 에서 블루프린트(Blueprint)의 개념과 그 역할에 대해 설명해주세요.','5');

insert into tblQuestion

values(

68,'Flask 에서 RESTful API 를 구현하기 위해서 사용하는 확장 패키지는 무엇인가요?','5');

insert into tblQuestion

```
values(
```

```
69,'Flask 에서 동적 URL 라우팅을 구현하는 방법은 무엇인가요?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
70,'Flask 에서 웹 소켓을 사용하기 위해 필요한 확장 패키지는 무엇인가요?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
71,'Django 는 어떤 언어로 작성된 웹 프레임워크인가요?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
72,'Django 에서 DRY(Dont Repeat Yourself) 원칙이란 무엇인가요?','4');
```

```
insert into tblQuestion
```



values(

73,'Django 의 ORM(Object-Relational Mapping) 시스템의 장점은 무엇인가요?','5');

insert into tblQuestion

values(

74,'Django 에서 미들웨어(Middleware)의 역할은 무엇인가요?','3');

insert into tblQuestion

values(

75,'Django 의 MTV(Model-Template-View) 아키텍처에 대해 설명이 올바른 것은?','1');

insert into tblQuestion

values(

76,'Django 에서 CSRF(Cross Site Request Forgery) 공격을 방지하기 위해 사용하는 방법은 무엇인가요?','4');

insert into tblQuestion

values(

77,'Django 에서 URL 라우팅을 설정하는 방법과 그 역할에 대해 설명해주세요.','2');

insert into tblQuestion

values(

78,'Django 에서는 데이터베이스 스키마 마이그레이션을 어떻게 처리하나요?','2');

insert into tblQuestion

values(

79,'Django 에서의 세션 관리 방법에 대해 설명해주세요.','1');

insert into tblQuestion

values(

80,'Django 에서 제네릭 뷰(Generic Views)의 역할과 장점에 대해 설명해주세요.','5');

insert into tblQuestion

values(

81,'Swift 언어의 주요 특징 중 하나인 옵셔널(Optional)에 대해 설명해주세요.','2');

insert into tblQuestion

values(

82,'Swift 에서 상수를 선언하는 키워드는 무엇인가요?','3');

insert into tblQuestion

values(

83,'Swift 의 클로저(Closure)는 무엇이며, 어떻게 사용하는지 설명해주세요.','4');

insert into tblQuestion

values(

84,'Swift 에서는 클래스와 구조체의 차이점은 무엇인가요?','5');

insert into tblQuestion

values(

85,'Swift 에서 "프로토콜(Protocol)"이란 무엇이며, 어떻게 사용하는지 설명해주세요.','1');

insert into tblQuestion

values(

86,'Swift 에서 "익스텐션(Extension)"이란 무엇이며, 어떤 상황에서 사용하는지 설명해주세요.','1');

insert into tblQuestion

values(

87,'Swift 의 "가드(Guard) 문"과 "if let"의 차이점은 무엇인가요?','2');

insert into tblQuestion

values(

88,'Swift 에서 메모리 관리를 위해 ARC(Automatic Reference Counting)를 사용하는 이유는 무엇인가요?','3');

insert into tblQuestion

```
values(
```

```
89,'Swift 에서 "제네릭(Generic)"이란 무엇이며, 어떠한 장점이 있는지 설명해주세요.','4');
```

```
insert into tblQuestion
```

```
values(
```

```
90,'Swift 에서 "옵저버(Observer)" 패턴을 구현하기 위해 사용하는 키워드는 무엇인가요?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
91,'Kotlin 이 Java 와 비교했을 때 가지는 장점은 무엇인가요?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
92,'Kotlin 에서 널(null) 안전성을 보장하는 방법은 무엇인가요?','3');
```

```
insert into tblQuestion
```

values(

93,'Kotlin 에서 자료형을 자동으로 유추하는 키워드는 무엇인가요?','2');

insert into tblQuestion

values(

94,'Kotlin 의 확장 함수(Extension Function)에 대해 설명해주세요.','1');

insert into tblQuestion

values(

95,'Kotlin 에서 "코루틴(Coroutines)"이란 무엇이며, 어떤 장점이 있는지 설명해주세요.','4');

insert into tblQuestion

values(

96,'Kotlin 에서 "데이터 클래스(Data Class)"의 역할은 무엇인가요?','4');

insert into tblQuestion

values(

97,'Kotlin 에서 "컬렉션(Collection)"과 "시퀀스(Sequence)"의 차이는 무엇인가요?','4');

insert into tblQuestion

values(

98,'Kotlin 에서 "인라인 함수(Inline Function)"의 역할과 장점은 무엇인가요?','3');

insert into tblQuestion

values(

99,'Kotlin 에서 "람다 표현식(Lambda Expression)"이란 무엇이며, 어떻게 사용하는지 설명해주세요.','2');

insert into tblQuestion

values(

100,'Kotlin 에서 "동반 객체(Companion Object)"의 역할은 무엇이며, 어떻게 사용하는지 설명해주세요.','1');

```
insert into tblQuestion
```

```
values(
```

```
101,'React 는 무엇이며, 어떤 특징을 가지고 있는지 설명해주세요.','1');
```

```
insert into tblQuestion
```

```
values(
```

```
102,'React 에서 "컴포넌트(Component)"란 무엇인가요?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
103,'React 에서 "상태(State)"와 "속성(Props)"의 차이는 무엇인가요?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
104,'React 의 라이프사이클 메서드 중 "componentDidMount"의 역할은 무엇인가요?','3');
```



```
insert into tblQuestion
```

```
values(
```

```
105,'React 에서 "훅(Hooks)"이란 무엇이며, 어떤 것들이 있는지 나열해주세요.','2');
```

```
insert into tblQuestion
```

```
values(
```

```
106,'React 에서 "가상 DOM(Virtual DOM)"의 개념과 장점에 대해 설명해주세요.','2');
```

```
insert into tblQuestion
```

```
values(
```

```
107,'React 에서 "리덕스(Redux)" 사용의 장점은 무엇인가요?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
108,'React 에서 "컨텍스트(Context)" API 의 역할과 사용 상황에 대해 설명해주세요.','1');
```

```
insert into tblQuestion
```

```
values(
```

```
109,'React 에서 "불변성(Immutability)"의 중요성은 무엇인가요?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
110,'React 에서 "키(Key)" 속성의 역할과 중요성에 대해 설명해주세요.','4');
```

```
insert into tblQuestion
```

```
values(
```

```
111,'ElasticSearch 는 무엇이며, 어떤 특징을 가지고 있는지 설명해주세요.','5');
```

```
insert into tblQuestion
```

```
values(
```

```
112,'ElasticSearch 에서 "인덱스(Index)"란 무엇이며, 어떻게 사용하는지 설명해주세요.','5');
```

```
insert into tblQuestion
```

```
values(
```

```
113,'ElasticSearch 에서 "샤딩(Sharding)"과 "복제(Replication)"의 개념과 역할에 대해 설명해주세요.','3');
```

```
insert into tblQuestion
```

```
values(
```

```
114,'ElasticSearch 의 "Inverted Index" 기술에 대해 설명해주세요.','2');
```

```
insert into tblQuestion
```

```
values(
```

```
115,'ElasticSearch 에서 "Mapping"이란 무엇이며, 어떻게 사용하는지 설명해주세요.','1');
```

```
insert into tblQuestion
```

```
values(
```

```
116,'ElasticSearch 에서 "분석기(Analyzer)"의 역할은 무엇인가요?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
117,'ElasticSearch 에서 사용되는 "Query DSL"에 대해 설명해주세요.','3');
```

```
insert into tblQuestion
```

```
values(
```

```
118,'ElasticSearch 와 SQL 의 차이점은 무엇인가요?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
119,'ElasticSearch 에서 "클러스터(Cluster)"와 "노드(Node)"의 개념에 대해 설명해주세요.','2');
```

```
insert into tblQuestion
```

```
values(
```

```
120,'ElasticSearch 에서 "Aggregation" 기능의 역할과 사용법에 대해 설명해주세요.','1');
```

```
insert into tblQuestion
```

```
values(
```

```
121,'스택(Stack)과 큐(Queue)의 차이점은 무엇인가요?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
122,'연결 리스트(Linked List)와 배열(Array)의 차이점은 무엇인가요?','3');
```

```
insert into tblQuestion
```

```
values(
```

```
123,'이진 탐색 트리(Binary Search Tree)의 특징과 장단점에 대해 설명해주세요.','3');
```

```
insert into tblQuestion
```

```
values(
```

```
124,'퀵 정렬(Quick Sort) 알고리즘의 기본 원리를 설명해주세요.','4');
```

```
insert into tblQuestion
```

```
values(
```

```
125,'해시 테이블(Hash Table)의 장점과 단점은 무엇인가요?','4');
```

```
insert into tblQuestion
```

```
values(
```

```
126,'그래프(Graph) 데이터 구조의 특징과 사용 사례를 설명해주세요.','5');
```

```
insert into tblQuestion
```

```
values(
```

```
127,'브레드퍼스트 탐색(Breadth-First Search)과 깊이우선탐색(Depth-First Search)의 차이점은 무엇인가요?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
128,'다이나믹 프로그래밍(Dynamic Programming)이란 무엇인가요? 그리고 어떤 상황에서 사용하나요?','5');
```

```
insert into tblQuestion
```

```
values(
```

```
129,'힙(Heap) 데이터 구조의 특징과 사용 사례를 설명해주세요.','1');
```

```
insert into tblQuestion
```

```
values(
```

```
130,'빅 오 표기법(Big O notation)이란 무엇인가요? O(n), O(log n), O(n^2)의 의미를 설명해주세요.','2');
```

```
insert into tblQuestion
```

```
values(
```

```
131,'컴퓨터에서 "운영체제(Operating System)"의 역할은 무엇인가요?','2');
```

```
insert into tblQuestion
```

```
values(
```

```
132,' "프로세스(Process)"와 "스레드(Thread)"의 차이점은 무엇인가요?','1');
```

```
insert into tblQuestion
```

```
values(
```

```
133, ' "CPU 스케줄링(CPU Scheduling)"이란 무엇이며, 어떤 알고리즘들이 있는지 설명해주세요.', '1');
```

```
insert into tblQuestion
```

```
values(
```

```
134, ' "페이지 교체 알고리즘(Page Replacement Algorithm)"에 대해 설명하고, 대표적인 알고리즘을 두 가지 이상 나열해주세요.', '5');
```

```
insert into tblQuestion
```

```
values(
```

```
135, ' "가상 메모리(Virtual Memory)"의 개념과 역할에 대해 설명해주세요.', '5');
```

```
insert into tblQuestion
```

```
values(
```

```
136, ' "캐시 메모리(Cache Memory)"의 역할과 작동 원리에 대해 설명해주세요.', '4');
```



```
insert into tblQuestion
```

```
values(
```

```
137, ' "데드락(Deadlock)"의 개념과 발생 조건, 해결 방법에 대해 설명해주세요.', '4');
```

```
insert into tblQuestion
```

```
values(
```

```
138, ' "병렬 컴퓨팅(Parallel Computing)"과 "분산 컴퓨팅(Distributed Computing)"의 차이점은 무엇인가요?', '4');
```

```
insert into tblQuestion
```

```
values(
```

```
139, ' 프로토콜(Protocol)이란 무엇이며, HTTP 와 HTTPS 의 차이점은 무엇인가요?', '3');
```

```
insert into tblQuestion
```

```
values(
```

```
140, ' 데이터베이스 정규화(Database Normalization) 올바른것?', '1');
```

```
insert into tblquestion
```

```
values(
```

```
141,'AWS 의 IAM(Identity and Access Management)에서 정책(Policy)이란 무엇이며 어떻게 작동하나요?','1');
```

```
insert into tblquestion
```

```
values(
```

```
142,'AWS EC2 인스턴스와 Lambda 함수의 차이점은 무엇인가요?','2');
```

```
insert into tblquestion
```

```
values(
```

```
143,'AWS S3 버킷의 버킷 정책(Bucket Policy)과 객체 ACL(Object ACL)의 차이점은 무엇인가요?','2');
```

```
insert into tblquestion
```

```
values(
```

```
144,'AWS 의 Auto Scaling 이란 무엇이며 어떻게 사용되나요?','3');
```

```
insert into tblquestion
```

```
values(
```

```
145,'AWS RDS 와 DynamoDB 의 주요 차이점은 무엇인가요?','4');
```

```
insert into tblquestion
```

values(

146,'AWS Lambda 함수의 실행 시간 제한은 어떻게 작동하며 어떤 영향을 미치나요?','3');

insert into tblquestion

values(

147,'AWS VPC(Virtual Private Cloud)에서 퍼블릭 서브넷과 프라이빗 서브넷의 차이는 무엇인가요?','1');

insert into tblquestion

values(

148,'AWS CloudFormation 이란 무엇이며 어떻게 사용되는가요?','5');

insert into tblquestion

values(

149,'AWS Elastic Beanstalk 과 AWS Lambda 의 주요 차이점은 무엇인가요?','1');

insert into tblquestion

values(

150,'AWS CloudWatch 와 AWS CloudTrail 의 주요 차이점은 무엇인가요?','2');

insert into tblQuestion

values(

151,'Java 의 "인터페이스(Interface)"의 역할은 무엇인가요?','클래스나 프로그램이 어떤 서비스를 제공하는지, 어떤 메서드를 호출할 수 있는지를 명시하는 계약 역할.');

insert into tblQuestion

values(

152,'Java 에서 "예외 처리(Exception Handling)"란 무엇이며, try-catch 문의 역할은 무엇인가요?','클래스나 프로그램이 어떤 서비스를 제공하는지, 어떤 메서드를 호출할 수 있는지를 명시하는 계약 역할.');

insert into tblQuestion

values(

153,'Java 에서 "예외 처리(Exception Handling)"란 무엇이며, try-catch 문의 역할은 무엇인가요?','프로그램 실행 중에 발생할 수 있는 예외 상황을 미리 예측하여 처리하는 것');

```
insert into tblQuestion
```

```
values(
```

```
154,'Java 에서 "제네릭(Generic)"이란 무엇인가요?','클래스 내부에서 사용할 데이터 타입을 외부에서 지정하는 기법.');
```

```
insert into tblQuestion
```

```
values(
```

```
155,'Java 에서 "쓰레드(Thread)"의 개념과 사용법에 대해 설명해주세요.','Runnable 인터페이스를 구현하여 생성.');
```

```
insert into tblQuestion
```

```
values(
```

```
156,'Java 에서 "자바 메모리 관리(Garbage Collection)"의 역할은 무엇인가요?','동적으로 할당된 메모리 영역 중 사용되지 않는 영역을 자동으로 회수하는 메모리 관리 기법.');
```

```
insert into tblQuestion
```

```
values(
```

```
157,'Java 에서 "캡슐화(Encapsulation)"의 개념과 장점에 대해 설명해주세요.','객체의 속성과 행동을 하나로 묶고, 실제 구현 내용을 감추는 것. 코드의 안전성을 높이는 데 도움.');
```

insert into tblQuestion

values(

158,'정적 메서드(Static Method)와 정적 변수(Static Variable)의 특징은 무엇인가요?','클래스에 속하며, 객체를 생성하지 않고 사용할 수 있는 메서드와 변수.');

insert into tblQuestion

values(

159,'생성자(Constructor)의 역할은 무엇인가요?','클래스의 인스턴스를 생성하고 초기화하는 역할.');

insert into tblQuestion

values(

160,'Java 에서 "오버로딩(Overloading)"과 "오버라이딩(Overriding)"의 차이점은 무엇인가요?','오버로딩은 같은 이름의 메서드를 여러 개 정의하되, 매개변수의 타입이나 개수를 다르게 하는 것.');

insert into tblQuestion

values(

161,'Oracle 데이터베이스에서 PL/SQL 이란 무엇인가요?','Oracle 데이터베이스에서 사용하는 프로시저 언어');

insert into tblQuestion

values(

162,'Oracle 에서 "커밋(Commit)"의 역할은 무엇인가요?','데이터베이스에 트랜잭션의 변경 사항을 영구적으로 반영하는 작업.');

insert into tblQuestion

values(

163,'Oracle 에서 "롤백(Rollback)"의 역할은 무엇인가요?','트랜잭션의 작업을 취소하고 데이터베이스를 이전 상태로 되돌리는 작업.');

insert into tblQuestion

values(

164,'Oracle 에서 "시퀀스(Sequence)"의 역할은 무엇인가요?','일련번호를 자동으로 생성하는 객체.');

insert into tblQuestion

values(

165,'Oracle 에서 "인덱스(Index)"의 역할은 무엇인가요?','데이터 검색 속도를 빠르게 하기 위한 데이터베이스 객체.');

insert into tblQuestion

values(

166,'Oracle 에서 "뷰(View)"의 역할은 무엇인가요?','하나 이상의 테이블에서 얻은 결과를 하나의 테이블처럼 보여주는 가상 테이블.');

insert into tblQuestion

values(

167,'Oracle 에서 "트리거(Trigger)"의 역할은 무엇인가요?','특정 이벤트 발생 시 자동으로 실행되는 프로시저.');

insert into tblQuestion

values(

168,'Oracle 에서 "프로시저(Procedure)"와 "함수(Function)"의 차이점은 무엇인가요?','프로시저는 특정 작업을 수행하지만 반환값이 없고, 함수는 특정 작업을 수행하고 결과값을 반환.');

insert into tblQuestion

values(



169,'Oracle 에서 "조인(Join)"의 역할은 무엇인가요?','두 개 이상의 테이블에서 관련 있는 데이터를 결합하여 조회하는 것.');

insert into tblQuestion

values(

170,'Oracle 에서 "데이터베이스 정규화(Database Normalization)"의 목적은 무엇인가요?','데이터 중복을 최소화하고 데이터 무결성을 향상시키기 위한 과정.');

insert into tblQuestion

values(

171,'HTML 이란 무엇인가요?','웹 페이지를 구조화하고 의미를 부여하는 마크업 언어.');

insert into tblQuestion

values(

172,'CSS 의 역할은 무엇인가요?','웹 페이지의 디자인과 레이아웃을 담당하는 스타일시트 언어.');

insert into tblQuestion

values(

173,'JavaScript 의 역할은 무엇인가요?','웹 페이지에 동적인 요소를 추가하고 사용자와 상호작용하는 프로그래밍 언어.');

insert into tblQuestion

values(

174,'HTML 에서 "시맨틱 태그(Semantic Tag)"의 역할은 무엇인가요?','웹 페이지의 콘텐츠에 의미를 부여하여 검색 엔진과 개발자에게 정보를 제공.');

insert into tblQuestion

values(

175,'CSS 에서 "선택자(Selector)"의 역할은 무엇인가요?','스타일을 적용할 HTML 요소를 선택하는 역할.');

insert into tblQuestion

values(

176,'JavaScript 에서 "이벤트(Event)"의 역할은 무엇인가요?','사용자의 행동(클릭, 스크롤 등)에 반응하여 특정 코드를 실행.');

insert into tblQuestion

values(

177,'HTML 에서 "Form" 태그의 역할은 무엇인가요?','사용자의 데이터를 입력받아 서버로 전송하는 역할.');

insert into tblQuestion

values(

178,'CSS 에서 "박스 모델(Box Model)"의 구성 요소는 무엇인가요?','콘텐츠, 패딩, 보더, 마진.');

insert into tblQuestion

values(

179,'JavaScript 에서 "변수(Variable)"의 역할은 무엇인가요?','데이터를 저장하고 참조하는 역할.');

insert into tblQuestion

values(

180,'HTML, CSS, JavaScript 사이의 관계를 설명해주세요.','HTML 은 웹 페이지의 구조를, CSS 는 디자인과 레이아웃을, JavaScript 는 동적인 요소와 상호작용을 담당.');

insert into tblQuestion

values(

181,'JSP 란 무엇인가요?','HTML 내에 자바 코드를 삽입하여 웹 페이지를 동적으로 생성하는 서버 사이드 스크립트 언어.');

insert into tblQuestion

values(

182,'JSP 에서 "스크립트릿(Scriptlet)"의 역할은 무엇인가요?','HTML 내에 자바 코드를 삽입하여 웹 페이지를 동적으로 생성하는 서버 사이드 스크립트 언어.');

insert into tblQuestion

values(

183,'JSP 에서 "디렉티브(Directive)"의 역할은 무엇인가요?','JSP 페이지가 웹 컨테이너에서 실행될 때 필요한 여러 가지 설정 정보를 제공.');

insert into tblQuestion

values(

184,'JSP 에서 "액션태그(Action Tag)"의 역할은 무엇인가요?','JSP 페이지에서 특정 기능을 수행하는 컴포넌트를 사용하는 방법.');

insert into tblQuestion

values(

185,'JSP 에서 "EL(Expression Language 의 역할은 무엇인가요?','JSP 페이지에서 데이터를 쉽 출력하거나, JSP 스코프에 저장된 객체에 접근하는 방법.);

insert into tblQuestion

values(

186,'JSP 에서 "JSTL(JSP Standard Tag Library)"의 역할은엇인가요?','JSP 페이지에서 일반적으로 사용하는 기능들을 태그 형태로 제공하는 라이브러리.);

insert into tblQuestion

values(

187,'JSP 에서 "포워드(Forward)"와 "리다이렉트(Redirect)"의 차이점은 무엇인가요?','포워드는 요청을 다른 자원에 전달하며 주소는 변하지 않고, 리다이렉트는 새로운 요청을 만들어 서버에 보내며 주소가 변함.);

insert into tblQuestion

values(

188,'JSP 에서 "세션(Session)"의 역할은 무엇인가요?','서버에 사용자 정보를 저장하여 사용자의 상태를 유지하는 방법.);

```
insert into tblQuestion
```

```
values(
```

```
189,'JSP 와 Servlet 의 차이점은 무엇인가요?','JSP 는 HTML 코드 안에 자바 코드를 삽입하고 Servlet 은 자바 코드 안에 HTML 코드를 삽입.');
```

```
insert into tblQuestion
```

```
values(
```

```
190,'JSP 페이지에서 "스코프(Scope)"의 역할은 무엇인가요?','변수나 객체가 접근 가능한 범위와 생존 주기를 결정.');
```

```
insert into tblQuestion
```

```
values(
```

```
191,'Spring Framework 란 무엇인가요?','자바 플랫폼을 위한 오픈 소스 어플리케이션 프레임워크.');
```

```
insert into tblQuestion
```

```
values(
```

```
192,'Spring Framework 에서 "IoC(Inversion of Control)"의 역할은 무엇인가요?','객체의 생성과 생명주기를 관리하며 의존성을 관리하는  
기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
193,'Spring Framework 에서 "DI(Dependency Injection)"의 역할은 무엇인가요?','클래스 간의 의존 관계를 스프링 컨테이너가 자동으로  
연결해주는 것.);
```

```
insert into tblQuestion
```

```
values(
```

```
194,'Spring 에서 "AOP(Aspect Oriented Programming)"의 역할은 무엇인가요?','공통 기능을 재사용하고 비즈니스 로직에서 분리하여  
관리하는 기능.);
```

```
insert into tblQuestion
```

```
values(
```

```
195,'Spring 에서 "MVC(Model-View-Controller)"의 역할은 무엇인가요?','어플리케이션을 Model, View, Controller 세 부분으로 나누어  
관리하는 디자인 패턴.);
```

```
insert into tblQuestion
```

```
values(
```

196,'Spring 에서 "트랜잭션(Transaction)"의 역할은 무엇인가요?','데이터의 일관성을 유지하며 여러 개의 작업을 하나의 작업 단위로 묶는 기능.

');

insert into tblQuestion

values(

197,'Spring 에서 "DAO(Data Access Object)"의 역할은 무엇인가요?','데이터베이스 연결과 CRUD 작업을 추상화하는 객체.');

insert into tblQuestion

values(

198,'Spring 에서 "DTO(Data Transfer Object)"의 역할은 무엇인가요?','계층 간 데이터 교환을 담당하는 객체.');

insert into tblQuestion

values(

199,'Spring 에서 "Bean"이란 무엇인가요?','스프링 IoC 컨테이너가 관리하는 객체.');

insert into tblQuestion



```
values(
```

```
200,'Spring Boot 란 무엇인가요?','스프링 기반의 어플리케이션을 빠르고 쉽게 개발할 수 있는 프레임워크.');
```

```
insert into tblQuestion
```

```
values(
```

```
201,'Python 이란 무엇인가요?','간결하고 읽기 쉬운 구문을 가진 고수준 프로그래밍 언어.');
```

```
insert into tblQuestion
```

```
values(
```

```
202,'Python 에서 "리스트(List)"의 역할은 무엇인가요?','여러 데이터를 순서대로 저장하고 관리하는 자료형.');
```

```
insert into tblQuestion
```

```
values(
```

```
203,'Python 에서 "딕셔너리(Dictionary)"의 역할은 무엇인가요?','키와 값의 쌍으로 데이터를 저장하고 관리하는 자료형.');
```

```
insert into tblQuestion
```

```
values(
```

```
204,'Python 에서 "튜플(Tuple)"의 특징은 무엇인가요?','변경 불가능한 순서가 있는 자료형.');
```

```
insert into tblQuestion
```

```
values(
```

```
205,'Python 에서 "함수(Function)"의 역할은 무엇인가요?','특정 작업을 수행하는 코드의 묶음.');
```

```
insert into tblQuestion
```

```
values(
```

```
206,'Python 에서 "클래스(Class)"와 "객체(Object)"의 관계는 무엇인가요?','클래스는 객체를 생성하기 위한 템플릿이고, 객체는 클래스에 정의된 대로 생성된 실체.');
```

```
insert into tblQuestion
```

```
values(
```

```
207,'Python 에서 "모듈(Module)"의 역할은 무엇인가요?','관련된 함수, 클래스, 변수들을 모아놓은 파일.');
```

```
insert into tblQuestion
```

values(

208,'Python 에서 "예외 처리(Exception Handling)"의 역할은 무엇인가요?','프로그램 실행 중 발생할 수 있는 오류를 처리하는 과정.');

insert into tblQuestion

values(

209,'Python 에서 "리스트 컴프리헨션(List Comprehension)"의 역할은 무엇인가요?','리스트를 생성하는 간결하고 효율적인 방법.');

insert into tblQuestion

values(

210,'Python 에서 "람다 함수(Lambda Function)"의 특징은 무엇인가요?','이름 없이 정의하고 사용하는 일회용 함수.');

insert into tblQuestion

values(

211,'Flask 란 무엇인가요?','파이썬으로 작성된 마이크로 웹 프레임워크.');

insert into tblQuestion

values(

212,'Flask 에서 "라우팅(Routing)"의 역할은 무엇인가요?','URL 을 특정 함수에 연결하는 역할.);

insert into tblQuestion

values(

213,'Flask 에서 "템플릿 엔진(Template Engine)"의 역할은 무엇인가요?','동적 데이터를 HTML 에 삽입하여 웹 페이지를 생성하는 역할.);

insert into tblQuestion

values(

214,'Flask 에서 "요청(Request)"과 "응답(Response)"의 역할은 무엇인가요?','클라이언트에서 서버로 정보를 보내는 것이 요청, 서버에서 클라이언트로 결과를 보내는 것이 응답.);

insert into tblQuestion

values(

215,'Flask 에서 "세션(Session)"의 역할은 무엇인가요?','사용자의 상태를 유지하기 위해 서버에서 관리하는 정보.);

insert into tblQuestion

values(

216,'Flask 에서 "쿠키(Cookie)"의 역할은 무엇인가요?','사용자의 상태를 유지하기 위해 클라이언트에서 관리하는 정보.');

insert into tblQuestion

values(

217,'Flask 에서 "블루프린트(Blueprint)"의 역할은 무엇인가요?','라우트를 모듈화하여 관리하는 방법.');

insert into tblQuestion

values(

218,'Flask 에서 "Flask-SQLAlchemy"의 역할은 무엇인가요?','Flask 에서 SQLAlchemy 를 쉽게 사용할 수 있도록 도와주는 확장 패키지.');

insert into tblQuestion

values(

219,'Flask 에서 "WTForms"의 역할은 무엇인가요?','웹 폼을 쉽게 다룰 수 있도록 도와주는 확장 패키지.');

insert into tblQuestion

```
values(
```

```
220,'Flask 에서 "Flask-Migrate"의 역할은 무엇인가요?','데이터베이스 스키마 마이그레이션을 쉽게 다룰 수 있도록 도와주는 확장 패키지.');
```

```
insert into tblQuestion
```

```
values(
```

```
221,'Django 란 무엇인가요?','파이썬으로 작성된 고수준 웹 프레임워크.');
```

```
insert into tblQuestion
```

```
values(
```

```
222,'Django 에서 "MTV(Model-Template-View)" 아키텍처란 무엇인가요?','데이터를 다루는 Model, 사용자가 보는 Template, 중간 관리를 담당하는 View 로 구성된 디자인 패턴.');
```

```
insert into tblQuestion
```

```
values(
```

```
223,'Django 에서 "ORM(Object-Relational Mapping)"의 역할은 무엇인가요?','데이터베이스를 객체 지향적으로 다루게 해주는 기능.');
```

```
insert into tblQuestion
```

values(

224,'Django 에서 "미들웨어(Middleware)"의 역할은 무엇인가요?','Request 와 Response 과정에서 추가 처리를 담당하는 컴포넌트.');

insert into tblQuestion

values(

225,'Django 에서 "관리자 사이트(Admin Site)"의 장점은 무엇인가요?','데이터베이스의 내용을 쉽게 확인하고 수정할 수 있는 웹 인터페이스 제공.');

insert into tblQuestion

values(

226,'Django 에서 "Form"의 역할은 무엇인가요?','사용자로부터 데이터를 안전하게 입력받고 검증하는 역할.');

insert into tblQuestion

values(

227,'Django 에서 "세션(Session)"의 역할은 무엇인가요?','사용자의 상태 정보를 일정 시간 동안 저장하고 유지하는 기능.');

insert into tblQuestion

values(

228,'Django 에서 "CSRF(Cross Site Request Forgery)" 방어 기능의 역할은 무엇인가요?','웹 애플리케이션의 취약점을 이용한 공격을 방어하는 기능.);

insert into tblQuestion

values(

229,'Django 에서 "마이그레이션(Migration)"의 역할은 무엇인가요?','데이터베이스 스키마의 변경 사항을 관리하고 반영하는 기능.);

insert into tblQuestion

values(

230,'Django 에서 "Generic View"의 장점은 무엇인가요?','공통적인 웹 개발 패턴을 빠르게 구현할 수 있도록 돕는 기능.);

insert into tblQuestion

values(

231,'Swift 란 무엇인가요?','애플이 iOS 와 macOS 앱 개발을 위해 만든 강력하고 직관적인 프로그래밍 언어.);

insert into tblQuestion



values(

232,'Swift 에서 "옵셔널(Optional)"의 역할은 무엇인가요?','값이 있을 수도 있고 없을 수도 있는 상황을 안전하게 처리하는 기능.');

insert into tblQuestion

values(

233,'Swift 에서 "클로저(Closure)"의 역할은 무엇인가요?','이름 없이 사용할 수 있는 독립적인 코드 블록.');

insert into tblQuestion

values(

234,'Swift 에서 "프로토콜(Protocol)"의 역할은 무엇인가요?','특정 역할을 수행하기 위한 메서드, 프로퍼티, 기타 요구사항 등을 정의.');

insert into tblQuestion

values(

235,'Swift 에서 "익스텐션(Extension)"의 역할은 무엇인가요?','기존 클래스, 구조체, 열거형에 새로운 기능을 추가하는 기능.');

insert into tblQuestion

values(

236,'Swift 에서 "Enum(Enumeration)"의 역할은 무엇인가요?','특정 그룹의 공통 타입을 안전하게 정의하고 사용하는 기능.);

insert into tblQuestion

values(

237,'Swift 에서 "클래스(Class)"와 "구조체(Struct)"의 차이점은 무엇인가요?','클래스는 참조 타입이고, 구조체는 값 타입. 클래스는 상속이 가능하지만, 구조체는 불가능.);

insert into tblQuestion

values(

238,'Swift 에서 "가변(Mutable)"과 "불변(Immutable)"의 차이점은 무엇인가요?','가변은 값이 변경 가능한 변수를 말하고, 불변은 값이 변경 불가능한 상수를 말함.);

insert into tblQuestion

values(

239,'Swift 에서 "타입 추론(Type Inference)"의 역할은 무엇인가요?','컴파일러가 초기값을 기반으로 변수 또는 상수의 타입을 결정하는 기능.);

```
insert into tblQuestion
```

```
values(
```

```
240,'Swift 에서 "ARC(Automatic Reference Counting)"의 역할은 무엇인가요?','메모리를 자동으로 관리해주는 기능.);
```

```
insert into tblQuestion
```

```
values(
```

```
241,'Kotlin 이란 무엇인가요?','자바 플랫폼을 위한 정적 타입의 프로그래밍 언어.);
```

```
insert into tblQuestion
```

```
values(
```

```
242,'Kotlin 에서 "Null 안전성(Null Safety)"의 역할은 무엇인가요?','null 참조로 인한 런타임 오류를 방지하는 기능.);
```

```
insert into tblQuestion
```

```
values(
```

```
243,'Kotlin 에서 "익스텐션 함수(Extension Function)"의 역할은 무엇인가요?','기존 클래스에 새로운 함수를 추가하는 기능.);
```

```
insert into tblQuestion
```

```
values(
```

```
244,'Kotlin 에서 "람다식(Lambda Expression)"의 역할은 무엇인가요?','이름 없이 사용할 수 있는 함수.');
```

```
insert into tblQuestion
```

```
values(
```

```
245,'Kotlin 에서 "데이터 클래스(Data Class)"의 역할은 무엇인가요?','데이터를 보유하기 위한 클래스를 간결하게 생성하는 기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
246,'Kotlin 에서 "코루틴(Coroutines)"의 역할은 무엇인가요?','비동기 프로그래밍을 간편하게 처리하기 위한 기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
247,'Kotlin 에서 "컬렉션(Collection)"의 역할은 무엇인가요?','여러 데이터를 저장하고 관리하는 객체.');
```

```
insert into tblQuestion
```

```
values(
```

```
248,'Kotlin 에서 "컴패니언 객체(Companion Object)"의 역할은 무엇인가요?','클래스 내부에서만 사용할 수 있는 싱글톤 객체.');
```

```
insert into tblQuestion
```

```
values(
```

```
249,'Kotlin 에서 "조건 표현식(Conditional Expression)"의 역할은 무엇인가요?','조건에 따라 다른 값을 반환하는 표현식.');
```

```
insert into tblQuestion
```

```
values(
```

```
250,'Kotlin 에서 "스마트 캐스팅(Smart Casting)"의 역할은 무엇인가요?','타입 검사 후 자동으로 타입 변환을 수행하는 기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
251,'React 란 무엇인가요?','사용자 인터페이스를 구축하기 위한 자바스크립트 라이브러리.');
```

```
insert into tblQuestion
```

```
values(
```

```
252,'React 에서 "컴포넌트(Component)"의 역할은 무엇인가요?','재사용 가능한 독립적인 코드 블록.');
```

```
insert into tblQuestion
```

```
values(
```

```
253,'React 에서 "props"의 역할은 무엇인가요?','부모 컴포넌트로부터 자식 컴포넌트로 데이터를 전달하는 역할.');
```

```
insert into tblQuestion
```

```
values(
```

```
254,'React 에서 "state"의 역할은 무엇인가요?','컴포넌트 내에서 관리되는 동적 데이터.');
```

```
insert into tblQuestion
```

```
values(
```

```
255,'React 에서 "JSX"의 역할은 무엇인가요?','자바스크립트 내에서 HTML 코드를 작성할 수 있게 하는 문법.');
```

```
insert into tblQuestion
```

```
values(
```

```
256,'React 에서 "Virtual DOM"의 역할은 무엇인가요?','실제 DOM 을 추상화한 개념으로, 효율적인 렌더링을 위해 사용됨.');
```

```
insert into tblQuestion
```

```
values(
```

```
257,'React 에서 "라이프사이클 메서드(Lifecycle Methods)"의 역할은 무엇인가요?','컴포넌트가 생성, 업데이트, 제거되는 과정에서 실행되는 메서드.');
```

```
insert into tblQuestion
```

```
values(
```

```
258,'React 에서 "Hooks"의 역할은 무엇인가요?','함수형 컴포넌트에서 상태 관리 및 라이프사이클 기능을 사용할 수 있게 하는 기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
259,'React 에서 "Redux"의 역할은 무엇인가요?','JavaScript 앱의 상태를 예측 가능하게 관리하는 라이브러리. ');
```

```
insert into tblQuestion
```

```
values(
```

```
260,'React 에서 "Context API"의 역할은 무엇인가요?','컴포넌트 트리 안에서 전역적으로 데이터를 공유할 수 있게 하는 API.');
```

```
insert into tblQuestion
```

```
values(
```

```
261,'ElasticSearch 란 무엇인가요?','실시간 분산 검색 및 분석 엔진으로, 정형 및 비정형 데이터를 처리하는 데 사용됩니다. ');
```

```
insert into tblQuestion
```

```
values(
```

```
262,'ElasticSearch 에서 "인덱스(Index)"란 무엇인가요?','유사한 특성을 가진 문서들의 집합.');
```

```
insert into tblQuestion
```

```
values(
```

```
263,'ElasticSearch 에서 "샤딩(Sharding)"의 역할은 무엇인가요?','데이터를 여러 부분으로 분할하여 처리 성능을 향상시키는 기능.');
```



```
insert into tblQuestion
```

```
values(
```

```
264,'ElasticSearch 에서 "복제(Replication)"의 역할은 무엇인가요?','데이터의 안정성을 보장하고 복원력을 높이기 위해 데이터를 복제하는  
기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
265,'ElasticSearch 에서 "매핑(Mapping)"이란 무엇인가요?','인덱스에 저장된 문서와 그 필드가 어떻게 저장되고 색인되어야 하는지를  
정의하는 과정.');
```

```
insert into tblQuestion
```

```
values(
```

```
266,'ElasticSearch 에서 "분석기(Analyzer)"의 역할은 무엇인가요?','텍스트를 분석하여 검색을 위한 토큰으로 변환하는 역할.');
```

```
insert into tblQuestion
```

```
values(
```

```
267,'ElasticSearch 에서 "집계(Aggregations)"의 역할은 무엇인가요?','데이터를 집계하고 분석하는 기능.');
```

```
insert into tblQuestion
```

```
values(
```

```
268,'ElasticSearch 에서 "클러스터(Cluster)"란 무엇인가요?','하나 이상의 노드로 이루어진 ElasticSearch 의 서버 집합.');
```

```
insert into tblQuestion
```

```
values(
```

```
269,'ElasticSearch 에서 "노드(Node)"란 무엇인가요?','클러스터의 일부로, 데이터를 저장하고 클러스터의 인덱싱 및 검색 기능에 참여하는  
단일 서버.');
```

```
insert into tblQuestion
```

```
values(
```

```
270,'ElasticSearch 에서 "문서(Document)"란 무엇인가요?','인덱스 내에 저장된 기본 데이터 단위.');
```

```
insert into tblQuestion
```

```
values(
```

```
271,'데이터 구조란 무엇인가요?','데이터를 효율적으로 저장하고 처리하기 위한 방식.
```

');

insert into tblQuestion

values(

272,'배열(Array)과 연결 리스트(Linked List)의 차이점은 무엇인가요?','배열은 고정된 크기를 가지며 연속적인 메모리 공간에 데이터를 저장하지만, 연결 리스트는 각 노드가 데이터와 다음 노드를 가리키는 포인터를 가지며 메모리의 어디에서나 노드를 생성할 수 있습니다.');

insert into tblQuestion

values(

273,'스택(Stack)과 큐(Queue)의 차이점은 무엇인가요?','스택은 후입선출(LIFO: Last In First Out) 방식으로 접근하고, 큐는 선입선출(FIFO: First In First Out) 방식으로 접근합니다.');

insert into tblQuestion

values(

274,'이진 검색 트리(Binary Search Tree)의 특징은 무엇인가요?','모든 노드에 대해 그 노드의 왼쪽 하위 트리에는 해당 노드의 값보다 작은 값을 가진 노드만 존재하고, 오른쪽 하위 트리에는 해당 노드의 값보다 큰 값을 가진 노드만 존재합니다.');

insert into tblQuestion

values(

275,'해시 테이블(Hash Table)의 역할은 무엇인가요?','키를 값에 매핑하여, 키를 통해 데이터를 빠르게 검색하는 구조입니다.');

insert into tblQuestion

values(

276,'그래프(Graph)란 무엇인가요?','노드(Node)와 이 노드들을 연결하는 간선(Edge)으로 구성된 비선형 자료구조입니다.');

insert into tblQuestion

values(

277,'정렬 알고리즘 중 버블 정렬(Bubble Sort)의 원리는 무엇인가요?','인접한 두 항목을 비교하여 필요에 따라 위치를 교환하는 방식으로 동작합니다.');

insert into tblQuestion

values(

278,'퀵 정렬(Quick Sort) 알고리즘의 원리는 무엇인가요?','분할 정복(Divide and Conquer) 방법을 이용하여 정렬하는 알고리즘으로, 한 요소를 선택하고(피벗이라 함) 피벗보다 작은 요소는 모두 피벗의 왼쪽으로, 큰 요소는 모두 피벗의 오른쪽으로 이동시킵니다.');

insert into tblQuestion

values(

279,'이진 검색(Binary Search) 알고리즘의 원리는 무엇인가요?','정렬된 데이터 집합의 중간 요소와 찾고자 하는 값을 비교하여 찾고자 하는 값의 위치를 좁혀나가는 알고리즘입니다');

insert into tblQuestion

values(

280,'그리디 알고리즘(Greedy Algorithm)의 원리는 무엇인가요?','각 단계에서 최적의 해를 선택하는 방식으로, 전체적인 최적해를 구하는데 사용하는 알고리즘입니다.');

insert into tblQuestion

values(

281,'컴퓨터의 기본 구성요소는 무엇인가요?','CPU, 메모리, 입출력 장치.');

insert into tblQuestion

values(

282,'CPU 의 역할은 무엇인가요?','컴퓨터의 모든 명령을 제어하고 연산하는 중추 처리 장치.');

insert into tblQuestion

values(

283,'RAM 과 ROM 의 차이는 무엇인가요?','RAM 은 휘발성 메모리로서 전원이 꺼지면 데이터가 사라지고, ROM 은 비휘발성 메모리로서 전원이 꺼져도 데이터가 유지됩니다.');

insert into tblQuestion

values(

284,'운영체제의 역할은 무엇인가요?','컴퓨터 하드웨어와 소프트웨어 리소스를 관리하고 사용자와 컴퓨터 사이의 인터페이스 역할을 하는 시스템 소프트웨어.');

insert into tblQuestion

values(

285,'컴퓨터 네트워크란 무엇인가요?','데이터를 공유하기 위해 컴퓨터들이 연결된 구조.');

insert into tblQuestion

```
values(
```

```
286,'클라우드 컴퓨팅의 장점은 무엇인가요?','접근성, 비용 효율성, 확장성 등.');
```

```
insert into tblQuestion
```

```
values(
```

```
287,'알고리즘이란 무엇인가요?','문제를 해결하기 위한 명확한 절차나 방법.');
```

```
insert into tblQuestion
```

```
values(
```

```
288,'데이터베이스의 역할은 무엇인가요?','관련된 데이터를 효율적으로 저장하고 관리하는데 사용됩니다.');
```

```
insert into tblQuestion
```

```
values(
```

```
289,'컴퓨터 보안의 중요성은 무엇인가요?','비인가자에 의한 데이터 유출이나 시스템 손상을 방지하여 정보와 시스템의 무결성을 유지하기  
위함입니다.');
```

```
insert into tblQuestion
```

```
values(
```

```
290,'빅 데이터란 무엇인가요?','전통적인 데이터베이스 시스템으로 처리하기 어려울 정도로 방대한 양의 데이터를 의미합니다.');
```

```
insert into tblQuestion
```

```
values(
```

```
291,'IAM(Identity and Access Management)의 역할은 무엇인가요?','AWS 리소스에 대한 액세스를 관리하고 보안을 강화하는 서비스.');
```

```
insert into tblQuestion
```

```
values(
```

```
292,'AWS Lambda 함수의 특징은 무엇인가요??','서버리스 컴퓨팅, 이벤트 기반 실행, 코드 관리 및 실행환경 프로비저닝 불필요.');
```

```
insert into tblQuestion
```

```
values(
```

```
293,'AWS Lambda 함수의 특징은 무엇인가요??','버킷 정책: 버킷 전체 액세스 권한, 객체 ACL: 개별 객체 액세스 권한..');
```



```
insert into tblQuestion
```

```
values(
```

```
294,'AWS Auto Scaling 의 목적은 무엇인가요?','수요에 따라 자동으로 인프라 확장 또는 축소하여 애플리케이션의 가용성 유지 및 비용 절감.');
```

```
insert into tblQuestion
```

```
values(
```

```
295,'AWS RDS 와 DynamoDB 의 주요 차이점은 무엇인가요?','RDS: 관계형 데이터베이스, DynamoDB: NoSQL 데이터베이스.');
```

```
insert into tblQuestion
```

```
values(
```

```
296,'AWS Lambda 함수의 실행 시간 제한은 어떻게 작동하나요?','최대 15 분까지 실행 가능, 제한 초과 시 함수 종료.');
```

```
insert into tblQuestion
```

```
values(
```

297,'AWS VPC 의 퍼블릭 서브넷과 프라이빗 서브넷의 차이점은 무엇인가요?','퍼블릭 서브넷: 외부 접근 가능, 프라이빗 서브넷: 외부 접근 불가능.');

insert into tblQuestion

values(

298,'AWS CloudFormation 의 목적은 무엇인가요?','인프라를 코드로 정의하고 자동으로 프로비저닝하여 일관성 유지 및 시간 절약.');

insert into tblQuestion

values(

299,'AWS Elastic Beanstalk 과 AWS Lambda 의 주요 차이점은 무엇인가요?','Elastic Beanstalk: 애플리케이션 배포 및 관리, Lambda: 서버리스 컴퓨팅.');

insert into tblQuestion

values(

300,'AWS CloudWatch 와 AWS CloudTrail 의 주요 차이점은 무엇인가요?','CloudWatch: 리소스 모니터링, CloudTrail: API 활동 로깅 및 모니터링.');

|   |                  |     |            |
|---|------------------|-----|------------|
| 테이블명  | tblPublicHoliday | 작성일 | 2024-03-08 |
| System  | 공휴일              | 작성자 | 장원준        |
| DML   |                  |     |            |
| <pre>insert into tblPublicHoliday (seq_publicHoliday, name, holiday) values (1, '추석', TO_DATE('2023-09-28', 'YYYY-MM-DD'));  insert into tblPublicHoliday (seq_publicHoliday, name, holiday) values (2, '추석', TO_DATE('2023-09-29', 'YYYY-MM-DD'));  insert into tblPublicHoliday (seq_publicHoliday, name, holiday) values (3, '개천절', TO_DATE('2023-10-03', 'YYYY-MM-DD'));  insert into tblPublicHoliday (seq_publicHoliday, name, holiday) values (4, '한글날', TO_DATE('2023-10-09', 'YYYY-MM-DD'));</pre> |                  |     |            |

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (5, '성탄절', TO_DATE('2023-12-25', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (6, '새해', TO_DATE('2024-01-01', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (7, '설날', TO_DATE('2024-02-09', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (8, '설날', TO_DATE('2024-02-12', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (9, '삼일절', TO_DATE('2024-03-01', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (10, '22 대 국회의원 선거', TO_DATE('2024-04-10', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (11, '대체공휴일', TO_DATE('2024-05-06', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (12, '부처님오신날', TO_DATE('2024-05-15', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (13, '현충일', TO_DATE('2024-06-06', 'YYYY-MM-DD'));
```

```
insert into tblPublicHoliday (seq_publicHoliday, name, holiday)
values (14, '광복절', TO_DATE('2024-08-15', 'YYYY-MM-DD'));
```

|  |              |     |            |
|--|--------------|-----|------------|
| 테이블명   | tblExamPaper | 작성일 | 2024-03-08 |
| System   | 시험지          | 작성자 | 장원준        |
| DML  |              |     |            |
| INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (1, 1, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (2, 2, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (3, 3, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (4, 4, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (5, 5, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (6, 6, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (7, 7, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (8, 8, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (9, 9, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (10, 10, 1, '필기');<br>INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (11, 1, 8, '필기'); |              |     |            |

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (12, 2, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (13, 3, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (14, 4, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (15, 5, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (16, 6, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (17, 7, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (18, 8, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (19, 9, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (20, 10, 8, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (21, 1, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (22, 2, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (23, 3, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (24, 4, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (25, 5, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (26, 6, 10, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (27, 7, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (28, 8, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (29, 9, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (30, 10, 10, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (31, 1, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (32, 2, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (33, 3, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (34, 4, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (35, 5, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (36, 6, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (37, 7, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (38, 8, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (39, 9, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (40, 10, 12, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (41, 11, 9, '필기');
```



```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (42, 12, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (43, 13, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (44, 14, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (45, 15, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (46, 16, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (47, 17, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (48, 18, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (49, 19, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (50, 20, 9, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (51, 11, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (52, 12, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (53, 13, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (54, 14, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (55, 15, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (56, 16, 11, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (57, 17, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (58, 18, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (59, 19, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (60, 20, 11, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (61, 11, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (62, 12, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (63, 13, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (64, 14, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (65, 15, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (66, 16, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (67, 17, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (68, 18, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (69, 19, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (70, 20, 2, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (71, 21, 3, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (72, 22, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (73, 23, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (74, 24, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (75, 25, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (76, 26, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (77, 27, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (78, 28, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (79, 29, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (80, 30, 3, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (81, 31, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (82, 32, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (83, 33, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (84, 34, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (85, 35, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (86, 36, 4, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (87, 37, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (88, 38, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (89, 39, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (90, 40, 4, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (91, 111, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (92, 112, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (93, 113, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (94, 114, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (95, 115, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (96, 116, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (97, 117, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (98, 118, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (99, 119, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (100, 120, 5, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (101, 131, 6, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (102, 132, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (103, 133, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (104, 134, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (105, 135, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (106, 136, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (107, 137, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (108, 138, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (109, 139, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (110, 140, 6, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (111, 141, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (112, 142, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (113, 143, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (114, 144, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (115, 145, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (116, 146, 7, '필기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (117, 147, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (118, 148, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (119, 149, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (120, 150, 7, '필기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (121, 151, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (122, 152, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (123, 153, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (124, 154, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (125, 155, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (126, 156, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (127, 157, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (128, 158, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (129, 159, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (130, 160, 8, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (131, 161, 10, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (132, 162, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (133, 163, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (134, 164, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (135, 165, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (136, 166, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (137, 167, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (138, 168, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (139, 169, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (140, 170, 10, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (141, 171, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (142, 172, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (143, 173, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (144, 174, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (145, 175, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (146, 176, 12, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (147, 177, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (148, 178, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (149, 179, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (150, 180, 12, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (151, 151, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (152, 152, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (153, 153, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (154, 154, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (155, 155, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (156, 156, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (157, 157, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (158, 158, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (159, 159, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (160, 160, 1, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (151, 151, 2, '실기');
```



```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (152, 152, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (153, 153, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (154, 154, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (155, 155, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (156, 156, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (157, 157, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (158, 158, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (159, 159, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (160, 160, 2, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (161, 161, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (162, 162, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (163, 163, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (164, 164, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (165, 165, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (166, 166, 9, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (167, 167, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (168, 168, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (169, 169, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (170, 170, 9, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (171, 161, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (172, 162, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (173, 163, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (174, 164, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (175, 165, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (176, 166, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (177, 167, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (178, 168, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (179, 169, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (180, 170, 11, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (181, 171, 3, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (182, 172, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (183, 173, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (184, 174, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (185, 175, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (186, 176, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (187, 177, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (188, 178, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (189, 179, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (190, 180, 3, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (191, 181, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (192, 182, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (193, 183, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (194, 184, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (195, 185, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (196, 186, 4, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (197, 187, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (198, 188, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (199, 189, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (200, 190, 4, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (201, 261, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (202, 262, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (203, 263, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (204, 264, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (205, 265, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (206, 266, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (207, 267, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (208, 268, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (209, 269, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (210, 270, 5, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (211, 281, 6, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (212, 282, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (213, 283, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (214, 284, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (215, 285, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (216, 286, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (217, 287, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (218, 288, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (219, 289, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (220, 290, 6, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (221, 291, 7, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (222, 292, 7, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (223, 293, 7, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (224, 294, 7, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (225, 295, 7, '실기');
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (226, 296, 7, '실기');
```

```
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (227, 297, 7, '실기');  
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (228, 298, 7, '실기');  
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (229, 299, 7, '실기');  
INSERT INTO Tblexampaper(seq_attendancepapers, seq_question, seq_openSubjectList, kind) VALUES (230, 300, 7, '실기');
```

|        |               |     |            |
|--------|---------------|-----|------------|
| 테이블명   | tblCurriculum | 작성일 | 2024-03-08 |
| System | 교육 과정         | 작성자 | 장원준        |
| DML    |               |     |            |

```
insert into tblCurriculum values (1, 2,'AWS 와 Docker 를 활용한 Java Full-Stack 과정(A)',
'Java 언어를 기반으로 AWS 와 Docker 를 활용하여 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (2, 2,'AWS 클라우드를 활용한 Full-Stack 과정(A)',
'Java 언어를 기반으로 AWS 클라우드를 활용할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (3, 1,'AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정(A)',
'Java 언어를 기반으로 AWS 클라우드와 Elasticsearch 를 활용할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (4, 2,'자바(Java)기반 Web 과 스마트폰 Full-Stack 과정(A)',
'Java 언어를 기반으로 스마트웹,콘텐츠 개발을 할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (5, 2,'AWS 와 Docker 를 활용한 Java Full-Stack 과정(B)',
'Java 언어를 기반으로 AWS 와 Docker 를 활용하여 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (6, 2,'AWS 클라우드를 활용한 Full-Stack 과정(B)',
'Java 언어를 기반으로 AWS 클라우드를 활용할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (7, 1,'AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정(B)',
'Java 언어를 기반으로 AWS 클라우드와 Elasticsearch 를 활용할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');
```

```
insert into tblCurriculum values (8, 2,'자바(Java)기반 Web 과 스마트폰 Full-Stack 과정(B)',
```

'Java 언어를 기반으로 스마트웹,콘텐츠 개발을 할 수 있는 Full-Stack 개발자를 양성하고 있습니다.');

|  |                      |     |            |
|--|----------------------|-----|------------|
| 테이블명   | tblInterviewSchedule | 작성일 | 2024-03-08 |
| System   | 면접 스케줄               | 작성자 | 장원준        |
| DML  |                      |     |            |
| <pre>insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(1, 2, 1, TO_DATE('2023-08-24', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(2, 3, 2, TO_DATE('2023-11-24', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(3, 4, 3, TO_DATE('2023-11-24', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(4, 5, 4, TO_DATE('2023-10-07', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(5, 6, 5, TO_DATE('2024-02-24', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(6, 7, 6, TO_DATE('2023-10-18', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(7, 8, 7, TO_DATE('2023-10-16', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(8, 9, 8, TO_DATE('2024-01-11', 'YYYY-MM-DD')); insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(9, 10, 9, TO_DATE('2024-02-28', 'YYYY-MM-DD'));</pre> |                      |     |            |



```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(10, 1, 10, TO_DATE('2023-11-01', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(11, 2, 11, TO_DATE('2024-02-25', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(12, 3, 12, TO_DATE('2024-02-20', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(13, 4, 13, TO_DATE('2024-01-03', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(14, 5, 14, TO_DATE('2023-12-29', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(15, 6, 15, TO_DATE('2023-11-02', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(16, 7, 16, TO_DATE('2024-01-05', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(17, 8, 17, TO_DATE('2023-10-02', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(18, 9, 19, TO_DATE('2023-10-07', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(19, 10, 20, TO_DATE('2023-12-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(20, 1, 21, TO_DATE('2023-11-09', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(21, 2, 22, TO_DATE('2023-12-19', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(22, 3, 23, TO_DATE('2023-09-01', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(23, 4, 24, TO_DATE('2023-09-11', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(24, 5, 26, TO_DATE('2023-08-04', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(25, 6, 28, TO_DATE('2023-12-10', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(26, 7, 29, TO_DATE('2023-10-19', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(27, 8, 31, TO_DATE('2023-11-26', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(28, 9, 32, TO_DATE('2023-12-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(29, 10, 34, TO_DATE('2023-10-18', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(30, 1, 35, TO_DATE('2023-12-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(31, 2, 36, TO_DATE('2023-12-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(32, 3, 37, TO_DATE('2023-11-15', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(33, 4, 38, TO_DATE('2024-01-03', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(34, 5, 40, TO_DATE('2023-12-02', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(35, 6, 41, TO_DATE('2023-11-10', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(36, 7, 42, TO_DATE('2023-10-11', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(37, 8, 43, TO_DATE('2024-01-17', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(38, 9, 44, TO_DATE('2024-02-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(39, 10, 45, TO_DATE('2023-11-16', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(40, 1, 47, TO_DATE('2023-09-25', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(41, 2, 48, TO_DATE('2023-11-07', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(42, 3, 49, TO_DATE('2023-12-11', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(43, 4, 51, TO_DATE('2023-12-17', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(44, 5, 52, TO_DATE('2024-02-18', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(45, 6, 53, TO_DATE('2024-01-21', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(46, 7, 54, TO_DATE('2023-10-09', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(47, 8, 56, TO_DATE('2023-09-02', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(48, 9, 57, TO_DATE('2023-09-22', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(49, 10, 58, TO_DATE('2023-09-30', 'YYYY-MM-DD'));

insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(50, 1, 60, TO_DATE('2024-01-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(51, 2, 61, TO_DATE('2023-12-09', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(52, 3, 62, TO_DATE('2023-09-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(53, 4, 63, TO_DATE('2023-12-06', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(54, 5, 64, TO_DATE('2023-08-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(55, 6, 65, TO_DATE('2023-11-06', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(56, 7, 67, TO_DATE('2023-09-16', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(57, 8, 68, TO_DATE('2023-09-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(58, 9, 69, TO_DATE('2023-10-29', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(59, 10, 70, TO_DATE('2023-11-13', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(60, 1, 71, TO_DATE('2023-10-26', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(61, 2, 72, TO_DATE('2024-01-07', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(62, 3, 73, TO_DATE('2023-12-20', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(63, 4, 74, TO_DATE('2023-09-21', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(64, 5, 75, TO_DATE('2023-10-26', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(65, 6, 76, TO_DATE('2023-11-16', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(66, 7, 77, TO_DATE('2023-10-29', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(67, 8, 78, TO_DATE('2023-09-01', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(68, 9, 80, TO_DATE('2023-09-30', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(69, 10, 81, TO_DATE('2023-09-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(70, 1, 82, TO_DATE('2023-09-24', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(71, 2, 84, TO_DATE('2023-09-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(72, 3, 85, TO_DATE('2023-09-09', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(73, 4, 86, TO_DATE('2024-01-10', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(74, 5, 87, TO_DATE('2023-10-19', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(75, 6, 88, TO_DATE('2023-08-30', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(76, 7, 89, TO_DATE('2024-01-25', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(77, 8, 90, TO_DATE('2023-09-25', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(78, 9, 91, TO_DATE('2023-08-08', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(79, 10, 92, TO_DATE('2023-12-24', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(80, 1, 93, TO_DATE('2023-09-28', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(81, 2, 95, TO_DATE('2023-09-23', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(82, 3, 96, TO_DATE('2023-08-25', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(83, 4, 97, TO_DATE('2023-11-11', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(84, 5, 98, TO_DATE('2023-08-30', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(85, 6, 99, TO_DATE('2023-11-18', 'YYYY-MM-DD'));
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(86, 7, 100, TO_DATE('2023-10-05', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(87, 8, 102, TO_DATE('2024-01-03', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(88, 9, 103, TO_DATE('2023-09-14', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(89, 10, 104, TO_DATE('2024-02-12', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(90, 1, 105, TO_DATE('2023-08-08', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(91, 2, 106, TO_DATE('2023-10-29', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(92, 3, 107, TO_DATE('2024-01-27', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(93, 4, 108, TO_DATE('2023-09-12', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(94, 5, 109, TO_DATE('2023-10-16', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(95, 6, 110, TO_DATE('2023-11-22', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(96, 7, 111, TO_DATE('2023-09-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(97, 8, 112, TO_DATE('2023-10-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(98, 9, 113, TO_DATE('2023-11-05', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(99, 10, 114, TO_DATE('2023-10-27', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(100, 1, 115, TO_DATE('2024-01-04', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(101, 10, 116, TO_DATE('2023-10-10', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(102, 2, 117, TO_DATE('2023-12-10', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(103, 7, 119, TO_DATE('2023-09-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(104, 4, 121, TO_DATE('2023-11-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(105, 3, 122, TO_DATE('2024-01-08', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(106, 9, 123, TO_DATE('2023-11-25', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(107, 7, 125, TO_DATE('2023-10-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(108, 10, 126, TO_DATE('2023-10-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(109, 2, 127, TO_DATE('2023-11-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(110, 10, 128, TO_DATE('2023-11-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(111, 4, 129, TO_DATE('2023-10-15', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(112, 6, 132, TO_DATE('2023-11-02', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(113, 6, 137, TO_DATE('2023-12-29', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(114, 5, 138, TO_DATE('2024-01-20', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(115, 3, 139, TO_DATE('2024-01-24', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(116, 7, 140, TO_DATE('2023-11-29', 'YYYY-MM-DD'));
```



```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(117, 6, 142, TO_DATE('2023-08-20', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(118, 1, 143, TO_DATE('2023-08-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(119, 3, 145, TO_DATE('2023-12-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(120, 8, 147, TO_DATE('2023-10-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(121, 2, 148, TO_DATE('2023-10-06', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(122, 9, 150, TO_DATE('2023-11-04', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(123, 10, 152, TO_DATE('2023-11-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(124, 5, 158, TO_DATE('2023-11-26', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(125, 10, 160, TO_DATE('2023-12-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(126, 6, 163, TO_DATE('2023-12-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(127, 3, 166, TO_DATE('2023-11-18', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(128, 4, 170, TO_DATE('2024-01-03', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(129, 7, 171, TO_DATE('2023-12-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(130, 7, 176, TO_DATE('2024-02-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(131, 2, 179, TO_DATE('2024-01-05', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(132, 9, 180, TO_DATE('2024-01-28', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(133, 9, 183, TO_DATE('2024-01-09', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(134, 1, 188, TO_DATE('2023-12-24', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(135, 6, 192, TO_DATE('2023-10-01', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(136, 9, 196, TO_DATE('2023-12-18', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(137, 10, 198, TO_DATE('2023-10-21', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(138, 5, 201, TO_DATE('2023-09-22', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(139, 3, 203, TO_DATE('2023-09-11', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(140, 6, 204, TO_DATE('2023-10-19', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(141, 10, 207, TO_DATE('2023-12-11', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(142, 4, 213, TO_DATE('2023-11-26', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(143, 8, 217, TO_DATE('2023-11-25', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(144, 10, 233, TO_DATE('2024-01-19', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(145, 4, 235, TO_DATE('2023-12-06', 'YYYY-MM-DD'));
```

```
insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(146, 5, 238, TO_DATE('2024-01-05', 'YYYY-MM-DD'));
```

```

insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(147, 5, 240, TO_DATE('2023-11-24', 'YYYY-MM-DD'));

insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(148, 1, 244, TO_DATE('2023-10-28', 'YYYY-MM-DD'));

insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(149, 8, 248, TO_DATE('2023-09-06', 'YYYY-MM-DD'));

insert into tblInterviewSchedule (seq_schedule, seq_manager, seq_trainee, day) values(150, 7, 250, TO_DATE('2023-11-03', 'YYYY-MM-DD'));

```

|  |                         |     |            |
|--|-------------------------|-----|------------|
| 테이블명   | tblAvailableSubjectList | 작성일 | 2024-03-08 |
| System   | 강의 가능 과목 목록             | 작성자 | 장원준        |
| DML  |                         |     |            |
| <pre> insert into tblAvailableSubjectList values (1, 1, 1);  insert into tblAvailableSubjectList values (2, 2, 1);  insert into tblAvailableSubjectList values (3, 3, 1); </pre> |                         |     |            |

```
insert into tblAvailableSubjectList values (4, 4, 1);  
insert into tblAvailableSubjectList values (5, 5, 1);  
insert into tblAvailableSubjectList values (6, 6, 1);  
insert into tblAvailableSubjectList values (7, 7, 1);  
insert into tblAvailableSubjectList values (8, 8, 1);  
insert into tblAvailableSubjectList values (9, 9, 1);  
insert into tblAvailableSubjectList values (10, 10, 1);  
insert into tblAvailableSubjectList values (11, 11, 1);  
insert into tblAvailableSubjectList values (12, 12, 1);  
insert into tblAvailableSubjectList values (13, 13, 1);  
insert into tblAvailableSubjectList values (14, 14, 1);  
insert into tblAvailableSubjectList values (15, 1, 2);  
insert into tblAvailableSubjectList values (16, 2, 2);  
insert into tblAvailableSubjectList values (17, 3, 2);  
insert into tblAvailableSubjectList values (18, 4, 2);  
insert into tblAvailableSubjectList values (19, 5, 2);
```

```
insert into tblAvailableSubjectList values (20, 6, 2);  
insert into tblAvailableSubjectList values (21, 7, 2);  
insert into tblAvailableSubjectList values (22, 8, 2);  
insert into tblAvailableSubjectList values (23, 9, 2);  
insert into tblAvailableSubjectList values (24, 10, 2);  
insert into tblAvailableSubjectList values (25, 11, 2);  
insert into tblAvailableSubjectList values (26, 12, 2);  
insert into tblAvailableSubjectList values (27, 13, 2);  
insert into tblAvailableSubjectList values (28, 14, 2);  
insert into tblAvailableSubjectList values (29, 1, 3);  
insert into tblAvailableSubjectList values (30, 2, 3);  
insert into tblAvailableSubjectList values (31, 3, 3);  
insert into tblAvailableSubjectList values (32, 4, 3);  
insert into tblAvailableSubjectList values (33, 5, 3);  
insert into tblAvailableSubjectList values (34, 6, 3);  
insert into tblAvailableSubjectList values (35, 7, 3);
```

```
insert into tblAvailableSubjectList values (36, 8, 3);  
insert into tblAvailableSubjectList values (37, 9, 3);  
insert into tblAvailableSubjectList values (38, 10, 3);  
insert into tblAvailableSubjectList values (39, 12, 3);  
insert into tblAvailableSubjectList values (40, 13, 3);  
insert into tblAvailableSubjectList values (41, 14, 3);  
insert into tblAvailableSubjectList values (42, 1, 4);  
insert into tblAvailableSubjectList values (43, 2, 4);  
insert into tblAvailableSubjectList values (44, 3, 4);  
insert into tblAvailableSubjectList values (45, 4, 4);  
insert into tblAvailableSubjectList values (46, 5, 4);  
insert into tblAvailableSubjectList values (47, 6, 4);  
insert into tblAvailableSubjectList values (48, 7, 4);  
insert into tblAvailableSubjectList values (49, 8, 4);  
insert into tblAvailableSubjectList values (50, 9, 4);  
insert into tblAvailableSubjectList values (51, 11, 4);
```

```
insert into tblAvailableSubjectList values (52, 12, 4);  
insert into tblAvailableSubjectList values (53, 13, 4);  
insert into tblAvailableSubjectList values (54, 14, 4);  
insert into tblAvailableSubjectList values (55, 1, 5);  
insert into tblAvailableSubjectList values (56, 2, 5);  
insert into tblAvailableSubjectList values (57, 3, 5);  
insert into tblAvailableSubjectList values (58, 4, 5);  
insert into tblAvailableSubjectList values (59, 5, 5);  
insert into tblAvailableSubjectList values (60, 6, 5);  
insert into tblAvailableSubjectList values (61, 7, 5);  
insert into tblAvailableSubjectList values (62, 12, 5);  
insert into tblAvailableSubjectList values (63, 13, 5);  
insert into tblAvailableSubjectList values (64, 14, 5);  
insert into tblAvailableSubjectList values (65, 1, 6);  
insert into tblAvailableSubjectList values (66, 2, 6);  
insert into tblAvailableSubjectList values (67, 3, 6);
```



```
insert into tblAvailableSubjectList values (68, 4, 6);  
insert into tblAvailableSubjectList values (69, 5, 6);  
insert into tblAvailableSubjectList values (70, 6, 6);  
insert into tblAvailableSubjectList values (71, 7, 6);  
insert into tblAvailableSubjectList values (72, 8, 6);  
insert into tblAvailableSubjectList values (73, 9, 6);  
insert into tblAvailableSubjectList values (74, 11, 6);  
insert into tblAvailableSubjectList values (75, 12, 6);  
insert into tblAvailableSubjectList values (76, 13, 6);  
insert into tblAvailableSubjectList values (77, 14, 6);  
insert into tblAvailableSubjectList values (78, 1, 7);  
insert into tblAvailableSubjectList values (79, 2, 7);  
insert into tblAvailableSubjectList values (80, 3, 7);  
insert into tblAvailableSubjectList values (81, 4, 7);  
insert into tblAvailableSubjectList values (82, 5, 7);  
insert into tblAvailableSubjectList values (83, 6, 7);
```

```
insert into tblAvailableSubjectList values (84, 7, 7);  
insert into tblAvailableSubjectList values (85, 9, 7);  
insert into tblAvailableSubjectList values (86, 11, 7);  
insert into tblAvailableSubjectList values (87, 12, 7);  
insert into tblAvailableSubjectList values (88, 1, 8);  
insert into tblAvailableSubjectList values (89, 2, 8);  
insert into tblAvailableSubjectList values (90, 3, 8);  
insert into tblAvailableSubjectList values (91, 4, 8);  
insert into tblAvailableSubjectList values (92, 5, 8);  
insert into tblAvailableSubjectList values (93, 6, 8);  
insert into tblAvailableSubjectList values (94, 7, 8);  
insert into tblAvailableSubjectList values (95, 9, 8);  
insert into tblAvailableSubjectList values (96, 11, 8);  
insert into tblAvailableSubjectList values (97, 12, 8);  
insert into tblAvailableSubjectList values (98, 1, 9);  
insert into tblAvailableSubjectList values (99, 2, 9);
```

```
insert into tblAvailableSubjectList values (100, 3, 9);  
insert into tblAvailableSubjectList values (101, 4, 9);  
insert into tblAvailableSubjectList values (102, 5, 9);  
insert into tblAvailableSubjectList values (103, 6, 9);  
insert into tblAvailableSubjectList values (104, 7, 9);  
insert into tblAvailableSubjectList values (105, 8, 9);  
insert into tblAvailableSubjectList values (106, 11, 9);  
insert into tblAvailableSubjectList values (107, 12, 9);  
insert into tblAvailableSubjectList values (108, 1, 10);  
insert into tblAvailableSubjectList values (109, 2, 10);  
insert into tblAvailableSubjectList values (110, 3, 10);  
insert into tblAvailableSubjectList values (111, 4, 10);  
insert into tblAvailableSubjectList values (112, 5, 10);  
insert into tblAvailableSubjectList values (113, 6, 10);  
insert into tblAvailableSubjectList values (114, 7, 10);  
insert into tblAvailableSubjectList values (115, 8, 10);
```

```
insert into tblAvailableSubjectList values (116, 9, 10);  
insert into tblAvailableSubjectList values (117, 10, 10);  
insert into tblAvailableSubjectList values (118, 11, 10);  
insert into tblAvailableSubjectList values (119, 12, 10);  
insert into tblAvailableSubjectList values (120, 15, 1);  
insert into tblAvailableSubjectList values (121, 15, 2);  
insert into tblAvailableSubjectList values (122, 15, 3);  
insert into tblAvailableSubjectList values (123, 15, 4);  
insert into tblAvailableSubjectList values (124, 15, 5);  
insert into tblAvailableSubjectList values (125, 15, 6);  
insert into tblAvailableSubjectList values (126, 15, 7);  
insert into tblAvailableSubjectList values (127, 15, 8);  
insert into tblAvailableSubjectList values (128, 15, 9);  
insert into tblAvailableSubjectList values (129, 15, 10);  
insert into tblAvailableSubjectList values (130, 16, 1);  
insert into tblAvailableSubjectList values (131, 16, 2);
```

```
insert into tblAvailableSubjectList values (132, 16, 3);  
insert into tblAvailableSubjectList values (133, 16, 4);  
insert into tblAvailableSubjectList values (134, 16, 5);  
insert into tblAvailableSubjectList values (135, 16, 6);  
insert into tblAvailableSubjectList values (136, 16, 7);  
insert into tblAvailableSubjectList values (137, 16, 8);  
insert into tblAvailableSubjectList values (138, 16, 9);  
insert into tblAvailableSubjectList values (139, 16, 10);  
insert into tblAvailableSubjectList values (140, 17, 1);  
insert into tblAvailableSubjectList values (141, 17, 2);  
insert into tblAvailableSubjectList values (142, 17, 3);  
insert into tblAvailableSubjectList values (143, 17, 4);  
insert into tblAvailableSubjectList values (144, 17, 5);  
insert into tblAvailableSubjectList values (145, 17, 6);  
insert into tblAvailableSubjectList values (146, 17, 7);  
insert into tblAvailableSubjectList values (147, 17, 8);
```

```
insert into tblAvailableSubjectList values (148, 17, 9);  
  
insert into tblAvailableSubjectList values (149, 17, 10);
```

|  |                      |     |            |
|--|----------------------|-----|------------|
| 테이블명   | tblRecommendTextbook | 작성일 | 2024-03-08 |
| System   | 추천 교재 목록             | 작성자 | 장원준        |
| DML  |                      |     |            |
| <pre>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (1, 1, 1, 4);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (2, 1, 2, 4);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (3, 1, 3, 3);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (4, 2, 4, 5);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (5, 2, 5, 5);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (6, 3, 6, 3);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (7, 4, 7, 5);<br/>insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (8, 5, 8, 5);</pre> |                      |     |            |

```
insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (9, 6, 9, 4);

insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (10, 7, 10, 2);

insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (11, 8, 11, 2);

insert into tblRecommendTextbook (seq_recommendTextbook, seq_teacher, seq_textbook, grade) values (12, 9, 12, 2);
```

|  |                    |     |            |
|--|--------------------|-----|------------|
| 테이블명   | tblOpenSubjectList | 작성일 | 2024-03-08 |
| System   | 개설 과목 목록           | 작성자 | 장원준        |
| DML  |                    |     |            |
| <pre>INSERT INTO tblOpenSubjectList VALUES (1, 47, 7, 1, 1, TO_DATE('2023-09-04', 'YYYY-MM-DD'), TO_DATE('2023-10-02', 'YYYY-MM-DD'));  INSERT INTO tblOpenSubjectList VALUES (2, 48, 7, 8, 1, TO_DATE('2023-10-03', 'YYYY-MM-DD'), TO_DATE('2023-11-01', 'YYYY-MM-DD'));  INSERT INTO tblOpenSubjectList VALUES (3, 49, 7, 4, 1, TO_DATE('2023-11-02', 'YYYY-MM-DD'), TO_DATE('2023-11-30', 'YYYY-MM-DD'));  INSERT INTO tblOpenSubjectList</pre> |                    |     |            |

```
VALUES (4, 50, 7, 12, 1, TO_DATE('2023-12-01', 'YYYY-MM-DD'), TO_DATE('2024-12-28', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (5, 51, 7, 14, 1, TO_DATE('2023-12-29', 'YYYY-MM-DD'), TO_DATE('2024-01-14', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (6, 52, 7, 16, 1, TO_DATE('2024-01-15', 'YYYY-MM-DD'), TO_DATE('2024-01-30', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (7, 53, 7, 17, 1, TO_DATE('2024-01-31', 'YYYY-MM-DD'), TO_DATE('2024-02-15', 'YYYY-MM-DD'));  
  
INSERT INTO tblOpenSubjectList  
VALUES (8, 17, 3, 2, 2, TO_DATE('2023-12-29', 'YYYY-MM-DD'), TO_DATE('2024-01-28', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (9, 18, 3, 8, 2, TO_DATE('2024-01-29', 'YYYY-MM-DD'), TO_DATE('2024-02-28', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (13, 19, 3, 4, 2, TO_DATE('2024-02-29', 'YYYY-MM-DD'), TO_DATE('2024-03-28', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (14, 20, 3, 12, 2, TO_DATE('2024-03-29', 'YYYY-MM-DD'), TO_DATE('2024-04-28', 'YYYY-MM-DD'));
```



```
INSERT INTO tblOpenSubjectList
VALUES (15, 21, 3, 14, 2, TO_DATE('2024-04-29', 'YYYY-MM-DD'), TO_DATE('2024-05-13', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (16, 22, 3, 16, 2, TO_DATE('2024-05-14', 'YYYY-MM-DD'), TO_DATE('2024-05-27', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (17, 23, 3, 17, 2, TO_DATE('2024-05-28', 'YYYY-MM-DD'), TO_DATE('2024-06-10', 'YYYY-MM-DD'));


INSERT INTO tblOpenSubjectList
VALUES (10, 24, 4, 1, 3, TO_DATE('2023-12-26', 'YYYY-MM-DD'), TO_DATE('2024-01-25', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (11, 25, 4, 8, 3, TO_DATE('2024-01-26', 'YYYY-MM-DD'), TO_DATE('2024-02-25', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (18, 26, 4, 4, 3, TO_DATE('2024-02-26', 'YYYY-MM-DD'), TO_DATE('2024-03-25', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (19, 27, 4, 12, 3, TO_DATE('2024-03-26', 'YYYY-MM-DD'), TO_DATE('2024-04-25', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
```

```
VALUES (20, 28, 4, 9, 3, TO_DATE('2024-04-26', 'YYYY-MM-DD'), TO_DATE('2024-05-25', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (21, 29, 4, 15, 3, TO_DATE('2024-05-26', 'YYYY-MM-DD'), TO_DATE('2024-06-08', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (22, 30, 4, 16, 3, TO_DATE('2024-06-09', 'YYYY-MM-DD'), TO_DATE('2024-06-22', 'YYYY-MM-DD'));  
  
INSERT INTO tblOpenSubjectList  
VALUES (12, 31, 5, 2, 4, TO_DATE('2024-01-05', 'YYYY-MM-DD'), TO_DATE('2024-02-04', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (23, 32, 5, 8, 4, TO_DATE('2024-02-05', 'YYYY-MM-DD'), TO_DATE('2024-03-04', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (24, 33, 5, 4, 4, TO_DATE('2024-03-05', 'YYYY-MM-DD'), TO_DATE('2024-04-04', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (25, 34, 5, 9, 4, TO_DATE('2024-04-05', 'YYYY-MM-DD'), TO_DATE('2024-05-04', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (26, 35, 5, 18, 4, TO_DATE('2024-05-05', 'YYYY-MM-DD'), TO_DATE('2024-05-20', 'YYYY-MM-DD'));
```

```
INSERT INTO tblOpenSubjectList
VALUES (27, 36, 5, 19, 4, TO_DATE('2024-05-21', 'YYYY-MM-DD'), TO_DATE('2024-06-03', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (28, 37, 5, 17, 4, TO_DATE('2024-06-04', 'YYYY-MM-DD'), TO_DATE('2024-06-17', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (29, 38, 5, 16, 4, TO_DATE('2024-06-18', 'YYYY-MM-DD'), TO_DATE('2024-07-02', 'YYYY-MM-DD'));


INSERT INTO tblOpenSubjectList
VALUES (30, 1, 1, 1, 5, TO_DATE('2024-02-29', 'YYYY-MM-DD'), TO_DATE('2024-03-28', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (31, 2, 1, 8, 5, TO_DATE('2024-03-29', 'YYYY-MM-DD'), TO_DATE('2024-04-28', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (32, 3, 1, 4, 5, TO_DATE('2024-04-29', 'YYYY-MM-DD'), TO_DATE('2024-05-28', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (33, 4, 1, 9, 5, TO_DATE('2024-05-29', 'YYYY-MM-DD'), TO_DATE('2024-06-28', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
```

```
VALUES (34, 5, 1, 18, 5, TO_DATE('2024-06-29', 'YYYY-MM-DD'), TO_DATE('2024-07-12', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (35, 6, 1, 19, 5, TO_DATE('2024-07-13', 'YYYY-MM-DD'), TO_DATE('2024-07-26', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (36, 7, 1, 17, 5, TO_DATE('2024-07-27', 'YYYY-MM-DD'), TO_DATE('2024-08-17', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (37, 8, 1, 16, 5, TO_DATE('2024-08-18', 'YYYY-MM-DD'), TO_DATE('2024-08-26', 'YYYY-MM-DD'));  
  
INSERT INTO tblOpenSubjectList  
VALUES (38, 9, 2, 2, 6, TO_DATE('2024-03-07', 'YYYY-MM-DD'), TO_DATE('2024-04-06', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (39, 10, 2, 8, 6, TO_DATE('2024-04-07', 'YYYY-MM-DD'), TO_DATE('2024-05-06', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (40, 11, 2, 4, 6, TO_DATE('2024-05-07', 'YYYY-MM-DD'), TO_DATE('2024-06-06', 'YYYY-MM-DD'));  
INSERT INTO tblOpenSubjectList  
VALUES (41, 12, 2, 12, 6, TO_DATE('2024-06-07', 'YYYY-MM-DD'), TO_DATE('2024-07-06', 'YYYY-MM-DD'));
```

```
INSERT INTO tblOpenSubjectList
VALUES (42, 13, 2, 18, 6, TO_DATE('2024-07-07', 'YYYY-MM-DD'), TO_DATE('2024-07-19', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (43, 14, 2, 19, 6, TO_DATE('2024-07-20', 'YYYY-MM-DD'), TO_DATE('2024-08-01', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (44, 15, 2, 17, 6, TO_DATE('2024-08-02', 'YYYY-MM-DD'), TO_DATE('2024-08-16', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (45, 16, 2, 16, 6, TO_DATE('2024-08-17', 'YYYY-MM-DD'), TO_DATE('2024-09-02', 'YYYY-MM-DD'));


INSERT INTO tblOpenSubjectList
VALUES (46, 39, 6, 1, 7, TO_DATE('2024-03-11', 'YYYY-MM-DD'), TO_DATE('2024-04-10', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (47, 40, 6, 8, 7, TO_DATE('2024-04-11', 'YYYY-MM-DD'), TO_DATE('2024-05-10', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
VALUES (48, 41, 6, 4, 7, TO_DATE('2024-05-11', 'YYYY-MM-DD'), TO_DATE('2024-06-10', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList
```

```
VALUES (49, 42, 6, 12, 7, TO_DATE('2024-06-11', 'YYYY-MM-DD'), TO_DATE('2024-07-10', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList

VALUES (50, 43, 6, 18, 7, TO_DATE('2024-07-11', 'YYYY-MM-DD'), TO_DATE('2024-07-24', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList

VALUES (51, 44, 6, 19, 7, TO_DATE('2024-07-25', 'YYYY-MM-DD'), TO_DATE('2024-08-07', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList

VALUES (52, 45, 6, 17, 7, TO_DATE('2024-08-08', 'YYYY-MM-DD'), TO_DATE('2024-08-21', 'YYYY-MM-DD'));

INSERT INTO tblOpenSubjectList

VALUES (53, 46, 6, 16, 7, TO_DATE('2024-08-22', 'YYYY-MM-DD'), TO_DATE('2024-09-06', 'YYYY-MM-DD'));
```

|   |             |     |            |
|---|-------------|-----|------------|
| 테이블명  | tblTestInfo | 작성일 | 2024-03-08 |
| System  | 시험 정보       | 작성자 | 장원준        |
| DML   |             |     |            |
| INSERT INTO tblTestInfo<br><br>VALUES (1, 1, TO_DATE('2023-10-03', 'YYYY-MM-DD'), TO_DATE('2023-10-04', 'YYYY-MM-DD'), 40, 40, 20); |             |     |            |

```
INSERT INTO tblTestInfo
VALUES (2, 2, TO_DATE('2023-11-01', 'YYYY-MM-DD'), TO_DATE('2023-11-02', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (3, 3, TO_DATE('2023-11-30', 'YYYY-MM-DD'), TO_DATE('2023-12-01', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (4, 4, TO_DATE('2023-12-28', 'YYYY-MM-DD'), TO_DATE('2023-12-29', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (5, 5, TO_DATE('2024-01-15', 'YYYY-MM-DD'), TO_DATE('2024-01-16', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (6, 6, TO_DATE('2024-01-30', 'YYYY-MM-DD'), TO_DATE('2024-01-31', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (7, 7, TO_DATE('2024-02-13', 'YYYY-MM-DD'), TO_DATE('2024-02-14', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (8, 8, TO_DATE('2024-01-29', 'YYYY-MM-DD'), TO_DATE('2024-01-30', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (9, 9, TO_DATE('2024-02-28', 'YYYY-MM-DD'), TO_DATE('2024-02-29', 'YYYY-MM-DD'), 40, 40, 20);
```

```

INSERT INTO tblTestInfo
VALUES (10, 10, TO_DATE('2024-01-24', 'YYYY-MM-DD'), TO_DATE('2024-01-25', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (11, 11, TO_DATE('2024-02-22', 'YYYY-MM-DD'), TO_DATE('2024-02-23', 'YYYY-MM-DD'), 40, 40, 20);

INSERT INTO tblTestInfo
VALUES (12, 12, TO_DATE('2024-02-05', 'YYYY-MM-DD'), TO_DATE('2024-02-06', 'YYYY-MM-DD'), 40, 40, 20);

```

|   |                     |     |            |
|---|---------------------|-----|------------|
| 테이블명  | tblInterviewResults | 작성일 | 2024-03-08 |
| System  | 면접 결과               | 작성자 | 장원준        |
| DML   |                     |     |            |
| <pre> insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (1 , 1, '합격', " );  insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (2 , 2, '불합격', '면접 불참' );  insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (3 , 3, '합격', " ); </pre> |                     |     |            |



```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (4 , 4, '불합격', '학습의지가 다소 부족해보임. ');
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (5 , 5, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (6 , 6, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (7 , 7, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (8 , 8, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (9 , 9, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (10 , 10, '불합격', '면접 불참 ');
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (11 , 11, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (12 , 12, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (13 , 13, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (14 , 14, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (15 , 15, '불합격', '면접 불참 ');
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (16 , 16, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (17 , 17, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (18 , 18, '합격', " ");
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (19 , 19, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (20 , 20, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (21 , 21, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (22 , 22, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (23 , 23, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (24 , 24, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (25 , 25, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (26 , 26, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (27 , 27, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (28 , 28, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (29 , 29, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (30 , 30, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (31 , 31, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (32 , 32, '불합격', '학습의지가 다소 부족해보임. ');
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (33 , 33, '합격', " ");
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (34 , 34, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (35 , 35, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (36 , 36, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (37 , 37, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (38 , 38, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (39 , 39, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (40 , 40, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (41 , 41, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (42 , 42, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (43 , 43, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (44 , 44, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (45 , 45, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (46 , 46, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (47 , 47, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (48 , 48, '합격', " );
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (49 , 49, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (50 , 50, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (51 , 51, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (52 , 52, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (53 , 53, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (54 , 54, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (55 , 55, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (56 , 56, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (57 , 57, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (58 , 58, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (59 , 59, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (60 , 60, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (61 , 61, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (62 , 62, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (63 , 63, '합격', " ");
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (64 , 64, '불합격', '면접 불참' );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (65 , 65, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (66 , 66, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (67 , 67, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (68 , 68, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (69 , 69, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (70 , 70, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (71 , 71, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (72 , 72, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (73 , 73, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (74 , 74, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (75 , 75, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (76 , 76, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (77 , 77, '합격', " );  
  
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (78 , 78, '합격', " );
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (79 , 79, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (80 , 80, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (81 , 81, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (82 , 82, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (83 , 83, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (84 , 84, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (85 , 85, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (86 , 86, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (87 , 87, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (88 , 88, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (89 , 89, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (90 , 90, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (91 , 91, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (92 , 92, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (93 , 93, '합격', " );
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (94 , 94, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (95 , 95, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (96 , 96, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (97 , 97, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (98 , 98, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (99 , 99, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (100 , 100, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (101 , 101, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (102 , 102, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (103 , 103, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (104 , 104, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (105 , 105, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (106 , 106, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (107 , 107, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (108 , 108, '합격', " );
```

```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (109 , 109, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (110 , 110, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (111 , 111, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (112 , 112, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (113 , 113, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (114 , 114, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (115 , 115, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (116 , 116, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (117 , 117, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (118 , 118, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (119 , 119, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (120 , 120, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (121 , 121, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (122 , 122, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (123 , 123, '합격', " ");
```



```
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (124 , 124, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (125 , 125, '불합격', '다소 의지가 약함.' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (126 , 126, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (127 , 127, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (128 , 128, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (129 , 129, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (130 , 130, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (131 , 131, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (132 , 132, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (133 , 133, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (134 , 134, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (135 , 135, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (136 , 136, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (137 , 137, '합격', " ");
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (138 , 138, '합격', " );
```

```

insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (139 , 139, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (140 , 140, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (141 , 141, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (142 , 142, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (143 , 143, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (144 , 144, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (145 , 145, '불합격', '면접 불참' );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (146 , 146, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (147 , 147, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (148 , 148, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (149 , 149, '합격', " );
insert into tblInterviewResults (seq_interviewResults, seq_schedule, status, etc) values (150 , 150, '합격', " );

```

|      |                   |     |            |
|------|-------------------|-----|------------|
| 테이블명 | tblOpenCurriculum | 작성일 | 2024-03-08 |
|------|-------------------|-----|------------|

|  |          |     |     |
|--|----------|-----|-----|
| System   | 개설 교육 과정 | 작성자 | 장원준 |
| DML  |          |     |     |
| <pre>insert into tblOpenCurriculum (seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate) values (1, 1, 1, 2, to_date('2024-02-29' , 'yyyy-mm-dd'), to_date('2024-08-26', 'yyyy-mm-dd')); -- 진행  insert into tblOpenCurriculum (seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate) values (2, 2, 2, 1, to_date('2024-03-07' , 'yyyy-mm-dd'), to_date('2024-09-02', 'yyyy-mm-dd')); -- 예정  insert into tblOpenCurriculum (seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate) values (3, 3, 4, 2, to_date('2023-12-29' , 'yyyy-mm-dd'), to_date('2024-06-10', 'yyyy-mm-dd')); -- 진행  insert into tblOpenCurriculum (seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate) values (4, 4, 6, 2, to_date('2023-12-26' , 'yyyy-mm-dd'), to_date('2024-06-22', 'yyyy-mm-dd')); -- 진행  insert into tblOpenCurriculum</pre> |          |     |     |

```

(seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate)
values (5, 5, 3, 2, to_date('2024-01-05' , 'yyyy-mm-dd'), to_date('2024-07-02', 'yyyy-mm-dd')); -- 진행
insert into tblOpenCurriculum

(seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate)
values (6, 6, 5, 1, to_date('2024-03-11' , 'yyyy-mm-dd'), to_date('2024-09-06', 'yyyy-mm-dd')); -- 예정
insert into tblOpenCurriculum

(seq_openCurriculum, seq_curriculum, seq_room, seq_curriculumProgress, startDate, endDate)
values (7, 7, 5, 3, to_date('2023-09-04' , 'yyyy-mm-dd'), to_date('2024-02-15', 'yyyy-mm-dd')); -- 종료

```

|  |                |     |            |
|--|----------------|-----|------------|
| 테이블명   | tblSubjectList | 작성일 | 2024-03-08 |
| System   | 과목 목록          | 작성자 | 장원준        |
| DML  |                |     |            |
| insert into tblSubjectList values (1, 1, 1);<br><br>insert into tblSubjectList values (2, 2, 1); |                |     |            |

```
insert into tblSubjectList values (3, 3, 1);  
insert into tblSubjectList values (4, 5, 1);  
insert into tblSubjectList values (5, 16, 1);  
insert into tblSubjectList values (6, 17, 1);  
insert into tblSubjectList values (7, 15, 1);  
insert into tblSubjectList values (8, 14, 1);  
  
insert into tblSubjectList values (9, 1, 2);  
insert into tblSubjectList values (10, 2, 2);  
insert into tblSubjectList values (11, 3, 2);  
insert into tblSubjectList values (12, 4, 2);  
insert into tblSubjectList values (13, 16, 2);  
insert into tblSubjectList values (14, 17, 2);  
insert into tblSubjectList values (15, 15, 2);  
insert into tblSubjectList values (16, 14, 2);
```

```
insert into tblSubjectList values (17, 1, 3);
```

```
insert into tblSubjectList values (18, 2, 3);
```

```
insert into tblSubjectList values (19, 3, 3);
```

```
insert into tblSubjectList values (20, 4, 3);
```

```
insert into tblSubjectList values (21, 12, 3);
```

```
insert into tblSubjectList values (22, 14, 3);
```

```
insert into tblSubjectList values (23, 15, 3);
```

```
insert into tblSubjectList values (24, 1, 4);
```

```
insert into tblSubjectList values (25, 2, 4);
```

```
insert into tblSubjectList values (26, 3, 4);
```

```
insert into tblSubjectList values (27, 4, 4);
```

```
insert into tblSubjectList values (28, 5, 4);
```

```
insert into tblSubjectList values (29, 13, 4);
```

```
insert into tblSubjectList values (30, 14, 4);
```

```
insert into tblSubjectList values (31, 1, 5);
```

```
insert into tblSubjectList values (32, 2, 5);
```

```
insert into tblSubjectList values (33, 3, 5);
```

```
insert into tblSubjectList values (34, 5, 5);
```

```
insert into tblSubjectList values (35, 16, 5);
```

```
insert into tblSubjectList values (36, 17, 5);
```

```
insert into tblSubjectList values (37, 15, 5);
```

```
insert into tblSubjectList values (38, 14, 5);
```

```
insert into tblSubjectList values (39, 1, 6);
```

```
insert into tblSubjectList values (40, 2, 6);
```

```
insert into tblSubjectList values (41, 3, 6);
```

```
insert into tblSubjectList values (42, 4, 6);
```

```
insert into tblSubjectList values (43, 16, 6);
```

```
insert into tblSubjectList values (44, 17, 6);
```

```
insert into tblSubjectList values (45, 15, 6);
```

```
insert into tblSubjectList values (46, 14, 6);
```

```
insert into tblSubjectList values (47, 1, 7);
```

```
insert into tblSubjectList values (48, 2, 7);
```

```
insert into tblSubjectList values (49, 3, 7);
```

```
insert into tblSubjectList values (50, 4, 7);
```

```
insert into tblSubjectList values (51, 12, 7);
```

```
insert into tblSubjectList values (52, 14, 7);
```

```
insert into tblSubjectList values (53, 15, 7);
```

```
insert into tblSubjectList values (54, 1, 8);
```

```
insert into tblSubjectList values (55, 2, 8);
```

```
insert into tblSubjectList values (56, 3, 8);
```

```
insert into tblSubjectList values (57, 4, 8);
```

```
insert into tblSubjectList values (58, 5, 8);
```

```
insert into tblSubjectList values (59, 13, 8);
```



insert into tblSubjectList values (60, 14, 8);

|   |                |     |            |
|---|----------------|-----|------------|
| 테이블명  | tblTraineeList | 작성일 | 2024-03-08 |
| System  | 교육생 목록         | 작성자 | 장원준        |
| DML   |                |     |            |
| <pre>insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum) values (1, 26, 7);  insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum) values (2, 91, 7);  insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum) values (3, 105, 7);  insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum) values (4, 64, 7);  insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum) values (5, 142, 7);</pre> |                |     |            |

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (6, 143, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (7, 1, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (8, 96, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (9, 88, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (10, 98, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (11, 119, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (12, 23, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (13, 78, 7);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (14, 84, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (15, 56, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (16, 248, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (17, 111, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (18, 85, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (19, 24, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (20, 203, 7);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (21, 108, 4);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (22, 62, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (23, 67, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (24, 95, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (25, 82, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (26, 47, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (27, 90, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (28, 93, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (29, 68, 4);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (30, 80, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (31, 147, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (32, 17, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (33, 100, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (34, 126, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (35, 112, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (36, 116, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (37, 109, 4);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (38, 7, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (39, 34, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (40, 6, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (41, 29, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (42, 244, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (43, 69, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (44, 41, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (45, 40, 4);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (46, 28, 4);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (47, 103, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (48, 74, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (49, 57, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (50, 201, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (51, 81, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (52, 58, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (53, 192, 3);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (54, 148, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (55, 19, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (56, 42, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (57, 87, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (58, 204, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (59, 125, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (60, 121, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (61, 132, 3);
```



```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (62, 250, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (63, 70, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (64, 240, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (65, 3, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (66, 217, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (67, 213, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (68, 31, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (69, 140, 3);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (70, 63, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (71, 51, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (72, 22, 3);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (73, 77, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (74, 54, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (75, 129, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (76, 198, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (77, 71, 5);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (78, 128, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (79, 150, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (80, 113, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (81, 65, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (82, 127, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (83, 76, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (84, 45, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (85, 166, 5);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (86, 117, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (87, 36, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (88, 61, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (89, 196, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (90, 73, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (91, 145, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (92, 163, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (93, 188, 5);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (94, 35, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (95, 20, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (96, 137, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (97, 14, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (98, 13, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (99, 102, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (100, 38, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (101, 115, 5);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (102, 152, 5);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (103, 114, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (104, 16, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (105, 106, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (106, 21, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (107, 179, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (108, 99, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (109, 49, 1);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (110, 171, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (111, 32, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (112, 170, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (113, 238, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (114, 72, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (115, 122, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (116, 183, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (117, 86, 1);
```

```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (118, 8, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (119, 60, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (120, 43, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (121, 233, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (122, 138, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (123, 53, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (124, 139, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (125, 89, 1);
```



```
insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (126, 107, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (127, 180, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (128, 176, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (129, 104, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (130, 44, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (131, 52, 1);

insert into tblTraineeList (seq_traineeList, seq_trainee, seq_openCurriculum)
values (132, 12, 1);
```

|   |           |     |            |
|---|-----------|-----|------------|
| 테이블명  | tblNotice | 작성일 | 2024-03-08 |
| System  | 공지사항      | 작성자 | 장원준        |
| DML   |           |     |            |
| <p>insert into tblNotice(seq_notice,SEQ_OPENCURRICULUM,title,content) values(1,1,'AWS 와 Docker 를 활용한 Java Full-Stack 과정(A) 공지사항','안녕하세요, AWS 와 Docker 를 활용한 Java Full-Stack 과정(A) 수강생 여러분!</p> <p>프로젝트 발표일이 7 일 남았습니다. 이번 프로젝트에서도 열정적인 참여와 질문을 부탁드립니다, 함께 더 나은 개발자가 되도록 노력해봅시다!');</p> <p>insert into tblNotice(seq_notice,SEQ_OPENCURRICULUM,title,content) values(2,2,'AWS 클라우드를 활용한 Full-Stack 과정(A) 공지사항','안녕하세요, AWS 클라우드를 활용한 Full-Stack 과정(A) 수강생 여러분!</p> <p>우리의 수업이 곧 시작됩니다! 이번 수업은 AWS 클라우드를 중심으로 Full-Stack 개발의 핵심 개념과 실전 기술을 다룰 예정입니다.</p> <p>모든 준비물을 확인하고, 수업에 참여할 준비를 완료해 주시기 바랍니다.</p> <p>수업에 대한 추가 정보나 질문이 있으시면 언제든지 연락 주시기 바랍니다.</p> <p>함께 흥미진진한 여정을 떠나봅시다! 감사합니다.);</p> |           |     |            |

`insert into tblNotice(seq_notice,SEQ_OPENCURRICULUM,title,content) values(3,3,'AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정(A) 공지 사항','안녕하세요, AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정(A) 수강생 여러분!`

저희의 수업이 다시 시작되었습니다! 이번 수업은 AWS 클라우드와 Elasticsearch 를 중심으로 Java Full-Stack 개발의 핵심 개념과 실전 기술을 다룰 예정입니다

모든 준비물을 확인하고, 수업에 참여할 준비를 완료해 주시기 바랍니다.

수업에 대한 추가 정보나 질문이 있으시면 언제든지 연락 주시기 바랍니다.

함께 흥미진진한 여정을 떠나봅시다!);

`insert into tblNotice(seq_notice,SEQ_OPENCURRICULUM,title,content) values(4,4,'자바(Java)기반 Web 과 스마트폰 Full-Stack 과정(A) 공지 사항','안녕하세요, 자바(Java)기반 Web 과 스마트폰 Full-Stack 과정(A) 수강생 여러분!`

이번 강의에서는 최신 자바 기술을 활용하여 웹과 스마트폰 개발에 대해 깊이 있게 다룰 예정입니다.

강의 시작 전에 준비사항을 확인해 주시기 바랍니다.

강의에 대한 추가 문의사항이나 궁금한 사항이 있으시면 언제든지 연락해 주세요.

함께 흥미로운 수업을 진행하며 성장하는 시간이 되길 기대합니다!

감사합니다.);

insert into tblNotice(seq\_notice,SEQ\_OPENCURRICULUM,title,content) values(5,5,'AWS 와 Docker 를 활용한 Java Full-Stack 과정(B) 공지사항','이 강의는 AWS 클라우드와 Docker 를 중심으로 Java Full-Stack 개발의 핵심을 다룰 예정입니다.

비 전공자에게는 조금 쉽지 않은 수업이 될 예정이오니 성실한 출석을 통한 수업 참여를 부탁 드립니다.');

insert into tblNotice(seq\_notice,SEQ\_OPENCURRICULUM,title,content) values(6,6,'AWS 클라우드를 활용한 Full-Stack 과정(B)','다음주 부터는

HTML,CSS,JS 를 통한 다양한 웹 기술을 배울 예정입니다. 교육생분들에게 이번 주말 꼭 쉬시고 만반의 준비를 하셔서 오길 공지드립니다.');

insert into tblNotice(seq\_notice,SEQ\_OPENCURRICULUM,title,content) values(7,7,'AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정(B) 공지사항','

안녕하세요 AWS 클라우드와 Elasticsearch 를 활용한 Java Full-Stack 과정 교육생 여러분! 다음 프로젝트의 조 명단을 단톡방에 공지 드렸으니 확인 부탁드립니다.');

|      |                     |     |            |
|------|---------------------|-----|------------|
| 테이블명 | tblAttendancePapers | 작성일 | 2024-03-08 |
|------|---------------------|-----|------------|

|  |        |     |     |
|--|--------|-----|-----|
| System   | 출결인정서류 | 작성자 | 장원준 |
| DML  |        |     |     |
| <pre>insert into tblAttendancePapers values( 1,1,'조퇴','2023-09-13','코로나 진단 서류','출석 인정');  insert into tblAttendancePapers values( 2,2,'결석','2023-09-21','사망신고서','출석 인정');  insert into tblAttendancePapers values( 3,3,'결석','2023-10-19','입원서류','출석 인정');  insert into tblAttendancePapers</pre> |        |     |     |

```
values(
```

```
4,4,'지각','2023-10-25','경찰서 사고 확인서 ','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
5,5,'지각','2023-10-30','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
6,6,'조퇴','2023-11-08','의사 확인 서류','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
7,7,'결석','2023-11-10','부친 사망 신고서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
8,8,'결석','2023-11-15','병가증명서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
9,9,'결석','2023-11-22','의사 진단서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
10,10,'지각','2023-11-23','결혼식 참석 증명서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
11,11,'지각','2023-11-24','의사 진단서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
12,12,'지각','2023-11-28','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(  
13,14,'조퇴','2023-11-29','의사 진단서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
14,15,'지각','2023-11-30','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(  
15,1,'결석','2023-12-01','모친 사망 신고서','출석 인정');
```

```
insert into tblAttendancePapers
```



```
values(
```

```
16,3,'결석','2023-12-05','결혼식 참석 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
17,17,'결석','2023-12-07','입원서류','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
18,3,'결석','2023-12-08','코로나 진단 서류','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
19,20,'결석','2023-12-14','입원서류','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
20,7,'조퇴','2023-12-15','의사 진단서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
21,7,'지각','2023-12-18','청첩장','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
22,6,'조퇴','2023-12-20','의사소견서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
23,9,'조퇴','2023-12-22','국가 자격증 시험 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
24,10,'조퇴','2023-12-26','기업 면접 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
25,11,'지각','2023-12-27','토익 시험 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
26,23,'결석','2023-12-27','예비군 훈련 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
27,24,'결석','2023-12-29','예비군 훈련 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
28,48,'조퇴','2024-01-02','국가 자격증 시험 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
29,51,'결석','2024-01-04','기업 면접 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
30,52,'결석','2024-01-05','코로나 진단 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
31,55,'지각','2024-01-08','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
32,60,'지각','2024-01-11','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
33,64,'외출','2024-01-12','국민취업지원제도 상담','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
34,72,'외출','2024-01-12','국민취업지원제도 상담','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
35,69,'외출','2024-01-15','국민취업지원제도 상담','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
36,66,'외출','2024-01-17','결혼식 참석 증명서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
37,64,'지각','2024-01-19','지하철 지연 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
38,59,'외출','2024-01-22','개인 경조사','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
39,79,'지각','2024-01-23','교통사고 경찰 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(  
40,84,'결석','2024-01-25','부친 사망 신고서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
41,89,'조퇴','2024-01-30','의사 진단서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
42,92,'결석','2024-01-31','출생 신고서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(  
43,94,'지각','2024-02-02','교통사고 경찰 확인서','출석 미인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
44,102,'결석','2024-02-06','입원 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
45,95,'결석','2024-02-08','모친 사망 신고서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
46,99,'지각','2024-02-14','기업 면접 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```

```
values(
```

```
47,89,'조퇴','2024-02-15','기업 면접 확인서','출석 인정');
```

```
insert into tblAttendancePapers
```



```
values(
48,90,'결석','2024-02-16','국가 자격증 시험','출석 인정');

insert into tblAttendancePapers
values(
49,88,'지각','2024-02-19','기업 면접 확인서','출석 인정');

insert into tblAttendancePapers
values(
50,84,'지각','2024-02-22','교통사고 경찰 확인서','출석 미인정');
```

|        |               |     |            |
|--------|---------------|-----|------------|
| 테이블명   | tblAttendance | 작성일 | 2024-03-08 |
| System | 출결            | 작성자 | 장원준        |
| DML    |               |     |            |

```
insert into tblAttendance
```

```
values(
```

```
1,1,1,to_date('2023-09-04','YYYY-MM-DD'),to_date('2023-09-04 08:30:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-04  
17:54:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
2,1,5,to_date('2023-09-13','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
3,1,1,to_date('2023-10-11','YYYY-MM-DD'),to_date('2023-10-11 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-11  
18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
4,1,1,to_date('2023-10-20','YYYY-MM-DD'),to_date('2023-10-20 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-20  
17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
5,1,3,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09  
14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
6,1,4,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
7,1,1,to_date('2023-12-01','YYYY-MM-DD'),to_date('2023-12-01 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-01  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
8,1,2,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 09:32:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
9,1,1,to_date('2024-01-03','YYYY-MM-DD'),to_date('2024-01-03 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-03  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
10,1,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
-- 2 번
```

```
insert into tblAttendance
```

```
values(
```

```
11,2,1,to_date('2023-09-04','YYYY-MM-DD'),to_date('2023-09-04 08:30:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-04 17:54:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
12,2,1,to_date('2023-09-21','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
13,2,1,to_date('2023-10-10','YYYY-MM-DD'),to_date('2023-10-10 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-10 18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
14,2,1,to_date('2023-10-25','YYYY-MM-DD'),to_date('2023-10-25 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-25 17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
15,2,3,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09  
11:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
16,2,4,to_date('2023-11-22','YYYY-MM-DD'),to_date('2023-11-22 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-22  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
17,2,1,to_date('2023-12-04','YYYY-MM-DD'),to_date('2023-12-04 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-04  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
18,2,2,to_date('2023-12-28','YYYY-MM-DD'),to_date('2023-12-28 09:22:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-28  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
19,2,1,to_date('2024-01-04','YYYY-MM-DD'),to_date('2024-01-04 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-04  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
20,2,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--3 번

```
insert into tblAttendance
```

```
values(
```

```
21,3,1,to_date('2023-10-19','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
22,3,6,to_date('2023-12-05','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
23,3,1,to_date('2023-12-08','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
24,3,1,to_date('2023-10-20','YYYY-MM-DD'),to_date('2023-10-20 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-20  
17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
25,3,3,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09  
14:38:09','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance
```

```
values(
```

```
26,3,4,to_date('2023-11-24','YYYY-MM-DD'),to_date('2023-11-23 08:50:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
27,3,1,to_date('2023-12-22','YYYY-MM-DD'),to_date('2023-12-22 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-22  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
28,3,2,to_date('2023-12-29','YYYY-MM-DD'),to_date('2023-12-29 09:22:49','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-29  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
29,3,1,to_date('2024-01-03','YYYY-MM-DD'),to_date('2024-01-03 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-03 18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
30,3,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

--4 번

```
insert into tblAttendance
```

```
values(
```

```
31,4,2,to_date('2023-10-25','YYYY-MM-DD'),to_date('2023-09-04 10:30:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-04 17:54:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
32,4,1,to_date('2023-09-14','YYYY-MM-DD'),to_date('2023-09-14 08:10:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-14 18:05:00','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
33,4,1,to_date('2023-10-13','YYYY-MM-DD'),to_date('2023-10-13 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-13 18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
34,4,1,to_date('2023-11-21','YYYY-MM-DD'),to_date('2023-11-21 08:59:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-21 17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
35,4,3,to_date('2023-12-04','YYYY-MM-DD'),to_date('2023-12-04 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-04 14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
36,4,4,to_date('2023-12-26','YYYY-MM-DD'),to_date('2023-12-26 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-26  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
37,4,1,to_date('2024-01-02','YYYY-MM-DD'),to_date('2024-01-02 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-02  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
38,4,2,to_date('2024-01-13','YYYY-MM-DD'),to_date('2024-01-13 09:22:29','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-13  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
39,4,1,to_date('2024-01-15','YYYY-MM-DD'),to_date('2024-01-15 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-15  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
40,4,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--5 번

```
insert into tblAttendance
```

```
values(
```

```
41,5,1,to_date('2023-09-13','YYYY-MM-DD'),to_date('2023-09-13 08:30:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-13  
17:54:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
42,5,2,to_date('2023-09-30','YYYY-MM-DD'),to_date('2023-09-30 09:22:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-30 18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
43,5,1,to_date('2023-10-11','YYYY-MM-DD'),to_date('2023-10-11 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-11 18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
44,5,1,to_date('2023-10-20','YYYY-MM-DD'),to_date('2023-10-20 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-20 17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
45,5,3,to_date('2023-11-10','YYYY-MM-DD'),to_date('2023-11-10 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-10 14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
46,5,4,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
47,5,1,to_date('2023-12-07','YYYY-MM-DD'),to_date('2023-12-07 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-07  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
48,5,2,to_date('2023-12-28','YYYY-MM-DD'),to_date('2023-12-28 09:37:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-28  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
49,5,1,to_date('2024-01-03','YYYY-MM-DD'),to_date('2024-01-03 08:55:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-03 18:03:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
50,5,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--6 번

```
insert into tblAttendance
```

```
values(
```

```
51,6,5,to_date('2023-11-08','YYYY-MM-DD'),to_date('2023-11-08 08:30:00','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-08 11:24:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
52,6,6,to_date('2023-09-13','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance
```

```
values(
```

```
53,6,5,to_date('2023-12-20','YYYY-MM-DD'),to_date('2023-12-20 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-20  
12:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
54,6,1,to_date('2023-10-25','YYYY-MM-DD'),to_date('2023-10-25 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-25  
17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
55,6,3,to_date('2023-11-14','YYYY-MM-DD'),to_date('2023-11-14 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-14  
14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
56,6,4,to_date('2023-11-27','YYYY-MM-DD'),to_date('2023-11-27 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-27  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
57,6,1,to_date('2023-12-07','YYYY-MM-DD'),to_date('2023-12-07 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-07  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
58,6,2,to_date('2023-12-21','YYYY-MM-DD'),to_date('2023-12-21 09:24:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-21  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
59,6,1,to_date('2024-01-04','YYYY-MM-DD'),to_date('2024-01-04 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-04  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
60,6,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--7 번

```
insert into tblAttendance
```

```
values(
```

```
61,7,1,to_date('2023-11-10','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
62,7,5,to_date('2023-12-08','YYYY-MM-DD'),to_date('2023-12-08 08:10:10','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-08  
09:20:10','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
63,7,1,to_date('2023-12-18','YYYY-MM-DD'),to_date('2023-12-18 12:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-18  
18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
64,7,1,to_date('2023-10-19','YYYY-MM-DD'),to_date('2023-10-19 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-19  
17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
65,7,3,to_date('2023-12-13','YYYY-MM-DD'),to_date('2023-12-13 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-13  
14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
66,7,4,to_date('2023-12-26','YYYY-MM-DD'),to_date('2023-12-26 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-26  
17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
67,7,1,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
68,7,2,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 09:11:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
69,7,1,to_date('2024-01-05','YYYY-MM-DD'),to_date('2024-01-05 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-05  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
70,7,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--8 번

```
insert into tblAttendance
```

```
values(
```

```
71,8,1,to_date('2023-11-15','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
72,8,2,to_date('2023-09-13','YYYY-MM-DD'),to_date('2023-09-13 09:44:01','YYYY-MM-DD HH24:MI:SS'),to_date('2023-09-13 18:00:05','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
73,8,1,to_date('2023-10-12','YYYY-MM-DD'),to_date('2023-10-12 08:03:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-12 18:01:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
74,8,1,to_date('2023-10-23','YYYY-MM-DD'),to_date('2023-10-23 08:49:13','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-23 17:57:53','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
75,8,3,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 08:58:58','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23 14:38:09','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
76,8,4,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 08:27:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23 17:54:43','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
77,8,1,to_date('2023-12-06','YYYY-MM-DD'),to_date('2023-12-06 08:49:31','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-06  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
78,8,2,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 09:33:29','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
18:02:08','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
79,8,1,to_date('2024-01-04','YYYY-MM-DD'),to_date('2024-01-04 08:39:40','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-04  
18:01:23','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
80,8,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--9 번

```
insert into tblAttendance
```

```
values(
```

```
91,9,5,to_date('2024-11-22','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
92,9,1,to_date('2023-12-22','YYYY-MM-DD'),to_date('2023-12-22 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-22 10:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
93,9,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
94,9,1,to_date('2023-12-26','YYYY-MM-DD'),to_date('2023-12-26 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-26  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
95,9,3,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
14:03:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
96,9,1,to_date('2024-01-05','YYYY-MM-DD'),to_date('2024-01-05 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-05  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
97,9,1,to_date('2024-01-22','YYYY-MM-DD'),to_date('2024-01-22 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-22 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
98,9,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
99,9,6,to_date('2024-01-04','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
100,9,1,to_date('2024-01-05','YYYY-MM-DD'),to_date('2024-01-05 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--10 번
```

```
insert into tblAttendance
```

```
values(
```

```
101,10,2,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 14:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
102,10,1,to_date('2024-12-26','YYYY-MM-DD'),to_date('2024-12-26 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-26  
10:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
103,10,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:49:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
104,10,1,to_date('2024-01-09','YYYY-MM-DD'),to_date('2024-01-09 08:37:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-09 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
105,10,1,to_date('2024-01-23','YYYY-MM-DD'),to_date('2024-01-23 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-23 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
106,10,1,to_date('2024-01-15','YYYY-MM-DD'),to_date('2024-01-15 08:53:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-15 17:59:19','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
107,10,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:11:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
108,10,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
109,10,4,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
110,10,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:51:21','YYYY-MM-DD HH24:MI:SS'));
```

```
--11 번
```

```
insert into tblAttendance
```

```
values(
```

```
111,11,2,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 13:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
112,11,1,to_date('2023-11-24','YYYY-MM-DD'),to_date('2023-11-24 09:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-24  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
113,11,1,to_date('2024-01-08','YYYY-MM-DD'),to_date('2024-01-08 08:27:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-08  
17:59:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
114,11,1,to_date('2024-01-16','YYYY-MM-DD'),to_date('2024-01-16 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-16  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
115,11,1,to_date('2024-01-17','YYYY-MM-DD'),to_date('2024-01-17 08:49:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-17  
17:54:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
116,11,1,to_date('2024-01-23','YYYY-MM-DD'),to_date('2024-01-23 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-23  
17:51:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
117,11,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:55:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
118,11,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08 17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
119,11,1,to_date('2024-02-09','YYYY-MM-DD'),to_date('2024-02-09 08:47:49','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-09 17:59:19','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
120,11,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--12 번
```

```
insert into tblAttendance
```

```
values(
```

```
121,12,2,to_date('2023-11-28','YYYY-MM-DD'),to_date('2023-11-28 09:37:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-28 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
122,12,1,to_date('2023-11-27','YYYY-MM-DD'),to_date('2023-11-27 08:44:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-27  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
123,12,1,to_date('2023-12-26','YYYY-MM-DD'),to_date('2023-12-26 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
124,12,1,to_date('2023-12-27','YYYY-MM-DD'),to_date('2023-12-27 08:47:49','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-27  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
125,12,1,to_date('2023-12-29','YYYY-MM-DD'),to_date('2023-12-29 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-29 17:59:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
126,12,1,to_date('2024-01-02','YYYY-MM-DD'),to_date('2024-01-02 08:57:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-02 17:52:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
127,12,1,to_date('2024-01-03','YYYY-MM-DD'),to_date('2024-01-03 08:37:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-03 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
128,12,1,to_date('2024-01-29','YYYY-MM-DD'),to_date('2024-01-29 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-29 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
129,12,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:12:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
130,12,6,to_date('2024-02-02','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
--13 번
```

```
insert into tblAttendance
```

```
values(
```

```
131,13,1,to_date('2023-11-01','YYYY-MM-DD'),to_date('2023-11-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
132,13,6,to_date('2023-11-02','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
133,13,1,to_date('2023-11-08','YYYY-MM-DD'),to_date('2023-11-08 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-08  
17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
134,13,1,to_date('2023-11-30','YYYY-MM-DD'),to_date('2023-11-30 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-30  
17:51:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
135,13,1,to_date('2023-12-01','YYYY-MM-DD'),to_date('2023-12-01 08:57:24','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
136,13,1,to_date('2023-12-05','YYYY-MM-DD'),to_date('2023-12-05 08:41:14','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-05  
17:52:31','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
137,13,1,to_date('2024-01-04','YYYY-MM-DD'),to_date('2024-01-04 08:20:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-04  
17:59:01','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
138,13,1,to_date('2024-01-15','YYYY-MM-DD'),to_date('2024-01-15 08:57:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-15  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
139,13,1,to_date('2024-01-22','YYYY-MM-DD'),to_date('2024-01-22 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-22 17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
140,13,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:33:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--14 번

```
insert into tblAttendance
```

```
values(
```

```
141,14,5,to_date('2023-11-29','YYYY-MM-DD'),to_date('2023-11-29 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-29 11:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
142,14,1,to_date('2023-11-07','YYYY-MM-DD'),to_date('2023-11-07 08:42:54','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-07  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
143,14,1,to_date('2023-11-24','YYYY-MM-DD'),to_date('2023-11-24 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-24  
17:58:15','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
144,14,1,to_date('2023-12-04','YYYY-MM-DD'),to_date('2023-12-04 08:56:24','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-04  
17:55:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
145,14,1,to_date('2023-12-15','YYYY-MM-DD'),to_date('2023-12-15 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-15  
17:53:31','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance
```

```
values(
```

```
146,14,1,to_date('2023-12-16','YYYY-MM-DD'),to_date('2023-12-16 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-16  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
147,14,1,to_date('2023-12-21','YYYY-MM-DD'),to_date('2023-12-21 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-21  
17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
148,14,1,to_date('2023-12-22','YYYY-MM-DD'),to_date('2023-12-22 08:49:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-22  
17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
149,14,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
150,14,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--15 번
```

```
insert into tblAttendance
```

```
values(
```

```
151,15,2,to_date('2023-11-30','YYYY-MM-DD'),to_date('2023-11-30 09:27:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-30  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
152,15,1,to_date('2023-11-21','YYYY-MM-DD'),to_date('2023-11-21 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-21 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
153,15,1,to_date('2023-11-01','YYYY-MM-DD'),to_date('2023-11-01 08:55:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:51:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
154,15,1,to_date('2023-11-20','YYYY-MM-DD'),to_date('2023-11-20 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-20 17:59:55','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
155,15,1,to_date('2023-12-01','YYYY-MM-DD'),to_date('2023-12-01 08:11:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-01 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
156,15,1,to_date('2023-12-07','YYYY-MM-DD'),to_date('2023-12-07 08:55:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-07  
17:59:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
157,15,1,to_date('2023-12-14','YYYY-MM-DD'),to_date('2023-12-14 08:19:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-14  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
158,15,1,to_date('2024-01-03','YYYY-MM-DD'),to_date('2024-01-03 08:47:14','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-03  
17:59:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
159,15,1,to_date('2024-01-08','YYYY-MM-DD'),to_date('2024-01-08 08:48:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-08 17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
160,15,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
-- 16 번
```

```
insert into tblAttendance
```

```
values(
```

```
161,16,1,to_date('2023-11-08','YYYY-MM-DD'),to_date('2023-11-08 08:48:48','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
162,16,1,to_date('2023-11-13','YYYY-MM-DD'),to_date('2023-11-13 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-13 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
163,16,1,to_date('2023-11-28','YYYY-MM-DD'),to_date('2023-11-28 08:49:49','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-28 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
164,16,1,to_date('2023-11-30','YYYY-MM-DD'),to_date('2023-11-30 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-30 17:51:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
165,16,1,to_date('2023-12-01','YYYY-MM-DD'),to_date('2023-12-01 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-01 17:51:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
166,16,1,to_date('2023-12-11','YYYY-MM-DD'),to_date('2023-12-11 08:09:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-11  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
167,16,1,to_date('2023-12-21','YYYY-MM-DD'),to_date('2023-12-21 08:22:22','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-21  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
168,16,1,to_date('2024-01-05','YYYY-MM-DD'),to_date('2024-01-05 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-05  
17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
169,16,1,to_date('2024-01-16','YYYY-MM-DD'),to_date('2024-01-16 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
170,16,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:45:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--17 번

```
insert into tblAttendance
```

```
values(
```

```
171,17,5,to_date('2023-12-07','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
172,17,1,to_date('2023-11-01','YYYY-MM-DD'),to_date('2023-11-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-01 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance
```

```
values(
```

```
173,17,6,to_date('2023-11-03','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
174,17,1,to_date('2023-11-23','YYYY-MM-DD'),to_date('2023-11-23 08:41:11','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-23  
17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
175,17,6,to_date('2023-11-28','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
176,17,1,to_date('2023-12-06','YYYY-MM-DD'),to_date('2023-12-06 08:46:46','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-06 17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
177,17,1,to_date('2023-12-22','YYYY-MM-DD'),to_date('2023-12-22 08:12:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-22 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
178,17,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
179,17,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:21','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02 17:59:17','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
180,17,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:47:54','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

--18 번

```
insert into tblAttendance
```

```
values(
```

```
181,18,1,to_date('2023-10-10','YYYY-MM-DD'),to_date('2023-10-10 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-10  
17:55:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
182,18,1,to_date('2023-10-25','YYYY-MM-DD'),to_date('2023-10-25 08:47:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-25  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
183,18,1,to_date('2023-10-27','YYYY-MM-DD'),to_date('2023-10-27 08:42:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-10-27  
17:59:17','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
184,18,1,to_date('2023-11-03','YYYY-MM-DD'),to_date('2023-11-03 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-03  
17:53:33','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
185,18,1,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:40:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09  
17:59:19','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
186,18,1,to_date('2023-11-30','YYYY-MM-DD'),to_date('2023-11-30 08:43:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-30  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
187,18,1,to_date('2023-12-04','YYYY-MM-DD'),to_date('2023-12-04 08:33:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-04  
17:59:44','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
188,18,1,to_date('2023-12-21','YYYY-MM-DD'),to_date('2023-12-21 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-21  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
189,18,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
190,18,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--19 번

```
insert into tblAttendance
```

```
values(
```

```
191,19,3,to_date('2023-11-01','YYYY-MM-DD'),to_date('2023-11-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-01 11:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
192,19,1,to_date('2023-11-06','YYYY-MM-DD'),to_date('2023-11-06 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-06 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
193,19,1,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
194,19,1,to_date('2023-11-24','YYYY-MM-DD'),to_date('2023-11-24 08:33:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-24 17:58:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
195,19,1,to_date('2023-12-01','YYYY-MM-DD'),to_date('2023-12-01 08:40:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-01 17:50:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
196,19,1,to_date('2023-12-11','YYYY-MM-DD'),to_date('2023-12-11 08:47:49','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-11 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
197,19,1,to_date('2023-12-22','YYYY-MM-DD'),to_date('2023-12-22 08:50:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-22  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
198,19,1,to_date('2024-01-15','YYYY-MM-DD'),to_date('2024-01-15 08:42:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-15  
17:59:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
199,19,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
200,19,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06 17:59:16','YYYY-MM-DD HH24:MI:SS'));
```

-- 20 번

```
insert into tblAttendance
```

```
values(
```

```
201,20,1,to_date('2023-12-14','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
202,20,1,to_date('2023-11-01','YYYY-MM-DD'),to_date('2023-11-01 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
203,20,1,to_date('2023-11-09','YYYY-MM-DD'),to_date('2023-11-09 08:11:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-09 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
204,20,1,to_date('2023-11-30','YYYY-MM-DD'),to_date('2023-11-30 08:43:42','YYYY-MM-DD HH24:MI:SS'),to_date('2023-11-30  
17:59:32','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
205,20,1,to_date('2023-12-14','YYYY-MM-DD'),to_date('2023-12-14 08:47:14','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-14  
17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
206,20,1,to_date('2023-12-28','YYYY-MM-DD'),to_date('2023-12-28 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-28  
17:53:19','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
207,20,1,to_date('2023-12-29','YYYY-MM-DD'),to_date('2023-12-29 08:47:41','YYYY-MM-DD HH24:MI:SS'),to_date('2023-12-29 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
208,20,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
209,20,1,to_date('2024-01-09','YYYY-MM-DD'),to_date('2024-01-09 08:47:49','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-09 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
210,20,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:47:54','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:55:11','YYYY-MM-DD HH24:MI:SS'));
```

--21 번

insert into tblAttendance

values(

211,21,1,to\_date('2024-01-02','YYYY-MM-DD'),to\_date('2024-01-02 08:27:44','YYYY-MM-DD HH24:MI:SS'),to\_date('2024-01-02 17:59:22','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(

212,21,1,to\_date('2024-01-03','YYYY-MM-DD'),to\_date('2024-01-03 08:35:44','YYYY-MM-DD HH24:MI:SS'),to\_date('2024-01-03 17:52:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(

213,21,1,to\_date('2024-02-01','YYYY-MM-DD'),to\_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to\_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

```
values(
```

```
214,21,1,to_date('2024-01-09','YYYY-MM-DD'),to_date('2024-01-09 08:47:49','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-09  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
215,21,1,to_date('2024-01-16','YYYY-MM-DD'),to_date('2024-01-16 08:32:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-16  
17:59:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
216,21,1,to_date('2024-01-17','YYYY-MM-DD'),to_date('2024-01-17 08:47:11','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-17  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
217,21,1,to_date('2024-01-18','YYYY-MM-DD'),to_date('2024-01-18 08:47:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-18  
17:59:41','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
218,21,1,to_date('2024-01-30','YYYY-MM-DD'),to_date('2024-01-30 08:47:43','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
219,21,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
220,21,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:14:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
-- 22 번
```

```
insert into tblAttendance
```

```
values(
```

```
221,22,1,to_date('2024-01-02','YYYY-MM-DD'),to_date('2024-01-02 08:42:24','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-02  
17:52:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
222,22,1,to_date('2024-01-29','YYYY-MM-DD'),to_date('2024-01-29 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-29  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
223,22,6,to_date('2024-01-30','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
224,22,6,to_date('2024-01-30','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
225,22,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
226,22,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
227,22,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
228,22,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:51:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15 17:59:15','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
229,22,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16 17:59:16','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
230,22,1,to_date('2024-02-19','YYYY-MM-DD'),to_date('2024-02-19 08:49:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-19 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
-- 23 번
```

```
insert into tblAttendance
```

```
values(
```

```
231,23,1,to_date('2024-01-11','YYYY-MM-DD'),to_date('2024-01-11 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-11 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
232,23,6,to_date('2024-01-12','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
233,23,1,to_date('2024-01-18','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
234,23,1,to_date('2024-01-19','YYYY-MM-DD'),to_date('2024-01-19 08:12:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-19 17:59:51','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
235,23,1,to_date('2024-01-24','YYYY-MM-DD'),to_date('2024-01-24 08:42:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-24  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
236,23,1,to_date('2024-01-29','YYYY-MM-DD'),to_date('2024-01-29 08:21:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-29  
17:59:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
237,23,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
238,23,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:46:46','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
239,23,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:13:31','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13  
17:59:33','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
240,23,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:14:41','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
-- 24 번
```

```
insert into tblAttendance
```

```
values(
```

```
241,24,1,to_date('2024-01-02','YYYY-MM-DD'),to_date('2024-01-02 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-02  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
242,24,1,to_date('2024-01-16','YYYY-MM-DD'),to_date('2024-01-16 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-16  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
243,24,1,to_date('2024-01-17','YYYY-MM-DD'),to_date('2024-01-17 08:17:47','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-17  
17:59:17','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
244,24,1,to_date('2024-01-18','YYYY-MM-DD'),to_date('2024-01-18 08:47:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-18  
17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
245,24,6,to_date('2024-01-19','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
246,24,1,to_date('2024-01-25','YYYY-MM-DD'),to_date('2024-01-25 08:52:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-25  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
247,24,1,to_date('2024-01-26','YYYY-MM-DD'),to_date('2024-01-26 08:26:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-01-26  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
248,24,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
249,24,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:45:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
250,24,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:47:46','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--25 번
```

```
insert into tblAttendance
```

```
values(
```

```
251,25,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
252,25,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
253,25,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:34:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
254,25,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
255,25,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:47:13','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13  
17:59:31','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
256,25,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:15:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
257,25,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16  
17:59:16','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
258,25,1,to_date('2024-02-21','YYYY-MM-DD'),to_date('2024-02-21 08:12:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-21  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
259,25,1,to_date('2024-02-22','YYYY-MM-DD'),to_date('2024-02-22 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-22  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
260,25,1,to_date('2024-02-23','YYYY-MM-DD'),to_date('2024-02-23 08:32:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-23  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--26 번

```
insert into tblAttendance
```

```
values(
```

```
261,26,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
262,26,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:22:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
263,26,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:45:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:59:55','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
264,26,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
265,26,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
266,26,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08 17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
267,26,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:13:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13  
17:59:31','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
268,26,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
269,26,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:47:15','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:55:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
270,26,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16 17:59:16','YYYY-MM-DD HH24:MI:SS'));
```

--27 번

```
insert into tblAttendance
```

```
values(
```

```
271,27,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
272,27,6,to_date('2024-02-02','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
273,27,4,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
274,27,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:47:46','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
275,27,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:47:47','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:57:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
276,27,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
277,27,6,to_date('2024-02-13','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
278,27,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:14:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:44','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
279,27,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:15:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
280,27,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16  
17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--28 번
```

```
insert into tblAttendance
```

```
values(
```

```
281,28,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
282,28,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
283,28,6,to_date('2024-02-05','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```



```
284,28,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08 17:59:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
285,28,6,to_date('2024-02-14','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
286,28,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:15:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
287,28,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
288,28,1,to_date('2024-02-19','YYYY-MM-DD'),to_date('2024-02-19 08:49:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-19  
17:59:19','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
289,28,1,to_date('2024-02-20','YYYY-MM-DD'),to_date('2024-02-20 08:02:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-20  
17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
290,28,1,to_date('2024-02-21','YYYY-MM-DD'),to_date('2024-02-21 08:12:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-21  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
--29 번
```

```
insert into tblAttendance
```

```
values(
```

```
291,29,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:41:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
292,29,6,to_date('2024-02-02','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
293,29,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:55:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
294,29,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:47:46','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
295,29,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:47:47','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:57:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
296,29,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:48','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
297,29,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:31:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13  
17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
298,29,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:14:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
299,29,6,to_date('2024-02-15','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
300,29,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16  
17:59:36','YYYY-MM-DD HH24:MI:SS'));
```

--30 번

```
insert into tblAttendance
```

```
values(
```

```
301,30,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
302,30,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:11:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
303,30,1,to_date('2024-02-05','YYYY-MM-DD'),to_date('2024-02-05 08:45:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-05  
17:59:15','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
304,30,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:59:12','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
305,30,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:07:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:57:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
306,30,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:33:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
307,30,1,to_date('2024-02-13','YYYY-MM-DD'),to_date('2024-02-13 08:13:13','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-13  
17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
308,30,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:21:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:58:18','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
309,30,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:59:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
310,30,6,to_date('2024-02-16','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
--31 번
```

```
insert into tblAttendance
```

```
values(
```

```
311,31,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:20:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:01','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```



```
values(
```

```
312,31,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:22','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:50:10','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
313,31,6,to_date('2024-02-05','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
314,31,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:50:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
315,31,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:56:16','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
316,31,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:08','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:59:00','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
317,31,6,to_date('2024-02-13','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
318,31,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:40:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:00','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
319,31,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:05:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
320,31,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:06:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16  
17:52:22','YYYY-MM-DD HH24:MI:SS'));
```

--32 번

```
insert into tblAttendance
```

```
values(
```

```
321,32,1,to_date('2024-02-01','YYYY-MM-DD'),to_date('2024-02-01 08:20:49','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-01  
17:59:01','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
322,32,1,to_date('2024-02-02','YYYY-MM-DD'),to_date('2024-02-02 08:47:29','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-02  
17:50:10','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(  
323,32,6,to_date('2024-02-05','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(  
324,32,1,to_date('2024-02-06','YYYY-MM-DD'),to_date('2024-02-06 08:16:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-06  
17:50:21','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(  
325,32,1,to_date('2024-02-07','YYYY-MM-DD'),to_date('2024-02-07 08:17:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-07  
17:56:16','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(  
326,32,1,to_date('2024-02-08','YYYY-MM-DD'),to_date('2024-02-08 08:47:08','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-08  
17:59:00','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
327,32,6,to_date('2024-02-13','YYYY-MM-DD'),to_date('','YYYY-MM-DD HH24:MI:SS'),to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
328,32,1,to_date('2024-02-14','YYYY-MM-DD'),to_date('2024-02-14 08:40:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-14  
17:59:00','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
329,32,1,to_date('2024-02-15','YYYY-MM-DD'),to_date('2024-02-15 08:05:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-15  
17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(
```

```
330,32,1,to_date('2024-02-16','YYYY-MM-DD'),to_date('2024-02-16 08:06:44','YYYY-MM-DD HH24:MI:SS'),to_date('2024-02-16  
17:52:22','YYYY-MM-DD HH24:MI:SS'));
```

--33 번

insert into tblAttendance

values(331, 33, 1, to\_date('2024-02-01','YYYY-MM-DD'), to\_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(332, 33, 1, to\_date('2024-02-02','YYYY-MM-DD'), to\_date('2024-02-02 08:47:22','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-02 17:52:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(333, 33, 1, to\_date('2024-02-05','YYYY-MM-DD'), to\_date('2024-02-05 08:40:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-05 17:50:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(334, 33, 1, to\_date('2024-02-06','YYYY-MM-DD'), to\_date('2024-02-06 08:47:56','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-06 17:59:16','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(335, 33, 1, to\_date('2024-02-07','YYYY-MM-DD'), to\_date('2024-02-07 08:47:47','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-07 17:57:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(336, 33, 1, to\_date('2024-02-08','YYYY-MM-DD'), to\_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-08 17:58:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(337, 33, 1, to\_date('2024-02-13','YYYY-MM-DD'), to\_date('2024-02-13 08:13:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-13 17:59:31','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(338, 33, 1, to\_date('2024-02-14','YYYY-MM-DD'), to\_date('2024-02-14 08:14:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-14 17:54:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(339, 33, 6, to\_date('2024-02-15','YYYY-MM-DD'), to\_date('','YYYY-MM-DD HH24:MI:SS'), to\_date('','YYYY-MM-DD HH24:MI:SS'));

```
insert into tblAttendance
```

```
values(340, 33, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:16:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

--34 번

```
insert into tblAttendance
```

```
values(341, 34, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(342, 34, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:20:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(343, 34, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:05:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:55:11','YYYY-MM-DD HH24:MI:SS'));
```



insert into tblAttendance

values(344, 34, 1, to\_date('2024-02-06','YYYY-MM-DD'), to\_date('2024-02-06 08:06:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(345, 34, 1, to\_date('2024-02-07','YYYY-MM-DD'), to\_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-07 17:57:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(346, 34, 1, to\_date('2024-02-08','YYYY-MM-DD'), to\_date('2024-02-08 08:47:48','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-08 17:58:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

values(347, 34, 1, to\_date('2024-02-13','YYYY-MM-DD'), to\_date('2024-02-13 08:13:44','YYYY-MM-DD HH24:MI:SS'), to\_date('2024-02-13 17:53:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance

```
values(348, 34, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:14','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(349, 34, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:55:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance
```

```
values(350, 34, 6, to_date('2024-02-16','YYYY-MM-DD'), to_date('','YYYY-MM-DD HH24:MI:SS'), to_date('','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(351, 35, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(352, 35, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:02:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:56:22','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(353, 35, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:55','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:55:33','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(354, 35, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(355, 35, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(356, 35, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(357, 35, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(358, 35, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(359, 35, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(360, 35, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(361, 36, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:50:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(362, 36, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:58:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(363, 36, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:57:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(364, 36, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(365, 36, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:56:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(366, 36, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:55:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(367, 36, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(368, 36, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(369, 36, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(370, 36, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(371, 37, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(372, 37, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(373, 37, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:51:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(374, 37, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(375, 37, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(376, 37, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:52:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(377, 37, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:53:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(378, 37, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:54:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(379, 37, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(380, 37, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(381, 38, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(382, 38, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(383, 38, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(384, 38, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(385, 38, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(386, 38, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(387, 38, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(388, 38, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(389, 38, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(390, 38, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(391, 39, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(392, 39, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(393, 39, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(394, 39, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(395, 39, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(396, 39, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(397, 39, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(398, 39, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(399, 39, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(400, 39, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(401, 40, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(402, 40, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(403, 40, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(404, 40, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(405, 40, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(406, 40, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(407, 40, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(408, 40, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(409, 40, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(410, 40, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(411, 41, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(412, 41, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(413, 41, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(414, 41, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(415, 41, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(416, 41, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(417, 41, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(418, 41, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(419, 41, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(420, 41, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(421, 42, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(422, 42, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(423, 42, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(424, 42, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(425, 42, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(426, 42, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(427, 42, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(428, 42, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(429, 42, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(430, 42, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(431, 43, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(432, 43, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(433, 43, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(434, 43, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(435, 43, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(436, 43, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(437, 43, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(438, 43, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(439, 43, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(440, 43, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(441, 44, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(442, 44, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(443, 44, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(444, 44, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(445, 44, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(446, 44, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(447, 44, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(448, 44, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(449, 44, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(450, 44, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(451, 45, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(452, 45, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(453, 45, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(454, 45, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(455, 45, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(456, 45, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(457, 45, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(458, 45, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(459, 45, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(460, 45, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:21:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(461, 46, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(462, 46, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(463, 46, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(464, 46, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(465, 46, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(466, 46, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(467, 46, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(468, 46, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(469, 46, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(470, 46, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(471, 47, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(472, 47, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(473, 47, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(474, 47, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(475, 47, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(476, 47, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(477, 47, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(478, 47, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(479, 47, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(480, 47, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(481, 48, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(482, 48, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(483, 48, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(484, 48, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(485, 48, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(486, 48, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(487, 48, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(488, 48, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(489, 48, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(490, 48, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(491, 49, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(492, 49, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(493, 49, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(494, 49, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(495, 49, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(496, 49, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:07:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(497, 49, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:07:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(498, 49, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(499, 49, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(500, 49, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(501, 50, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(502, 50, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(503, 50, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(504, 50, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(505, 50, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(506, 50, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(507, 50, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(508, 50, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(509, 50, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(510, 50, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(511, 51, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(512, 51, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(513, 51, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(514, 51, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(515, 51, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(516, 51, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(517, 51, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(518, 51, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(519, 51, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(520, 51, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(521, 52, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(522, 52, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(523, 52, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(524, 52, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(525, 52, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(526, 52, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(527, 52, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(528, 52, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(529, 52, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(530, 52, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(531, 53, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(532, 53, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(533, 53, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(534, 53, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(535, 53, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(536, 53, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(537, 53, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:07:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(538, 53, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:07:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(539, 53, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(540, 53, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(541, 54, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(542, 54, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(543, 54, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(544, 54, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(545, 54, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(546, 54, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(547, 54, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(548, 54, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(549, 54, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(550, 54, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(551, 55, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(552, 55, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(553, 55, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(554, 55, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(555, 55, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(556, 55, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(557, 55, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(558, 55, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(559, 55, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(560, 55, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(561, 56, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(562, 56, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(563, 56, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(564, 56, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(565, 56, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(566, 56, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(567, 56, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(568, 56, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(569, 56, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(570, 56, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(571, 57, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(572, 57, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(573, 57, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(574, 57, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(575, 57, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(576, 57, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(577, 57, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(578, 57, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(579, 57, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(580, 57, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(581, 58, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:42','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(582, 58, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:43','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(583, 58, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(584, 58, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:45','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(585, 58, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:47','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(586, 58, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:48','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(587, 58, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:49','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(588, 58, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:40','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(589, 58, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:42','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(590, 58, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:41','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(591, 59, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(592, 59, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:43','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(593, 59, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:42','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(594, 59, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:41','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(595, 59, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:45','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(596, 59, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:47','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(597, 59, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:48','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(598, 59, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(599, 59, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(600, 59, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(601, 60, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(602, 60, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(603, 60, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(604, 60, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(605, 60, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(606, 60, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(607, 60, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(608, 60, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(609, 60, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(610, 60, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:00:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(611, 61, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(612, 61, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(613, 61, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(614, 61, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(615, 61, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(616, 61, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(617, 61, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(618, 61, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(619, 61, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(620, 61, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(621, 62, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(622, 62, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(623, 62, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(624, 62, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(625, 62, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(626, 62, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(627, 62, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(628, 62, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(629, 62, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(630, 62, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(631, 63, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(632, 63, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(633, 63, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(634, 63, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(635, 63, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(636, 63, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(637, 63, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(638, 63, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(639, 63, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(640, 63, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(641, 64, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(642, 64, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(643, 64, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(644, 64, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(645, 64, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(646, 64, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(647, 64, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(648, 64, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(649, 64, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:00:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(650, 64, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:23:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(651, 65, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:27:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(652, 65, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(653, 65, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:57:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(654, 65, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(655, 65, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:07:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(656, 65, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:09:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(657, 65, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(658, 65, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(659, 65, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(660, 65, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(661, 66, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(662, 66, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(663, 66, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(664, 66, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(665, 66, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(666, 66, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(667, 66, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(668, 66, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(669, 66, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(670, 66, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(671, 67, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(672, 67, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(673, 67, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(674, 67, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(675, 67, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(676, 67, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(677, 67, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(678, 67, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(679, 67, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(680, 67, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(681, 68, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(682, 68, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(683, 68, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(684, 68, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(685, 68, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(686, 68, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(687, 68, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(688, 68, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(689, 68, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(690, 68, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(691, 69, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(692, 69, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(693, 69, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(694, 69, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(695, 69, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(696, 69, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(697, 69, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(698, 69, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(699, 69, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(700, 69, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(701, 70, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(702, 70, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(703, 70, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(704, 70, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(705, 70, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(706, 70, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(707, 70, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(708, 70, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(709, 70, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:04:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(710, 70, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:17:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(711, 71, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(712, 71, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(713, 71, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(714, 71, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(715, 71, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(716, 71, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(717, 71, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(718, 71, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(719, 71, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(720, 71, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(721, 72, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(722, 72, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(723, 72, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:2:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(724, 72, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(725, 72, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:37:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(726, 72, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:55:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(727, 72, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(728, 72, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(729, 72, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:00:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(730, 72, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(731, 73, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:29:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(732, 73, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(733, 73, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:23:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(734, 73, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(735, 73, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(736, 73, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(737, 73, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(738, 73, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:22:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(739, 73, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:33:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(740, 73, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(741, 74, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(742, 74, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(743, 74, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(744, 74, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(745, 74, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(746, 74, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(747, 74, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(748, 74, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(749, 74, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:22:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(750, 74, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(751, 75, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(752, 75, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:43:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(753, 75, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:44:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(754, 75, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(755, 75, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(756, 75, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(757, 75, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(758, 75, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(759, 75, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:49:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(760, 75, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(761, 76, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(762, 76, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(763, 76, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(764, 76, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:41:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(765, 76, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(766, 76, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:48:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(767, 76, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(768, 76, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(769, 76, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(770, 76, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(771, 77, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:40:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(772, 77, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:00:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(773, 77, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:22:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(774, 77, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:45:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(775, 77, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:55:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(776, 77, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:11:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(777, 77, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:19:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(778, 77, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:56:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(779, 77, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:46:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(780, 77, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:42:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(781, 78, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(782, 78, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:40','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(783, 78, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:00','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(784, 78, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:12','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(785, 78, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:14','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(786, 78, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:15','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(787, 78, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:55','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(788, 78, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:22','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(789, 78, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:32','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(790, 78, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:19','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(791, 79, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:06','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(792, 79, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:54','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(793, 79, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:35','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(794, 79, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:36','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(795, 79, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:41','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(796, 79, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:22','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(797, 79, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:33','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(798, 79, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:11','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(799, 79, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:18','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(800, 79, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:23','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(801, 80, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:56','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(802, 80, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:23','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(803, 80, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:11','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(804, 80, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:41','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(805, 80, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:02','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(806, 80, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(807, 80, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(808, 80, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(809, 80, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(810, 80, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(811, 81, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(812, 81, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(813, 81, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(814, 81, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(815, 81, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(816, 81, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(817, 81, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(818, 81, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(819, 81, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(820, 81, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(821, 82, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(822, 82, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(823, 82, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(824, 82, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(825, 82, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(826, 82, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(827, 82, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(828, 82, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(829, 82, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(830, 82, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(831, 83, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(832, 83, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(833, 83, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(834, 83, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(835, 83, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(836, 83, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(837, 83, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(838, 83, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(839, 83, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(840, 83, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(841, 84, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(842, 84, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(843, 84, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(844, 84, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(845, 84, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(846, 84, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(847, 84, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(848, 84, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(849, 84, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(850, 84, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(851, 85, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(852, 85, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(853, 85, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(854, 85, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(855, 85, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(856, 85, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(857, 85, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(858, 85, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(859, 85, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(860, 85, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(861, 86, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(862, 86, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(863, 86, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(864, 86, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(865, 86, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(866, 86, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(867, 86, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(868, 86, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(869, 86, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(870, 86, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(871, 87, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(872, 87, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(873, 87, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(874, 87, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(875, 87, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(876, 87, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(877, 87, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(878, 87, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(879, 87, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(880, 87, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(881, 88, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(882, 88, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(883, 88, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(884, 88, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(885, 88, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(886, 88, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(887, 88, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(888, 88, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(889, 88, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(890, 88, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(891, 89, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(892, 89, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(893, 89, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(894, 89, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(895, 89, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(896, 89, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(897, 89, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(898, 89, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(899, 89, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(900, 89, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(901, 90, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(902, 90, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(903, 90, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(904, 90, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(905, 90, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(906, 90, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(907, 90, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(908, 90, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(909, 90, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(910, 90, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(911, 91, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(912, 91, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(913, 91, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(914, 91, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(915, 91, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(916, 91, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(917, 91, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(918, 91, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(919, 91, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(920, 91, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(921, 92, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(922, 92, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(923, 92, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(924, 92, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(925, 92, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(926, 92, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(927, 92, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(928, 92, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(929, 92, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(930, 92, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(931, 93, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(932, 93, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(933, 93, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(934, 93, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(935, 93, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(936, 93, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(937, 93, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(938, 93, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(939, 93, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(940, 93, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(941, 94, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(942, 94, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(943, 94, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(944, 94, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(945, 94, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(946, 94, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(947, 94, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(948, 94, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(949, 94, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(950, 94, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(951, 95, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(952, 95, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(953, 95, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(954, 95, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(955, 95, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(956, 95, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(957, 95, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(958, 95, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(959, 95, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(960, 95, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(961, 96, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(962, 96, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(963, 96, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(964, 96, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(965, 96, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(966, 96, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(967, 96, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(968, 96, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(969, 96, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(970, 96, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(971, 97, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(972, 97, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(973, 97, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(974, 97, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(975, 97, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(976, 97, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(977, 97, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(978, 97, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(979, 97, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(980, 97, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(981, 98, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(982, 98, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(983, 98, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(984, 98, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(985, 98, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(986, 98, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(987, 98, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(988, 98, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(989, 98, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(990, 98, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(991, 99, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(992, 99, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(993, 99, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(994, 99, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(995, 99, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(996, 99, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(997, 99, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(998, 99, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(999, 99, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1000, 99, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1001, 100, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1002, 100, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1003, 100, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1004, 100, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1005, 100, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1006, 100, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1007, 100, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1008, 100, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1009, 100, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1010, 100, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1011, 101, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1012, 101, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1013, 101, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1014, 101, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1015, 101, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1016, 101, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1017, 101, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1018, 101, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1019, 101, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1020, 101, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1021, 102, 1, to_date('2024-02-01','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1022, 102, 1, to_date('2024-02-02','YYYY-MM-DD'), to_date('2024-02-02 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1023, 102, 1, to_date('2024-02-05','YYYY-MM-DD'), to_date('2024-02-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1024, 102, 1, to_date('2024-02-06','YYYY-MM-DD'), to_date('2024-02-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1025, 102, 1, to_date('2024-02-07','YYYY-MM-DD'), to_date('2024-02-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1026, 102, 1, to_date('2024-02-08','YYYY-MM-DD'), to_date('2024-02-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1027, 102, 1, to_date('2024-02-13','YYYY-MM-DD'), to_date('2024-02-13 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-13 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1028, 102, 1, to_date('2024-02-14','YYYY-MM-DD'), to_date('2024-02-14 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-14 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1029, 102, 1, to_date('2024-02-15','YYYY-MM-DD'), to_date('2024-02-15 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-15 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1030, 102, 1, to_date('2024-02-16','YYYY-MM-DD'), to_date('2024-02-16 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-16 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1031, 103, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-29 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-29 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1032, 103, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-04 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1033, 103, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1034, 103, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1035, 103, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1036, 103, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1041, 104, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-29 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1042, 104, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-04 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1043, 104, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1044, 104, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1045, 104, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1046, 104, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1051, 105, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-29 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1052, 105, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-04 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1053, 105, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-05 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1054, 105, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-06 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1055, 105, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-07 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1056, 105, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-08 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1061, 106, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1062, 106, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1063, 106, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1064, 106, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1065, 106, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1066, 106, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(1071, 107, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1072, 107, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1073, 107, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1074, 107, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1075, 107, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1076, 107, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1081, 108, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1082, 108, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1083, 108, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1084, 108, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1085, 108, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1086, 108, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1091, 109, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1092, 109, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1093, 109, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1094, 109, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1095, 109, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1096, 109, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1101, 110, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1102, 110, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1103, 110, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1104, 110, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1105, 110, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1106, 110, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1111, 111, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1112, 111, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1113, 111, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1114, 111, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1115, 111, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1116, 111, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1121, 112, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1122, 112, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1123, 112, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1124, 112, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1125, 112, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1126, 112, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1131, 113, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1132, 113, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1133, 113, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1134, 113, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1135, 113, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1136, 113, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1141, 114, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1142, 114, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1143, 114, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1144, 114, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1145, 114, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1146, 114, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1151, 115, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1152, 115, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1153, 115, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1154, 115, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1155, 115, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1156, 115, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1161, 116, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1162, 116, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1163, 116, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1164, 116, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1165, 116, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1166, 116, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1171, 117, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1172, 117, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1173, 117, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1174, 117, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1175, 117, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1176, 117, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1181, 118, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1182, 118, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1183, 118, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1184, 118, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1185, 118, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1186, 118, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1191, 119, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1192, 119, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1193, 119, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```
insert into tblAttendance values(1194, 119, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1195, 119, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1196, 119, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1201, 120, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1202, 120, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1203, 120, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1204, 120, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1205, 120, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1206, 120, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1211, 121, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1212, 121, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1213, 121, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1214, 121, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1215, 121, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1216, 121, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1221, 122, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1222, 122, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1223, 122, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1224, 122, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1225, 122, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1226, 122, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1231, 123, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1232, 123, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1233, 123, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1234, 123, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1235, 123, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1236, 123, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1241, 124, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1242, 124, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1243, 124, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1244, 124, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1245, 124, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1246, 124, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1251, 125, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1252, 125, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1253, 125, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1254, 125, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1255, 125, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1256, 125, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1261, 126, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1262, 126, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1263, 126, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1264, 126, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1265, 126, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1266, 126, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1271, 127, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1272, 127, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1273, 127, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1274, 127, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1275, 127, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1276, 127, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1281, 128, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1282, 128, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1283, 128, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1284, 128, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1285, 128, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1286, 128, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1291, 129, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1292, 129, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1293, 129, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1294, 129, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1295, 129, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1296, 129, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1301, 130, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1302, 130, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1303, 130, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1304, 130, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1305, 130, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1306, 130, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1311, 131, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1312, 131, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1313, 131, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1314, 131, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1315, 131, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```

```
insert into tblAttendance values(1316, 131, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));
```



```

insert into tblAttendance values(1321, 132, 1, to_date('2024-02-29','YYYY-MM-DD'), to_date('2024-02-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-02-01 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance values(1322, 132, 1, to_date('2024-03-04','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-02 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance values(1323, 132, 1, to_date('2024-03-05','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-05 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance values(1324, 132, 1, to_date('2024-03-06','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-06 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance values(1325, 132, 1, to_date('2024-03-07','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-07 17:59:11','YYYY-MM-DD HH24:MI:SS'));

insert into tblAttendance values(1326, 132, 1, to_date('2024-03-08','YYYY-MM-DD'), to_date('2024-03-01 08:47:44','YYYY-MM-DD HH24:MI:SS'), to_date('2024-03-08 17:59:11','YYYY-MM-DD HH24:MI:SS'));

```

|        |                     |     |            |
|--------|---------------------|-----|------------|
| 테이블명   | tblEmploymentStatus | 작성일 | 2024-03-08 |
| System | 취업 현황               | 작성자 | 장원준        |
| DML    |                     |     |            |

```
insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (1, 1, '취업', '서울', '금호타이어', '프론트엔드', 36000000);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (2, 2, '미취업', null, null, null, null);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (3, 3, '취업', '부산', '롯데자이언츠', '백엔드', 32000000);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (4, 4, '취업', '대구', '(주)티맥스소프트', '소프트웨어개발', 40000000);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (5, 5, '취업', '인천', '피에프컨설팅', '프론트엔드', 35000000);

insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (6, 6, '취업', '대전', '(주)위즈베라', '응용소프트웨어개발', 31000000);
```

```
insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (7, 7, '취업', '광주', '이노와이어리스', '서버 S/W 개발', 33000000);
```

```
insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (8, 8, '취업', '수원', '(주)텐노드솔루션', '응용 소프트웨어 개발', 34500000);
```

```
insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (9, 9, '취업', '울산', '(주)노버스메이', '응용 소프트웨어 개발', 37000000);
```

```
insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (10, 10, '미취업', null, null, null, null);
```

```
insert into tblEmploymentStatus
```

```
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
```

```
values (11, 11, '취업', '창원', 'AK 아이에스(주)', 'S/W 개발', 35500000);

insert into tblEmploymentStatus

(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)

values (12, 12, '취업', '고양', '응용 소프트웨어 개발', '응용 소프트웨어 개발', 37000000);

insert into tblEmploymentStatus

(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)

values (13, 13, '미취업', null, null, null, null);

insert into tblEmploymentStatus

(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)

values (14, 14, '취업', '성남', '가인정보처리(주)', 'SI', 33000000);

insert into tblEmploymentStatus

(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)

values (15, 15, '취업', '용인', '(주)미래테크놀로지', '서버보안', 33500000);

insert into tblEmploymentStatus

(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)

values (16, 16, '취업', '화성', '모바일엔트로피', 'S/W 개발', 35500000);
```

```

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (17, 17, '취업', '양산', '(주)써티웨어', 'S/W 개발', 32700000);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (18, 18, '미취업', null, null, null, null);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (19, 19, '취업', '천안', '대원씨앤씨', '응용 소프트웨어 개발', 33000000);

insert into tblEmploymentStatus
(seq_employmentStatus, seq_traineeList, status, city, company, field, salary)
values (20, 20, '취업', '구리', '엠큐닉', '응용 소프트웨어 개발', 34000000);

```

|        |                     |     |            |
|--------|---------------------|-----|------------|
| 테이블명   | tblOnlineCourseList | 작성일 | 2024-03-08 |
| System | 온라인 강의 목록           | 작성자 | 장원준        |

## DML

```
insert into tblOnlineCourseList
```

```
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (1, 21, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList
```

```
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (2, 21, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList
```

```
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (3, 21, 3, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList
```

```
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (4, 21, 4, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList
```

```
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (5, 21, 5, 4,'수강 미완료');

insert into tblOnlineCourseList
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (6, 21, 6, 4,'수강 미완료');

insert into tblOnlineCourseList
(seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (7, 21, 7, 4,'수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (8, 22, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (9, 22, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (10, 22, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)

values (11, 22, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (12, 22, 5, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (13, 22, 6, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (14, 22, 7, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (15, 23, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (16, 23, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (17, 23, 3, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (18, 23, 4, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (19, 23, 5, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



```
values (20, 23, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (21, 23, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (22, 24, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (23, 24, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (24, 24, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (25, 24, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (26, 24, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (27, 24, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (28, 24, 7, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (29, 25, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (30, 25, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (31, 25, 3, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (32, 25, 4, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (33, 25, 5, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (34, 25, 6, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (35, 25, 7, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (36, 26, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (37, 26, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (38, 26, 3, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (39, 26, 4, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (40, 26, 5, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (41, 26, 6, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (42, 26, 7, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values (43, 27, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (44, 27, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (45, 27, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (46, 27, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (47, 27, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (48, 27, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values (49, 27, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(50, 28, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(51, 28, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(52, 28, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(53, 28, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(54, 28, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(55, 28, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(56, 28, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(57, 29, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(58, 29, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(59, 29, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(60, 29, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(61, 29, 5, 4, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(62, 29, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(63, 29, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(64, 30, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(65, 30, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(66, 30, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(67, 30, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(68, 30, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(69, 30, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(70, 30, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(71, 31, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



```
(72, 31, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(73, 31, 3, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(74, 31, 4, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(75, 31, 5, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(76, 31, 6, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(77, 31, 7, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(78, 31, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(79, 31, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(80, 31, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(81, 31, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(82, 31, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(83, 31, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(84, 31, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(85, 32, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(86, 32, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(87, 32, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(88, 32, 4, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(89, 32, 5, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(90, 32, 6, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(91, 32, 7, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(92, 33, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(93, 33, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(94, 33, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(95, 33, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(96, 33, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(97, 33, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(98, 33, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(99, 34, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(100, 34, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(101, 34, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(102, 34, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(103, 34, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(104, 34, 6, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(105, 34, 7, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(106, 35, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(107, 35, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(108, 35, 3, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(109, 35, 4, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(110, 35, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(111, 35, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(112, 35, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(113, 36, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(114, 36, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(115, 36, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(116, 36, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(117, 36, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(118, 36, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(119, 36, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(120, 37, 1, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(121, 37, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(122, 37, 3, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(123, 37, 4, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(124, 37, 5, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(125, 37, 6, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(126, 37, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(127, 38, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(128, 38, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(129, 38, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(130, 38, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(131, 38, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(132, 38, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(133, 38, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(134, 39, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(135, 39, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(136, 39, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(137, 39, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(138, 39, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(139, 39, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(140, 39, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(141, 40, 1, 4, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(142, 40, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(143, 40, 3, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(144, 40, 4, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(145, 40, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(146, 40, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(147, 40, 7, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(148, 41, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(149, 41, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(150, 41, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(151, 41, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(152, 41, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(153, 41, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(154, 41, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(155, 42, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(156, 42, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(157, 42, 3, 4, '수강 미완료');



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(158, 42, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(159, 42, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(160, 42, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(161, 42, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(162, 43, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(163, 43, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(164, 43, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(165, 43, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(166, 43, 5, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(167, 43, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(168, 43, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(169, 44, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(170, 44, 2, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(171, 44, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(172, 44, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(173, 44, 5, 4, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(174, 44, 6, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(175, 44, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(176, 45, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(177, 45, 2, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(178, 45, 3, 4, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(179, 45, 4, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(180, 45, 5, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(181, 45, 6, 4, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(182, 45, 7, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(183, 46, 1, 4, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(184, 46, 2, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(185, 46, 3, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(186, 46, 4, 4, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(187, 46, 5, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(188, 46, 6, 4, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(189, 46, 7, 4, '수강 완료');
```

```
select * from tblOnlineCourseList;
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(190, 47, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(191, 47, 2, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(192, 47, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(193, 47, 4, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(194, 47, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(195, 47, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(196, 47, 7, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(197, 48, 1, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(198, 48, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



(199, 48, 3, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(200, 48, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(201, 48, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(202, 48, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(203, 48, 7, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(204, 49, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(205, 49, 2, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(206, 49, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(207, 49, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(208, 49, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(209, 49, 6, 3, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(210, 49, 7, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(211, 50, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(212, 50, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(213, 50, 3, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(214, 50, 4, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(215, 50, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(216, 50, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(217, 50, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(218, 51, 1, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(219, 51, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(220, 51, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(221, 51, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(222, 51, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(223, 51, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(224, 51, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(225, 52, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(226, 52, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(227, 52, 3, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(228, 52, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(229, 52, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(230, 52, 6, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(231, 52, 7, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(232, 53, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(233, 53, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(234, 53, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(235, 53, 4, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(236, 53, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(237, 53, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(238, 53, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(239, 54, 1, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(240, 54, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(241, 54, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(242, 54, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(243, 54, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(244, 54, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(245, 54, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(246, 55, 1, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(247, 55, 2, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(248, 55, 3, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(249, 55, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(250, 55, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(251, 55, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(252, 55, 7, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(253, 56, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(254, 56, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(255, 56, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(256, 56, 4, 3, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(257, 56, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(258, 56, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(259, 56, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(260, 57, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(261, 57, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(262, 57, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(263, 57, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(264, 57, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(265, 57, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(266, 57, 7, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(267, 58, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(268, 58, 2, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(269, 58, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(270, 58, 4, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(271, 58, 5, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(272, 58, 6, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(273, 58, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(274, 59, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(275, 59, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(276, 59, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(277, 59, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(278, 59, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(279, 59, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(280, 59, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(281, 60, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(282, 60, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



```
(283, 60, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(284, 60, 4, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(285, 60, 5, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(286, 60, 6, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(287, 60, 7, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(288, 61, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(289, 61, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(290, 61, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(291, 61, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(292, 61, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(293, 61, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(294, 61, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(295, 62, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(296, 62, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(297, 62, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(298, 62, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(299, 62, 5, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(300, 62, 6, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(301, 62, 7, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(302, 63, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(303, 63, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(304, 63, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(305, 63, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(306, 63, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(307, 63, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(308, 63, 7, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(309, 64, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(310, 64, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(311, 64, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(312, 64, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(313, 64, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(314, 64, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(315, 64, 7, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(316, 65, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(317, 65, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(318, 65, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(319, 65, 4, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(320, 65, 5, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(321, 65, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(322, 65, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(323, 66, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(324, 66, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(325, 66, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(326, 66, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(327, 66, 5, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(328, 66, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(329, 66, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(330, 67, 1, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(331, 67, 2, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(332, 67, 3, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(333, 67, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(334, 67, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(335, 67, 6, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(336, 67, 7, 3, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(337, 68, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(338, 68, 2, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(339, 68, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(340, 68, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(341, 68, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(342, 68, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(343, 68, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(344, 69, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(345, 69, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(346, 69, 3, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(347, 69, 4, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(348, 69, 5, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(349, 69, 6, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(350, 69, 7, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(351, 70, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(352, 70, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(353, 70, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(354, 70, 4, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(355, 70, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(356, 70, 6, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(357, 70, 7, 3, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(358, 71, 1, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(359, 71, 2, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(360, 71, 3, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(361, 71, 4, 3, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(362, 71, 5, 3, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(363, 71, 6, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(364, 71, 7, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(365, 72, 1, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(366, 72, 2, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(367, 72, 3, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(368, 72, 4, 3, '수강 완료');
```



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(369, 72, 5, 3, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(370, 72, 6, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(371, 72, 7, 3, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(372, 73, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(373, 73, 2, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(374, 73, 3, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(375, 73, 4, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(376, 73, 5, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(377, 73, 6, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(378, 73, 7, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(379, 74, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(380, 74, 2, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(381, 74, 3, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(382, 74, 4, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(383, 74, 5, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(384, 74, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(385, 74, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(386, 75, 1, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(387, 75, 2, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(388, 75, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(389, 75, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(390, 75, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(391, 75, 6, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(392, 75, 7, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(393, 76, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(394, 76, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(395, 76, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(396, 76, 4, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(397, 76, 5, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(398, 76, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

```
(399, 76, 7, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(400, 77, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(401, 77, 2, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(402, 77, 3, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(403, 77, 4, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
```

```
(404, 77, 5, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(405, 77, 6, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(406, 77, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(407, 78, 1, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(408, 78, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(409, 78, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(410, 78, 4, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(411, 78, 5, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(412, 78, 6, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(413, 78, 7, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(414, 79, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(415, 79, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(416, 79, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(417, 79, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(418, 79, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(419, 79, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(420, 79, 7, 5, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(421, 80, 1, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(422, 80, 2, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(423, 80, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(424, 80, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(425, 80, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(426, 80, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(427, 80, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(428, 81, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(429, 81, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(430, 81, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(431, 81, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(432, 81, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(433, 81, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(434, 81, 7, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(435, 82, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(436, 82, 2, 5, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(437, 82, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(438, 82, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(439, 82, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(440, 82, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(441, 82, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(442, 83, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(443, 83, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(444, 83, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(445, 83, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(446, 83, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(447, 83, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(448, 83, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(449, 84, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(450, 84, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(451, 84, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(452, 84, 4, 5, '수강 미완료');



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(453, 84, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(454, 84, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(455, 84, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(456, 85, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(457, 85, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(458, 85, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(459, 85, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(460, 85, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(461, 85, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(462, 85, 7, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(463, 86, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(464, 86, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(465, 86, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(466, 86, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(467, 86, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(468, 86, 6, 5, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(469, 86, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(470, 87, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(471, 87, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(472, 87, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(473, 87, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(474, 87, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(475, 87, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(476, 87, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(477, 88, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(478, 88, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(479, 88, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(480, 88, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(481, 88, 5, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(482, 88, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(483, 88, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(484, 89, 1, 5, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(485, 89, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(486, 89, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(487, 89, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(488, 89, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(489, 89, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(490, 89, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(491, 90, 1, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(492, 90, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(493, 90, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(494, 90, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



```
(495, 90, 5, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(496, 90, 6, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(497, 90, 7, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(498, 91, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(499, 91, 2, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(500, 91, 3, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(501, 91, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(502, 91, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(503, 91, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(504, 91, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(505, 92, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(506, 92, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(507, 92, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(508, 92, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(509, 92, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(510, 92, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(511, 92, 7, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(512, 93, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(513, 93, 2, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(514, 93, 3, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(515, 93, 4, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(516, 93, 5, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(517, 93, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(518, 93, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(519, 94, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(520, 94, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(521, 94, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(522, 94, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(523, 94, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(524, 94, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(525, 94, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(526, 95, 1, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(527, 95, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(528, 95, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(529, 95, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(530, 95, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(531, 95, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(532, 95, 7, 5, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(533, 96, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(534, 96, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(535, 96, 3, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(536, 96, 4, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(537, 96, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(538, 96, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(539, 96, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(540, 97, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(541, 97, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(542, 97, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(543, 97, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(544, 97, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(545, 97, 6, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(546, 97, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(547, 98, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(548, 98, 2, 5, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(549, 98, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(550, 98, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(551, 98, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(552, 98, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(553, 98, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(554, 99, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(555, 99, 2, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(556, 99, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(557, 99, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(558, 99, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(559, 99, 6, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(560, 99, 7, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(561, 100, 1, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(562, 100, 2, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(563, 100, 3, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(564, 100, 4, 5, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(565, 100, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(566, 100, 6, 5, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(567, 100, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(568, 101, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(569, 101, 2, 5, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(570, 101, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(571, 101, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(572, 101, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(573, 101, 6, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(574, 101, 7, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(575, 102, 1, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(576, 102, 2, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(577, 102, 3, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(578, 102, 4, 5, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(579, 102, 5, 5, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(580, 102, 6, 5, '수강 완료');



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(581, 102, 7, 5, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(582, 103, 1, 1, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(583, 103, 2, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(584, 103, 3, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(585, 103, 4, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(586, 103, 5, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(587, 103, 6, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(588, 103, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(589, 104, 1, 1, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(590, 104, 2, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(591, 104, 3, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(592, 104, 4, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(593, 104, 5, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(594, 104, 6, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(595, 104, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(596, 105, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(597, 105, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(598, 105, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(599, 105, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(600, 105, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(601, 105, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(602, 105, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(603, 106, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(604, 106, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(605, 106, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(606, 106, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(607, 106, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(608, 106, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(609, 106, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(610, 107, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(611, 107, 2, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(612, 107, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(613, 107, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(614, 107, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(615, 107, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(616, 107, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(617, 108, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(618, 108, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(619, 108, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(620, 108, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(621, 108, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(622, 108, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(623, 108, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(624, 109, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(625, 109, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(626, 109, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(627, 109, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(628, 109, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(629, 109, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(630, 109, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(631, 110, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(632, 110, 2, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(633, 110, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(634, 110, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(635, 110, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(636, 110, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(637, 110, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(638, 111, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(639, 111, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(640, 111, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(641, 111, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(642, 111, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(643, 111, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(644, 111, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(645, 112, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(646, 112, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(647, 112, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(648, 112, 4, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(649, 112, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(650, 112, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(651, 112, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(652, 113, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(653, 113, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(654, 113, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(655, 113, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(656, 113, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(657, 113, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(658, 113, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(659, 114, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(660, 114, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(661, 114, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(662, 114, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(663, 114, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



(664, 114, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(665, 114, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(666, 115, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(667, 115, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(668, 115, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(669, 115, 4, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(670, 115, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(671, 115, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(672, 115, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(673, 116, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(674, 116, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(675, 116, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(676, 116, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(677, 116, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(678, 116, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(679, 116, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(680, 117, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(681, 117, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(682, 117, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(683, 117, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(684, 117, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(685, 117, 6, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(686, 117, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(687, 118, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(688, 118, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(689, 118, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(690, 118, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(691, 118, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(692, 118, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(693, 118, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(694, 119, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(695, 119, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(696, 119, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(697, 119, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(698, 119, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(699, 119, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(700, 119, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(701, 120, 1, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(702, 120, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(703, 120, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(704, 120, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(705, 120, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(706, 120, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(707, 120, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(708, 121, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(709, 121, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(710, 121, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(711, 121, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(712, 121, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(713, 121, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(714, 121, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(715, 122, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(716, 122, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(717, 122, 3, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(718, 122, 4, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(719, 122, 5, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(720, 122, 6, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(721, 122, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(722, 123, 1, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(723, 123, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(724, 123, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(725, 123, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(726, 123, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(727, 123, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(728, 123, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(729, 124, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(730, 124, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(731, 124, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(732, 124, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(733, 124, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(734, 124, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(735, 124, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(736, 125, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(737, 125, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(738, 125, 3, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(739, 125, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(740, 125, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(741, 125, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(742, 125, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(743, 126, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(744, 126, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(745, 126, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(746, 126, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(747, 126, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(748, 126, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



(749, 126, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(750, 127, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(751, 127, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(752, 127, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(753, 127, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(754, 127, 5, 1, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(755, 127, 6, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(756, 127, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(757, 128, 1, 1, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(758, 128, 2, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(759, 128, 3, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(760, 128, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(761, 128, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(762, 128, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(763, 128, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(764, 129, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(765, 129, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(766, 129, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(767, 129, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(768, 129, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(769, 129, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(770, 129, 7, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(771, 130, 1, 1, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(772, 130, 2, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(773, 130, 3, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(774, 130, 4, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(775, 130, 5, 1, '수강 미완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(776, 130, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(777, 130, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(778, 131, 1, 1, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(779, 131, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(780, 131, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(781, 131, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(782, 131, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(783, 131, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(784, 131, 7, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(785, 132, 1, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(786, 132, 2, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(787, 132, 3, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(788, 132, 4, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(789, 132, 5, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(790, 132, 6, 1, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(791, 132, 7, 1, '수강 미완료');



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(792, 1, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(793, 1, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(794, 1, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(795, 1, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(796, 1, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(797, 1, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(798, 1, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(799, 2, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(800, 2, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(801, 2, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(802, 2, 4, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(803, 2, 5, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(804, 2, 6, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(805, 2, 7, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(806, 3, 1, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(807, 3, 2, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(808, 3, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(809, 3, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(810, 3, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(811, 3, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(812, 3, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(813, 4, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(814, 4, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(815, 4, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(816, 4, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(817, 4, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(818, 4, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(819, 4, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(820, 5, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(821, 5, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(822, 5, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(823, 5, 4, 7, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(824, 5, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(825, 5, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(826, 5, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(827, 6, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(828, 6, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(829, 6, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(830, 6, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(831, 6, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(832, 6, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(833, 6, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values



(834, 7, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(835, 7, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(836, 7, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(837, 7, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(838, 7, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(839, 7, 6, 7, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(840, 7, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(841, 8, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(842, 8, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(843, 8, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(844, 8, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(845, 8, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(846, 8, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(847, 8, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(848, 9, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(849, 9, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(850, 9, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(851, 9, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(852, 9, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(853, 9, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(854, 9, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(855, 10, 1, 7, '수강 미완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(856, 10, 2, 7, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(857, 10, 3, 7, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(858, 10, 4, 7, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(859, 10, 5, 7, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(860, 10, 6, 7, '수강 미완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(861, 10, 7, 7, '수강 미완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(862, 11, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(863, 11, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(864, 11, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(865, 11, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(866, 11, 5, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(867, 11, 6, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(868, 11, 7, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(869, 12, 1, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(870, 12, 2, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(871, 12, 3, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(872, 12, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(873, 12, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(874, 12, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(875, 12, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(876, 13, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```



values

(877, 13, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(878, 13, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(879, 13, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(880, 13, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(881, 13, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(882, 13, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(883, 14, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(884, 14, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(885, 14, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(886, 14, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(887, 14, 5, 7, '수강 완료');

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(888, 14, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(889, 14, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(890, 15, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(891, 15, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(892, 15, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(893, 15, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(894, 15, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(895, 15, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(896, 15, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(897, 16, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(898, 16, 2, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(899, 16, 3, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(900, 16, 4, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(901, 16, 5, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(902, 16, 6, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)  
values
```

```
(903, 16, 7, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(904, 17, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(905, 17, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(906, 17, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(907, 17, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(908, 17, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(909, 17, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(910, 17, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(911, 18, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(912, 18, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(913, 18, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(914, 18, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(915, 18, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(916, 18, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(917, 18, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(918, 19, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)  
values

(919, 19, 2, 7, '수강 완료');



```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(920, 19, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(921, 19, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(922, 19, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(923, 19, 6, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
values
(924, 19, 7, 7, '수강 완료');

insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

values

(925, 20, 1, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(926, 20, 2, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(927, 20, 3, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(928, 20, 4, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

(929, 20, 5, 7, '수강 완료');

insert into tblOnlineCourseList (seq\_onlineCourseList, seq\_traineeList, seq\_onlineLecture, seq\_openCurriculum, status)

values

```
(930, 20, 6, 7, '수강 완료');
```

```
insert into tblOnlineCourseList (seq_onlineCourseList, seq_traineeList, seq_onlineLecture, seq_openCurriculum, status)
```

```
values
```

```
(931, 20, 7, 7, '수강 완료');
```

|  |                         |     |            |
|--|-------------------------|-----|------------|
| 테이블명   | tblCurriculumEvaluation | 작성일 | 2024-03-08 |
| System   | 교육 과정 평가                | 작성자 | 장원준        |
| DML  |                         |     |            |
| <pre>insert into tblCurriculumEvaluation<br/><br/>(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)<br/><br/>values (1, 1, 7, 4, '강사님이 이해하기 쉽게 설명해주시고 막히는 부분에서 질문을 하면 설명을 다시 잘 해주셔서 좋았습니다. 이 과정을 주변 코딩을 준비하는 친구 지인들에게 추천하고 싶을 정도로 만족하는 수업이었습니다.');</pre> |                         |     |            |
| <pre>insert into tblCurriculumEvaluation<br/><br/>(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)<br/><br/>values (2, 2, 7, 4, '강사님께서 모든 수업을 재밌고 쉽게 설명해주셔서 잘 배웠습니다! 항상 학생들을 너무너무 잘 챙겨주셨어요!!');</pre>   |                         |     |            |

```
insert into tblCurriculumEvaluation
```

```
(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)
```

```
values (3, 3, 7, 5, '수업 같이 듣는 친구들도 너무 다 좋았어서 제 친구가 다닌다고 하면 무조건 추천할거예요!');
```

```
insert into tblCurriculumEvaluation
```

```
(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)
```

```
values (4, 4, 7, 4, '선생님께서 비전공자도 쉽게 이해할 수 있게 강의해주셨으며, 수강생에게 애정을 가지고 계신게 느껴졌습니다.');
```

```
insert into tblCurriculumEvaluation
```

```
(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)
```

```
values (5, 5, 7, 3, '말썽쟁이반 강의하시느라 고생 많으셨습니다. 건강하시고 감사해요!!!!');
```

```
insert into tblCurriculumEvaluation
```

```
(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)
```

```
values (6, 6, 7, 5, '박세인 강사님에 대해 평소 굉장히 후기가 좋았기 때문에 기대하고 교육에 참여하게 되었습니다. 왜 다들 칭찬과 소문이 자자했는지 단번에 알 수 있었습니다. 뒤쳐지는 학생들을 어떻게든 알려주고 이끌어주려고 노력해주시고 현실적인 조언과 함께 격려해주시는 모습에 지난 5.5 개월간 너무 유익하게 공부할 수 있었습니다.');
```

```
insert into tblCurriculumEvaluation
```

```
(seq_curriculumEvaluation, seq_traineeList, seq_openCurriculum, grade, content)
```

values (7, 7, 7, 4, '과정에서 설명 되어있듯이 자바 기초부터 클라우드까지 다양한 기술 스택을 단기간에 배울 수 있는 5.5 개월 이었습니다. 30 명을 모두 케어하기에 힘드실 법도 한데 새로운 걸 시작할 때마다 막히는 부분이 있는지 한 사람 한 사람 챙겨주셔서 더 감사한 시간이었습니다. 다른 개발을 준비하는 친구에게 벌써 추천하였습니다ㅎㅎ ');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (8, 8, 7, 3, '좋은 훈련기관을 만나 좋은 강사님 좋은 매니저님 좋은 친구들을 만나 많은 것들을 배웠습니다.');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (9, 9, 7, 4, '실력있고 성품 좋으신 강사님께 6 개월간 좋은 강의 해주셔서 감사합니다.');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (10, 10, 7, null, null);

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (11, 11, 7, 4, '의지만 있다면 얻어갈 것이 많은 훈련');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (12, 12, 7, 5, '저는 기초도 아예 없는 비전공자라서 전공했던 학생들과 같이 수업을 듣는게 조금 걱정스러웠는데, 강사님께서 기초 지식부터 하나하나 알아듣기 쉽게 설명해 주셔서 마지막까지 따라갈 수 있었습니다!');

에러가 나거나 수업을 따라가지 못하는 학생이 있으면, 따라올 수 있게 한 학생 한 학생 끝까지 지도해주셔서 너무 감사했습니다! 강사님 덕분에 자신감을 갖고 취업활동을 할 수 있게 되었습니다.);

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (13, 13, 7, 3, '자신이 개발자가 되고 싶지만 너무 어렵거나 혼자 하기 힘들다면 해당 훈련과정을 수강하는 것도 좋은 방법이라 생각한다, 물론 아무것도 안 하고 대충 수업 출석만 한다고 개발자가 되는 건 아니다');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (14, 14, 7, 4, '매우매우 만족합니다.);

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (15, 15, 7, 5, '강사님께서 모든 수업을 재밌고 쉽게 설명해주셔서 잘 배웠습니다! 항상 학생들을 너무너무 잘 챙겨주셨어요!! 매니저님께서도 늘 카톡드리면 유쾌하고 친절하게 답변 주셔서 좋았습니답^^!!');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (16, 16, 7, 4, '5.5 개월이라는 짧지 않은 시간 동안 강사님의 지치지 않는 열정 덕분에 매 수업을 흥미롭고 유익하게 들을 수 있었습니다!');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (17, 17, 7, 3, '전공자로서 학부에서 배우지 못한 기술들을 배울수 있었습니다. 기초부터 배우기때문에 비전공자들도 쉽게 따라와서 대부분이 무사히 수료하고 취업까지 할 수 있습니다.');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (18, 18, 7, 4, '수강하고자 했던 수업내용대로 배울 수 있어 만족했고 강사님께서 질문 답변을 깊이 있게 해주셨고 매니저님은 취업 관련 정보들을 다양하게 제공 해주어 만족스럽게 수강을 마무리 할 수 있었다.');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (19, 19, 7, 3, '비대면 훈련임에도 훈련생들에 대한 지속적인 관심과 배려가 너무 좋았습니다. 강사님도 친절하시고 매니저님도 학생들을 위해주셔서 감동 받았습니다');

insert into tblCurriculumEvaluation

(seq\_curriculumEvaluation, seq\_traineeList, seq\_openCurriculum, grade, content)

values (20, 20, 7, 4, '꼼꼼한 강의로 비전공자도 잘 따라올 수 있는 환경을 마련해주셨습니다. 한명한명의 수강생들을 챙기셨고 뒤처지는 사람이 없도록 노력하시는 모습이 대부분의 사람들이 중도포기하지 않고 끝까지 갈 수 있었던 이유인 것 같습니다.');

|  |           |     |            |
|--|-----------|-----|------------|
| 테이블명   | tblGrades | 작성일 | 2024-03-08 |
| System   | 성적        | 작성자 | 장원준        |
| DML  |           |     |            |
| <pre>INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE) VALUES (1, 1,1, 32, 31, 17);  INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE) VALUES (2, 1, 2, 32, 35, 16);  INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE) VALUES (3, 1 , 3, 33, 36, 17);</pre> |           |     |            |



```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (4, 1 , 4, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (5, 1 , 5, 37, 38, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (6, 1 , 6, 34, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (7, 1 , 7, 31, 30, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (8, 2 , 1, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (9, 2 , 2, 33, 35, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (10, 2 , 3, 34, 37, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (11, 2 , 4, 31, 32, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (12, 2 , 5, 36, 35, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (13, 2 , 6, 30, 30, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (14, 2 , 7, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (15, 3 , 1, 31, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (16, 3 , 2, 34, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (17, 3 , 3, 31, 30, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (18, 3 , 4, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (19, 3 , 5, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (20, 3 , 6, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (21, 3 , 7, 33, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (22, 4 , 1, 34, 33, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (23, 4 , 2, 32, 31, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (24, 4 , 3, 32, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (25, 4 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (26, 4 , 5, 35, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (27, 4 , 6, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (28, 4 , 7, 34, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (29, 5 , 1, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (30, 5 , 2, 34, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (31, 5 , 3, 32, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST,SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (32, 5 , 4, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (33, 5 , 5, 31, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST,SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (34, 5 , 6, 33, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (35, 5 , 7, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (36, 6 , 1, 32, 31, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (37, 6 , 2, 32, 33, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (38, 6 , 3, 36, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (39, 6 , 4, 32, 33, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (40, 6 , 5, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```



```
VALUES (41, 6 , 6, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (42, 6 , 7, 34, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (43, 7 , 1, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (44, 7 , 2, 33, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (45, 7 , 3, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (46, 7 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (47, 7 , 5, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (48, 7 , 6, 34, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (49, 7 , 7, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (50, 8 , 1, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST,SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (51, 8 , 2, 33, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (52, 8 , 3, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (53, 8 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST,SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (54, 8 , 5, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (55, 8 , 6, 34, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (56, 8 , 7, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (57, 9 , 1, 32, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (58, 9 , 2, 33, 33, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (59, 9 , 3, 34, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (60, 9 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (61, 9 , 5, 33, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (62, 9 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (63, 9 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (64, 13 , 1, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (65, 13 , 2, 32, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (66, 13 , 3, 32, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (67, 13 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (68, 13 , 5, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (69, 13 , 6, 34, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (70, 13 , 7, 31, 33, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (71,11 , 1, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (72, 11 , 2, 33, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (73, 11 , 3, 34, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (74, 11 , 4, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (75, 11 , 5, 31, 32, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (76, 11 , 6, 34, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (77, 11 , 7, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (78, 12 , 1, 33, 31, 15);
```



```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (79, 12 , 2, 34, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (80, 12 , 3, 30, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (81, 12 , 4, 32, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (82, 12 , 5, 32, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (83, 12 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (84, 12 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (85, 10 , 1, 32, 33, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (86, 14 , 1, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (87, 14 , 2, 37, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (88, 14 , 3, 30, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (89, 14 , 4, 32, 36, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (90, 14 , 5, 33, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (91, 14 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (92, 14 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (93, 15 , 1, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (94, 15 , 2, 34, 32, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (95, 15 , 3, 32, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (96, 15 , 4, 32, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (97, 15 , 5, 32, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (98, 15 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (99, 15 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (100, 16 , 1, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (101, 16 , 2, 34, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (102, 16 , 3, 30, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (103, 16 , 4, 32, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (104, 16 , 5, 32, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (105, 16 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (106, 16 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (107, 17 , 1, 32, 30, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (108, 17 , 2, 34, 32, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (109, 17 , 3, 33, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (110, 17 , 4, 33, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (111, 17 , 5, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (112, 17 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (113, 17 , 7, 37, 38, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (114, 18 , 1, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (133, 18 , 2, 34, 32, 15);
```



```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (134, 18 , 3, 30, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (135, 18 , 4, 32, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (115, 18 , 5, 32, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (116, 18 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (117, 18 , 7, 31, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (118, 19 , 1, 30, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (119, 19 , 2, 34, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (120, 19 , 3, 30, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (121, 19 , 4, 33, 36, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (122, 19 , 5, 33, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (123, 19 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (124, 19 , 7, 32, 35, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (125, 20 , 1, 33, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (126, 20 , 2, 34, 33, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (127, 20 , 3, 35, 35, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (128, 20 , 4, 32, 33, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (129, 20 , 5, 30, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (130, 20 , 6, 32, 32, 19);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (131, 20 , 7, 33, 36, 20);
```

--7 과정 끝

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (136, 21 , 10, 32, 31, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (137, 21 , 11, 31, 30, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (138, 22 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (139, 22 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (140, 23 , 10, 32, 33, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (141, 23 , 11, 33, 36, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (142, 24 , 10, 32, 33, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (143, 24 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (144, 25 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (145, 25 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (146, 26 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (148, 27 , 10, 31, 31, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (149, 27 , 11, 32, 33, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (150, 28 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (151, 28 , 11, 33, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (152, 29 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (153, 29 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (154, 30 , 10, 31, 37, 18);
```



```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (155, 30 , 11, 31, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (156, 31 , 10, 32, 37, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (157, 31 , 11, 31, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (158, 32 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (159, 32 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (160, 33 , 10, 32, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (161, 33 , 11, 35, 36, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (162, 34 , 10, 33, 35, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (163, 34 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (164, 35 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (165, 35 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (166, 36 , 10, 31, 37, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (167, 36 , 11, 35, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (168, 37 , 10, 36, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (169, 37 , 11, 35, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (170, 38 , 10, 33, 38, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (171, 38 , 11, 31, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (172, 39 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (173, 39 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (174, 40 , 10, 32, 36, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (176, 41 , 10, 33, 35, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (177, 41 , 11, 35, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (178, 42 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (179, 42 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (180, 43 , 10, 38, 37, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (181, 43 , 11, 34, 37, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (182, 44 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (183, 44 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (184, 45 , 10, 31, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (185, 45 , 11, 35, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (186, 46 , 10, 32, 32, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (188, 46 , 11, 37, 33, 20);
```

--4 과정 끝

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (189, 47 , 8, 37, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (191, 47 , 9, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (192, 48 , 8, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (193, 48 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (194, 49 , 8, 32, 31, 20);
```



```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (195, 49 , 9, 33, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (196, 50 , 8, 37, 38, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (197, 50 , 9, 32, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (198, 51 , 8, 39, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (199, 51 , 9, 33, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (200, 52 , 8, 33, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (201, 52 , 9, 31, 35, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (202, 53 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (203, 53 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (204, 54 , 8, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (205, 54 , 9, 33, 32, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (206, 56 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (207, 56 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (208, 57 , 8, 36, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (209, 57 , 9, 38, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (211, 58 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (212, 58 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (213, 59 , 8, 32, 31, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (214, 59 , 9, 37, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (215, 60 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (216, 60 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (217, 61 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (218, 61 , 9, 31, 36, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (219, 62 , 8, 33, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (220, 62 , 9, 37, 35, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (221, 63 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (222, 63 , 9, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (223, 64 , 8, 31, 37, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (224, 64 , 9, 37, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (225, 65 , 8, 32, 31, 15);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (226, 65 , 9, 37, 31, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (227, 66 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (228, 66 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (229, 67 , 8, 37, 38, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (230, 67 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (231, 68 , 8, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (232, 68 , 9, 35, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```



```
VALUES (233, 69 , 8, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (234, 69 , 9, 38, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (235, 70 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (236, 70 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (237, 71 , 8, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (238, 71 , 9, 37, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (239, 72 , 8, 33, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (240, 72 , 9, 32, 39, 20);
```

--3 과정 끝

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (241, 73 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (242, 74 , 12, 32, 36, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (243, 75 , 12, 38, 31, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (244, 76 , 12, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (245, 77 , 12, 37, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (246, 78 , 12, 32, 33, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (247, 79 , 12, 31, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (248, 80 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (249, 81 , 12, 31, 31, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (250, 82 , 12, 33, 35, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (251, 83 , 12, 33, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (252, 84 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (253, 85 , 12, 31, 39, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (254, 86 , 12, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (255, 87 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (256, 88 , 12, 33, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (257, 89 , 12, 31, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (258, 90 , 12, 38, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (259, 91 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (260, 92 , 12, 32, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (261, 93 , 12, 32, 33, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (262, 94 , 12, 32, 33, 16);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (263, 95 , 12, 32, 35, 17);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (264, 96 , 12, 31, 32, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE,  
ATTENDANCEGRADE)
```

```
VALUES (271, 97 , 12, 33, 35, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (266, 98 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (267, 99 , 12, 32, 31, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (268, 100 , 12, 31, 33, 18);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (269, 101 , 12, 32, 39, 20);
```

```
INSERT INTO tblGrades(SEQ_GRADES, SEQ_TRAINEELIST, SEQ_testInfo, WRITTENGRADE, PRACTICALGRADE, ATTENDANCEGRADE)
```

```
VALUES (270, 102 , 12, 31, 35, 20);
```



|   |           |     |            |
|---|-----------|-----|------------|
| 테이블명  | tblLocker | 작성일 | 2024-03-08 |
| System  | 사물함       | 작성자 | 장원준        |
| DML   |           |     |            |
| <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (21, 1, 21);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (22, 1, 22);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (23, 1, 23);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (24, 1, 24);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (25, 1, 25);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (26, 1, 26);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (27, 1, 27);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (28, 1, 28);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (29, 1, 29);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (30, 1, 30);</div> <div>INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (31, 1, 31);</div> |           |     |            |

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (32, 1, 32);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (33, 1, 33);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (34, 1, 34);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (35, 1, 35);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (36, 1, 36);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (37, 1, 37);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (38, 1, 38);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (39, 1, 39);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (40, 1, 40);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (41, 1, 41);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (42, 1, 42);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (43, 1, 43);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (44, 1, 44);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (45, 1, 45);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (46, 1, 46);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (47, 1, 47);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (48, 1, 48);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (49, 1, 49);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (50, 1, 50);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (51, 1, 51);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (52, 1, 52);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (53, 1, 53);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (54, 1, 54);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (55, 1, 55);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (56, 1, 56);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (57, 1, 57);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (58, 1, 58);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (59, 1, 59);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (60, 1, 60);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (61, 1, 61);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (62, 1, 62);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (63, 1, 63);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (64, 1, 64);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (65, 1, 65);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (66, 1, 66);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (67, 1, 67);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (68, 1, 68);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (69, 1, 69);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (70, 1, 70);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (71, 1, 71);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (72, 1, 72);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (73, 1, 73);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (74, 1, 74);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (75, 1, 75);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (76, 1, 76);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (77, 1, 77);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (78, 1, 78);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (79, 1, 79);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (80, 1, 80);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (81, 1, 81);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (82, 1, 82);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (83, 1, 83);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (84, 1, 84);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (85, 1, 85);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (86, 1, 86);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (87, 1, 87);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (88, 1, 88);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (89, 1, 89);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (90, 1, 90);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (91, 1, 91);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (92, 1, 92);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (93, 1, 93);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (94, 1, 94);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (95, 1, 95);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (96, 1, 96);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (97, 1, 97);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (98, 1, 98);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (99, 1, 99);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (100, 1, 100);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (101, 1, 101);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (102, 1, 102);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (103, 1, 103);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (104, 1, 104);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (105, 1, 105);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (106, 1, 106);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (107, 1, 107);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (108, 1, 108);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (109, 1, 109);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (110, 1, 110);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (111, 1, 111);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (112, 1, 112);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (113, 1, 113);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (114, 1, 114);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (115, 1, 115);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (116, 1, 116);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (117, 1, 117);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (118, 1, 118);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (119, 1, 119);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (120, 1, 120);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (121, 1, 121);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (122, 1, 122);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (123, 1, 123);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (124, 1, 124);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (125, 1, 125);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (126, 1, 126);
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_traineeelist) VALUES (127, 1, 127);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_trainelist) VALUES (128, 1, 128);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_trainelist) VALUES (129, 1, 129);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_trainelist) VALUES (130, 1, 130);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_trainelist) VALUES (131, 1, 131);
```

```
INSERT INTO tbllocker(seq_locker, seq_equipment, seq_trainelist) VALUES (132, 1, 132);
```