

`target_type='sigmoid', trick='clamp', loss_type='MSELoss', delta=0.03, w=0.5, lr=0.01)`


`scaler_type='minmax'`

250 steps


Started @ August 02 - 09:16:27

Saved @ August 02 - 13:50:42





Accumulated Expansion










Accumulated Generation



Accumulated Trading

 V_t  U_t  Y_t 



```
In [ ]: import numpy as np
import torch as torch
import torch.nn as nn
import torch.nn.functional as F
import torch.optim as optim
import seaborn as sns
import pandas as pd
import matplotlib.pyplot as plt
from datetime import datetime
import random
from scipy.stats import norm

import os
import pathlib

from Model import *
from utils import *

torch.autograd.set_detect_anomaly(True)
start_time=datetime.now().strftime('%B %d - %H:%M:%S')
```

```
In [ ]: #Global parameters
GlobalParams1=Params(param_type='k1',target_type='sigmoid',trick='clamp',loss_type='MSELoss',delta=0.03,w=0.5,lr=0.01)
dB1 = SampleBMIncr(GlobalParams=GlobalParams1)
init_x1 = Sample_Init(GlobalParams=GlobalParams1)
init_c1= torch.zeros_like(init_x1)

GlobalParams2=Params(param_type='k2',target_type='sigmoid',trick='clamp',loss_type='MSELoss',delta=0.03,w=0.5,lr=0.01)
dB2 = SampleBMIncr(GlobalParams=GlobalParams2)  ## TODO: same dB????
init_x2 = Sample_Init(GlobalParams=GlobalParams2)
init_c2= torch.zeros_like(init_x2)

NT1=GlobalParams1.NT1
NT2=GlobalParams1.NT2
dt=GlobalParams1.dt
device=GlobalParams1.device
learning_rate = GlobalParams1.lr

#Forward Loss
forward_losses = []

#How many batches
MaxBatch= 250
```

```
#How many optimization steps per batch  
OptimSteps= 25
```

```
#Train on a single batch?  
single_batch = True
```

```
#Set up main models for y0 and z (z will be list of models)
```

```
v0_model_main1 = Network(minmax=True)
```

```
u0_model_main1 = Network(minmax=True)
```

```
y0_model_main1 = Network(minmax=True)
```

```
zv_models_main1 = [Network(minmax=False) for i in range(NT1)]
```

```
zu_models_main1 = [Network(minmax=False) for i in range(NT1)]
```

```
zy_models_main1 = [Network(minmax=False) for i in range(NT2)]
```

```
main_models1=Main_Models(GlobalParams=GlobalParams1)
```

```
main_models1.create(v0_model=v0_model_main1,  
                    u0_model=u0_model_main1,  
                    y0_model=y0_model_main1,  
                    zv_models=zv_models_main1,  
                    zu_models=zu_models_main1,  
                    zy_models=zy_models_main1,  
                    forward_loss=forward_losses,  
                    dB=dB1,  
                    init_x=init_x1,  
                    init_c=init_c1)
```

```
v0_model_main2 = Network(minmax=True)
```

```
u0_model_main2 = Network(minmax=True)
```

```
y0_model_main2 = Network(minmax=True)
```

```
zv_models_main2 = [Network(minmax=False) for i in range(NT1)]
```

```
zu_models_main2 = [Network(minmax=False) for i in range(NT1)]
```

```
zy_models_main2 = [Network(minmax=False) for i in range(NT2)]
```

```
main_models2=Main_Models(GlobalParams=GlobalParams2)
```

```
main_models2.create(v0_model=v0_model_main2,  
                    u0_model=u0_model_main2,  
                    y0_model=y0_model_main2,  
                    zv_models=zv_models_main2,  
                    zu_models=zu_models_main2,  
                    zy_models=zy_models_main2,  
                    forward_loss=forward_losses,  
                    dB=dB2,  
                    init_x=init_x2,  
                    init_c=init_c2)
```

```
pop1_dict={'dB':dB1,
```

```

        'init_x':init_x1 ,
        'init_c':init_c1 ,
        'GlobalParams':GlobalParams1,
        'main_models':main_models1}

```

```

pop2_dict={'dB':dB2,
          'init_x':init_x2 ,
          'init_c':init_c2 ,
          'GlobalParams':GlobalParams2,
          'main_models':main_models2}

```

```

In [ ]: #Define optimization parameters
params=[]
params = list(main_models1.v0_model.parameters())+\
          list(main_models1.u0_model.parameters())+\
          list(main_models1.y0_model.parameters())+\
          list(main_models2.v0_model.parameters())+\
          list(main_models2.u0_model.parameters())+\
          list(main_models2.y0_model.parameters())
for i in range(NT1):
    params += list(main_models1.zv_models[i].parameters())
    params += list(main_models1.zu_models[i].parameters())
    params += list(main_models2.zv_models[i].parameters())
    params += list(main_models2.zu_models[i].parameters())

for i in range(NT2):
    params += list(main_models1.zy_models[i].parameters())
    params += list(main_models2.zy_models[i].parameters())

#Set up optimizer and scheduler
optimizer = optim.Adamax(params, lr=learning_rate)
scheduler = torch.optim.lr_scheduler.StepLR(optimizer, step_size=100, gamma=0.95)

for k in range(0,MaxBatch):

    print("Batch Number: ", k+1)
    sloss=0
    #optimize main network wrt the foward loss
    for l in range(0,OptimSteps):
        optimizer.zero_grad()
        loss = get_foward_loss(pop1_dict=pop1_dict, pop2_dict=pop2_dict)
        loss.backward()
        # torch.nn.utils.clip_grad_norm_(parameters=params,max_norm=0.7)
        optimizer.step()
        scheduler.step()
        nloss = loss.detach().numpy()

```



```

    sloss += nloss
    # print('OptimStep: ' + str(l+1))
    # print('forward_loss: ' + str(nloss))
avgloss = sloss/OptimSteps
print("Average Error Est: ", avgloss)
forward_losses.append(avgloss)

#Generate a new batch if using multiple batches
if(not single_batch):

    dB1 = SampleBMIncr(GlobalParams=GlobalParams1)
    init_x1 = Sample_Init(GlobalParams=GlobalParams1)
    init_c1= torch.zeros_like(init_x1)
    pop1_dict={'dB':dB1,
              'init_x':init_x1 ,
              'init_c':init_c1 ,
              'GlobalParams':GlobalParams1,
              'main_models':main_models1}

    dB2 = SampleBMIncr(GlobalParams=GlobalParams2)  ## TODO: same dB????
    init_x2 = Sample_Init(GlobalParams=GlobalParams2)
    init_c2= torch.zeros_like(init_x2)
    pop2_dict ={'dB':dB2,
               'init_x':init_x2 ,
               'init_c':init_c2 ,
               'GlobalParams':GlobalParams2,
               'main_models':main_models2}

```

Save The Models

```

In [ ]: print(f"{len(main_models1.loss)} steps\nStarted @ {start_time}\nSaved @ {datetime.now().strftime('%B %d - %H:%M:%S')}")  ## to
dir_path=pathlib.Path(os.getcwd(),
                      'Results',
                      'Best Models Saved',
                      'minmax_sig_0.03delta_300steps_MSE_1_0.5w')

dir_path.mkdir()
path1=pathlib.Path(dir_path,'pop1.pt')
path2=pathlib.Path(dir_path,'pop2.pt')
main_models1.save_entire_models(path=path1)
main_models2.save_entire_models(path=path2)

```

250 steps

Started @ August 02 - 09:16:27

Saved @ August 02 - 13:50:42