





Expand to it
60 each way


CLPBP @ SCDENVALL
THICAL




STANLEY



SECOND FLOOR PLAN - SHOPS A+B 5"



FIRST FLOOR PLAN - SHOPS A+B COMBINED 5"




NO. 12
A-12

JOHN S. ELLIS
ARCHITECT AND
217 W. MAIN LAFAYETTE, LA. 70501


THE GALLERY - PHASE 2
LAFAYETTE, LOUISIANA

JOB 75
DATE 1972 MAR 16



THE BOULEVARD - PHASE ONE
LAUREL, MISSISSIPPI

JOB 73
DATE 12-1-66



1st FLOOR PLAN SHOP

JOHN S. ELLIS

ARCHITECT INC.
217 W. MAIN LAFAYETTE, LA. PHONE 1-238


THE BUILDING - PAGE ONE

UNIVERSITY OF LOUISIANA


JOB NO. 100
DATE 10-1-58




2ND = 1000 - 1415 = 685



2nd Loop PLAT Stop "A" 1/4



1000 PLAT + 1000



JOHN S. ELLIS
ARCHITECT, INC.
517 W. MAIN LAFAYETTE, LA. PH. 883-1838

THE BOULEVARD - PLACE AND
LEATETTE, LOUISIANA

JOB	73
DATE	12-1-73



KCON	FLZK	EXE	UNLS	CHNGS	PAR	SETPNT


[illegible]

INWIT	SIZE	TYPE	FRATE	REMARKS
-------	------	------	-------	---------


1	20°-40°-18°	WATER FROM W/ CENTER DRAIN	WATER	FOR WATER DRAIN, NOT IN RIGHT HAND BOX
2	20°-40°-18°	VENTUAL METAL	METAL	SEE SEC. ①
3	20°-40°	CRACK OPENING	WATER	
4	20°-40°-18°	CRACK OPEN DRAIN	WATER	
5	20°-40°-18°	do	do	
6	20°-40°-18°	do	do	
7	20°-40°-18°	FULL THICK W/ 40°-40°-18°	do	CRACK DRAIN TO AER DRAIN POSITION
8	20°-40°	CRACK OPENING	do	
9	20°-40°-18°	CRACK OPEN	do	
10	20°-40°-18°	do	do	
11	20°-40°-18°	FULL THICK W/ 40°-40°-18° WATER FROM DRAIN	do	
12	20°-40°-18°	CRACK OPEN	do	
13	20°-40°-18°	WATER FROM W/ 40°-40°-18° THERMAL DRAIN	do	SEE DATA DRAIN
14	20°-40°-18°	do	do	
15	20°-40°-18°	CRACK OPEN DRAIN	do	
16	20°-40°-18°	FULL THICK W/ 40°-40°-18°	do	SEE DATA IN BOX
17	20°-40°-18°	do	do	

MARK	SIZE	TYPE	REMARKS
------	------	------	---------


Y	SEE SEPARATE ALPHABETICS	LINKED CLASS - FIXED	CONFLICT WITHIN THE CATEGORY
B			
C	Y	NEUTRAL WITHIN CLASS - FIXED	Y
D	1-x d' d		
E	1-d x d' d		
F	1-d x d' d		
G	SEE SEPARATE ALPHABETICS	FIXED - ALL PAIRS, ALL PAIRS (CONFLICT)	
H			
I			
J			
K	Y	NEUTRAL WITHIN CLASS - FIXED	WHOLE WITHIN WHOLE CONFLICT




NORTH ELEVATION 1/8"




EAST ELEVATION 1/8"




SOUTH ELEVATION 1/8"



WEST ELEVATION 1/8"



SECTION ON 1




WEST ELEVATION 1/8"

NO 1-7


JOHN S. ELLIS
ARCHITECT, INC.
217 W. MAIN LAFAYETTE, LA. PH. 336-1238

THE BOULEVARD - PHASE 1
LAFAYETTE, LOUISIANA






DATE 10/1/78
BY J.S.E.




NOTES: SEE VOLUME PLAN






SECTION 1






MAIN ENTRANCE DOOR (PART 2)
SIDE ELEVATION (PART 2)



JOHN S. ELLIS
ARCHITECT INC.
817 W. MAIN LAFAVETTE, LA. 70503-1008

THE BOULEVARD - PHASE ONE
LAFAVETTE, LOUISIANA

JOB NO. 100
DATE 10/1/80




16




34.10


NOTES:
 1. ALL DIMENSIONS ARE IN FEET AND INCHES.
 2. ALL WALLS ARE 12" THICK UNLESS NOTED OTHERWISE.
 3. ALL ROOFS ARE 2" MINIMUM THICKNESS UNLESS NOTED OTHERWISE.
 4. ALL FLOORS ARE 4" MINIMUM THICKNESS UNLESS NOTED OTHERWISE.
 5. ALL CEILING ARE 8" MINIMUM THICKNESS UNLESS NOTED OTHERWISE.




SECTION 1
TYPICAL PILING




SECTION 2
TYPICAL WALL



SECTION 3
TYPICAL PILING




SECTION 4
TYPICAL WALL



TYPICAL GUTTER PLAN



SECTION 5



FOUNDATION PLAN

10
 11-11-11

JOHN S. ELLIS
 ARCHITECT, INC.
 217 W. MAIN
 LAFAYETTE, LA. 70501-1000



THE ROLLBACK - PAGE ONE
 LAFAYETTE, LA.

JOB
 DATE




ST. FRANCIS - 2ND FL.


12.14



TYPICAL CORNER DETAIL



TYPICAL JOINT DETAIL



ST. FRANCIS - 2ND FL.

NO. 1111

JOHN S. ELLIS
ARCHITECT, INC.
811 W. MAIN ST. LA JOLLA, CA. 92037

RECEIVED - 11/11/11
11/11/11

DATE