

table1_probe_metrics

Values from actual locked receipts. Metrics in percent; timing in seconds/window.

Method	Replica APall	Replica AP50	Replica mIoU	CF APall	CF AP50	CF mIoU
D2 reference	14.630	32.766	26.405	13.107	30.915	26.226
G1	14.630	32.766	26.395	13.107	30.915	26.262
SAM2 geometry	14.630	32.766	26.396	13.107	30.915	26.262
SAM-V geometry	14.630	32.766	26.398	13.107	30.915	26.262
OLD-mask FC	13.788	31.251	25.438	13.107	30.915	27.584
SAM-V-mask FC	13.788	31.251	25.437	13.462	31.489	27.949
SAM-V + fixed FC	13.788	31.251	25.444	13.462	31.489	27.949

table2_mechanism

Values from actual locked receipts. Metrics in percent; timing in seconds/window.

Cohort	Model	Targets	Anchor OK	Raw rows	Admitted rows	Blocked rows	GT50	GT75	Best IoU	Fixed-GT IoU
cf_probe2	SAM2	16	15	8838	1538	7300	30	11	0.172	0.183
cf_probe2	SAMV	16	15	3432	2714	718	30	11	0.172	0.183
replica_probe2	SAM2	16	13	82269	45606	36663	45	21	0.219	0.319
replica_probe2	SAMV	16	10	61378	30701	30677	45	21	0.216	0.315

table2_semantic

Values from actual locked receipts. Metrics in percent; timing in seconds/window.

Cohort	Joint eligible	Wrong to right	Right to wrong	No fixed GT	APall delta (pp)	AP50 delta (pp)	AP25 delta (pp)	mIoU delta (pp)	mAcc delta (pp)
cf_probe2	8	1	0	1	0.355	0.574	0.605	0.365	0.029
replica_probe2	10	0	0	5	0.000	0.000	0.000	-0.001	0.000

table3_window_timing

Values from actual locked receipts. Metrics in percent; timing in seconds/window.

Scene	Owner	Model	Calls	Frames	Dtype	Mean (s)	Median (s)	Allocated (GiB)	Reserved (GiB)
office1	8	SAM2	2	6	BF16	0.796	0.796	1.822	2.102
scene0011_00	14	SAM2	2	6	BF16	0.721	0.721	1.822	2.102
office1	8	SAMV	2	6	BF16	3.407	3.407	12.575	13.498
scene0011_00	14	SAMV	2	6	BF16	3.220	3.220	12.575	13.498