ELEMENT COMBINATION RULE

BASIC CIRCUIT ANALYSIS METHOD



Gyro A. Madrona

Electronics Engineer











TOPIC OUTLINE

Ohm's Law

Series Network

Parallel Network

Series-Parallel Network





Ohm's Law states that the ratio of voltage (V) to current (I) is constant (R).

Mathematical representation

$$R=\frac{V}{I}$$

Basic Electrical Quantities

1. <u>Voltage</u> (**V**)

The measure of electrical potential energy per unit charge. It is the "push" or "force" that drives electric current through a circuit.

<u>Formula</u>

$$V = IR$$

unit: Volt (V)



Ohm's Law states that the ratio of voltage (V) to current (I) is constant (R).

Mathematical representation

$$R=\frac{V}{I}$$

Basic Electrical Quantities

2. <u>Current</u> (I)

The <u>flow of electric charge</u>, typically carried by electrons in a conductor. It represents the rate at which charge flows through a point in a circuit.

<u>Formula</u>

$$I = \frac{V}{R}$$

unit: Ampere (A)



Ohm's Law states that the ratio of voltage (V) to current (I) is constant (R).

Mathematical representation

$$R=\frac{V}{I}$$

Basic Electrical Quantities

3. Resistance (R)

The **opposition** to the flow of electric current in a material or component. It determines how much current will flow for a given voltage.


<u>Formula</u>

$$R=\frac{V}{I}$$

 $\underline{\text{unit}}$: Ohm (Ω)




In the given circuit, the voltage drop across a 120Ω resistor is measured as 2.4V. Determine the current flowing through the resistors.





A 330 Ω resistor in the given circuit carries a current of 1*m*A. Calculate the voltage drop across the resistors.





The given circuit has an applied voltage of 5V, resulting in a current flow of 5mA. Determine the resistance of the circuit.






SERIES NETWORK



SERIES NETWORK

A <u>series network</u> refers to a configuration where components are connected end-to-end, forming a <u>single path</u> for current to flow.






CURRENT

In a series network, the <u>same current</u> flows through all components.

Mathematical representation

$$i_0 = i_1 = i_2 = i_3 = \cdots i_n$$






RESISTANCE

In a series network, the <u>total resistance</u> is the <u>sum</u> of the individual resistances.

Mathematical representation

$$R_o = R_1 + R_2 + R_3 + \cdots R_n$$






VOLTAGE

In a series network, the <u>total voltage</u> is the <u>sum</u> of the voltages across each individual component.


Mathematical representation

$$v_o = v_1 + v_2 + v_3 + \cdots v_n$$






For the given series circuit, determine the voltage drops across each individual resistor.





PARALLEL NETWORK

A <u>parallel network</u> is a configuration where components are connected across the same two points, providing <u>multiple paths</u> for current to flow.






VOLTAGE

In a parallel network, the <u>voltage</u> is the <u>same</u> across all components.

Mathematical representation

$$v_o = v_1 = v_2 = v_3 = \cdots v_n$$






CONDUCTANCE

<u>Conductance</u> refers to the ability of the network to allow the flow of electric current. It is the <u>reciprocal</u> <u>of resistance</u> and is measured in siemens (*S*).

Mathematical representation

$$G=\frac{1}{R}$$






CONDUCTANCE

In a parallel network, the <u>total conductance</u> is the <u>sum</u> of the individual conductance of each resistor.

Mathematical representation

$$G_o = G_1 + G_2 + G_3 + \cdots + G_n$$






CURRENT

In a parallel network, the <u>total current</u> is the <u>sum</u> of the current flowing through each individual component.


Mathematical representation

$$i_0 = i_1 + i_2 + i_3 + \cdots i_n$$





For the given parallel circuit, determine the current flowing through each individual resistor.






SERIES PARALLEL NETWORK




SERIEL-PARALLEL NETWORK

A <u>series-parallel</u> network is a type of electrical network that combines elements of both <u>series</u> and <u>parallel</u> circuits. These networks are commonly used in electrical and electronic systems to achieve desired voltage, current, and resistance characteristics.

Series-Parallel Network




Analyze the given circuit to determine both the current through and the voltage drop across each resistor.





Analyze the given circuit to determine both the current through and the voltage drop across each resistor.





LABORATORY

