# ARITHMETIC OPERATORS

## BASICS OF C++

*prepared by:*

**Gyro A. Madrona**

Electronics Engineer

# GRADING SYSTEM

# FINAL GRADE

30%

PRELIM

30%

MIDTERM

**40%**

ENDTERM

# TERM GRADE

50%

WEEKLY

50%

EXAM

# 100%

LABORATORY

# PENALTY

0

ABSENT

3

45-min LATE

7 max

15-min LATE

## TOPIC OUTLINE

### Arithmetic Operators

# ARITHMETIC OPERATORS

# ASSIGNMENT OPERATOR

**=, Assigns** a value to a variable

The assignment operation always takes place from **right to left**, and never the other way around

```
#include <iostream>
using namespace std;
int main( ) {
    int a, b;
    int a = 10;
    int b = 4;
    ----------------------
    ----------------------
```

# ARITHMETIC OPERATORS

+ **addition**

− **Subtraction**

∗ **Multiplication**

/ **division**

% **modulo**

```
#include <iostream>
using namespace std;
int main( ) {
    int a, b, remainder;
    int a = 10;
    int b = 4;
    remainder = 0;
    remainder = a%b;
    cout<< remainder;
    ----------------------------------
    ----------------------------------
```

# INCREMENT

++, increase by one value stored in a variable

```
#include <iostream>
using namespace std;
int main( ) {
    int a;
    a = 2;
    a++;
    cout << a;
```

---

---

# DECREMENT

– –, decrease by one value stored in a variable

```
#include <iostream>
using namespace std;
int main( ) {
    int a;
    a = 2;
    a--;
    cout << a;
----------------------------------
----------------------------------
```

```
// Program that determines if the number is odd or even

#include <iostream>

using namespace std;

int main( ) {
    // variables
    int number = 0;
    int remainder = 0;

    // prompt user to enter number
    cin >> number;
```

```
// calculate the remainder
remainder = number%2;

cout << number;

if (remainder == 0){

        cout << " is an even number.";

}

if (remainder != 0){

        cout << " is an odd number.";

}

return 0;

}
```

# LABORATORY