ARITHMETIC OPERATORS

BASICS OF C++

prepared by:

Gyro A. Madrona

Electronics Engineer

GRADING SYSTEM

FINAL GRADE

30%

PRELIM

30%

MIDTERM

40%

ENDTERM

TERM GRADE

50%

WEEKLY

50%

EXAM

100%

LABORATORY

PENALTY

0

ABSENT

3

45-min LATE

7 max

15-min LATE

TOPIC OUTLINE

Arithmetic Operators

ARITHMETIC OPERATORS

ASSIGNMENT OPERATOR

=, Assigns a value to a variable

The assignment operation always takes place from **right to left**, and never the other way around

```
#include <iostream>
using namespace std;
int main( ) {
    int a, b;
    int a = 10;
    int b = 4;
    ----------------------
    ----------------------
```

ARITHMETIC OPERATORS

+ **addition**

− **Subtraction**

∗ **Multiplication**

/ **division**

% **modulo**

```
#include <iostream>
using namespace std;
int main( ) {
    int a, b, remainder;
    int a = 10;
    int b = 4;
    remainder = 0;
    remainder = a%b;
    cout<< remainder;
    ----------------------------------
    ----------------------------------
```

INCREMENT

++, increase by one value stored in a variable

```
#include <iostream>
using namespace std;
int main( ) {
    int a;
    a = 2;
    a++;
    cout << a;
----------------------------------
----------------------------------
```

DECREMENT

– –, decrease by one value stored in a variable

```
#include <iostream>
using namespace std;
int main( ) {
    int a;
    a = 2;
    a--;
    cout << a;
```

```
// Program that determines if the number is odd or even

#include <iostream>

using namespace std;

int main( ) {
    // variables
    int number = 0;
    int remainder = 0;

    // prompt user to enter number
    cin >> number;
```

```
// calculate the remainder
remainder = number%2;

cout << number;

if (remainder == 0){

        cout << " is an even number.";

}

if (remainder != 0){

        cout << " is an odd number.";

}

return 0;

}
```

LABORATORY