SWITCH STATEMENT

CONDITIONAL STATEMENT

prepared by:

Gyro A. Madrona

Electronics Engineer

GRADING SYSTEM

FINAL GRADE

30%

PRELIM

30%

MIDTERM

40%

ENDTERM

TERM GRADE

50%

WEEKLY

50%

EXAM

100%

LABORATORY

PENALTY

0

ABSENT

3

45-min LATE

7 max

15-min LATE

TOPIC OUTLINE

Switch Statement

SWITCH STATEMENT

SWITCH STATEMENT

```
switch(expression) {
    case value1:
        // code to be executed if expression equals value1
        break;
    case value2:
        // code to be executed if expression equals value2
        break;
    default:
        // code to be executed if expression doesn't match any case
        break;
}
```

Particularly useful when you have a variable whose value you want to compare against **several different constant values**

Numeral or Character

but **NOT String**

SWITCH STATEMENT

```
switch(expression) {
    case value1:
        // code to be executed if expression equals value1
        break;
    case value2:
        // code to be executed if expression equals value2
        break;
    default:
        // code to be executed if expression doesn't match any case
        break;
}
```

Particularly useful when you have a variable whose value you want to compare against **several different constant values**

Numeral or Character

but **NOT String**

SWITCH STATEMENT

```
switch(number%2) {
    case 0 :
        cout<<number<<" is an even number";
        break;
    case 1:
        cout<<number<<" is an odd number";
        break;
    default:
        cout<<"Invalid Number";
        break;
}
```

Particularly useful when you have a variable whose value you want to compare against **several different constant values**

Numeral or Character

but **NOT String**

```
int day = 3;
switch(day){
    case 1:
        cout<<"Monday";
        break;
    case 2:
        cout<<"Tuesday";
        break;
    ----------------------------------------
    ----------------------------------------
    default:
        cout<<"Invalid day!";
        break;
}
```

```
int day = 3;
if(day == 1){
    cout<<"Monday";
}
else if(day == 2){
    cout<<"Tuesday";
}
----------------------------------------
----------------------------------------
else {
    cout<<"Invalid day!";
}
```

LABORATORY