

Weather Stream OGC API: Collections Paths

Base URL: `http://localhost:5000`

This document includes only the `/collections/*` endpoints from the provided OpenAPI document.

`/collections`

GET Collections

Lists available collections.

Query parameters

Name	Type	Required	Notes
<code>f</code>	string	No	Output format. Default: <code>json</code> . Allowed: <code>json</code> , <code>html</code> , <code>jsonld</code>
<code>lang</code>	string	No	Response language. Default: <code>en-US</code>

Responses

Status	Meaning
<code>200</code>	Success
<code>400</code>	Invalid parameter
<code>500</code>	Server error

`/collections/sensors`

GET Get Sensors metadata

Returns metadata for the `sensors` collection.

Query parameters

Name	Type	Required	Notes
<code>f</code>	string	No	Output format. Default: <code>json</code> . Allowed: <code>json</code> , <code>html</code> , <code>jsonld</code>
<code>lang</code>	string	No	Response language. Default: <code>en-US</code>

Responses

Status	Meaning
<code>200</code>	Collection metadata
<code>400</code>	Invalid parameter

Status	Meaning
404	Not found
500	Server error

/collections/sensors/items

GET Get Sensors items

Returns items from the **sensors** collection.

Query parameters

Name	Type	Required	Notes
f	string	No	Default: json . Allowed: json , html , jsonld , csv
lang	string	No	Response language
bbox	number[]	No	4 or 6 numbers
limit	integer	No	Default: 10 , min: 1 , max: 50
crs	string	No	CRS for results
bbox-crs	string	No	CRS for bbox
properties	string[]	No	Allowed: sensor_id , sensor_name , available_variables , valid_start_datetime , valid_end_datetime
vendorSpecificParameters	object	No	Free-form extra parameters
skipGeometry	boolean	No	Default: false
sortby	external ref	No	OGC Records sort parameter
offset	integer	No	Default: 0
datetime	external ref	No	Datetime filter
sensor_id	string	No	Filter by sensor id
sensor_name	string	No	Filter by sensor name
available_variables	string	No	Filter by available variables
valid_start_datetime	string(date-time)	No	Filter by valid start datetime
valid_end_datetime	string(date-time)	No	Filter by valid end datetime

Responses

Status	Meaning
200	Features returned
400	Invalid parameter
404	Not found
500	Server error

OPTIONS Options for Sensors items

Returns supported options for the collection items endpoint.

Responses

Status	Meaning
200	Options response

POST Get Sensors items with CQL2 or add item

Either queries items using CQL2 or creates a new item, depending on content type.

Request body

Content-Type	Meaning
application/json	CQL2 query
application/geo+json	Add item to collection

To add an item to the collection, properties should at a minimum contain:

Name	Type
Sensor_id	str
Sensor_name	str
available_variables	str (comma-separated list)
valid_start_datetime	str (date-time)
valid_end_datetime	str (date-time) or None

Responses

Status	Meaning
200	Features returned
201	Successful creation
400	Invalid parameter

Status	Meaning
500	Server error

/collections/sensors/items/{featureId}

GET Get Sensors item by id

Returns a single sensor item.

Path parameters

Name	Type	Required	Notes
featureId	string	Yes	Feature identifier

Query parameters

Name	Type	Required	Notes
crs	string	No	CRS for results
f	string	No	Output format
lang	string	No	Response language

Responses

Status	Meaning
200	Feature returned
400	Invalid parameter
404	Not found
500	Server error

OPTIONS Options for Sensors item by id

Returns supported options for the single-item endpoint.

Path parameters

Name	Type	Required
featureId	string	Yes

Responses

Status	Meaning
200	Options response

PUT Update Sensors items

Creates or updates an existing sensor item.

Path parameters

Name	Type	Required
<code>featureId</code>	string	Yes

Request body

Content-Type	Meaning
<code>application/geo+json</code>	Updated feature payload

Responses

Status	Meaning
<code>204</code>	No content, update successful
<code>400</code>	Invalid parameter
<code>500</code>	Server error

DELETE Delete Sensors items

Deletes a sensor item.

Path parameters

Name	Type	Required
<code>featureId</code>	string	Yes

Responses

Status	Meaning
<code>200</code>	Successful delete
<code>400</code>	Invalid parameter
<code>500</code>	Server error

/collections/sensors/locations

GET Get pre-defined locations of Sensor locations

Returns predefined locations for the `sensors` collection.

Query parameters

Name	Type	Required	Notes
bbox	external ref	No	EDR bbox parameter
datetime	external ref	No	Datetime filter
f	string	No	Output format

Responses

Status	Meaning
200	Features returned
400	Invalid parameter
500	Server error

/collections/sensors/locations/{locId}

GET Query Sensor locations by location

Returns coverage data for a specific location.

Path parameters

Name	Type	Required	Notes
locId	string	Yes	Location identifier

Query parameters

Name	Type	Required	Notes
datetime	external ref	No	Datetime filter. It can be range, this is the time of the forecast and will be decomposed to time (Forecast_reference_time) and step (forecast_period). The forecast with the lowest step value is returned for every datetime requested. A datetime between modeled times will be interpolated from the nearest available forecast. Intervals may be bounded or half-bounded (double-dots at start or end). A date-time: "2018-02-12T23:20:50Z" A bounded interval: "2018-02-12T00:00:00Z/2018-03-18T12:31:12Z" Half-bounded intervals: "2018-02-12T00:00:00Z/.." or "../2018-03-18T12:31:12Z"
parameter-name	external ref	No	EDR parameter selector. Available names are those in the icechunk repo
method	external ref	No	interpolation method at the sensor location and requested time. Defaults to linear and will eventually support a method for bias corrected forecast.

Name	Type	Required	Notes
<code>crs</code>	string	No	CRS for results
<code>f</code>	string	No	Output format

Responses

Status	Meaning
<code>200</code>	CoverageJSON response (<code>application/prs.coverage+json</code>)

/collections/sensors/queryables

GET Get Sensors queryables

Returns queryable properties for the `sensors` collection.

Query parameters

Name	Type	Required	Notes
<code>properties</code>	string[]	No	Allowed: <code>sensor_id</code> , <code>sensor_name</code> , <code>available_variables</code> , <code>valid_start_datetime</code> , <code>valid_end_datetime</code>
<code>f</code>	string	No	Output format
<code>profile</code>	string	No	Allowed: <code>actual-domain</code> , <code>valid-domain</code>
<code>lang</code>	string	No	Response language

Responses

Status	Meaning
<code>200</code>	Queryables returned
<code>400</code>	Invalid parameter
<code>404</code>	Not found
<code>500</code>	Server error

/collections/sensors/schema

GET Get Sensors schema

Returns schema information for the `sensors` collection.

Query parameters

Name	Type	Required	Notes
<code>f</code>	string	No	Output format

Name	Type	Required	Notes
lang	string	No	Response language

Responses

Status	Meaning
200	Schema returned
400	Invalid parameter
404	Not found
500	Server error