

Avalara AvaTax: Data Mapping (TCH)

Field-level mapping between Fonteva/Salesforce objects and Avalara AvaTax REST API v2 request/response models.

1. Tax Calculation: CreateTransaction

API Method: CreateTransaction

Endpoint: POST /api/v2/transactions/create

Purpose: Calculates sales tax in real time for a Fonteva Sales Order. Sends the order details (customer, addresses, line items) to Avalara and receives the calculated tax per line and total. This is the core API call of the integration: every checkout triggers this.

Document Types:

- **SalesOrder** :temporary estimate (not saved in Avalara). Used when the customer is browsing the cart or checkout page.
- **SalesInvoice** :permanent record (saved in Avalara). Used after payment is confirmed. Can be committed and later voided.

Doc: <https://developer.avalara.com/products/avatax/api/methods/Transactions/CreateTransaction/>

1.1 Request: Transaction Header (CreateTransactionModel)

Avalara Field	Type	Required	Source (Fonteva/Salesforce)	Notes
companyCode	String	Yes	Avalara_Config__mdt.Company_Code__c	Stored in Custom Metadata: same for all transactions
type	Enum	Yes	Derived from checkout stage	SalesOrder for estimates, SalesInvoice after payment
date	DateTime	Yes	OrderApi__Sales_Order__c.OrderApi__Date__c	Falls back to CreatedDate or System.today()
customerCode	String	Yes	OrderApi__Sales_Order__c.OrderApi__Contact__c	Contact ID as unique customer identifier. If Entity__c = 'Account' , use Account ID instead
currencyCode	String	No	'USD'	Hardcoded unless TCH operates in multiple currencies
commit	Boolean	No	Derived from checkout stage	false for estimates, true for final payment
customerUsageType	String	No	Custom field on Account (TBD)	Only if customer has a tax exemption. E.g., A = Federal Gov
referenceCode	String	No	OrderApi__Sales_Order__c.Id	Salesforce record ID for traceability

1.2 Request: Ship-To Address (addresses.shipTo)

The customer's address:determines the **destination jurisdiction** for tax calculation.

Avalara Field	Type	Required	Source (Fonteva/Salesforce)	Notes
line1	String	Yes	OrderApi__Sales_Order__c.OrderApi__Billing_Street__c	Customer billing address
city	String	Yes	OrderApi__Sales_Order__c.OrderApi__Billing_City__c	
region	String	Yes	OrderApi__Sales_Order__c.OrderApi__Billing_State__c	US state code (e.g., NY , CA)
postalCode	String	Yes	OrderApi__Sales_Order__c.OrderApi__Billing_Postal_Code__c	

Avalara Field	Type	Required	Source (Fonteva/Salesforce)	Notes
country	String	Yes	OrderApi__Sales_Order__c.OrderApi__Billing_Country__c	ISO 2-char (e.g., us). Default to us if blank

Note: Fonteva Sales Order also has Shipping address fields (Shipping_Street__c , Shipping_City__c , etc.). If TCH ships physical goods, use Shipping address instead of Billing. To be confirmed.

1.3 Request: Ship-From Address (addresses.shipFrom)

TCH's business address:determines the **origin jurisdiction**. Tax rates in some states depend on the combination of origin + destination.

Avalara Field	Type	Required	Source (Fonteva/Salesforce)	Notes
line1	String	Yes	Avalara_Config__mdt.ShipFrom_Street__c	TCH headquarters address: stored in Custom Metadata
city	String	Yes	Avalara_Config__mdt.ShipFrom_City__c	
region	String	Yes	Avalara_Config__mdt.ShipFrom_State__c	
postalCode	String	Yes	Avalara_Config__mdt.ShipFrom_PostalCode__c	
country	String	Yes	Avalara_Config__mdt.ShipFrom_Country__c	Default US

Pending: TCH business address not yet confirmed. See TeamWork comment.

1.4 Request: Line Items (lines[])

Each product line in the Fonteva Sales Order becomes one line in the Avalara request. The taxCode tells Avalara how to classify the product for tax purposes.

Each OrderApi__Sales_Order_Line__c where OrderApi__Is_Tax__c = false becomes one Avalara line.

Avalara Field	Type	Required	Source (Fonteva/Salesforce)	Notes
number	String	No	OrderApi__Sales_Order_Line__c.Id	Unique line identifier
quantity	Decimal	Yes	OrderApi__Sales_Order_Line__c.OrderApi__Quantity__c	
amount	Decimal	Yes	OrderApi__Sales_Order_Line__c.OrderApi__Sale_Price__c * OrderApi__Quantity__c	Or use OrderApi__Total__c if it represents line total before tax
itemCode	String	No	OrderApi__Sales_Order_Line__c.OrderApi__Item__r.Name	Fonteva Item name: for reporting in Avalara portal
taxCode	String	No	OrderApi__Sales_Order_Line__c.OrderApi__Item__r.Avalara_Tax_Code__c	New field to be created. Falls back to 00000000 if blank
description	String	No	OrderApi__Sales_Order_Line__c.OrderApi__Item__r.OrderApi__Description__c	Optional: for readability in Avalara

Filter: Exclude lines where OrderApi__Is_Tax__c = true (these are Fonteva's native tax lines, not product lines).

1.5 Response: Transaction Level (TransactionModel)

Returned by Avalara after tax calculation. Contains the total tax and metadata needed for commit/void operations.

Avalara Response Field	Target (Fonteva/Salesforce)	Notes
totalTax	OrderApi__Sales_Order__c : custom field (TBD) or derived from line-level tax lines	Total tax for the entire order
code	OrderApi__Sales_Order__c.Avalara_Transaction_Code__c	New field: stores Avalara transaction code for commit/void operations
id	OrderApi__Sales_Order__c.Avalara_Transaction_Id__c	New field (optional): Avalara numeric ID
status	Not stored	Used for runtime validation only (Saved, Committed, Cancelled)

1.6 Response: Line Level

For each Avalara response line, update the corresponding `OrderApi__Sales_Order_Line__c` and create a tax line.

Avalara Response Field	Target (Fonteva/Salesforce)	Notes
lines[].tax	New <code>OrderApi__Sales_Order_Line__c</code> with <code>Is_Tax__c = true</code> → <code>OrderApi__Tax_Amount__c</code>	Creates a Fonteva tax line (native pattern)
lines[].rate	Tax line → <code>OrderApi__Tax_Percent__c</code>	Effective tax rate for the line
lines[].taxableAmount	Original line → <code>OrderApi__Total_with_Tax__c</code> (recalculated)	Reference: original line's taxable amount
lines[].lineNumber	Used to match response line to the original <code>Sales_Order_Line__c.Id</code>	Matching key

1.7 Response: Tax Line Creation Pattern (Fonteva Native)

When Avalara returns tax for a product line, we create a **new Sales Order Line** following Fonteva's native tax pattern:

Field	Value	Source
OrderApi__Sales_Order__c	Parent Sales Order ID	Same as product line
OrderApi__Is_Tax__c	true	Marks this as a tax line
OrderApi__Tax_Amount__c	Tax amount for this line	lines[].tax from Avalara response
OrderApi__Tax_Percent__c	Tax rate	lines[].rate from Avalara response
OrderApi__Sale_Price__c	Tax amount	lines[].tax from Avalara response
OrderApi__Quantity__c	1	One tax line per product line
OrderApi__Item__c	Tax Item ID	Lookup to the Fonteva Item where <code>Is_Tax__c = true</code> (TCH's tax rate item)
OrderApi__Sales_Order_Line_R__c	Parent product line ID	Links tax line to its product line
OrderApi__Tax_Override__c	true	Prevents Fonteva from recalculating with its native tax engine

2. Transaction Commit: commitTransaction

API Method: `CommitTransaction`

Endpoint: `POST /api/v2/companies/{companyCode}/transactions/{transactionCode}/commit`

Purpose: Marks a `SalesInvoice` transaction as final in Avalara. Committed transactions are included in Avalara's tax filing/returns. Called after payment is confirmed in Fonteva. Can be skipped if `commit: true` is set in the `CreateTransaction` request.

Doc: <https://developer.avalara.com/products/avatax/api/methods/Transactions/CommitTransaction/>

Request

Avalara Field	Type	Source (Fonteva/Salesforce)	Notes
companyCode (URL)	String	Avalara_Config__mdt.Company_Code__c	URL path parameter
transactionCode (URL)	String	OrderApi__Sales_Order__c.Avalara_Transaction_Code__c	URL path parameter:stored from CreateTransaction response
commit (body)	Boolean	true	Always true

Response

No new fields to store. Validates that `status` changed to `Committed`.

3. Transaction Void: voidTransaction

API Method: voidTransaction

Endpoint: POST /api/v2/companies/{companyCode}/transactions/{transactionCode}/void

Purpose: Cancels a previously committed transaction. The transaction remains in Avalara's records but is excluded from tax filing. Used when a Fonteva Sales Order is cancelled or fully refunded.

Doc: <https://developer.avalara.com/products/avatax/api/methods/Transactions/VoidTransaction/>

Request

Avalara Field	Type	Source (Fonteva/Salesforce)	Notes
companyCode (URL)	String	Avalara_Config__mdt.Company_Code__c	URL path parameter
transactionCode (URL)	String	OrderApi__Sales_Order__c.Avalara_Transaction_Code__c	URL path parameter
code (body)	Enum	'DocVoided'	Only supported value for full cancellation

Trigger & Cleanup

Action	Details
Trigger	OrderApi__Sales_Order__c.OrderApi__Status__c changes to <code>Cancelled</code>
Void	Call <code>voidTransaction</code> using the stored <code>Avalara_Transaction_Code__c</code>
Cleanup	Delete or deactivate Fonteva tax lines (<code>Is_Tax__c</code> = <code>true</code>) for that Sales Order

4. Address Validation: ResolveAddress (Optional)

API Method: ResolveAddress

Endpoint: POST /api/v2/addresses/resolve

Purpose: Validates and normalizes a US/Canadian address. Returns the corrected address with latitude/longitude. Ensures the ShipTo address maps to the correct tax jurisdiction before calling `createTransaction`. An incorrect address can result in tax calculated for the wrong state/county/city.

When to use: Controlled by `Avalara_Config__mdt.Enable_Address_Validation__c`. Can be called on every checkout or once when the address is first saved.

Doc: <https://developer.avalara.com/products/avatax/api/methods/Addresses/ResolveAddress/>

Request: Fonteva → ResolveAddress

Avalara Field	Source
line1	OrderApi__Sales_Order__c.OrderApi__Billing_Street__c
city	OrderApi__Sales_Order__c.OrderApi__Billing_City__c
region	OrderApi__Sales_Order__c.OrderApi__Billing_State__c
postalCode	OrderApi__Sales_Order__c.OrderApi__Billing_Postal_Code__c
country	OrderApi__Sales_Order__c.OrderApi__Billing_Country__c

Response: AddressResolutionModel1 → Fonteva

Avalara Response Field	Target
validatedAddresses[0].line1	OrderApi__Sales_Order__c.OrderApi__Billing_Street__c
validatedAddresses[0].city	OrderApi__Sales_Order__c.OrderApi__Billing_City__c
validatedAddresses[0].region	OrderApi__Sales_Order__c.OrderApi__Billing_State__c
validatedAddresses[0].postalCode	OrderApi__Sales_Order__c.OrderApi__Billing_Postal_Code__c

Decision needed: Should the validated address overwrite the original, or be stored separately?

5. New Fields Required

On OrderApi__Item__c

Field API Name	Type	Description
Avalara_Tax_Code__c	Text(25)	Avalara Tax Code for this item (e.g., P0000000 , SW054000 , NT). Used in CreateTransaction request.

On OrderApi__Sales_Order__c

Field API Name	Type	Description
Avalara_Transaction_Code__c	Text(50)	Avalara transaction code returned by CreateTransaction . Needed for CommitTransaction and VoidTransaction .
Avalara_Transaction_Id__c	Text(20)	Avalara numeric transaction ID (optional: for portal reference).

Custom Metadata: Avalara_Config__mdt

Field	Type	Description
Company_Code__c	Text(25)	Avalara Company Code
Environment__c	Picklist	Sandbox / Production
ShipFrom_Street__c	Text(255)	TCH business address: street
ShipFrom_City__c	Text(100)	TCH business address: city
ShipFrom_State__c	Text(2)	TCH business address: state
ShipFrom_PostalCode__c	Text(10)	TCH business address: postal code
ShipFrom_Country__c	Text(2)	TCH business address: country (default us)

Field	Type	Description
Auto_Commit__c	Checkbox	If true, SalesInvoice transactions are auto-committed
Enable_Address_Validation__c	Checkbox	If true, validates ShipTo address before tax calculation