What's going on with your logs?

Fran Álvarez



A Strategic Alfresco Partner

Working with Alfresco since Alfresco v0.6

Over 140 Alfresco implementations

Alfresco & WCM Architecture Design Patterns

First worldwide implementation of the first Alfresco WCM product in 2007

Excellent Alfresco knowledge and highly trained and experienced staff

Alfresco Certified Engineers and Alfresco Certified Administrators

Authoring of leading Alfresco books

Alfresco Technical blogs http://www.ixxus.com/blog/

Multiple speaking engagements at the Alfresco Conferences (2011-2014),

Alfresco Days and BeeCon 2016

Alfresco Million \$ Club (May 2012) – Only 2 companies awarded

Alfresco Solution Partner of the Year 2013 and 2014

Alfresco Best Solution 2015 and Partner of the Year 2015 (Northern Europe)





Agenda

- Troubleshooting's troubles
- Centralised logging with Graylog
- Demo




Troubleshooting troubles

Details

A typical agile SDLC

Requirements

- User stories
- Improvements
- Bugs



http://theintrovertmusings.blogspot.com.es/2015/02/software-process-models.html



Cost of fixing a bug by stages

Production

Understand

Reproduce


Replicate

Fix

Test

Regression

Deploy




https://blog.pdark.de/2012/07/21/software-development-costs-bugfixing/




A typical architecture


AWS REGION A Fran Alvarez | April 24, 2017





Can be more complex







Support Challenges

More diagnostic logging

'Debug build', follow trace Vs follow code


view all logs at the same point-in-time (sequence) for correlation events across those services

Provide/Collect information/insight

Some data/report enquiries might be asked (how many assets were moved yesterday?)

Anticipate or Prevent a problem

Reduce the time to narrow the problem





Graylog

Application to manage log data from a one central location

Parse and enrich logs

Allows to search and filter messages along with their properties

User friendly charts and dashboards

Alerts and Triggers

Community and Enterprise

Open Source





Graylog - Architecture


Graylog Web as browser based UI

consumed

Graylog server: logic and configuration


It also includes mongoDB storing meta info and config

Elastic Search server: Storing log data information to be






Graylog - Architecture



...and it's very scalable!







Graylog – Alfresco integration

What we need

GrayLog

Alfresco

A Graylog log appender library

Some configurations in log4j properties file


ixus

GrayLog

```
version: '2'
services:
  mongo:
    image: "mongo:3"
 elasticsearch:
    image: "elasticsearch:2.3"
    command: "elasticsearch -Des.cluster.name='graylog'"
 graylog:
    image: graylog2/server:2.0.3-2
    environment:
      GRAYLOG_PASSWORD_SECRET: putyourpasswordhere
      GRAYLOG_ROOT_PASSWORD_SHA2: 00AABB.....
      GRAYLOG_REST_TRANSPORT_URI: http://127.0.0.1:12900
    depends_on:
      mongo

    elasticsearch

    ports:
      - "9999:9000"
      - "12900:12900"
      - "12201/udp:12201/udp"
      - "1514/udp:1514/udp"
```



i**∝**us

Alfresco





GrayLog log appender library

```
<dependency>
<groupId>org.graylog2</groupId>
<artifactId>gelfj</artifactId>
<version>1.1.14</version>
</dependency>
```

Graylog Extended Log Format (GELF)

ixus

GrayLog log appender library

A GELF payload:

```
"version": "1.1",
"host": "example.org",
"short_message": "A short message that helps you identify what is going on",
"full_message": "Backtrace here\n\nmore stuff",
"timestamp": 1385053862.3072,
"level": 1,
"_user_id": 9001,
"_some_info": "foo",
"_some_env_var": "bar"
}
```



custom-log4j.properties

```
log4j.rootLogger=INFO, graylog2
log4j.appender.graylog2=org.graylog2.log.GelfAppender
log4j.appender.graylog2.graylogHost=localhost
log4j.appender.graylog2.graylogPort=12201
log4j.appender.graylog2.facility=gelf-java
log4j.appender.graylog2.layout=org.apache.log4j.PatternLayout
log4j.appender.graylog2.extractStacktrace=true
log4j.appender.graylog2.addExtendedInformation=true
log4j.appender.graylog2.addExtendedInformation=true
```

ixus

GrayLog config

System \rightarrow Inputs \rightarrow Add a new UDP input.

Local inputs 2 configured

appliance-gelf-udp GELF UDP RUNNING

On node ★ 2edfa4b9 / graylog

Show received messages

Manage extractors

Stop input

More actions ▼

allow_override_date: true
bind_address: 0.0.0.0
override_source: <empty>

port: 12201


recv_buffer_size: 1048576

Throughput / Metrics

1 minute average rate: 0 msg/s

Network IO: ▼0B ▲0B (total: ▼282,5KB ▲0B)

Empty messages discarded: 0



ixus

GrayLog Vs ELK

- ELK = Elastic Search + Logstash + Kibana
- They both solve a similar problem with similar technologies
- GrayLog solves a specific problem whereas ELK is more generic
- GrayLog interface easier and simpler than Kibana

It's your choice actually ©



GrayLog

- Simple, scalable, user friendly tool for centralized logging
- Search, reports, alerts
- Suitable for new architectural trends

It's part of your architecture, don't let it become a bottleneck!

Fran Alvarez Ixxus

fran.alvarez@ixxus.com