QUICK START GUIDE

THIS GUIDE RELATES TO THE FOLLOWING STYLESHEETS:

PRODUCT: OS MASTERMAP® INTEGRATED TRANSPORT NETWORK™ LAYER

### DATA FORMAT: ESRI SHAPEFILE (SHP)

STYLESHEET FORMAT: QGIS STYLESHEETS (QML)

The stylesheets are offered as an untested bonus and are the by-product of internal OS styling. They are designed to work with ESRI Shapefile data as output from Dotted Eyes' InterpOSe translator.

1   Either fork the stylesheets on GitHub or download them and navigate to the directory that matches your data format, stylesheet format and style preference.

2   Copy the folder 'ordnance_survey_ITN' into your QGIS SVG directory (a typical Windows file path is C:\Program Files\QGIS xxxx\apps\qgis\svg, where xxxx represents whatever version of QGIS you are running).

3   Open a new, blank map in QGIS.

4   Click on the 'Add Vector Layer' button and navigate to the stylesheets folder and the directory that matches your data format, stylesheet format and style preference.

5   Select each of the required layers and click 'OK'.

6   Double-click on a layer to access the 'Layer Properties' window > click on 'Load Style…' > navigate to the directory containing the QML files (those ending .qml) > select the relevantly named QML file > click 'Open' > click 'OK'.

Repeat step 6 for all layers.

We recommend the following layer order and visibility:

We recommend viewing the Integrated Transport Network data between 1:250 and 1:15 000 for maximum legibility.

Your data should now look similar to this:

Compatibility notes

We strive to keep our QML files compatible with the latest long-term release of QGIS.

Additional information

More information about how to download, apply and edit our stylesheets including a Stylesheet user guide

More information about OS MasterMap Integrated Transport Network

More information about cartographic design at Ordnance Survey

Licence

By using these stylesheets, you are accepting the terms of the Open Government Licence.