



Julian Gremminger | 11.05.2023



1/33 11.05.2023 KITCTF: Binary Exploitation kitctf.de

Overview



- Finding and exploiting bugs in a binary/executable
- Programs written in low-level language
- Reverse engineering often mandatory first step
- Memory corruption vs logic bugs

Binary Exploitation in CTFs



- Often C/C++ binaries written for the competition
- Sometimes real world targets with introduced bugs
 - Chrome: Google CTF 2021 Fullchain [1]
 - Firefox: 33c3 CTF Feuerfuchs [2]
- Objective: Remote Code Execution on challenge server
 - Linux: call system("/bin/sh")

```
Bubuntu:~/ctf/hacklu21/unsafeS python3 expl.py
 +] Opening connection to flu.xxx on port 4444: Done
main arena ptr @ 0x7fbf8be42c00
libc @ 0x7fbf8bc62000
stack leak @ 0x7ffc63b53128
rel stack frame @ 0x7ffc63b52878
[*] Switching to interactive mode
 ls -al
total 3792
drwxr-x--- 1 ctf ctf
                          4096 May 10 14:43 .
drwxr-xr-x 1 root root
                          4096 Oct 29 2021 ...
rw-r--r-- 1 ctf ctf
                          220 Mar 19 2021 .bash logout
rw-r--r-- 1 ctf ctf
                          807 Mar 19 2021 .profile
rw-rw-r-- 1 root root
                           23 May 10 14:43 flag
rwxr-xr-x 1 root root 3855056 Oct 28 2021 unsafe
 cat flag
flag{memory safety btw}
```


Binary Exploitation in the "Real World"



- Memory-unsafe languages still widely used
 - Browsers
 - Hypervisors
 - Web servers
- Even the "best" codebases contain exploitable bugs


Binary Exploitation in the "Real World"





Linux Process Layout





0x0000000000000000





```
#include <stdio.h>
int main(int argc, char* argv[]) {
      int var = 0;
      char buf[10];
      gets(buf);
      if (var != 0) {
          printf("%s", "success!");
      return 0;
10
```

Stack Frames



Return Address b3 b0 eb c7 69 7f 00 00 Saved RBP 78 85 fb 10 fc 7f 00 00 Stack Growth var 00 00 00 00 buf AAAAAAAA\n

Buffer Growth

KITCTF: Binary Exploitation

Overflowing the Buffer




Stack Growth



Buffer Growth

RIP-Control?





■ RIP-Control after execution of ret instruction (RIP = 0x434343434343434343)

10/33 11.05.2023 KITCTF: Binary Exploitation





- No arguments supplied to printf
- What happens?





```
RAX
     0x0
 RBX
                                ← endbr64
 RCX
                                ← endbr64
 RDX 0x7ffc9d49d0c8 → 0x7ffc9d49e27f ← 'SHELL=/bin/bash'
 RDI 0x402008 ← 'rsi=%llx rdx=%llx rcx=%llx r8=%llx r9=%llx arg from stack[0]=%llx arg from stack[1]=%llx ...\n'
 RSI 0x7ffc9d49d0b8 → 0x7ffc9d49e275 ← '/tmp/vuln'
 R8
     0x0
 R9
                    ← endbr64
 R10
     0x2
 R11 0x0
 R12
                       endbr64
    0x7ffc9d49d0b0 ← 0x1
 R13
 R14 0x0
R15 0x0
 RBP 0x7ffc9d49cfc0 ← 0x0
     0x7ffc9d49cfb0 → 0x7ffc9d49d0b8 → 0x7ffc9d49e275 ← '/tmp/vuln'
RTP
                       ← call 0x401040
00:0000 | rsp 0x7ffc9d49cfb0 → 0x7ffc9d49d0b8 → 0x7ffc9d49e275 ← '/tmp/vuln'
01:0008
            0x7ffc9d49cfb8 - 0x100000000
02:0010 rbp 0x7ffc9d49cfc0 ← 0x0
            0x7ffc9d49cfc8 →
03:0018
                                                                            edi. eax
           0x7ffc9d49cfd0 → 0x7f7ff02df620 ( rtld global ro) ← 0x5046500000000
04:0020
           0x7ffc9d49cfd8 → 0x7ffc9d49d0b8 → 0x7ffc9d49e275 ← '/tmp/vuln'
05:0028
06:0030
            0x7ffc9d49cfe0 - 0x100000000
07:0038
            0x7ffc9d49cfe8 →
                                             endbr64
rsi=7ffc9d49d0b8 rdx=7ffc9d49d0c8 rcx=401170 r8=0 r9=7f7ff02c3d50 arg_from_stack[0]=7ffc9d49d0b8 arg_from_stack[1]=100000000 ...
```





```
#include <stdio.h>
3 #define SIZE 0x100
  int main(int argc, char* argv[]) {
      char buf[SIZE];
      fgets(buf, SIZE, stdin);
      printf(buf);
      return 0;
10
```

- User-controlled format string
- Can we exploit this?





- %n Write amount of already printed bytes to an address
- This address will be taken from the "argument stream"
 - If our buffer resides on the stack we can choose this address (put address in the format string)
 - There might be interesting pointers on the stack already
- Writes of different sizes possible
 - %n => *(int *) write
 - %hn => *(short int *) write
 - %hhn => *(char *) write






- Meaningful stuff in "already printed bytes"?
- printf("AAAAAAAA\hhn") results in *(char *)\$rsi = 0x8
- Shortcut for setting "already printed bytes": %<Padding>c
 - printf("%255c%hhn") results in *(char *)\$rsi = 0xff





- How to access supplied addresses in the format string?
- Positional parameters: % \$
 - %4\$x will access the same value as the last %x in %x%x%x%x
- Full arbitrary 8-byte write to given address:

```
%\{short write val\}c%\{10\{hn%\{13\{hn%\{13\{hn%\{13\{hn}\{addr + 0\}2\{addr + 2\{addr + 4\}2\{addr + 6\}2\{ndr + 0\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{10\{hn%\{hn%\{10\{hn%\{hn%\{10\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{hn%\{
        *(short int*)(0x41414141414141+0) = 0x7777
7 * (short int*)(0x41414141414141 + 2) = 0x7777
*(short int*)(0x41414141414141+4) = 0x7777
9 *(short int*)(0x41414141414141 + 6) = 0x7777
```





- Overflows and Underflows
 - 2147483647 + 1 == -2147483648
 - -2147483648 1 == 2147483647
- Comparison bugs
 - Explicit or implicit casts of values can lead to unexpected behavior

```
#include <stdio.h>
  int main(int argc, char* argv[]) {
      char buf[0 xff];
      int size = 0:
5
6
      scanf("%d", &size);
7
      if (size < 0xff) {</pre>
8
           read(0, &buf, size);
9
      } else {
10
           puts("Invalid size");
      return 0;
14
```

Use-after-free




- Pointer to memory not cleared after free => Dangling pointer
- If this memory gets reallocated type confusions might occur
- Heap metadata corruption

RIP-control to shell



- Shellcode: Inject our own code into memory and jump to it
 - Shellcode collection: http://shell-storm.org/



19/33 11.05.2023 KITCTF: Binary Exploitation






- Mitigations
- NX-Bit (No eXecute) / DEP
 - Page is writable XOR executable
 - Consequently stack not executable
 - Injected shellcode can't be executed



What's the catch?



- **Mitigations**
- NX-Bit (No eXecute) / DEP
 - Page is writable XOR executable
 - Consequently stack not executable
 - Injected shellcode can't be executed



No need for own code¹ (Code Reuse Attacks)




- Instead of injecting own code, use existing code
- Reuse code in binary or libraries
- For stack-based buffer overflow example:
 - Overwrite return address with pointer to existing code snippet ("gadget")
 - Gadgets can be chained together if they end in ret => Return-oriented programming (ROP)
- ropper [3] and ROPGadget [4] find gadgets and can even build full ROP-chains

11.05.2023 KITCTF: Binary Exploitation

¹Requirements: Gadget addresses need to be known and useful gadgets have to exist

ROP






Executed ROP-chain leads to call to system("/bin/sh")

23/33 11.05.2023 KITCTF: Binary Exploitation






So far we assumed we know addresses of gadgets, functions, libraries and stack



Mitigate Code Reuse Attacks



- So far we assumed we know addresses of gadgets, functions, libraries and stack
- Breaking this assumption breaks our attack



ASLR and PIE




- Address Space Layout Randomization
- Randomize memory layout on every execution
- Linux ASLR is based on 5 randomized (base) addresses
 - Stack, Heap, mmap-Base, vdso
 - Random base address for executable only if PIE is enabled
- Leak of 1 library address derandomizes all libraries
- Leak of 1 address in our binary breaks PIE
- Forked processes share layout with parent

Canaries



- Prevent stack-based buffer overflows
- 7 random bytes with least significant byte zero
- Set up in function prologue and verified in epilogue
- Invalid canary value leads to SIGABRT



0x401189 <+19>:	mov	rax,QWORD PTR fs:0x28
0x401192 <+28>:	mov	QWORD PTR [rbp-0x8],rax
0x4011d3 <+93>: 0x4011d7 <+97>: 0x4011e0 <+106>: 0x4011e2 <+108>: 0x4011e7 <+113>: 0x4011e8 <+114>:	call leave	rdx,QWORD PTR [rbp-0x8] rdx,QWORD PTR fs:0x28 0x4011e7 0x401060 <stack_chk_fail@plt></stack_chk_fail@plt>

Canaries



Return Address 43 43 43 43 43 43 43		
Canary		
41 41 41 41 41 41 41 41		
Saved RBP		
41 41 41 41 41 41 41 41		
var		
41 41 41 41		
buf		
AAAAAAAA		

```
0x401189 <+19>:
                      rax,QWORD PTR fs:0x28
                mov
0x401192 <+28>:
                mov
                      QWORD PTR [rbp-0x8],rax
0x4011d3 <+93>:
                mov
                      rdx,QWORD PTR [rbp-0x8]
0x4011d7 <+97>:
                sub
                      rdx,QWORD PTR fs:0x28
0x4011e0 <+106>: je
                      0x4011e7
0x4011e2 <+108>: call
                      0x401060 < stack chk fail@plt>
0x4011e7 <+113>: leave
0x4011e8 <+114>: ret
```

- Canary leak necessary
- Overwrite with correct value possible with leak


Heap Exploitation



- Overflows and other bugs not bound to stack
- Some heap specific bugs exist (e.g. double free)
- General approach
 - Use bug to abuse allocator behavior (metadata corruption)
 - Use bug to corrupt objects on the heap
- glibc-heap exploitation techniques: how2heap [5]







Tools



- gdb
 - pwndbg [6]
- python
 - pwntools [7]
- checksec [8]

Exercises



- https://github.com/kitctf/www/tree/master/files/pwn.zip
- http://overthewire.org/wargames/narnia/
- https://picoctf.com/
- https://exploit.education/protostar/
- https://pwnable.kr/
- https://pwnable.tw/

References



- [1] https://github.com/google/google-ctf/tree/master/2021/quals/pwn-fullchain/challenge.
- [2] https://archive.aachen.ccc.de/33c3ctf.ccc.ac/challenges/index.html.
- [3] https://github.com/sashs/Ropper.
- [4] https://github.com/JonathanSalwan/ROPgadget.
- [5] https://github.com/shellphish/how2heap.
- [6] https://github.com/pwndbg/pwndbg.
- [7] https://docs.pwntools.com/en/stable/.
- [8] https://github.com/slimm609/checksec.sh.