${\bf SNAM:}$ stream Reload

${\bf 2} \quad {\bf sample 4.db/Test_ad:ao}$

DESC: An analog value

DTYP: stream

OUT: example.proto set-ao terminal

PREC: 3

LINE: LINEAR

ESLO: 0.000305180437934

EOFF: 10 DRVL: 10 DRVH: 10 EGU: V

$3 \quad sample 4.db/Test_ad: ai$

DESC: An analog value

DTYP: stream

INP: example.proto ai terminal

PREC: 3

LINE: LINEAR

ESLO: 0.000305180437934

EOFF: 10 EGU: V

DESC: An integer value

 $\mathbf{DTYP}: \mathbf{stream}$

 $\mathbf{OUT:}$ example.proto lo terminal

DESC: An integer value

 $\mathbf{DTYP}: \mathbf{stream}$

 ${\bf INP:}$ example.proto li terminal

DESC: A bit value DTYP: stream

OUT: example.proto bo terminal

MASK: 42 ZNAM: OFF ONAM: ON

DESC: A bit value DTYP: stream

 ${\bf INP:}$ example.proto bi terminal

ZNAM: OFF ONAM: ON

DESC: Print Enums **DTYP:** stream

OUT: example.proto enums terminal

ZRST: A
ZRVL: 2
ONST: B
ONVL: 3
TWST: C
TWVL: 1
THST: D
THVL: 0

$9 \quad sample 4.db/Test_ad: command$

DTYP: stream

 $\mathbf{OUT:}$ example.proto COMMAND terminal

 $\mathbf{DTYP:}\ \mathrm{stream}$

 ${\bf INP:}$ example.proto info terminal

$11 \quad sample 4.db/Test_ad: checksum$

DTYP: stream

 $\mathbf{OUT:}$ example.proto checksum terminal

$12 \quad sample 4.db/Test_ad:spy$

DTYP: stream

INP: example.proto spy terminal

SCAN: I/O Intr FLNK: Test_ad:log5

INP: Test_ad:log4
FLNK: Test_ad:log4

INP: Test_ad:log3
FLNK: Test_ad:log3

INP: Test_ad:log2
FLNK: Test_ad:log2

INP: Test_ad:log1
FLNK: Test_ad:log1

INP: Test_ad:spy

$sample 4.db/Test_ad: calcout$ 18

DTYP: stream

OUT: example.proto calcout terminal

A: 3.1415 **B:** 15 **C**: 8 CALC: 0

DESC: filename

$19 \quad sample 4.db/Test_ad: hugestring$

DTYP: stream

 ${\bf INP:}$ example.proto chardfs wavedfsin terminal

FTVL: CHAR NELM: 1000

$20 \quad sample 4.db/Test_ad:strings$

DTYP: stream

 ${\bf INP:}\ {\bf example.proto}\ {\bf stringdfswavedfsout}\ {\bf terminal}$

FTVL: STRING

NELM: 10