

COMPLIANCE COMPONENT

DEFINITION	
Name	Physical and Environmental Protection Controls
Description	Physical and Environmental Protection Controls refer to measures taken to protect systems, buildings, and related supporting infrastructure against threats associated with their physical environment.
Rationale	Physical and Environmental Protection Controls are needed to protect the facility that houses system resources, the system resources themselves, and the facilities used to support their operation.
Benefits	Helps prevent: • Interruptions in information technology services • Physical damage • Loss of control over system integrity • Theft • Unauthorized access to, or disclosure of, information

ASSOCIATED ARCHITECTURE LEVELS	
Specify the Domain Name	Security
Specify the Discipline Name	Operational Controls
Specify the Technology Area Name	Physical Security
Specify the Product Component Name	

COMPLIANCE COMPONENT TYPE	
Document the Compliance Component Type	Guideline
Component Sub-type	

COMPLIANCE DETAIL	
State the Guideline, Standard or Legislation	An agency's physical and environmental protection controls should address all of the following topics: 1) Physical and Environmental Protection Policy and Procedures - This control addresses the establishment of physical and environmental policy and procedures for the agency. 2) Physical Access Authorizations - Develops, approves, maintains and reviews a list of individuals with authorized access to the facility where the information system resides. 3) Physical Access Control – The enforcement of physical access authorizations. 4) Access Control for Transmission Medium - Physical security safeguards applied to information system distribution and transmission lines that help to prevent accidental damage, disruption, and physical tampering. These safeguards include: (i) locked wiring closets; (ii) disconnected or locked spare jacks; and/or (iii) protection of cabling by conduit or cable trays.

	5) Access Control for Output Devices - The agency should control physical access to information system output devices to prevent unauthorized individuals from obtaining the output. 6) Monitoring Physical Access – The agency should monitor physical access, reviews physical access logs, and coordinates results of reviews and investigations for the facility where the information system resides. 7) Visitor Access Records – The agency should maintain and review visitor access records. 8) Power Equipment and Cabling - The agency should protect power equipment and power cabling for the information system from damage and destruction. 9) Emergency Shutoff – The agency should provide the capability of shutting off power to the information system, place emergency shutoff switches or devices to facilitate safe and easy access for personnel, and protect emergency power shutoff capability from unauthorized activation. 10) Emergency Power - The agency should provide a short-term uninterruptible power supply to facilitate an orderly shutdown of the information system or a transition of the information system to long-term alternate power in the event of a primary power source loss. 11) Emergency Lighting – The agency should employ and maintain automatic emergency lighting for the information system that activates in the event of a power outage or disruption, which covers emergency exits and evacuation routes within the facility. 12) Fire Protection - The agency should employ and maintain fire suppression and detection devices/systems for the information system that are supported by an independent energy source. 13) Environmental Controls – The agency should maintain and monitor temperature and humidity controls within the facility where the information system resides. 14) Water Damage Protection - The agency should protect the information system from damage resulting from water leakage by providing master shutoff or isolation valves that are accessible, work properly, and are known to key personnel. 15) Delivery and Removal - The agency should authorize, monitor, and control any information system components entering and exiting the facility, and maintains records of those items. 16) Alternate Work Site – The agency should apply appropriate security controls at alternate work sites. These alternative work sites should also provide a means for employees to communicate with information security personnel in case of security incidents or problems. 17) Location of Information System Components - The agency should position information system components within the facility to minimize potential damage from physical and environmental hazards and to minimize the opportunity for unauthorized access. 18) Information Leakage - The agency should protect the information system from information leakage due to electromagnetic signals emanations. 19) Asset Monitoring and Tracking – The agency should employ asset location technologies to track and monitor the location and movement of assets. 20) Electromagnetic Pulse Protection – The agency should protect against electromagnetic pulse damage for state systems. 21) Component Marking – the agency should mark state systems indicating the impact level or classification level of the information permitted to be processed, stored, or transmitted by the system. 22) Facility Location – the agency should plan the location or site of the facility where the system resides considering physical and environmental hazards; and For existing facilities, consider the physical and environmental hazards in the organizational risk management strategy.

Document Source Reference #	NIST (SP) 800-53 Rev. 5, Security and Privacy Controls for Federal Information Systems and Organizations - **PE: Physical and Environmental Protection** (Nov 2023)		
Compliance Sources			
Name	National Institute of Standards and Technology (NIST), Computer Security Resource Center (CSRC)	*Website*	PE: Physical and Environmental Protection - CSF Tools
Contact Information	inquiries@nist.gov		
Name		*Website*	
Contact Information			
KEYWORDS			
List Keywords	Storage, power, utilities, fire, flood, natural disaster, generator, UPS, keycard, Sonitrol, biometric, access control.		
COMPONENT CLASSIFICATION			
Provide the Classification	☐ *Emerging* ☒ *Current* ☐ *Twilight* ☐ *Sunset*		
Sunset Date			

COMPONENT SUB-CLASSIFICATION

Sub-Classification	Date	Additional Sub-Classification Information
☐ *Technology Watch*		
☐ *Variance*		
☐ *Conditional Use*		

Rationale for Component Classification	
Document the Rationale for Component Classification	
Migration Strategy	
Document the Migration Strategy	
Impact Position Statement	
Document the Position Statement on Impact	
CURRENT STATUS	
Provide the Current Status	☐ *In Development* ☒ *Under Review* ☐ *Approved* ☐ *Rejected*

AUDIT TRAIL

Creation Date	03/01/2007	*Date Approved / Rejected*	12/18/2025
Reason for Rejection			
Last Date Reviewed	12/17/2025	*Last Date Updated*	12/18/2025
Reason for Update			