PHYSICAL AND ENVIRONMENTAL PROTECTION

WyIT - 3013

PURPOSE: Ensure that IT resources are protected by physical and environmental security measures that prevent physical tampering, damage, theft, or unauthorized physical access.

I. APPLICABILITY

This policy applies to all Executive Branch agencies, boards, and commissions staff (collectively referred to as "agencies"). This policy is also applicable to consultants, affiliates, and temporary employees.

II. DEFINITIONS

All definitions for this policy are located in the Policy Dictionary.

III. EXCEPTIONS

Any exceptions provided to the following policy must abide by WyIT - 3002 - Security Exception Request policy.

IV. PHYSICAL ACCESS AUTHORIZATIONS

All applicable agencies, affiliates, and information system owners identified in the scope of this policy shall:

- Develop, approve, and maintain a list of individuals with authorized access to the facilities where the information systems reside.
- Issue authorization credentials for facility access.
- Review the access list detailing authorized facility access by individuals and remove individuals from the facility access list when access is no longer required.

- Review period should not exceed 90 days from implementation.

V. PHYSICAL ACCESS CONTROL

All applicable agencies and affiliates identified in the scope of this policy shall:

- Enforce physical access authorizations by verifying individual access authorizations before granting access to the facility.
- Control ingress/egress to the facility using physical access control systems/devices and/or guards.
- Maintain physical access audit logs for entry and exit points.
- Provide security safeguards to control access to areas within the facility officially designated as publicly accessible.
- Escort visitors and monitor visitor activity in secure areas to include but not limited to Cyber Security Operations Center (CSOC), Data Center(s), and Communication Closets.
- Secure keys, combinations, and other physical access devices.
- Inventory physical access devices every year.
- Change combinations and keys annually and/or when keys are lost, combinations are compromised, or individuals are transferred or terminated.
- Review/audit of user access should not exceed 90 days from implementation.

VI. FACILITY PENETRATION TESTING

All applicable agencies and affiliates identified in the scope of this policy shall:

- Work with the Chief Information Security Officer (CISO) and the Office of the Chief Information Officer (CIO):
  - Penetration testing process
    - Employ a penetration testing process that includes a contractually obligated number of unannounced attempts to bypass or circumvent security controls.
    - Focuses on physical access points to the facility.
  - Timeframe
    - Penetration testing attempts must occur within a specific, predefined time frame.
  - Reporting and Documentation

- Reports of each penetration testing attempt, including the methods used and outcomes, must be documented.
- Reports should be submitted for review by the CISO and CIO to identify and address any security vulnerabilities.

VII. ACCESS CONTROL FOR TRANSMISSION MEDIUM

All applicable agencies and affiliates identified in the scope of this policy shall:

- Control physical access to information system distribution and transmission lines within affiliate facilities.

VIII. ACCESS CONTROL FOR OUTPUT DEVICES

All applicable agencies and affiliates identified in the scope of this policy shall:

- Control physical access to information system output devices to prevent unauthorized individuals from obtaining the output.
- Controlling physical access to output devices includes, for example, placing output devices in locked rooms or other secured areas and allowing access to authorized individuals only, and placing output devices in locations that can be monitored by personnel. Monitors, printers, copiers, scanners, facsimile machines, and audio devices are examples of information system output devices.

IX. MONITORING PHYSICAL ACCESS

All applicable agencies and affiliates identified in the scope of this policy shall:

- Monitor physical access to the facility where the information system resides to detect and respond to physical security incidents.
- When an incident occurs, review physical access logs and coordinate results of the reviews and investigations with the organizational incident response capability.

X. VISITOR ACCESS RECORDS

All applicable agencies and affiliates identified in the scope of this policy shall:

- Maintain visitor access records to the facility where the information system resides with the State Archivist Retention and Disposition requirements and reviews visitor access records quarterly.

XI. POWER EQUIPMENT AND CABLING

All applicable agencies and affiliates identified in the scope of this policy shall:

- Protect power equipment and power cabling for the information system from damage and destruction.
- Determine the types of protection necessary for power equipment and cabling employed at different locations both internal and external to organizational facilities and environments of operation. This includes, for example, generators and power cabling outside of buildings, internal cabling and uninterruptible power sources within an office or data center, and power sources for self-contained affiliates such as vehicles and satellites.

XII. EMERGENCY SHUTOFF

All applicable agencies and affiliates identified in the scope of this policy shall:

- Provide the capability of shutting off power to the information system or individual system components in emergency situations.
- Place emergency shutoff switches or devices in to facilitate safe and easy access for personnel and protect emergency power shutoff capability from unauthorized activation.

XIII. EMERGENCY POWER

All applicable agencies and affiliates identified in the scope of this policy shall:

- Provide a short-term uninterruptible power supply to facilitate an orderly shutdown of the information system; transition of the information system to long-term alternate power in the event of a primary power source loss.
- Provide a long-term alternate power supply for the information system that is capable of maintaining minimally required operational capability in the event of

an extended loss of the primary power source.

XIV. EMERGENCY LIGHTING

All applicable agencies and affiliates identified in the scope of this policy shall:

- Employ and maintain automatic emergency lighting for the information system that activates in the event of a power outage or disruption and that covers emergency exits and evacuation routes within the facility.
- Provide emergency lighting for all areas within the facility supporting essential missions and business functions.

XV. FIRE PROTECTION

All applicable agencies and affiliates identified in the scope of this policy shall:

- Employ and maintain fire suppression and detection devices/systems for the information system that are supported by an independent energy source.
- This applies primarily to facilities containing concentrations of information system resources including, for example, data centers, server rooms, and mainframe computer rooms. Fire suppression and detection devices/systems include, for example, sprinkler systems, handheld fire extinguishers, fixed fire hoses, and smoke detectors.

XVI. TEMPERATURE AND HUMIDITY CONTROLS

All applicable agencies and affiliates identified in the scope of this policy shall:

- Maintain temperature and humidity levels within the facility where the information system resides based on hardware manufactured recommended level.
- Monitor temperature and humidity levels at real time to include alarms or notifications of changes potentially harmful to personnel or equipment.

XVII. WATER DAMAGE PROTECTION

All applicable agencies and affiliates identified in the scope of this policy shall:

- Protect the information system from damage resulting from water leakage by providing master shutoff or isolation valves that are accessible, working properly, and known to key personnel.
- This applies primarily to facilities containing concentrations of information system resources including, for example, data centers, server rooms, and mainframe computer rooms. Isolation valves can be employed in addition to or in lieu of master shutoff valves to shut off water supplies in specific areas of concern, without affecting entire organizations.

XVIII. DELIVERY AND REMOVAL

All applicable agencies and affiliates identified in the scope of this policy shall:

- Authorize, monitor, and control entering and exiting the facility and maintain records of those items delivered and removed from the facility.
- Effectively enforcing authorizations for entry and exit of information system components may require restricting access to delivery areas and possibly isolating the areas from the information system and media libraries.

XIX. ALTERNATE WORK SITE

All applicable agencies and affiliates identified in the scope of this policy shall:

- Employ appropriate security controls at alternate work sites.
- Assess as feasible, the effectiveness of security controls at alternate work sites
- Provide a means for employees to communicate with information security personnel in case of security incidents or problems.
- Alternate work sites may include, for example, other government facilities or private residences of employees. While commonly distinct from alternative processing sites, alternate work sites may provide readily available alternate locations as part of contingency operations. Staff may define different sets of security controls for specific alternate work sites or types of sites depending on the work-related activities conducted at those sites.

REFERENCES: This policy has no supporting references to websites, other policies, federal or state statutes.

DOCUMENT HISTORY

ORIGINAL SUBMISSION				
SUBMITTED ON	**SUBMITTED BY**	**APPROVED BY**	**APPROVED BY DATE(S)**	**EFFECTIVE DATE**
July 2024	ETS Governance, Risk and Compliance	Public Comment Period	07/26/2024 - 08/09/2024	August 2024

REVISIONS		
LAST REVISION DATE	**LAST REVISED BY**	**LAST APPROVED BY**

REVIEWS		
LAST REVIEW DATE	**LAST REVIEWED BY**	**NEXT REVIEW DATE**