

Checklist of Oregon Brassicaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Abdra

Checklist contributor:

Flora contributor: Ihsan Al-Shehbaz

Abdra brachycarpa (Nutt.) Greene

Common names: short pod whitlow-grass

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2002.

FOO - 2:438, accepted, in Oregon (explicit).

Synonyms:

Draba brachycarpa Nutt. ex Torr. & A. Gray

FN - 7:296, accepted, in Oregon (explicit); FOO - 2:438, synonym for *Abdra brachycarpa*; FPN - 163, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (explicit); IL - 2:294, accepted, in Oregon (explicit); PEK - 378, accepted, in Oregon (explicit); Rollins, 1993A - 396, accepted; VP - 2:491, accepted, in Oregon (explicit).

Literature cited for *Abdra*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Alliaria

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Alliaria petiolata (M. Bieb.) Cavara & Grande

Common names: garlic mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 7:745, accepted, in Oregon (explicit); FOO - 2:438, accepted, in Oregon (explicit); FPN2 - 282, accepted, in Oregon (explicit); IN - 2b:398, accepted, in Oregon (implied).

Synonyms:

Alliaria officinalis Andr. ex M. Bieb.

FN - 7:745, synonym for *Alliaria petiolata*, in Oregon (explicit); FOO - 2:438, synonym for *Alliaria petiolata*; FPN - 151, accepted, in Oregon (explicit), estab in our area in Portland, Ore; VP - 2:437, accepted, in Oregon (explicit).

Alyssum

Checklist contributor: Richard Halse, 10/1/2005

Flora contributor: Ihsan Al-Shehbaz

Alyssum alyssoides (L.) L.

Common names: pale alyssum, pale madwort, small alyssum

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:248, accepted, in Oregon (explicit); FOO - 2:439, accepted, in Oregon (explicit); FPN - 151, accepted, no geog. info. given; FPN2 - 283, accepted, in Oregon (implied); GWM - 164, accepted, in Oregon (explicit); IL - 2:320, accepted, in Oregon (implied); IN - 2b:278, accepted, in Oregon (explicit); JPM - 396, accepted, not in Oregon; JPM2 - 519, accepted, no geog. info. given; PEK - 386, accepted, in Oregon (explicit); VP - 2:437, accepted, in Oregon (implied).

Alyssum desertorum Stapf

Common names: desert alyssum, desert madwort

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:248, accepted, in Oregon (explicit); FOO - 2:439, accepted, in Oregon (explicit); FPN - 151, accepted, in Oregon (explicit); FPN2 - 283, accepted, in Oregon (explicit); IN - 2b:278, accepted, in Oregon (implied); JPM - 396, accepted, in Oregon (implied); JPM2 - 519, accepted, in Oregon (implied); VP - 2:438, accepted, in Oregon (explicit).

Alyssum simplex Rudolphi

Common names: small alyssum

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2011.

FN - 7:249, accepted, in Oregon (explicit); FOO - 2:439, accepted, in Oregon (explicit); FPN2 - 283, accepted, in Oregon (explicit), in genus desc. ; JPM2 - 519, accepted, not in Oregon.

Synonyms:

Alyssum minus (L.) Rothm. ssp. *micranthum* (C.A. Mey.) Breistr.

FOO - 2:439, synonym for *Alyssum simplex*; JPM - 396, accepted.

Literature cited for *Alyssum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Arabidopsis

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Arabidopsis thaliana (L.) Heynh.

Common names: thale cress, mouse-ear cress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:450, accepted, in Oregon (explicit); FOO - 2:440, accepted, in Oregon (explicit); FPN - 152, accepted, in Oregon (explicit); FPN2 - 283, accepted, in Oregon (implied), ; IL - 2:267, accepted, in Oregon (explicit); IN - 2b:404, accepted, in Oregon (implied); JPM - 396, accepted, given distribution: NCo, NCoRI, SnFrB, expected elsewhere; to e US (where abundant); native to Eur; JPM2 - 519, accepted, not in Oregon; PEK - 365, accepted, in Oregon (explicit); VP - 2:439, accepted, in Oregon (explicit).

Arabis

Checklist contributor: Linda Vorobik, 4/30/2007

Flora contributor: Ihsan Al-Shehbaz

Arabis aculeolata Greene

Common names: Waldo rockcress

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 7:265, accepted, in Oregon (explicit); FOO - 2:441, accepted, in Oregon (explicit); IL - 2:306, accepted, in Oregon (explicit); JPM - 399, accepted, in Oregon (explicit); PEK - 381, accepted, in Oregon (explicit).

Arabis aculeolata Greene × *Arabis modesta* Rollins

Origin: native

Arabis crucisetosa Constance & Rollins

Common names: cross-haired rockcress, wetsoil rockcress

Origin: native

Voucher: OSU, most recently collected in 1988.

FN - 7:262, accepted, in Oregon (explicit); FOO - 2:441, accepted, in Oregon (explicit); FPN - 152, accepted, not in Oregon; FPN2 - 283, accepted, in Oregon (explicit), ; VP - 2:442, accepted, not in Oregon.

***Arabis eschscholtziana* Andr.**

Common names: Eschscholtz's hairy rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:261, accepted, in Oregon (explicit); FOO - 2:442, accepted, in Oregon (explicit); FPN - 152, synonym for *Arabis hirsuta* var. *eschscholtziana*, in Oregon (explicit); FPN2 - 283, accepted, in Oregon (implied); ; JPM2 - 520, accepted, in Oregon (implied).

Synonyms:

***Arabis hirsuta* (L.) Scop. var. *eschscholtziana* (Andrz.) Rollins**

FN - 7:261, synonym for *Arabis eschscholtziana*, in Oregon (explicit); FOO - 2:442, synonym for *Arabis eschscholtziana*; FPN - 152, accepted, in Oregon; PEK - 381, accepted, in Oregon (explicit); VP - 2:447, accepted, in Oregon (explicit).

***Arabis hirsuta* (L.) Scop. var. *glabrata* Torr. & A. Gray**

FN - 7:261, synonym for *Arabis eschscholtziana*, in Oregon (explicit); FOO - 2:442, synonym for *Arabis eschscholtziana*; FPN - 152, accepted, in Oregon; JPM - 400, accepted, in Oregon (implied); PEK - 380, accepted, in Oregon (explicit); VP - 2:447, accepted, in Oregon (implied).

Misapplied names:

***Arabis hirsuta* (L.) Scop.**

***Arabis furcata* S. Watson**

Common names: fork-haired rockcress

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:263, accepted, in Oregon (explicit); FOO - 2:442, accepted, in Oregon (explicit); FPN - 153, accepted, in Oregon (explicit); FPN2 - 284, accepted, in Oregon (explicit); ; IL - 2:306, accepted, in Oregon (explicit); PEK - 381, accepted, in Oregon (explicit); VP - 2:445, accepted, in Oregon (explicit).

***Arabis mcdonaldiana* Eastw.**

Common names: McDonald's rockcress

Origin: native

Voucher: OSU, most recently collected in 1980.

FN - 7:265, accepted, in Oregon (explicit); FOO - 2:442, accepted, in Oregon (explicit); JPM2 - 520, accepted, not in Oregon.

Synonyms:

***Arabis macdonaldiana* Eastw.**

orthographic variant

JPM - 402, accepted, not in Oregon.

***Arabis modesta* Rollins**

Common names: Rogue Canyon rockcress, modest rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:264, accepted, in Oregon (explicit); FOO - 2:442, accepted, in Oregon (explicit); IL - 2:629, accepted, in Oregon (explicit); JPM - 402, accepted, in Oregon (explicit); JPM2 - 520, accepted, in Oregon (explicit); PEK - 381, accepted, in Oregon (explicit).

***Arabis oregana* Rollins**

Common names: Oregon rockcress

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:264, accepted, in Oregon (explicit); FOO - 2:442, accepted, in Oregon (explicit); JPM - 402, accepted, in Oregon (explicit); JPM2 - 520, accepted, in Oregon (explicit); PEK - 381, accepted, in Oregon (explicit).

Synonyms:

***Arabis purpurascens* Howell**

FN - 7:264, synonym for *Arabis oregana*, in Oregon (explicit); FOO - 2:442, synonym for *Arabis oregana*; IL - 2:307, accepted, in Oregon (explicit).

***Arabis pycnocarpa* M. Hopkins**

Common names: creamflower rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:259, accepted, in Oregon (explicit); FOO - 2:443, accepted, in Oregon (explicit).

Synonyms:

***Arabis hirsuta* (L.) Scop. var. *pycnocarpa* (M. Hopkins) Rollins**

FN - 7:261, synonym for *A. pycnocarpa* var. *pycnocarpa*, not in Oregon, Mentioned in discussion under *Arabis pycnocarpa* var. *adpressipilis*., implied synonymy to *A. pycnocarpa* var. *pycnocarpa*.; FOO - 2:443, synonym for *Arabis pycnocarpa*; FPN - 152, accepted, not in Oregon; JPM - 400, accepted, in Oregon (implied); VP - 2:447, accepted, not in Oregon.

Arabis pycnocarpa* M. Hopkins var. *pycnocarpa

FN - 7:260, accepted, in Oregon (explicit); FOO - 2:443, synonym for *Arabis pycnocarpa*; FPN2 - 283, accepted, in Oregon (explicit), ; JPM2 - 520, accepted, not in Oregon.

Misapplied names:

***Arabis hirsuta* (L.) Scop.**

Literature cited for *Arabis*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Dorn, R.D. 2003. A new species of *Boechera* (Brassicaceae) from Utah and Colorado. *Brittonia* 55(1):1-3.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Rollins, R.C. 1936. The genus *Arabis* L. in the Pacific Northwest. *Research Studies of the State College of Washington* 4:1-52.

Armoracia

Checklist contributor:

Flora contributor: treatment pending

***Armoracia rusticana* G. Gaertn., B. Mey. & Scherb.**

Common names: horseraddish

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2015.

FN - 7:459, accepted, in Oregon (explicit); FPN - 175, synonym for *Rorippa armoracia*, given distribution: widely cultivated; FPN2 - 284, accepted, given distribution: widely cult for peppery root, occ escaping or persistent wherever grown, ; IN - 2b:350, accepted, in Oregon (implied); JPM - 404, accepted, in Oregon (implied); JPM2 - 520, accepted, in Oregon (implied).

Athysanus

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Athysanus pusillus* (Hook.) Greene**

Common names: dwarf athysanus, sandweed

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 7:267, accepted, in Oregon (explicit); FOO - 2:444, accepted, in Oregon (explicit); FPN - 155, accepted, in Oregon (explicit); FPN2 - 284, accepted, in Oregon (explicit), ; IL - 2:298, accepted, not in Oregon; IN - 2b:276, accepted, in Oregon (explicit); JPM - 404, accepted, in Oregon (implied); JPM2 - 521, accepted, in Oregon (implied); PEK - 388, accepted, in Oregon (explicit); VP - 2:458, accepted, in Oregon (implied).

***Athysanus unilateralis* (M.E. Jones) Jeps.**

Common names: spreading athysanus, heterodraba

Origin: native

Voucher: OSU, most recently collected in 1889.

FN - 7:268, accepted, in Oregon (explicit); FOO - 2:444, accepted, in Oregon (explicit); IL - 2:298, synonym for *Heterodraba unilateralis*, in Oregon (explicit); JPM2 - 521, accepted, in Oregon (explicit); PEK - 388, accepted, in Oregon (explicit).

Synonyms:

***Heterodraba unilateralis* (M.E. Jones) Greene**

FN - 7:268, synonym for *Athysanus unilateralis*, in Oregon (explicit); FOO - 2:444, synonym for *Athysanus unilateralis*;

IL - 2:298, accepted, in Oregon (explicit); JPM - 425, accepted, in Oregon (explicit); KZ - 2:377, accepted.

Barbarea

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Barbarea orthoceras* Ledeb.**

Common names: American winter cress

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 7:462, accepted, in Oregon (explicit); FOO - 2:445, accepted, in Oregon (explicit); FPN - 156, accepted, in Oregon (implied); FPN2 - 284, accepted, in Oregon (implied), ; IL - 2:276, excluded, Under *B. stricta*: "...referred to by some authors as *B. orthoceras* Ledeb. of Europe"; IN - 2b:335, accepted, not in Oregon; JPM - 404, accepted, in Oregon (implied); JPM2 - 521, accepted, not in Oregon; VP - 2:458, accepted, in Oregon (implied).

Synonyms:

***Barbarea orthoceras* Ledeb. var. *dolichocarpa* Fernald**

FOO - 2:445, synonym for *Barbarea orthoceras*; IL - 2:276, synonym for *Barbarea americana* Rydb., in Oregon (implied);

PEK - 368, accepted, in Oregon (explicit).

Barbarea orthoceras* Ledeb. var. *orthoceras

FOO - 2:445, synonym for *Barbarea orthoceras*; VP - 2:459, accepted, not in Oregon.

***Barbarea verna* (Mill.) Asch.**

Common names: early winter cress, scurvy cress, Belle Isle cress, land cress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1998.

FN - 7:463, accepted, in Oregon (explicit); FOO - 2:445, accepted, in Oregon (explicit); FPN - 156, accepted, in Oregon (implied); FPN2 - 284, accepted, in Oregon (implied), ; IL - 2:276, accepted, in Oregon (implied); JPM - 404, accepted, not in Oregon; JPM2 - 521, accepted, in Oregon (implied); VP - 2:459, accepted, in Oregon (implied).

***Barbarea vulgaris* W.T. Aiton**

Common names: bitter winter cress, creasy greens, garden yellowrocket

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2013.

FN - 7:461, accepted, in Oregon (explicit); FOO - 2:446, accepted, in Oregon (explicit); FPN - 156, accepted, in Oregon (explicit); FPN2 - 284, accepted, in Oregon (implied), ; IL - 2:276, excluded, not in Oregon, under *B. americana*: "long confused with *B. vulgaris* which is widely introduced in the eastern United States."; IN - 2b:335, accepted, in Oregon (implied); JPM - 404, accepted, not in Oregon; JPM2 - 521, accepted, in Oregon (implied); VP - 2:459, accepted, in Oregon (explicit).

Synonyms:

***Barbarea vulgaris* W.T. Aiton var. *brachycarpa* Rouy & Foucaud**

FOO - 2:446, synonym for *Barbarea vulgaris*; PEK - 368, accepted, in Oregon (explicit).

Berteroa

Checklist contributor: Richard Halse, 9/20/2005

Flora contributor: Ihsan Al-Shehbaz

***Berteroa incana* (L.) DC.**

Common names: hoary alyssum

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2019.

FN - 7:253, accepted, in Oregon (explicit); FOO - 2:446, accepted, in Oregon (explicit); FPN - 156, accepted, not in Oregon; FPN2 - 285, accepted, in Oregon (implied); ; IN - 2b:282, accepted, given distribution: becoming established in scattered localities in N. Amer.; JPM2 - 521, accepted, in Oregon (implied); VP - 2:459, accepted, not in Oregon.

Literature cited for *Berteroa*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Boechera

Checklist contributor: Linda Vorobik, Thea Jaster, Joe Cannon, 2/1/2008

Flora contributor: Ihsan Al-Shehbaz

***Boechera acutina* (Greene) Windham & Al-Shehbaz**

Common names: sharp-podded rockcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:365, accepted, in Oregon (explicit); FOO - 2:449, accepted, in Oregon (explicit); FPN2 - 285, accepted, in Oregon (explicit), in genus desc. ; JPM2 - 526, accepted, in Oregon (explicit).

Synonyms:

***Arabis acutina* Greene**

FN - 7:365, synonym for *Boechera acutina*, in Oregon (explicit); FOO - 2:449, synonym for *Boechera acutina*; IL - 2:307, accepted, in Oregon (explicit).

***Arabis* × *divaricarpa* A. Nelson**

in part

FOO - 2:449, 456, 4, ambiguous synonym for *Boechera acutina*.

***Arabis* × *divaricarpa* A. Nelson var. *interposita* (Greene) Rollins**

FOO - 2:449, synonym for *Boechera acutina*; PEK - 382, accepted, in Oregon (explicit).

***Boechera atrorubens* (Suksdorf ex Greene) Windham & Al-Shehbaz**

Common names: purple sicklepod rockcress

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 7:366, accepted, in Oregon (explicit); FOO - 2:449, accepted, in Oregon (explicit); FPN2 - 290, accepted, in Oregon (explicit), .

Synonyms:

***Arabis sparsiflora* Nutt.**

in part

***Arabis sparsiflora* Nutt. var. *atorrubens* (Greene) Rollins**

FN - 7:366, synonym for *Boechera atrorubens*, in Oregon (explicit); FOO - 2:449, synonym for *Boechera atrorubens*; FPN - 155, accepted, not in Oregon; Oregon Flora Project, 1995B - ; VP - 2:456, accepted, not in Oregon.

Boechera breweri* (S. Watson) Al-Shehbaz ssp. *breweri

Common names: Brewer's rockcress

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 7:368, accepted, in Oregon (explicit); FOO - 2:449, accepted, in Oregon (explicit); JPM2 - 526, accepted, in Oregon (explicit).

Synonyms:

Arabis breweri* S. Watson var. *breweri

FN - 7:368, synonym for *Boechera breweri* ssp. *breweri*, in Oregon (explicit); FOO - 2:449, synonym for *Boechera breweri* ssp. *breweri*; JPM - 399, accepted, in Oregon (explicit).

***Boechea breweri* (S. Watson) Al-Shehbaz ssp. *shastaensis* Windham & Al-Shehbaz**

Common names: Brewer's rockcress

Origin: native

Voucher: OSU, most recently collected in 2004.

FN - 7:368, accepted, in Oregon (explicit); FOO - 2:449, accepted, in Oregon (explicit); JPM2 - 526, accepted, in Oregon (explicit).

***Boechea calderi* (G.A. Mulligan) Windham & Al-Shehbaz**

Common names: Calder's rockcress

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:368, accepted, in Oregon (explicit); FOO - 2:449, accepted, in Oregon (explicit); FPN2 - 289, accepted, in Oregon (explicit), ; JPM2 - 526, accepted, not in Oregon.

Misapplied names:

***Arabis lyallii* S. Watson**

Arabis lyallii* S. Watson var. *lyallii

***Boechea cascadiensis* Windham & Al-Shehbaz**

Common names: Cascade rockcress

Origin: native

Voucher: MO, most recently collected in 1936.

FN - 7:369, accepted, in Oregon (explicit); FOO - 2:450, accepted, in Oregon (explicit); FPN2 - 291, accepted, in Oregon (explicit), .

***Boechea cobrensis* (M.E. Jones) Dorn**

Common names: Cobre rockcress, masonic rockcress

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:370, accepted, in Oregon (explicit); FOO - 2:450, accepted, in Oregon (explicit); FPN2 - 288, accepted, in Oregon (explicit), ; IN - 2b:380, accepted, in Oregon (explicit); JPM2 - 526, accepted, in Oregon (explicit).

Synonyms:

***Arabis cobrensis* M.E. Jones**

FN - 7:370, synonym for *Boechea cobrensis*, in Oregon (explicit); FOO - 2:450, synonym for *Boechea cobrensis*; FPN - 154, accepted, in Oregon (explicit); JPM - 399, accepted, not in Oregon; VP - 2:442, accepted, in Oregon (explicit).

Arabis cobrensis* M.E. Jones var. *cobrensis

FN - 7:370, synonym for *Boechea cobrensis*, in Oregon (explicit); FOO - 2:450, synonym for *Boechea cobrensis*; PEK - 384, (subtaxon implied), accepted, in Oregon (explicit).

***Boechea covillei* (Greene) Windham & Al-Shehbaz**

Common names: Coville's rockcress

Origin: native

Voucher: OSU, most recently collected in 1951.

FN - 7:371, accepted, in Oregon (explicit); FOO - 2:451, accepted, in Oregon (explicit); JPM2 - 527, accepted, in Oregon (explicit).

Synonyms:

***Arabis covillei* Greene**

FN - 7:371, synonym for *Boechea covillei*, in Oregon (explicit); FOO - 2:451, synonym for *Boechea covillei*; IL - 2:310, accepted, not in Oregon, [CA endemic]; IN - 2b:384, synonym for *Boechea platysperma*; KZ - 1:157, synonym for *Arabis platysperma* var. *howellii*.

***Arabis platysperma* A. Gray**

in part

***Arabis platysperma* A. Gray var. *howellii* (S. Watson) Jeps.**

in part

***Boechea cusickii* (S. Watson) Al-Shehbaz**

Common names: Cusick's rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:372, accepted, in Oregon (explicit); FOO - 2:451, accepted, in Oregon (explicit); FPN2 - 289, accepted, given distribution: ec WA s to NV, e to c ID, ; IN - 2b:368, accepted, in Oregon (explicit).

Synonyms:

***Arabis cusickii* S. Watson**

FN - 7:372, synonym for *Boechea cusickii*, in Oregon (explicit); FOO - 2:451, synonym for *Boechea cusickii*; FPN - 153, accepted, in Oregon (explicit); IL - 2:306, accepted, in Oregon (explicit); PEK - 383, accepted, in Oregon (explicit); VP - 2:443, accepted, in Oregon (explicit).

***Boechea davidsonii* (Greene) N.H. Holmgren**

Common names: Davidson's rockcress

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:372, accepted, in Oregon (explicit); FOO - 2:451, accepted, in Oregon (explicit); FPN2 - 288, accepted, in Oregon (explicit), ; IN - 2b:368, accepted, in Oregon (explicit), (Baker Co.); JPM2 - 527, accepted, in Oregon (explicit).

Synonyms:

***Arabis davidsonii* Greene**

FN - 7:372, synonym for *Boechea davidsonii*, in Oregon (explicit); FOO - 2:451, synonym for *Boechea davidsonii*; IN - 2b:368, synonym for *Boechea davidsonii*; JPM - 399, accepted, in Oregon (explicit); PEK - 381, accepted, in Oregon (explicit).

***Boechea divaricarpa* (A. Nelson) A. Löve & D. Löve**

sensu stricto

Common names: spreading-pod rockcress

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:374, accepted, not in Oregon; FOO - 2:451, accepted, in Oregon (explicit); FPN2 - 289, accepted, not in Oregon, ; IN - 2b:360, accepted, in Oregon (implied); JPM2 - 527, accepted, in Oregon (implied).

Synonyms:

***Arabis* × *divaricarpa* A. Nelson**

Arabis* × *divaricarpa* A. Nelson var. *divaricarpa

FOO - 2:451, synonym for *Boechea divaricarpa*; PEK - 382, (subtaxon implied), accepted, in Oregon (explicit).

***Boechea drepanoloba* (Greene) Windham & Al-Shehbaz**

Common names: soldier rockcress

Origin: native

Voucher: OSU, most recently collected in 1991.

FN - 7:374, accepted, in Oregon (explicit); FOO - 2:451, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (explicit), .

Synonyms:

***Arabis lemmonii* S. Watson var. *drepanoloba* (Greene) Rollins**

FN - 7:374, synonym for *Boechea drepanoloba*, in Oregon (explicit); FOO - 2:451, synonym for *Boechea drepanoloba*; VP - 2:450, accepted, not in Oregon.

***Boechea hastatula* (Greene) Al-Shehbaz**

Common names: Hells Canyon rockcress

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:383, accepted, in Oregon (explicit); FOO - 2:452, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (explicit), .

***Boechera horizontalis* (Greene) Windham & Al-Shehbaz**

Common names: Crater Lake rockcress

Origin: native

Voucher: OSU, most recently collected in 1929.

FN - 7:384, accepted, in Oregon (explicit); FOO - 2:452, accepted, in Oregon (explicit).

Synonyms:

***Arabis suffrutescens* S. Watson**

in part

***Arabis suffrutescens* S. Watson var. *horizontalis* (Greene) Rollins**

FN - 7:384, synonym for *Boechera horizontalis*, in Oregon (explicit); FOO - 2:452, synonym for *Boechera horizontalis*; JPM - 403, accepted, in Oregon (explicit); PEK - 384, accepted, in Oregon (explicit), [misprint: the printing unintentionally shows the combination, *A. cobrensis* var. *horizontalis*].

***Boechera howellii* (S. Watson) Windham & Al-Shehbaz**

Common names: Howell's flatseed rockcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:384, accepted, in Oregon (explicit); FOO - 2:453, accepted, in Oregon (explicit); FPN2 - 285, accepted, in Oregon (explicit), ; JPM2 - 527, accepted, in Oregon (explicit).

Synonyms:

***Arabis howellii* S. Watson**

FN - 7:384, synonym for *Boechera howellii*, in Oregon (explicit); FOO - 2:453, synonym for *Boechera howellii*; IL - 2:310, accepted, in Oregon (explicit); IN - 2b:384, synonym for *Boechera platysperma*; KZ - 1:157, synonym for *Arabis platysperma* var. *howellii*; VP - 2:453, synonym for *Arabis platysperma*, in Oregon.

***Arabis platysperma* A. Gray**

in part

FOO - 2:453, 455, 4, ambiguous synonym for *Boechera howellii*.

***Arabis platysperma* A. Gray var. *howellii* (S. Watson) Jeps.**

in part

FN - 7:384, synonym for *Boechera howellii*, in Oregon (explicit); FOO - 2:453, 451, ambiguous synonym for *Boechera howellii*; IL - 2:310, synonym for *Arabis howellii*, in Oregon (explicit).

***Boechera koehleri* (Howell) Al-Shehbaz**

Common names: shrubby rockcress

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:386, accepted, in Oregon (explicit); FOO - 2:453, accepted, in Oregon (explicit); JPM2 - 528, accepted, in Oregon (explicit).

Synonyms:

Arabis koehleri* Howell var. *koehleri

FN - 7:386, synonym for *Boechera koehleri*, in Oregon (explicit); FOO - 2:453, synonym for *Boechera koehleri*; IL - 2:313, (subtaxon implied), accepted, in Oregon (explicit); PEK - 383, (subtaxon implied), accepted, in Oregon (explicit).

***Arabis koehleri* Howell var. *stipitata* Rollins**

FN - 7:386, synonym for *Boechera koehleri*, in Oregon (explicit); FOO - 2:453, synonym for *Boechera koehleri*; IL - 2:629, accepted, in Oregon (explicit); JPM - 400, accepted, in Oregon (explicit); PEK - 383, accepted, in Oregon (explicit).

***Boechea lemmonii* (S. Watson) W.A. Weber**

sensu stricto

Common names: Lemmon's rockcress

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:388, accepted, in Oregon (explicit); FOO - 2:453, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (implied), ; IN - 2b:369, accepted, in Oregon (explicit); JPM2 - 528, accepted, in Oregon (implied).

Synonyms:

***Arabis lemmonii* S. Watson**

in part

FN - 7:388, synonym for *Boechea lemmonii*, in Oregon (explicit); JPM - 400, accepted, in Oregon (implied).

Arabis lemmonii* S. Watson var. *lemmonii

FN - 7:388, synonym for *Boechea lemmonii*, in Oregon (explicit); FOO - 2:453, synonym for *Boechea lemmonii*; FPN - 153, accepted, in Oregon (implied); GWM - 166, accepted, in Oregon (explicit), (var. implied); IL - 2:313, (subtaxon implied), accepted, in Oregon (implied); JPM - 402, accepted, in Oregon (implied).

***Boechea lyallii* (S. Watson) Dorn**

Common names: Lyall's slender rockcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:389, accepted, in Oregon (explicit); FOO - 2:453, accepted, in Oregon (explicit); FPN2 - 288, accepted, in Oregon (implied), ; IN - 2b:368, accepted, in Oregon (explicit); JPM2 - 528, accepted, in Oregon (implied).

Synonyms:

***Arabis lyallii* S. Watson**

FN - 7:389, synonym for *Boechea lyallii*, in Oregon (explicit).

Arabis lyallii* S. Watson var. *lyallii

FN - 7:389, synonym for *Boechea lyallii*, in Oregon (explicit); FOO - 2:453, synonym for *Boechea lyallii*.

***Boechea microphylla* (Nutt.) Dorn**

Common names: small-leaved rockcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:390, accepted, in Oregon (explicit); FOO - 2:453, accepted, in Oregon (explicit); FPN2 - 291, accepted, in Oregon (explicit), ; IN - 2b:370, accepted, in Oregon (explicit).

Synonyms:

***Arabis microphylla* Nutt. ex Torr. & A. Gray**

FN - 7:390, synonym for *Boechea microphylla*, in Oregon (explicit); FOO - 2:453, synonym for *Boechea microphylla*; FPN - 153, accepted, in Oregon (explicit); GWM - 166, accepted, in Oregon (explicit); IL - 2:310, accepted, in Oregon (explicit); PEK - 383, accepted, in Oregon (explicit).

Arabis microphylla* Nutt. ex Torr. & A. Gray var. *microphylla

FN - 7:390, synonym for *Boechea microphylla*, in Oregon (explicit); FOO - 2:453, synonym for *Boechea microphylla*; FPN - 154, accepted, in Oregon (explicit); JPM - 402, accepted, in Oregon (implied); VP - 2:453, accepted, in Oregon (explicit).

Boechea microphylla* (Nutt.) Dorn var. *microphylla

FOO - 2:453, synonym for *Boechea microphylla*; IN - 2b:372, accepted, in Oregon (explicit), through e. Wash., e. Oregon, Idaho.

***Boechera paddoensis* (Rollins) Windham & Al-Shehbaz**

Common names: Mt. Adams rockcress

Origin: native

Voucher: WTU, most recently collected in 2002.

FN - 7:392, accepted, in Oregon (explicit); FOO - 2:454, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (explicit), .

Synonyms:

***Arabis lemmonii* S. Watson**

in part

FOO - 2:454, 453, ambiguous synonym for *Boechera paddoensis*.

***Arabis lemmonii* S. Watson var. *paddoensis* Rollins**

FN - 7:392, synonym for *Boechera paddoensis*, in Oregon (explicit); FOO - 2:454, synonym for *Boechera paddoensis*;

FPN - 153, accepted, not in Oregon; GWM - 166, accepted, in Oregon (explicit); IL - 2:629, accepted, not in Oregon.

***Boechera pauciflora* (Nutt.) Windham & Al-Shehbaz**

Common names: hairystem rockcress

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:393, accepted, in Oregon (explicit); FOO - 2:454, accepted, in Oregon (explicit); FPN2 - 288, accepted, in Oregon (implied), ; JPM2 - 528, accepted, in Oregon (implied).

Synonyms:

***Arabis campyloloba* Greene**

FN - 7:407, synonym for *Boechera sparsiflora*, in Oregon (explicit); FOO - 2:454, synonym for *Boechera pauciflora*; IL - 2:314, accepted, in Oregon (explicit).

***Arabis sparsiflora* Nutt.**

in part

***Arabis sparsiflora* Nutt. var. *subvillosa* (S. Watson) Rollins**

FN - 7:393, synonym for *Boechera pauciflora*, in Oregon (explicit); FOO - 2:454, synonym for *Boechera pauciflora*;
FPN - 155, accepted, in Oregon (implied); GWM - 168, accepted, in Oregon (explicit); JPM - 403, accepted, in Oregon (implied); PEK - 383, accepted, in Oregon (explicit); VP - 2:456, accepted, in Oregon (implied).

***Boechera sparsiflora* (Nutt.) Dorn var. *subvillosa* (S. Watson) Dorn**

FN - 7:393, synonym for *Boechera pauciflora*, in Oregon (explicit); FOO - 2:454, synonym for *Boechera pauciflora*; IN - 2b:362, accepted, in Oregon (explicit).

Misapplied names:

***Arabis holboellii* Hornem.**

***Arabis holboellii* Hornem. var. *pinetorum* (Tidestr.) Rollins**

***Boechera paupercula* (Greene) Windham & Al-Shehbaz**

Common names: small-flowered rockcress

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:394, accepted, in Oregon (explicit); FOO - 2:454, accepted, in Oregon (explicit); FPN2 - 290, accepted, in Oregon (explicit), ; JPM2 - 528, accepted, in Oregon (implied).

Synonyms:

***Arabis lyallii* S. Watson**

in part

FOO - 2:454, 453, ambiguous synonym for *Boechera paupercula*.

***Arabis lyallii* S. Watson var. *nubigena* (J.F. Macbr. & Payson) Rollins**

FN - 7:394, synonym for *Boechera paupercula*, in Oregon (explicit); FOO - 2:454, synonym for *Boechera paupercula*;
IN - 2b:368, synonym for *Boechera lyallii*; JPM - 402, accepted, not in Oregon; VP - 2:450, synonym for *Arabis lyallii*,
given distribution: B.C. to Calif..

***Boechnera pendulocarpa* (A. Nelson) Windham & Al-Shehbaz**

Common names: dropseed rockcress

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:395, accepted, in Oregon (explicit); FOO - 2:454, accepted, in Oregon (explicit); FPN2 - 287, accepted, in Oregon (implied), ; JPM2 - 529, accepted, in Oregon (implied).

Synonyms:

***Arabis holboellii* Hornem. var. *pendulocarpa* (A. Nelson) Rollins**

FN - 7:395, synonym for *Boechnera pendulocarpa*, in Oregon (explicit); FOO - 2:454, synonym for *Boechnera pendulocarpa*; FPN - 155, accepted, in Oregon (implied); GWM - 166, accepted, in Oregon (explicit); JPM - 400, accepted, in Oregon (implied); PEK - 384, accepted, in Oregon (explicit); VP - 2:449, accepted, in Oregon (implied).

Misapplied names:

***Arabis holboellii* Hornem.**

***Boechnera pinetorum* (Tidestrom) Windham & Al-Shehbaz**

Common names: Holboell's rockcress, woodland rockcress

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:397, accepted, in Oregon (explicit); FOO - 2:455, accepted, in Oregon (explicit); FPN2 - 287, accepted, in Oregon (explicit), ; JPM2 - 529, accepted, in Oregon (explicit).

Synonyms:

***Arabis holboellii* Hornem.**

in part

FOO - 2:455, synonym for *Boechnera pinetorum*.

***Arabis holboellii* Hornem. var. *pinetorum* (Tidestrom) Rollins**

FN - 7:397, synonym for *Boechnera pinetorum*, in Oregon (explicit); FOO - 2:455, synonym for *Boechnera pinetorum*.

***Boechnera holboellii* (Hornem.) Á. Löve & D. Löve**

in part

FOO - 2:455, 456, ambiguous synonym for *Boechnera pinetorum*.

***Boechnera platysperma* (A. Gray) Al-Shehbaz**

Common names: pioneer rockcress, broad-seeded rockcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:397, accepted, in Oregon (explicit); FOO - 2:455, accepted, in Oregon (explicit); FPN2 - 285, accepted, in Oregon (explicit), ; IN - 2b:384, accepted, in Oregon (explicit); JPM2 - 529, accepted, in Oregon (explicit).

Synonyms:

***Arabis platysperma* A. Gray**

in part

IL - 2:310, accepted, not in Oregon.

Arabis platysperma* A. Gray var. *platysperma

FOO - 2:455, synonym for *Boechnera platysperma*; JPM - 402, accepted, in Oregon (explicit); PEK - 385, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:453, accepted, in Oregon (explicit), (S. Oregon).

***Boechnera pratincola* (Greene) Windham & Al-Shehbaz**

Common names: meadow rockcress

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 7:399, accepted, in Oregon (explicit); FOO - 2:456, accepted, in Oregon (explicit); FPN2 - 289, accepted, in Oregon (explicit), ; JPM2 - 529, accepted, in Oregon (explicit).

Synonyms:

***Arabis* × *divaricarpa* A. Nelson**

in part

***Boechera puberula* (Nutt.) Dorn**

Common names: hoary rockcress

Origin: native

Voucher: OSU, most recently collected in 2009.

Dorn, 2003 - accepted, no geog. info. given, comb. nov. for *Arabis puberula*; FN - 7:399, accepted, in Oregon (explicit); FOO - 2:456, accepted, in Oregon (explicit); FPN2 - 287, accepted, in Oregon (implied); ; IN - 2b:366, accepted, in Oregon (explicit); JPM2 - 529, accepted, in Oregon (explicit).

Synonyms:

***Arabis puberula* Nutt.**

FN - 7:399, synonym for *Boechera puberula*, in Oregon (explicit); FOO - 2:456, synonym for *Boechera puberula*; FPN - 154, accepted, in Oregon (implied); IL - 2:315, accepted, in Oregon (explicit); JPM - 402, accepted, in Oregon (implied); PEK - 384, accepted, in Oregon (explicit); VP - 2:455, accepted, in Oregon (implied).

***Boechera rectissima* (Greene) Al-Shehbaz**

Common names: bristly-leaved rockcress

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 7:401, accepted, in Oregon (explicit); FOO - 2:456, accepted, in Oregon (explicit); FPN2 - 287, accepted, in Oregon (explicit); ; JPM2 - 530, accepted, in Oregon (explicit).

Synonyms:

***Arabis rectissima* Greene**

FN - 7:401, synonym for *Boechera rectissima*, in Oregon (implied); FOO - 2:456, synonym for *Boechera rectissima*; IL - 2:314, accepted, in Oregon (explicit); Peck, 1936 - 382, accepted, in Oregon (explicit); PEK - 382, accepted, in Oregon (explicit).

Arabis rectissima* Greene var. *rectissima

FOO - 2:456, synonym for *Boechera rectissima*; JPM - 403, accepted, in Oregon (explicit).

***Boechera retrofracta* (Graham) A. Löve & D. Löve**

sensu stricto

Common names: secund rockcress, reflexed rockcress

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:402, accepted, in Oregon (explicit); FOO - 2:456, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (implied); ; IN - 2b:364, synonym for *Boechera holboellii*, in Oregon (implied); JPM2 - 530, accepted, not in Oregon.

Synonyms:

***Arabis holboellii* Hornem. var. *retrofracta* (Graham) Rydb.**

FN - 7:402, synonym for *Boechera retrofracta*, in Oregon (explicit); FOO - 2:456, synonym for *Boechera retrofracta*; FPN - 155, accepted, in Oregon (implied); GWM - 166, accepted, in Oregon (explicit); IN - 2b:364, synonym for *Boechera holboellii*, in Oregon (implied); JPM - 400, accepted, in Oregon (implied); PEK - 384, accepted, in Oregon (explicit); VP - 2:449, accepted, in Oregon (implied).

***Arabis secunda* Howell**

FN - 7:402, synonym for *Boechera retrofracta*, in Oregon (explicit); FOO - 2:456, synonym for *Boechera retrofracta*; IL - 2:315, accepted, in Oregon (implied).

***Boechera holboellii* (Hornem.) Á. Löve & D. Löve**

in part

***Boechera holboellii* (Hornem.) Á. Löve & D. Löve var. *secunda* (Howell) Dorn**

FN - 7:402, synonym for *Boechera retrofracta*, in Oregon (explicit); FOO - 2:456, synonym for *Boechera retrofracta*; IN - 2b:364, accepted, in Oregon.

Misapplied names:

***Arabis holboellii* Hornem.**

***Boechera rollei* (Rollins) Al-Shehbaz**

Common names: Rolle's rockcress

Origin: native

Voucher: UC, most recently collected in 1948.

FOO - 2:456, accepted, in Oregon (explicit).

***Boechera sparsiflora* (Nutt.) Dorn**

sensu stricto

Common names: sicklepod rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:407, accepted, in Oregon (explicit); FOO - 2:457, accepted, in Oregon (explicit); FPN2 - 290, accepted, in Oregon (explicit); IN - 2b:362, accepted, in Oregon (explicit); JPM2 - 530, accepted, in Oregon (implied).

Synonyms:

***Arabis sparsiflora* Nutt.**

in part

FOO - 2:457, 449, ambiguous synonym for *Boechera sparsiflora*.

Arabis sparsiflora* Nutt. var. *sparsiflora

FN - 7:407, synonym for *Boechera sparsiflora*, in Oregon (explicit); FOO - 2:457, synonym for *Boechera sparsiflora*; FPN - 155, accepted, given distribution: ... Ida to Utah and ne Cal...; JPM - 403, accepted, not in Oregon; PEK - 383, accepted, in Oregon (explicit); VP - 2:456, accepted, in Oregon (implied).

Boechera sparsiflora* (Nutt.) Dorn var. *sparsiflora

FOO - 2:457, synonym for *Boechera sparsiflora*; IN - 2b:362, accepted for *Boechera sparsiflora*, in Oregon (explicit).

***Boechera stricta* (Graham) Al-Shehbaz**

Common names: Drummond's rockcress

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:408, accepted, in Oregon (explicit); FOO - 2:457, accepted, in Oregon (explicit); FPN2 - 289, accepted, in Oregon (explicit); IN - 2b:360, accepted, in Oregon (implied); JPM2 - 531, accepted, in Oregon (implied).

Synonyms:

***Arabis drummondii* A. Gray**

FN - 7:408, synonym for *Boechera stricta*, in Oregon (explicit); FOO - 2:457, synonym for *Boechera stricta*; FPN - 154, accepted, in Oregon (implied); GWM - 165, accepted, in Oregon (explicit); IL - 2:307, accepted, in Oregon (implied); JPM - 399, accepted, in Oregon (implied); PEK - 382, accepted, in Oregon (explicit); VP - 2:445, accepted, in Oregon (implied).

***Boechera subpinnatifida* (S. Watson) Al-Shehbaz**

Common names: ashy rockcress

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 7:409, accepted, in Oregon (explicit); FOO - 2:457, accepted, in Oregon (explicit); FPN2 - 287, accepted, in Oregon (explicit); JPM2 - 531, accepted, in Oregon (explicit).

Synonyms:

***Arabis subpinnatifida* S. Watson**

FN - 7:409, synonym for *Boechera subpinnatifida*, in Oregon (explicit); FOO - 2:457, synonym for *Boechera subpinnatifida*; IL - 2:311, accepted, in Oregon (explicit); JPM - 403, accepted, in Oregon (explicit); PEK - 384, accepted, in Oregon (explicit).

***Boechera suffrutescens* (S. Watson) Dorn**

Common names: woody rockcress

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:409, accepted, in Oregon (explicit); FOO - 2:457, accepted, in Oregon (explicit); FPN2 - 285, accepted, in Oregon (explicit); IN - 2b:385, accepted, in Oregon (explicit); JPM2 - 531, accepted, in Oregon (implied).

Synonyms:

***Arabis suffrutescens* S. Watson**

in part

FOO - 2:457, 452, ambiguous synonym for *Boechera suffrutescens*; FPN - 153, accepted, in Oregon (explicit).

Arabis suffrutescens* S. Watson var. *suffrutescens

FOO - 2:457, synonym for *Boechera suffrutescens*; JPM - 403, accepted, in Oregon (explicit); Peck, 1936 - 384, accepted, in Oregon (explicit), var. implied due to error in citation of "var. horizontal"..

Literature cited for Boechera

(Excluding the standard references unless specifically cited in the flora manuscript.)

Al-Shehbaz, I.A. and M.D. Windham. 2007. *Boechera*, draft treatment. In: Flora of North America North of Mexico, Volume 7. Flora of North America Editorial Committee, Eds. Oxford University Press, Inc., New York, NY.

Dorn, R.D. 2003. A new species of *Boechera* (Brassicaceae) from Utah and Colorado. *Brittonia* 55(1):1-3.

Peck, M. 1936. Six new plants from Oregon. *Proceedings of the Biological Society of Washington* 1949:109-112.

Rollins, R.C. 1993A. *The Cruciferae of Continental North America*. Stanford University Press.

Windham, M.D. and I.A. Al-Shehbaz. 2006. New and noteworthy species of *Boechera* (Brassicaceae) I: sexual diploids. *Harvard Papers in Botany* 11(1):61-88.

Windham, M.D. and I.A. Al-Shehbaz. 2007A. New and noteworthy species of *Boechera* (Brassicaceae) II: apomictic hybrids. *Harvard Papers in Botany* 11(2):257-274.

Windham, M.D. and I.A. Al-Shehbaz. 2007B. New and noteworthy species of *Boechera* (Brassicaceae) III: additional sexual diploids and apomictic hybrids. *Harvard Papers in Botany* 12(1):235-257.

Brassica

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Brassica elongata Ehrh.

Common names: elongated mustard

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1911.

FN - 7:420, accepted, in Oregon (explicit); FOO - 2:458, uncertain; FPN2 - 291, accepted, in Oregon (explicit), in genus desc. .

Brassica juncea (L.) Czern.

Common names: Chinese mustard, Indian mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1978.

FN - 7:421, accepted, in Oregon (explicit); FOO - 2:458, accepted, in Oregon (explicit); FPN - 156, accepted, given distribution: ...occ in waste places in much of our area...; FPN2 - 291, accepted, in Oregon (implied), ; IL - 2:274, accepted, in Oregon (explicit); IN - 2b:234, accepted, in Oregon (implied); JPM - 406, accepted, not in Oregon; JPM2 - 532, accepted, in Oregon (implied); PEK - 367, accepted, in Oregon (explicit); VP - 2:462, accepted, in Oregon (implied).

Brassica napus L.

Common names: canola, rapeseed, rutabaga

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2013.

FN - 7:422, accepted, in Oregon (explicit); FOO - 2:458, accepted, in Oregon (explicit); FPN2 - 291, accepted, given distribution: rarely escaped in our area, ; JPM2 - 532, accepted, in Oregon (implied).

Brassica nigra (L.) W.D.J. Koch

Common names: black mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2021.

FN - 7:422, accepted, in Oregon (explicit); FOO - 2:459, accepted, in Oregon (explicit); FPN - 156, accepted, no geog. info. given, ...weedy in many areas...; FPN2 - 291, accepted, in Oregon (implied), ; IL - 2:274, accepted, in Oregon (implied); IN - 2b:236, accepted, in Oregon (implied); JPM - 406, accepted, given distribution: CA-FP; native to Eur; JPM2 - 532, accepted, in Oregon (implied); PEK - 367, accepted, in Oregon (explicit); VP - 2:462, accepted, in Oregon (implied).

Brassica oleracea L.

Common names: cabbage

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2010.

FN - 7:423, accepted, not in Oregon; FOO - 2:459, accepted, in Oregon (explicit); FPN2 - 291, accepted, given distribution: a waif in our area, ; JPM2 - 532, accepted, in Oregon (implied).

***Brassica rapa* L.**

Common names: field mustard, turnip

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:423, accepted, in Oregon (explicit); FOO - 2:459, accepted, in Oregon (explicit); FPN2 - 291, accepted, in Oregon (implied); IL - 2:274, accepted, in Oregon (implied), Under *B. napus* and not fully treated, "...also sometimes growing spontaneously in neglected fields."; IN - 2b:232, accepted, in Oregon (implied); JPM - 406, accepted, in Oregon (implied); JPM2 - 532, accepted, in Oregon (implied).

Synonyms:

***Brassica campestris* L.**

FN - 7:423, synonym for *Brassica rapa*, in Oregon (explicit); FOO - 2:459, synonym for *Brassica rapa*; FPN - 156, accepted, in Oregon (implied); GWM - 168, accepted, in Oregon (explicit); IL - 2:274, accepted, in Oregon (implied); PEK - 367, accepted, in Oregon (explicit); VP - 2:460, accepted, in Oregon (implied).

Cakile

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Cakile edentula* (Bigelow) Hook.**

FN - 7:427, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon (explicit); IL - 2:270, accepted, in Oregon (implied); JPM - 406, accepted, given distribution: NCo, CCo, SCo; native to e N.Am; JPM2 - 532, accepted, no geog. info. given; VP - 2:464, accepted, in Oregon (implied).

Cakile edentula* (Bigelow) Hook. ssp. *edentula

Common names: American searocket

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

FN - 7:428, accepted, in Oregon (explicit), (not terminal); FOO - 2:460, accepted, in Oregon (explicit).

Synonyms:

***Cakile edentula* (Bigelow) Hook. var. *californica* (A. Heller) Fernald**

FN - 7:428, synonym for *Cakile edentula* var. *edentula*, in Oregon (explicit); FOO - 2:460, synonym for *Cakile edentula* ssp. *edentula*; FPN - 157, synonym for *Cakile edentula*, in Oregon (explicit); IL - 2:270, accepted, in Oregon (implied); PEK - 387, accepted, in Oregon (explicit).

Cakile edentula* (Bigelow) Hook. var. *edentula

FN - 7:428, accepted, in Oregon (explicit); FOO - 2:460, synonym for *Cakile edentula* ssp. *edentula*; FPN2 - 291, accepted, in Oregon (implied), .

***Cakile maritima* Scop.**

FN - 7:425, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon (implied); IL - 2:270, accepted, not in Oregon; JPM - 406, accepted, in Oregon (implied); JPM2 - 532, accepted, in Oregon (implied); PEK - 387, accepted, in Oregon (explicit).

Cakile maritima* Scop. ssp. *maritima

Common names: European searocket

Origin: exotic, naturalized

Voucher: OSU

FN - 7:425, accepted, in Oregon (explicit); FOO - 2:460, accepted, in Oregon (explicit); FPN2 - 291, accepted, in Oregon (implied), .

Camelina

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Camelina microcarpa* Andr.**

Common names: littlepod false flax, hairy false flax

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:452, accepted, in Oregon (explicit); FOO - 2:461, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon; FPN2 - 292, accepted, in Oregon (implied); GWM - 168, accepted, in Oregon (explicit); IL - 2:291, accepted, in Oregon (explicit); IN - 2b:272, accepted, in Oregon (implied); JPM - 406, accepted, in Oregon (implied); JPM2 - 532, accepted, in Oregon (implied); PEK - 379, accepted, in Oregon (explicit); VP - 2:464, accepted, in Oregon (implied).

***Camelina rumelica* Velen.**

Common names: graceful false flax

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:453, accepted, in Oregon (explicit); FOO - 2:461, accepted, in Oregon (explicit); FPN2 - 292, accepted, in Oregon (explicit), in genus desc. .

***Camelina sativa* (L.) Crantz**

Common names: flaxweed, false flax, gold-of-pleasure

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1989.

FN - 7:453, accepted, in Oregon (explicit); FOO - 2:462, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon (implied); FPN2 - 292, accepted, given distribution: European waif known mostly from old colls, ; IL - 2:291, accepted, in Oregon (explicit); PEK - 379, accepted, in Oregon (explicit); VP - 2:465, accepted, in Oregon (implied).

Capsella

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Capsella bursa-pastoris* (L.) Medik.**

Common names: shepherd's purse

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 7:454, accepted, in Oregon (explicit); FOO - 2:462, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon (implied); FPN2 - 292, accepted, in Oregon (implied), ; GWM - 169, accepted, in Oregon (explicit); IL - 2:291, accepted, in Oregon (implied); IN - 2b:270, accepted, in Oregon (implied); JPM - 407, accepted, in Oregon (implied); JPM2 - 532, accepted, in Oregon (implied); PEK - 374, accepted, in Oregon (explicit); VP - 2:465, accepted, in Oregon (implied).

Cardamine

Checklist contributor: Peter Zika, 10/20/2004

Flora contributor: Ihsan Al-Shehbaz

***Cardamine angulata* Hook.**

Common names: angled bittercress, angle-leaved bittercress, seaside bittercress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:467, accepted, in Oregon (explicit); FOO - 2:464, accepted, in Oregon (explicit); FPN - 158, accepted, in Oregon (implied); FPN2 - 293, accepted, in Oregon (explicit), ; IL - 2:280, accepted, in Oregon (explicit); JPM - 407, accepted, in Oregon (implied); JPM2 - 534, accepted, in Oregon (implied); PEK - 370, accepted, in Oregon (explicit); VP - 2:466, accepted, in Oregon (implied).

***Cardamine bellidifolia* L.**

Common names: alpine bittercress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:468, accepted, in Oregon (explicit); FOO - 2:464, accepted, in Oregon (explicit); FPN - 157, accepted, in Oregon (implied); FPN2 - 292, accepted, in Oregon (implied), ; IL - 2:279, accepted, in Oregon (explicit), [in part]; JPM2 - 534, accepted, in Oregon (implied).

Synonyms:

***Cardamine bellidifolia* L. var. *pachyphylla* Coville & Leiberg**

FN - 7:468, synonym for *Cardamine bellidifolia*, in Oregon (explicit); FOO - 2:464, synonym for *Cardamine bellidifolia*; FPN - 157, accepted, in Oregon (explicit); IL - 2:279, synonym for *Cardamine bellidifolia*, in Oregon (explicit); JPM - 408, accepted, in Oregon (explicit); PEK - 371, accepted, in Oregon (explicit); VP - 2:468, accepted, in Oregon (explicit).

***Cardamine breweri* S. Watson**

Common names: Brewer's bittercress

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 7:469, accepted, in Oregon (explicit); FOO - 2:464, accepted, in Oregon (explicit); FPN - 159, accepted, in Oregon (implied); FPN2 - 293, accepted, in Oregon (implied); ; IL - 2:279, accepted, in Oregon (implied); IN - 2b:348, accepted, in Oregon (explicit); JPM - 408, accepted, in Oregon (implied); JPM2 - 534, accepted, in Oregon (implied).

Synonyms:

Cardamine breweri* S. Watson var. *breweri

FN - 7:469, synonym for *Cardamine breweri*, in Oregon (explicit); FOO - 2:464, synonym for *Cardamine breweri*; FPN - 159, accepted, in Oregon (explicit); JPM - 408, accepted, in Oregon (implied); PEK - 370, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:468, accepted, in Oregon (implied).

***Cardamine breweri* S. Watson var. *orbicularis* (Greene) Detling**

FN - 7:469, synonym for *Cardamine breweri*, in Oregon (explicit); FOO - 2:464, synonym for *Cardamine breweri*; FPN - 159, accepted, in Oregon (implied); JPM - 408, accepted, in Oregon (implied); PEK - 371, accepted, in Oregon (explicit); VP - 2:468, accepted, in Oregon (explicit).

***Cardamine californica* (Nutt.) Greene**

Common names: milkmaids, California toothwort

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 7:469, accepted, not in Oregon; FOO - 2:465, accepted, in Oregon (explicit); FPN2 - 293, synonym for *Cardamine nuttallii*, not in Oregon, in parenthesis in *C. nuttallii* desc. ; IL - 2:283, synonym for *Dentaria californica*, in Oregon (explicit); JPM - 408, accepted, in Oregon (explicit); JPM2 - 534, accepted, not in Oregon; Rollins, 1993A - 976, accepted; Stafleu & Cowan, 1986 - 405, accepted.

Synonyms:

Cardamine californica* (Nutt.) Greene var. *californica

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; IL - 2:283, (subtaxon implied), synonym for *Dentaria californica*, in Oregon (explicit); JPM - 408, accepted, not in Oregon.

***Cardamine californica* (Nutt.) Greene var. *integrifolia* (Nutt. ex Torr. & A. Gray) Rollins**

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; JPM - 408, accepted, in Oregon (explicit).

***Cardamine californica* (Nutt.) Greene var. *sinuata* (Greene) O.E. Schulz**

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; IL - 2:283, synonym for *Dentaria californica* var. *sinuata*, in Oregon (explicit); JPM - 408, accepted, in Oregon (explicit).

Cardamine integrifolia* (Nutt.) Greene var. *integrifolia

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; FPN - 158, accepted; VP - 2:469, accepted.

***Cardamine integrifolia* (Nutt.) Greene var. *sinuata* (Greene) C.L. Hitchc.**

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; FPN - 158, accepted, in Oregon (explicit).

***Dentaria californica* Nutt. var. *sinuata* (Greene) Detling**

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; FOO - 2:465, synonym for *Cardamine californica*; IL - 2:283, accepted, in Oregon (explicit); PEK - 372, accepted, in Oregon (explicit).

Misapplied names:

Dentaria californica* Nutt. var. *californica

FN - 7:469, synonym for *Cardamine californica*, not in Oregon; IL - 2:283, (subtaxon implied), accepted, in Oregon (explicit); PEK - 372, (subtaxon implied), accepted, in Oregon (explicit).

***Cardamine cordifolia* A. Gray**

Common names: large mountain bittercress, heart-leaved bittercress, Lyall's bittercress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:471, accepted, in Oregon (explicit); FOO - 2:465, accepted, in Oregon (explicit); FPN - 158, accepted, in Oregon (implied); FPN2 - 292, accepted, in Oregon (implied), ; IN - 2b:347, accepted, in Oregon (explicit); JPM2 - 535, accepted, in Oregon (implied).

Synonyms:

***Cardamine cordifolia* A. Gray var. *lyallii* (S. Watson) A. Nelson & J.F. Macbr.**

FN - 7:471, synonym for *Cardamine cordifolia*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine cordifolia*; FPN - 158, accepted, in Oregon (implied); GWM - 169, accepted, in Oregon (explicit); IL - 2:279, synonym for *Cardamine lyallii*, in Oregon (implied); JPM - 408, accepted, in Oregon (implied); VP - 2:469, accepted, in Oregon (implied).

***Cardamine lyallii* S. Watson**

FN - 7:471, synonym for *Cardamine cordifolia*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine cordifolia*; IL - 2:279, accepted; PEK - 370, accepted, in Oregon (explicit).

***Cardamine flexuosa* With.**

Common names: woodland bittercress, wavy bittercress

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:474, accepted, in Oregon (explicit); FPN2 - 294, accepted, in Oregon (implied), ; Stace, 1997 - 1130, accepted.

***Cardamine hirsuta* L.**

Common names: hairy bittercress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:475, accepted, in Oregon (explicit), Herbarium specimens of *C. hirsuta* have been misidentified as *C. oligosperma*; FOO - 2:465, accepted, in Oregon (explicit); FPN2 - 294, accepted, in Oregon (implied), ; JPM - 408, accepted, given distribution: KR, expected elsewhere; e N.Am, C.Am; native to Eur; JPM2 - 535, accepted, in Oregon (implied).

***Cardamine holmgrenii* Al-Shehbaz**

Common names: Holmgren's bittercress

Origin: native

Voucher: OSU, most recently collected in 2019.

Al-Shehbaz, 2007 - accepted, in Oregon, [this is the protologue citation]; FN - 7:475, accepted, in Oregon (explicit); FOO - 2:465, accepted, in Oregon (explicit).

***Cardamine nuttallii* Greene**

Common names: Nuttall's toothwort, slender toothwort

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:478, accepted, in Oregon (explicit); FOO - 2:465, accepted, in Oregon (explicit); FPN - 159, synonym for *Cardamine pulcherrima* var. *tenella*, in Oregon (implied); FPN2 - 293, accepted, in Oregon (implied); ; IL - 2:282, synonym for *Dentaria tenella*, in Oregon (explicit); JPM - 408, accepted, in Oregon (implied); JPM2 - 535, accepted, in Oregon (implied).

Synonyms:

***Cardamine nuttallii* Greene var. *covilleana* (O.E. Schulz) Rollins**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; JPM - 408, accepted, in Oregon (explicit).

***Cardamine nuttallii* Greene var. *dissecta* (O.E. Schulz) Rollins**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; JPM - 408, accepted, in Oregon (implied).

***Cardamine nuttallii* Greene var. *gemmata* (Greene) Rollins**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; JPM - 408, accepted, in Oregon (explicit); Nakamura & Nelson, 2001 - accepted.

Cardamine nuttallii* Greene var. *nuttallii

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; JPM - 408, accepted, in Oregon (implied); Rollins, 1993B - 4:43-48, accepted.

Cardamine pulcherrima* Greene var. *pulcherrima

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; FPN - 159, accepted, in Oregon (explicit); VP - 2:474, accepted, in Oregon (explicit).

***Cardamine pulcherrima* Greene var. *tenella* (Pursh) C.L. Hitchc.**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; FPN - 159, accepted, in Oregon; VP - 2:474, accepted, in Oregon (implied).

***Dentaria gemmata* (Greene) Howell**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; IL - 2:282, accepted, in Oregon (explicit); PEK - 372, accepted, in Oregon (explicit).

***Dentaria tenella* Pursh var. *pulcherrima* (Greene) Detling**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; IL - 2:282, accepted, in Oregon (explicit); PEK - 372, accepted, in Oregon (explicit).

***Dentaria tenella* Pursh var. *quercetorum* (Howell) Detling**

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; PEK - 372, accepted, in Oregon (explicit).

Dentaria tenella* Pursh var. *tenella

FN - 7:478, synonym for *Cardamine nuttallii*, in Oregon (explicit); FOO - 2:465, synonym for *Cardamine nuttallii*; IL - 2:282, (subtaxon implied), accepted, in Oregon (implied); PEK - 372, (subtaxon implied), accepted, in Oregon (explicit).

***Cardamine occidentalis* (S. Watson ex B.L. Rob.) Howell**

Common names: western bittercress, big western bittercress

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:479, accepted, in Oregon (explicit); FOO - 2:466, accepted, in Oregon (explicit); FPN - 159, accepted, in Oregon (explicit); FPN2 - 294, accepted, in Oregon (explicit); ; IL - 2:280, accepted, in Oregon (explicit); JPM - 408, accepted, in Oregon (implied); JPM2 - 535, accepted, in Oregon (implied); PEK - 371, accepted, in Oregon (explicit); Rollins, 1993A - 976, accepted; VP - 2:471, accepted, in Oregon (explicit).

***Cardamine oligosperma* Nutt.**

Common names: little western bittercress, few-seed bittercress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:479, accepted, in Oregon (explicit); FOO - 2:466, accepted, in Oregon (explicit); FPN - 159, accepted, in Oregon (implied); FPN2 - 294, accepted, in Oregon (implied); ; IL - 2:282, accepted, in Oregon (implied); IN - 2b:348, accepted, in Oregon (implied); JPM - 408, accepted, given distribution: CA-FP, W&I; B.C., MT, CO; JPM2 - 535, accepted, in Oregon (implied); VP - 2:471, accepted, in Oregon (implied).

Synonyms:

Cardamine oligosperma* Nutt. var. *oligosperma

Detling, 1937 - 70-76, accepted; FN - 7:479, synonym for *Cardamine oligosperma*, in Oregon (explicit); FOO - 2:466, synonym for *Cardamine oligosperma*; FPN - 159, accepted, in Oregon (implied); PEK - 371, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:472, accepted, in Oregon (implied); Zika, 2003A - 92, accepted.

***Cardamine parviflora* L.**

Common names: sand bittercress, small-flowered bittercress, narrow-leaved bittercress

Origin: native

Voucher: OSU, most recently collected in 2004.

FN - 7:480, accepted, in Oregon (explicit); FOO - 2:466, accepted, in Oregon (explicit); FPN2 - 292, accepted, given distribution: native to c and e N Am and Eurasia, has been occ reported from our area, in genus desc. .

***Cardamine pattersonii* L.F. Hend.**

Common names: Saddle Mountain bittercress

Origin: native

Voucher: OSU, most recently collected in 1977.

FN - 7:480, accepted, in Oregon (explicit); FOO - 2:466, accepted, in Oregon (explicit); FPN - 158, accepted, in Oregon (explicit); FPN2 - 292, accepted, in Oregon (explicit); ; IL - 2:280, accepted, in Oregon (explicit); PEK - 371, accepted, in Oregon (explicit); VP - 2:472, accepted, in Oregon (explicit).

***Cardamine penduliflora* O.E. Schulz**

Common names: Willamette Valley bittercress, wetlands bittercress

Origin: native

Voucher: OSU, most recently collected in 2006.

FN - 7:481, accepted, in Oregon (explicit); FOO - 2:467, accepted, in Oregon (explicit); FPN - 158, accepted, in Oregon (explicit); FPN2 - 293, accepted, in Oregon (explicit); ; PEK - 371, accepted, in Oregon (explicit); VP - 2:472, accepted, in Oregon (explicit).

***Cardamine pensylvanica* Muhl. ex Willd.**

Common names: Pennsylvania bittercress, Quaker bittercress

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:482, accepted, in Oregon (explicit); FOO - 2:467, accepted, in Oregon (explicit); FPN - 159, accepted, in Oregon (implied); FPN2 - 294, accepted, in Oregon (implied); ; GWM - 170, accepted, in Oregon (explicit); IL - 2:280, accepted, in Oregon (implied); IN - 2b:350, accepted, in Oregon (implied); JPM - 410, accepted, in Oregon (implied); JPM2 - 535, accepted, in Oregon (implied); PEK - 371, accepted, in Oregon (explicit); VP - 2:472, accepted, in Oregon (implied).

Synonyms:

***Cardamine pensylvanica* Muhl. ex Willd.**

orthographic variant

IL - 2:280, accepted, in Oregon (implied); PEK - 371, accepted, in Oregon (explicit).

Literature cited for Cardamine

(Excluding the standard references unless specifically cited in the flora manuscript.)

- Al-Shehbaz, I.A. 1984. The tribes of Cruciferae (Brassicaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 65:343-373.
- Al-Shehbaz, I.A. 2007. *Cardamine holmgrenii* (Brassicaceae), a new species from the Blue Mountains, Oregon. *Harvard Papers in Botany* 11(2):275.
- Detling, L.E. 1936. The genus *Dentaria* in the Pacific states. *American Journal of Botany* 23:570-576.
- Detling, L.E. 1937. The Pacific Coast species of *Cardamine*. *American Journal of Botany* 24:70-76.
- Douglas, G.W., D.V. Meidinger, and J. Pojar, Eds. 2002. *Illustrated Flora of British Columbia. Volume 8: General Summary, Maps and Keys*. B.C. Ministry of Sustainable Resource Management and B.C. Ministry of Forests, Victoria, BC, Canada.
- Douglas, G.W., G.B. Straley, D. Meidinger, and J. Pojar, Eds. 1998. *Illustrated Flora of British Columbia. Volume 2. Dicotyledons (Balsaminaceae through Cuscutaceae)*. B.C. Ministry of Environment, Lands & Parks and B.C. Ministry of Forests, Victoria, BC,
- Fernald, M.L. 1950. *Gray's Manual of Botany*. 8th ed. American Book Company.
- Nakamura, G., and J.K. Nelson, Eds. 2001. *Illustrated Field Guide to Selected Rare Plants of Northern California*. University of California Division of Agriculture and Natural Resources Publ. 3395, Oakland.
- Post, A.R., R. Ali, A. Krings, J. Xiang, B.R. Sosinski, and J.C. Neal. 2011. On the identity of the weedy bittercresses (*Cardamine*: *Brassicaceae*) in United States nurseries: Evidence from molecules and morphology. *Weed Science* 59(1):123-135.
- Rollins, R.C. 1993A. *The Cruciferae of Continental North America*. Stanford University Press.
- Rollins, R.C. 1993B. New taxa and names in the *Cruciferae* of California. *Harvard Papers in Botany* 4:43-48.
- Schulz, O.E. 1903. Monographie der gattung *Cardamine*. *Botanisches Jahrbuch für Systematik, Pflanzengeschichte und Pflanzengeographie* 32:280-623.
- Stace, C. 1997. *New flora of the British Isles*. 2nd edition. Cambridge University Press.
- Stafleu, F.A. and R.S. Cowan. 1986. *Taxonomic Literature. A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types*. Volume 6: *Sti-Vuy*. 2nd edition. Bohn, Scheltema & Holkema, Utrecht, Netherlands.
- Zika, P.F. 2003A. *A Crater Lake National Park Vascular Plant Checklist*. Crater Lake Natural History Association, Crater Lake, OR.

Caulanthus

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

Caulanthus crassicaulis (Torr.) S. Watson

Common names: thickstem wild cabbage

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:681, accepted, not in Oregon; FOO - 2:468, accepted, in Oregon (explicit); FPN - 160, accepted, in Oregon (explicit); FPN2 - 294, accepted, in Oregon (explicit); IL - 2:255, accepted, not in Oregon; JPM - 411, accepted, not in Oregon; JPM2 - 536, accepted, not in Oregon; VP - 2:475, accepted, in Oregon (explicit).

Synonyms:

Caulanthus crassicaulis (Torr.) S. Watson var. *crassicaulis*

FN - 7:681, synonym for *Caulanthus crassicaulis*, not in Oregon; FOO - 2:468, synonym for *Caulanthus crassicaulis*; IN - 2b:224, accepted, in Oregon (explicit); JPM - 411, accepted, not in Oregon.

Caulanthus crassicaulis (Torr.) S. Watson var. *glaber* M.E. Jones

FN - 7:681, synonym for *Caulanthus crassicaulis*, not in Oregon; FOO - 2:468, synonym for *Caulanthus crassicaulis*; IN - 2b:224, accepted, not in Oregon; JPM - 411, accepted, not in Oregon.

Streptanthus crassicaulis Torr.

FN - 7:681, synonym for *Caulanthus crassicaulis*, not in Oregon; FOO - 2:468, synonym for *Caulanthus crassicaulis*; FPN - 160, synonym for *Caulanthus crassicaulis*, in Oregon (explicit); IL - 2:255, synonym for *Caulanthus crassicaulis*, not in Oregon; PEK - 359, accepted, in Oregon (explicit).

***Caulanthus major* (M.E. Jones) Payson**

Common names: slender wild cabbage, Nevada wild cabbage

Origin: native

Voucher: OSU, most recently collected in 1997.

FN - 7:684, accepted, in Oregon (explicit); FOO - 2:469, accepted, in Oregon (explicit); IL - 2:255, accepted, not in Oregon; JPM - 412, accepted, in Oregon (explicit); JPM2 - 538, accepted, in Oregon (explicit).

Synonyms:

***Caulanthus major* (M.E. Jones) Payson var. *nevadensis* Rollins**

FN - 7:684, synonym for *Caulanthus major*, in Oregon (explicit); FOO - 2:469, synonym for *Caulanthus major*; IN - 2b:222, accepted, in Oregon (explicit); JPM - 412, accepted, in Oregon (explicit).

***Caulanthus pilosus* S. Watson**

Common names: hairy wild cabbage, chocolate drops

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 7:684, accepted, in Oregon (explicit); FOO - 2:469, accepted, in Oregon (explicit); FPN - 160, accepted, in Oregon (implied); FPN2 - 295, accepted, in Oregon (explicit); ; IL - 2:257, accepted, in Oregon (explicit); IN - 2b:224, accepted, in Oregon (explicit); JPM - 412, accepted, in Oregon (explicit); JPM2 - 538, accepted, in Oregon (explicit); VP - 2:477, accepted, in Oregon (explicit).

Synonyms:

***Streptanthus pilosus* (S. Watson) Jeps.**

FN - 7:684, synonym for *Caulanthus pilosus*, in Oregon (explicit); FOO - 2:469, synonym for *Caulanthus pilosus*; FPN - 160, synonym for *Caulanthus pilosus*, in Oregon (implied); IL - 2:257, synonym for *Caulanthus pilosus*, in Oregon (explicit); PEK - 359, accepted, in Oregon (explicit).

Literature cited for *Caulanthus*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Chlorocrambe

Checklist contributor: Richard Halse, 12/1/2006

Flora contributor: Ihsan Al-Shehbaz

***Chlorocrambe hastata* (S. Watson) Rydb.**

Common names: spearhead

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:686, accepted, in Oregon (explicit); FOO - 2:469, accepted, in Oregon (explicit); FPN - 160, accepted, in Oregon (explicit); FPN2 - 295, accepted, in Oregon (explicit); ; GWM - 170, accepted, in Oregon (explicit); IL - 2:242, accepted, in Oregon (explicit); IN - 2b:196, accepted, in Oregon (explicit); PEK - 356, accepted, in Oregon (explicit); VP - 2:477, accepted, in Oregon (explicit).

Literature cited for *Chlorocrambe*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Chorispora

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Chorispora tenella* (Pall.) DC.**

Common names: chorispora, purple mustard, crossflower

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:511, accepted, in Oregon (explicit); FOO - 2:470, accepted, in Oregon (explicit); FPN - 160, accepted, given distribution: widely estab in dry areas, but rare w Cas; FPN2 - 295, accepted, in Oregon (implied); ; IL - 2:321, accepted, not in Oregon; IN - 2b:393, accepted, in Oregon (implied); JPM - 412, accepted, not in Oregon; JPM2 - 539, accepted, in Oregon (implied); PEK - 388, accepted, in Oregon (explicit); VP - 2:477, accepted, in Oregon (implied).

Cochlearia

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Cochlearia groenlandica L.

Common names: Greenland scurvygrass, Danish scurvygrass

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:515, accepted, in Oregon (explicit); FOO - 2:471, accepted, in Oregon (explicit); FPN2 - 295, accepted, in Oregon (implied), ; JPM2 - 539, accepted, in Oregon (implied).

Synonyms:

Cochlearia officinalis L.

FN - 7:515, ambiguous synonym, not in Oregon, "R.C. Rollins (1993) treated the NA plants as members of C.

officinalis. That sp. is a strictly European tetraploid with $2n = 24$."; FOO - 2:471, synonym for *Cochlearia groenlandica*;

FPN - 160, accepted, in Oregon (explicit); IL - 2:266, accepted, in Oregon (explicit); PEK - 364, accepted, in Oregon

(explicit); VP - 2:478, accepted, not in Oregon.

Cochlearia officinalis L. var. *arctica* (Schlecht ex DC.) Gelert

FOO - 2:471, synonym for *Cochlearia groenlandica*; JPM - 413, accepted, in Oregon (implied).

Conringia

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Conringia orientalis (L.) Dumort.

Common names: hare's-ear mustard, hedge cabbage

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2007.

FN - 7:517, accepted, in Oregon (explicit); FOO - 2:471, accepted, in Oregon (explicit); FPN - 161, accepted, given distribution: common in dry areas, mainly e Cas; FPN2 - 295, accepted, in Oregon (implied), ; IL - 2:321, accepted, in Oregon (implied); IN - 2b:230, accepted, in Oregon (implied); JPM - 413, accepted, not in Oregon; JPM2 - 539, accepted, in Oregon (implied); PEK - 368, accepted, in Oregon (explicit); VP - 2:478, accepted, in Oregon (implied).

Crambe

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Crambe maritima L.

Common names: sea kale

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2001.

FN - 7:431, accepted, in Oregon (explicit); FOO - 2:472, accepted, in Oregon (explicit); FPN - 161, accepted, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (explicit), ; PEK - 387, accepted, in Oregon (explicit); VP - 2:480, accepted, in Oregon (explicit).

Cusickiella

Checklist contributor: Henrietta Chambers, 4/3/2006

Flora contributor: Ihsan Al-Shehbaz

Cusickiella douglasii (A. Gray) Rollins

Common names: Douglas' draba, alkali cusickiella

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:413, accepted, in Oregon (explicit); FOO - 2:472, accepted, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (implied), ; IN - 2b:334, accepted, in Oregon (explicit); JPM - 413, accepted, in Oregon (implied); JPM2 - 539, accepted, in Oregon (implied).

Synonyms:

Draba douglasii A. Gray

FN - 7:413, synonym for *Cusickiella douglasii*, in Oregon (explicit); FOO - 2:472, synonym for *Cusickiella douglasii*;

FPN - 165, accepted, in Oregon (explicit); IL - 2:297, accepted, in Oregon (explicit); PEK - 377, accepted, in Oregon

(explicit); VP - 2:492, accepted, in Oregon (explicit).

Descurainia

Checklist contributor: Richard Halse, 5/10/2005

Flora contributor: Ihsan Al-Shehbaz

Descurainia californica (A. Gray) O.E. Schulz

Common names: Sierra tansymustard, California tansymustard

Origin: native

Voucher: OSU, most recently collected in 2000.

FN - 7:521, accepted, in Oregon (explicit); FOO - 2:473, accepted, in Oregon (explicit); FPN - 161, accepted, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (explicit); ; IL - 2:269, accepted, not in Oregon; IN - 2b:414, accepted, in Oregon (explicit); JPM - 414, accepted, not in Oregon; JPM2 - 540, accepted, not in Oregon; PEK - 366, accepted, in Oregon (explicit).

Descurainia incana (Bernh. ex Fisch. & C.A. Mey.) Dorn

Common names: mountain tansymustard

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:522, accepted, not in Oregon; FOO - 2:473, accepted, in Oregon (explicit); FPN2 - 296, accepted, not in Oregon; ; JPM - 414, accepted, in Oregon (implied); JPM2 - 540, accepted, in Oregon (implied).

Descurainia incisa (Engelm.) Britton ssp. *incisa*

Common names: cutleaf tansymustard

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 7:523, accepted, in Oregon (explicit); FOO - 2:474, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (implied); ; JPM - 414, accepted, in Oregon (implied); JPM2 - 540, accepted, in Oregon (implied).

Synonyms:

***Descurainia incana* (Bernh. ex Fisch. & C.A. Mey.) Dorn ssp. *incisa* (Engelm. ex A. Gray)**

Kartesz & Gandhi

FN - 7:523, synonym for *Descurainia incisa* ssp. *incisa*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*; IN - 2b:410, accepted, in Oregon (implied).

***Descurainia incisa* (Engelm.) Britton ssp. *viscosa* (Rydb.) Rollins**

FN - 7:523, synonym for *Descurainia incisa* ssp. *incisa*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*.

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *incisa* (Engelm.) Detling**

FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*; FPN - 162, accepted.

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *sonnei* (B.L. Rob.) C.L. Hitchc.**

FN - 7:523, synonym for *Descurainia incisa* ssp. *incisa*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*; FPN - 162, accepted, in Oregon (explicit); VP - 2:485, accepted, in Oregon (explicit).

***Descurainia richardsonii* (Sweet) O.E. Schulz ssp. *viscosa* (Rydb.) Detling**

FN - 7:523, synonym for *Descurainia incisa* ssp. *incisa*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*; GWM - 171, accepted, in Oregon (explicit); IL - 2:269, accepted, in Oregon (implied); PEK - 366, accepted, in Oregon (explicit).

***Descurainia richardsonii* (Sweet) O.E. Schulz var. *viscosa* (Rydb.) M. Peck**

FN - 7:523, synonym for *Descurainia incisa* ssp. *incisa*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia incisa* ssp. *incisa*; FPN - 162, accepted, in Oregon (implied); VP - 2:485, accepted, in Oregon (implied).

***Descurainia longipedicellata* (E. Fournier) O.E. Schulz**

Common names: Western tansymustard, thread-stalk cutleaf tansymustard

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 2:474, accepted, in Oregon (explicit); JPM2 - 540, accepted, in Oregon (implied).

Synonyms:

***Descurainia incisa* (Engelm.) Britton ssp. *filipes* (A. Gray) Rollins**

FN - 7:524, synonym for *Descurainia longipedicellata* (E. Fournier) O.E. Schulz in H.G.A. Engler, in Oregon (explicit);

FOO - 2:474, synonym for *Descurainia longipedicellata*; JPM - 414, accepted, in Oregon (implied).

***Descurainia incisa* (Engelm.) Britton var. *filipes* (A. Gray) N.H. Holmgren**

FN - 7:824, synonym for *Descurainia longipedicellata* (E. Fournier) O.E. Schulz in H.G.A. Engler, in Oregon (explicit);

FOO - 2:474, synonym for *Descurainia longipedicellata*; IN - 2b:412, accepted, in Oregon (explicit), e. Wash., e. Oregon, Idaho, and Colo..

***Descurainia longipedicellata* (E. Fourn.) O.E. Schulz**

orthographic variant

FN - 7:524, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (implied), .

***Descurainia pinnata* (Walter) Britton ssp. *filipes* (A. Gray) Detling**

FN - 7:524, synonym for *Descurainia longipedicellata* (E. Fournier) O.E. Schulz in H.G. A. Engler, in Oregon (explicit);

FOO - 2:474, synonym for *Descurainia longipedicellata*; IL - 2:270, accepted, in Oregon (explicit); PEK - 366, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton var. *filipes* (A. Gray) M. Peck**

FN - 7:524, synonym for *Descurainia longipedicellata* (E. Fournier) O.E. Schulz in H.G.A. Engler, in Oregon (explicit);

FOO - 2:474, synonym for *Descurainia longipedicellata*; FPN - 162, accepted, in Oregon (implied); VP - 2:483, accepted, in Oregon (implied).

***Descurainia nelsonii* (Rydb.) Al-Shehbaz & Goodson**

Common names: Nelson's tansymustard

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 7:525, accepted, in Oregon (explicit); FOO - 2:474, accepted, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (implied), ; JPM2 - 540, accepted, in Oregon (implied).

Synonyms:

***Descurainia pinnata* (Walter) Britton ssp. *nelsonii* (Rydb.) Detling**

FN - 7:525, synonym for *Descurainia nelsonii*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia nelsonii*; IL -

2:270, accepted, in Oregon (explicit); PEK - 366, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton var. *nelsonii* (Rydb.) M. Peck**

FN - 7:525, synonym for *Descurainia nelsonii*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia nelsonii*;

FPN - 162, accepted, not in Oregon; IN - 2b:414, accepted, in Oregon (explicit); VP - 2:483, accepted, not in Oregon.

***Descurainia paradisica* (A. Nelson & P.B. Kenn.) O.E. Schulz**

Common names: paradise tansymustard, Nevada tansymustard

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:526, accepted, in Oregon (explicit); FOO - 2:474, accepted, in Oregon (explicit); FPN - 162, synonym for *Descurainia pinnata* var. *paradisica*, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (explicit); IL - 2:270, accepted, in Oregon (explicit); JPM - 414, accepted, in Oregon (explicit); JPM2 - 542, accepted, in Oregon (explicit).

Synonyms:

Descurainia paradisica* (A. Nelson & P.B. Kenn.) O.E. Schulz ssp. *paradisica

FN - 7:526, synonym for *Descurainia paradisica*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia paradisica*.

Descurainia paradisica* (A. Nelson & P.B. Kenn.) O.E. Schulz var. *paradisica

FN - 7:526, synonym for *Descurainia paradisica*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia paradisica*; IN - 2b:414, accepted, in Oregon (explicit), se. Oregon, ne. and ec. Calif..

***Descurainia pinnata* (Walter) Britton ssp. *paradisica* (A. Nelson & P.B. Kenn.) Detling**

FN - 7:526, synonym for *Descurainia paradisica*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia paradisica*; PEK - 366, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton var. *paradisica* (A. Nelson & P.B. Kenn.) M. Peck**

FN - 7:526, synonym for *Descurainia paradisica*, in Oregon (explicit); FOO - 2:474, synonym for *Descurainia paradisica*; FPN - 162, accepted, in Oregon (explicit); VP - 2:483, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton ssp. *brachycarpa* (Richardson) Detling**

Common names: short-fruit western tansymustard, intermediate tansymustard, salty tansymustard

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 7:527, accepted, in Oregon (explicit); FOO - 2:475, accepted, in Oregon (explicit); FPN2 - 296, accepted, in Oregon (implied); JPM2 - 542, accepted, in Oregon (implied).

Synonyms:

***Descurainia pinnata* (Walter) Britton var. *brachycarpa* (Richardson) Fern.**

FN - 7:527, synonym for *Descurainia pinnata* ssp. *brachycarpa*, in Oregon (explicit); FOO - 2:475, synonym for *Descurainia pinnata* ssp. *brachycarpa*; FPN - 162, accepted, not in Oregon; VP - 2:483, synonym for *Descurainia pinnata*, not in Oregon.

***Descurainia pinnata* (Walter) Britton var. *halictorum* (Cockerell) M. Peck**

FN - 7:527, excluded, As delimited by L.E. Detling (1939) and R.C. Rollins (1993) ssp. *halictorum* & *menziesii* represent a heterogeneous assemblage of intermediates.....; FOO - 2:475, synonym for *Descurainia pinnata* ssp. *brachycarpa*; FPN - 162, accepted, in Oregon (explicit); VP - 2:483, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton ssp. *intermedia* (Rydb.) Detling**

FN - 7:527, synonym for *Descurainia pinnata* ssp. *brachycarpa*, in Oregon (explicit); FOO - 2:475, synonym for *Descurainia pinnata* ssp. *brachycarpa*; GWM - 170, accepted, in Oregon (explicit); IL - 2:270, accepted, not in Oregon; JPM - 414, accepted, in Oregon (implied).

***Descurainia pinnata* (Walter) Britton var. *intermedia* (Rydb.) C.L. Hitchc.**

FN - 7:527, synonym for *Descurainia pinnata* ssp. *brachycarpa*, in Oregon (explicit); FOO - 2:475, synonym for *Descurainia pinnata* ssp. *brachycarpa*; FPN - 162, accepted, not in Oregon; VP - 2:482, accepted.

Misapplied names:

***Descurainia pinnata* (Walter) Britton ssp. *halictorum* (Cockerell) Detling**

FN - 7:527, excluded, As delimited by L.E. Detling (1939) and R.C. Rollins (1993) ssp. *halictorum* & *menziesii* represent a heterogeneous assemblage of intermediates.....; IL - 2:270, accepted, in Oregon (explicit); JPM - 414, accepted, not in Oregon; PEK - 366, accepted, in Oregon (explicit).

***Descurainia pinnata* (Walter) Britton var. *osmiarum* (Cockerell) Shinnars**

IN - 2b:414, accepted, in Oregon (explicit).

***Descurainia sophia* (L.) Webb ex Prantl**

Common names: flixweed, herb Sophia, flixweed tansymustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2008.

FN - 7:528, accepted, in Oregon (explicit); FOO - 2:475, accepted, in Oregon (explicit); FPN - 161, accepted, in Oregon (implied); FPN2 - 296, accepted, in Oregon (implied); ; IL - 2:268, accepted, in Oregon (explicit); IN - 2b:409, accepted, in Oregon (implied); JPM - 416, accepted, not in Oregon; JPM2 - 542, accepted, in Oregon (implied); PEK - 366, accepted, in Oregon (explicit); VP - 2:485, accepted, in Oregon (implied).

Literature cited for *Descurainia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Diptotaxis

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Diptotaxis muralis* (L.) DC.**

Common names: wallrocket, stinkweed

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1973.

FN - 7:433, accepted, in Oregon (explicit); FOO - 2:476, accepted, not treated, ballast; FPN - 162, accepted, in Oregon (explicit), around Portland, Ore.; FPN2 - 297, accepted, in Oregon (explicit); ; IL - 2:275, accepted, given distribution: occasional adventive, especially in so. California; IN - 2b:231, accepted, in Oregon (implied); JPM - 416, accepted, not in Oregon; JPM2 - 542, accepted, not in Oregon; VP - 2:485, accepted, in Oregon (explicit).

***Diptotaxis tenuifolia* (L.) DC.**

Common names: perennial wallrocket, slimleaf wallrocket

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1970.

FN - 7:433, accepted, in Oregon (explicit); FOO - 2:476, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (implied); ; IL - 2:275, accepted, in Oregon (explicit); JPM - 416, accepted, not in Oregon; JPM2 - 542, accepted, not in Oregon; PEK - 368, accepted, in Oregon (explicit).

Draba

Checklist contributor: Henrietta Chambers, 4/3/2006

Flora contributor: Ihsan Al-Shehbaz

***Draba albertina* Greene**

Common names: slender draba, Alaska whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:288, accepted, in Oregon (explicit); FOO - 2:477, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (implied); ; IN - 2b:328, accepted, in Oregon (explicit); JPM - 417, accepted, in Oregon (implied); JPM2 - 544, accepted, in Oregon (implied); Rollins, 1993A - 387, accepted.

Synonyms:

***Draba stenoloba* Ledeb. var. *nana* (O.E. Schulz) C.L. Hitchc.**

FN - 7:288, synonym for *Draba albertina*, in Oregon (explicit); FOO - 2:477, synonym for *Draba albertina*; FPN - 163, accepted, in Oregon (implied); PEK - 377, accepted, in Oregon (explicit); VP - 2:500, accepted, in Oregon (implied).

***Draba aureola* S. Watson**

Common names: great alpine whitlow-grass, Mt. Lassen draba, golden alpine draba

Origin: native

Voucher: OSU, most recently collected in 1994.

FN - 7:295, accepted, in Oregon (explicit); FOO - 2:478, accepted, in Oregon (explicit); FPN - 165, accepted, in Oregon (implied); FPN2 - 299, accepted, in Oregon (implied); ; IL - 2:298, accepted, in Oregon (explicit); JPM - 418, accepted, in Oregon (implied); JPM2 - 544, accepted, in Oregon (implied); PEK - 375, accepted, in Oregon (explicit); Rollins, 1993A - 394, accepted; VP - 2:490, accepted, in Oregon (implied).

***Draba cana* Rydb.**

Common names: lance-leaved draba, cushion draba, hoary whitlow-grass, canescent draba, Brewer's draba

Origin: native

Voucher: OSU, most recently collected in 1966.

FOO - 2:478, accepted, in Oregon (explicit); FPN2 - 299, accepted, not in Oregon, ; JPM2 - 544, accepted, given distribution: s SNH (e slope, Inyo Co.); n&w US, Can..

***Draba crassifolia* Graham**

Common names: snowbed draba, Rocky Mountain draba, thick-leaved draba

Origin: native

Voucher: BLMB, most recently collected in 2002.

FOO - 2:478, accepted, in Oregon (explicit); FPN - 163, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (explicit), ; IN - 2b:330, accepted, not in Oregon; PEK - 377, accepted, in Oregon (explicit); Rollins, 1993A - 405, accepted; VP - 2:491, accepted, in Oregon (explicit).

***Draba cusickii* B.L. Rob. ex O.E. Schulz**

Common names: Steens Mountain whitlow-grass, Cusick's draba

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:304, accepted, in Oregon (explicit); FOO - 2:479, accepted, in Oregon (explicit); IL - 2:295, accepted, in Oregon (explicit); IN - 2b:312, accepted, in Oregon (explicit).

Synonyms:

Draba cusickii* B.L. Rob. ex O.E. Schulz var. *cusickii

FOO - 2:479, synonym for *Draba cusickii*; Rollins, 1993A - 409, accepted.

***Draba sphaeroides* Payson**

FN - 7:339, accepted, not in Oregon; FOO - 2:479, synonym for *Draba cusickii*; IN - 2b:313, accepted, not in Oregon; VP - 2:499, accepted, not in Oregon.

***Draba sphaeroides* Payson var. *cusickii* (B.L. Rob. ex O.E. Schulz) C.L. Hitchc.**

FN - 7:304, synonym for *Draba cusickii*, in Oregon (explicit); FOO - 2:479, synonym for *Draba cusickii*; PEK - 375, accepted, in Oregon (explicit).

***Draba cyclomorpha* Payson**

Common names: Lemmon's draba, granite draba

Origin: native

Voucher: OSU, most recently collected in 2000.

FN - 7:305, accepted, in Oregon (explicit); FOO - 2:479, accepted, in Oregon (explicit); FPN2 - 301, accepted, in Oregon (explicit), .

Synonyms:

***Draba lemmonii* S. Watson**

FN - 7:316, accepted, not in Oregon; FOO - 2:479, synonym for *Draba cyclomorpha*; FPN - 166, accepted, in Oregon (explicit); IL - 2:295, accepted, not in Oregon; JPM2 - 545, accepted, not in Oregon; VP - 2:494, accepted, in Oregon (explicit).

***Draba lemmonii* S. Watson var. *cyclomorpha* (Payson) O.E. Schulz**

FOO - 2:479, synonym for *Draba cyclomorpha*; FPN - 166, accepted, in Oregon (explicit); GWM - 172, accepted, in Oregon (explicit); IL - 2:295, accepted, in Oregon (explicit); PEK - 376, accepted, in Oregon (explicit); Rollins, 1993A - 429, accepted; VP - 2:495, accepted.

***Draba densifolia* Nutt.**

Common names: Nuttall's draba, denseleaf draba

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:306, accepted, in Oregon (explicit); FOO - 2:479, accepted, in Oregon (explicit); FPN - 166, accepted, in Oregon; FPN2 - 301, accepted, in Oregon (explicit); ; GWM - 172, accepted, in Oregon (explicit); IN - 2b:316, accepted, in Oregon (explicit); JPM - 418, accepted, in Oregon (implied); JPM2 - 545, accepted, in Oregon (implied); PEK - 376, accepted, in Oregon (explicit); Rollins, 1993B - 410, accepted; VP - 2:492, accepted, in Oregon (explicit).

Synonyms:

***Draba caeruleomontana* Payson & H. St. John**

FN - 7:306, synonym for *Draba densifolia*, in Oregon (explicit); FOO - 2:479, synonym for *Draba densifolia*; FPN - 166, synonym for *Draba densifolia*, in Oregon (explicit); IL - 2:297, accepted, in Oregon (explicit).

***Draba nelsonii* J.F. Macbr. & Payson**

FN - 7:306, synonym for *Draba densifolia*, in Oregon (explicit); FOO - 2:479, synonym for *Draba densifolia*; FPN - 166, synonym for *Draba densifolia*, in Oregon (explicit); IL - 2:297, accepted, in Oregon (explicit); PEK - 376, synonym for *Draba densifolia*; Rollins, 1993A - 412, accepted, synonym for *Draba densifolia*.

***Draba sphaerula* J.F. Macbr. & Payson**

FN - 7:306, synonym for *Draba densifolia*, in Oregon (explicit); FOO - 2:479, synonym for *Draba densifolia*; FPN - 166, synonym for *Draba densifolia*, in Oregon (explicit); IL - 2:297, accepted, not in Oregon; Rollins, 1993A - 412, accepted, synonym for *Draba densifolia*..

***Draba howellii* S. Watson**

Common names: Howell's whitlow-grass, rosette draba, Howell's draba

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 7:312, accepted, in Oregon (explicit); FOO - 2:480, accepted, in Oregon (explicit); IL - 2:295, accepted, in Oregon (explicit); JPM - 418, accepted, in Oregon (explicit); JPM2 - 545, accepted, in Oregon (explicit); PEK - 376, accepted, in Oregon (explicit); Rollins, 1993A - 420, accepted.

***Draba incerta* Payson**

Common names: Yellowstone draba

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:313, accepted, not in Oregon; FOO - 2:480, accepted, in Oregon (explicit); FPN - 165, accepted, not in Oregon; FPN2 - 299, accepted, not in Oregon; ; IL - 2:295, accepted, not in Oregon; IN - 2b:322, accepted, not in Oregon; PEK - 376, accepted, in Oregon (explicit); VP - 2:494, accepted, not in Oregon.

Synonyms:

Draba incerta* Payson var. *incerta

FOO - 2:480, synonym for *Draba incerta*; IN - 2b:322, accepted, in Oregon; Rollins, 1993A - 422, accepted.

***Draba lonchocarpa* Rydb.**

Common names: lancepod whitlow-grass, lancefruit draba

Origin: native

Voucher: OSU, most recently collected in 1991.

FN - 7:317, accepted, in Oregon (explicit); FOO - 2:480, accepted, in Oregon (explicit); FPN - 164, accepted, in Oregon (explicit); FPN2 - 300, accepted, in Oregon (explicit); ; GWM - 172, accepted, in Oregon (explicit); IL - 2:294, accepted, not in Oregon; IN - 2b:322, accepted, in Oregon (implied); JPM2 - 545, accepted, in Oregon (implied).

Synonyms:

Draba lonchocarpa* Rydb. var. *lonchocarpa

FOO - 2:480, synonym for *Draba lonchocarpa*; FPN - 164, accepted, in Oregon (implied); IN - 2b:322, accepted; JPM - 418, accepted, in Oregon (implied); Rollins, 1993A - 430, accepted; VP - 2:495, accepted, in Oregon (explicit).

***Draba nivalis* Lilj.**

FN - 7:322, accepted, not in Oregon; FOO - 2:480, synonym for *Draba lonchocarpa*.

***Draba nivalis* Lilj. var. *elongata* S. Watson**

FN - 7:317, synonym for *Draba lonchocarpa*, in Oregon (explicit); FOO - 2:480, synonym for *Draba lonchocarpa*; IL - 2:294, synonym for *Draba lonchocarpa*, not in Oregon; PEK - 377, accepted, in Oregon (explicit).

***Draba nemorosa* L.**

Common names: woodland draba, woodland whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:321, accepted, in Oregon (explicit); FOO - 2:480, accepted, in Oregon (explicit); FPN - 163, accepted, given distribution: in valleys and lower mts of w N Am; FPN2 - 298, accepted, in Oregon (implied), ; GWM - 172, accepted, in Oregon (explicit); IL - 2:294, accepted, in Oregon (explicit); IN - 2b:332, accepted, in Oregon (explicit); JPM - 420, accepted, in Oregon (implied); JPM2 - 545, accepted, not in Oregon; PEK - 378, accepted, in Oregon (explicit); Rollins, 1993A - 434, accepted; VP - 2:495, accepted, in Oregon (implied).

Synonyms:

***Draba nemorosa* L. var. *leiocarpa* Lindblom**

FN - 7:321, synonym for *Draba nemorosa*, in Oregon (explicit); FOO - 2:480, synonym for *Draba nemorosa*; IL - 2:294, accepted, in Oregon (explicit).

Draba nemorosa* L. var. *nemorosa

FN - 7:321, synonym for *Draba nemorosa*, in Oregon (explicit); FOO - 2:480, synonym for *Draba nemorosa*; IL - 2:294, (subtaxon implied), accepted, in Oregon (implied).

***Draba novolympica* Payson & H. St. John**

Common names: Payson's draba, Trelease's whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:323, accepted, in Oregon (explicit); FOO - 2:481, accepted, in Oregon (explicit); FPN2 - 301, accepted, in Oregon (implied), ; IL - 2:297, accepted, not in Oregon; JPM2 - 545, accepted, in Oregon (implied).

Synonyms:

***Draba paysonii* J.F. Macbr.**

FN - 7:327, accepted, not in Oregon; FOO - 2:481, synonym for *Draba novolympica*; FPN - 166, accepted, in Oregon (implied); FPN2 - 302, accepted, not in Oregon, ; IL - 2:295, accepted, not in Oregon; IN - 2b:316, accepted, in Oregon (explicit).

***Draba paysonii* J.F. Macbr. var. *treleasei* (O.E. Schulz) C.L. Hitchc.**

FOO - 2:481, synonym for *Draba novolympica*; JPM - 420, accepted, in Oregon (implied).

***Draba paysonii* J.F. Macbr. var. *treleasii* (O.E. Schulz) C.L. Hitchc.**

orthographic variant

FN - 7:323, synonym for *Draba novolympica*, in Oregon (explicit); FPN - 166, accepted, in Oregon (implied); GWM - 174, accepted, in Oregon (explicit); IN - 2b:316, synonym for *Draba paysonii*, in Oregon (explicit); PEK - 376, accepted, in Oregon (explicit); Rollins, 1993A - 441, accepted; VP - 2:498, accepted, in Oregon (implied).

***Draba oligosperma* Hook.**

Common names: few-seeded whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:324, accepted, in Oregon (explicit); FOO - 2:481, accepted, in Oregon (explicit); FPN - 165, accepted, in Oregon (implied); FPN2 - 300, accepted, in Oregon (explicit), ; GWM - 174, accepted, in Oregon (explicit); IN - 2b:320, accepted, in Oregon (explicit); JPM2 - 545, accepted, in Oregon (implied); PEK - 376, accepted, in Oregon (explicit); Rollins, 1993A - 438, accepted.

Synonyms:

Draba oligosperma* Hook. var. *oligosperma

FOO - 2:481, synonym for *Draba oligosperma*; FPN - 165, accepted, in Oregon (explicit); JPM - 420, accepted, in Oregon (implied); VP - 2:496, accepted, in Oregon.

***Draba praealta* Greene**

Common names: tall draba, tall whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:331, accepted, in Oregon (explicit); FOO - 2:481, accepted, in Oregon (explicit); FPN - 163, accepted, in Oregon (explicit); FPN2 - 297, accepted, in Oregon (implied), ; GWM - 174, accepted, in Oregon (explicit); IN - 2b:328, accepted; JPM - 420, accepted, in Oregon (implied); JPM2 - 545, accepted, in Oregon (implied); PEK - 377, accepted, in Oregon (explicit); Rollins, 1993A - 446, accepted; VP - 2:498, accepted, in Oregon (explicit).

***Draba stenoloba* Ledeb.**

Common names: Alaska draba, Alaska whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:340, accepted, in Oregon (explicit); FOO - 2:482, accepted, in Oregon (explicit); FPN - 163, accepted, in Oregon (implied); FPN2 - 298, accepted, in Oregon (implied); ; GWM - 174, accepted, in Oregon (explicit); IL - 2:294, accepted, in Oregon (implied); VP - 2:499, accepted, in Oregon (implied).

***Draba verna* L.**

Common names: spring whitlow-grass, spring draba

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 7:345, accepted, in Oregon (explicit); FOO - 2:482, accepted, in Oregon (explicit); FPN - 163, accepted, in Oregon (implied); FPN2 - 297, accepted, in Oregon (implied); ; GWM - 174, accepted, in Oregon (explicit); IL - 2:292, accepted, in Oregon (implied); IN - 2b:332, accepted, in Oregon (explicit); JPM - 420, accepted, in Oregon (implied); JPM2 - 546, accepted, in Oregon (implied); Love, 2006 - ; Rollins, 1993A - 462, accepted.

Synonyms:

***Draba verna* L. var. *aestivalis* Lej.**

FN - 7:345, synonym for *Draba verna*, in Oregon (explicit); FOO - 2:482, synonym for *Draba verna*; PEK - 378, accepted, in Oregon (explicit).

***Draba verna* L. var. *boerhaavii* H.C. Hall**

FN - 7:345, synonym for *Draba verna*, in Oregon (explicit); FOO - 2:482, synonym for *Draba verna*; FPN - 163, accepted, in Oregon (implied); VP - 2:500, accepted, in Oregon (implied).

Draba verna* L. var. *verna

FN - 7:345, synonym for *Draba verna*, in Oregon (explicit); FOO - 2:482, synonym for *Draba verna*; FPN - 163, accepted, in Oregon (implied); PEK - 378, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:500, accepted, in Oregon (implied).

Literature cited for *Draba*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Rollins, R.C. 1993B. New taxa and names in the Cruciferae of California. Harvard Papers in Botany 4:43-48.

Eruca

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

***Eruca vesicaria* (L.) Cav.**

FN - 7:434, accepted, in Oregon (explicit); IN - 2b:238, accepted, not in Oregon.

***Eruca vesicaria* (L.) Cav. ssp. *sativa* (Mill.) Thell.**

Common names: garden-rocket, rocket, rocket-salad, arugula

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1936.

FN - 7:434, accepted, in Oregon (explicit); FOO - 2:483, accepted, in Oregon (explicit); FPN2 - 302, accepted, given distribution: uncommon weed in US; very occ throughout our area; ; JPM - 420, accepted, in Oregon (implied); JPM2 - 546, accepted, in Oregon (implied).

Synonyms:

***Eruca sativa* Mill.**

FN - 7:434, synonym for *Eruca vesicaria*, in Oregon (explicit); FOO - 2:483, synonym for *Eruca vesicaria* ssp. *sativa*; FPN - 167, accepted, not in Oregon; IL - 2:271, accepted, given distribution: eastern Wash., central and so. California; VP - 2:502, accepted, not in Oregon.

Literature cited for *Eruca*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Erysimum

Checklist contributor: Richard Halse, 1/1/2004

Flora contributor: Ihsan Al-Shehbaz

Erysimum arenicola S. Watson

Common names: Cascade wallflower, sand-dwelling wallflower

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:536, accepted, in Oregon (explicit); FOO - 2:484, accepted, in Oregon (explicit); FPN - 168, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (explicit), .

Synonyms:

Erysimum arenicola S. Watson var. *torulosum* (Piper) C.L. Hitchc.

FN - 7:536, synonym for *Erysimum arenicola*, in Oregon (explicit); FOO - 2:484, synonym for *Erysimum arenicola*;

FPN - 168, accepted, in Oregon (explicit); VP - 2:503, accepted, in Oregon (explicit).

Erysimum capitatum (Douglas ex Hook.) Greene

FN - 7:537, accepted, bare species; FOO - 2:484, accepted, in Oregon (explicit); FPN - 168, synonym for *Erysimum asperum*, in Oregon; GWM - 175, accepted, in Oregon (explicit); IL - 2:318, accepted, in Oregon (implied); JPM - 421, accepted, not in Oregon; PEK - 386, accepted, in Oregon (explicit).

Erysimum capitatum (Douglas ex Hook.) Greene var. *capitatum*

Common names: western wallflower, prairie rocket, sanddune wallflower

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 7:538, accepted, in Oregon (explicit); FOO - 2:484, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (implied), ; IN - 2b:390, accepted, in Oregon (implied); JPM2 - 548, accepted, in Oregon (implied).

Synonyms:

Erysimum asperum (Nutt.) DC.

FN - 7:537, accepted, not in Oregon; FOO - 2:484, synonym for *Erysimum capitatum* var. *capitatum*; FPN - 168, accepted, in Oregon (explicit); FPN2 - 303, accepted, not in Oregon, ; PEK - 386, accepted, in Oregon (explicit); VP - 2:505, accepted, in Oregon (explicit).

Erysimum capitatum (Douglas ex Hook.) Greene ssp. *capitatum*

FOO - 2:484, synonym for *Erysimum capitatum* var. *capitatum*; JPM - 422, accepted, in Oregon (implied).

Erysimum capitatum (Douglas ex Hook.) Greene var. *purshii* (Durand) Rollins

Common names: Pursh's wallflower

Origin: native

Voucher: CIC, most recently collected in 1976.

FOO - 2:484, accepted, in Oregon (explicit); FPN2 - 303, accepted, not in Oregon, ; JPM2 - 548, accepted, given distribution: SNE; to AK, WY, TX, n Mex..

Erysimum cheiranthoides L.

Common names: wormseed mustard, treacle mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 7:539, accepted, in Oregon (explicit); FOO - 2:485, accepted, in Oregon (explicit); FPN - 167, accepted, in Oregon (implied); FPN2 - 302, accepted, in Oregon (implied), ; IL - 2:315, accepted, given distribution: AK to Newfoundland, s to n Calif, Utah, & N. Carolina; IN - 2b:391, accepted, in Oregon (implied); JPM - 422, accepted, in Oregon (implied); JPM2 - 548, accepted, not in Oregon; PEK - 385, accepted, in Oregon (explicit); VP - 2:505, accepted, in Oregon (implied).

Erysimum concinnum Eastw.

Common names: coast wallflower, curly wallflower, Pacific wallflower

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:540, accepted, in Oregon (explicit); FOO - 2:485, accepted, in Oregon (explicit); JPM2 - 548, accepted, in Oregon (explicit); PEK - 386, accepted, in Oregon (explicit).

Synonyms:

Erysimum menziesii (Hook.) Wettst. ssp. *concinnum* (Eastw.) R.A. Price

FN - 7:540, excluded, See text under *E. concinnum*: "R.A. Price (1993) reduced it (invalidly) to a ssp of *E. menziesii*.";

FOO - 2:485, synonym for *Erysimum concinnum*; JPM - 422, accepted, in Oregon (explicit).

***Erysimum inconspicuum* (S. Watson) MacMill.**

Common names: small-flowered rocket, small wallflower

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:541, accepted, in Oregon (explicit); FOO - 2:485, accepted, in Oregon (explicit); FPN - 167, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (explicit); ; IL - 2:318, accepted, in Oregon (explicit); IN - 2b:390, accepted, in Oregon (explicit); PEK - 385, accepted, in Oregon (explicit); VP - 2:506, accepted, in Oregon (implied).

Synonyms:

Erysimum inconspicuum* (S. Watson) MacMill. var. *inconspicuum

FOO - 2:485, synonym for *Erysimum inconspicuum*.

***Erysimum occidentale* (S. Watson) B.L. Rob.**

Common names: pale wallflower

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:543, accepted, in Oregon (explicit); FOO - 2:486, accepted, in Oregon (explicit); FPN - 167, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (explicit); ; IL - 2:318, accepted, in Oregon (explicit); PEK - 386, accepted, in Oregon (explicit); VP - 2:506, accepted, in Oregon (explicit).

***Erysimum perenne* (S. Watson ex Coville) Abrams**

Common names: Sierra wallflower

Origin: native

Voucher: OSU, most recently collected in 1980.

FN - 7:543, accepted, in Oregon (explicit); FOO - 2:486, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (explicit); ; IL - 2:318, accepted, not in Oregon; IN - 2b:388, synonym for *Erysimum capitatum* var. *capitatum*, Sask. To w. Texas, w. to the Pacific states; JPM2 - 549, accepted, in Oregon (explicit); VP - 2:503, synonym for *Erysimum arenicola* var. *torulosum*, in Oregon, high Sierra Nevada, California; *E. perenne* is used in widely different ways by various authors (cont., see VP2 p. 502).

Synonyms:

***Erysimum capitatum* (Douglas ex Hook.) Greene ssp. *perenne* (S. Watson ex Coville) R.A.**

Price

FOO - 2:486, synonym for *Erysimum perenne*; JPM - 422, accepted, in Oregon (explicit).

***Erysimum capitatum* (Douglas ex Hook.) Greene var. *perenne* (S. Watson ex Coville) R.J.**

Davis

FN - 7:543, synonym for *Erysimum perenne*, in Oregon (explicit); FOO - 2:486, synonym for *Erysimum perenne*.

***Erysimum repandum* L.**

Common names: spreading wallflower, repand wallflower

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2021.

FN - 7:544, accepted, in Oregon (explicit); FOO - 2:486, accepted, in Oregon (explicit); FPN - 167, accepted, in Oregon (explicit); FPN2 - 303, accepted, in Oregon (implied); ; IL - 2:315, accepted, in Oregon (explicit); IN - 2b:392, accepted, in Oregon (implied); JPM - 422, accepted, not in Oregon; JPM2 - 549, accepted, in Oregon (implied); PEK - 385, accepted, in Oregon (explicit); VP - 2:506, accepted, in Oregon (implied).

Euclidium

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Euclidium syriacum* (L.) W.T. Aiton**

Common names: Syrian mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2004.

FN - 7:553, accepted, in Oregon (explicit); FOO - 2:486, accepted, in Oregon (explicit); FPN - 168, accepted, given distribution: estab in much of US as in c Wn and Ida.; FPN2 - 304, accepted, in Oregon (explicit); ; IN - 2b:394, accepted, not in Oregon; JPM - 424, accepted, in Oregon (implied); JPM2 - 549, accepted, in Oregon (implied); VP - 2:506, accepted, not in Oregon.

Guillenia

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

***Guillenia lasiophylla* (Hook. & Arn.) Greene**

Common names: California mustard, Coast Range western cabbage, hairyleaf caulanthus

Origin: native

Voucher: OSU, most recently collected in 1987.

FN - 7:683, synonym for *Caulanthus lasiophyllus*, in Oregon (explicit); FOO - 2:487, accepted, in Oregon (explicit); JPM - 424, accepted, in Oregon (implied).

Synonyms:

***Caulanthus lasiophyllus* (Hook. & Arn.) Payson**

FN - 7:683, accepted, in Oregon (explicit); FOO - 2:487, synonym for *Guillenia lasiophylla*; FPN2 - 295, accepted, in Oregon (explicit); ; IN - 2b:225, accepted, in Oregon (implied); JPM2 - 538, accepted, in Oregon (implied); VP - 2:551, synonym for *Thelypodium lasiophyllum*, in Oregon.

***Thelypodium lasiophyllum* (Hook. & Arn.) Greene**

FN - 7:683, synonym for *Caulanthus lasiophyllus*, in Oregon (explicit); FOO - 2:487, synonym for *Guillenia lasiophylla*; FPN - 179, accepted, in Oregon (explicit); IL - 2:246, accepted, in Oregon (implied); PEK - 358, accepted, in Oregon (explicit); VP - 2:551, accepted, in Oregon (explicit).

Literature cited for *Guillenia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Hesperis

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Hesperis matronalis* L.**

Common names: dame's-rocket, dame's-violet

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FN - 7:562, accepted, in Oregon (explicit); FOO - 2:488, accepted, in Oregon (explicit); FPN - 169, accepted, given distribution: ...European garden fl, sometimes escaping and persisting...; FPN2 - 304, accepted, given distribution: in our area mostly w Cas and in ID; ; IL - 2:321, accepted, in Oregon (explicit); IN - 2b:392, accepted; JPM - 425, accepted, in Oregon (implied); JPM2 - 550, accepted, not in Oregon; PEK - 367, accepted, in Oregon (explicit); VP - 2:511, accepted, in Oregon (implied).

Hirschfeldia

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Hirschfeldia incana* (L.) Lagr.-Foss.**

Common names: Mediterranean mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 7:437, accepted, in Oregon (explicit); FOO - 2:488, accepted, in Oregon (explicit); FPN2 - 304, accepted, in Oregon (implied); ; IN - 2b:241, accepted, in Oregon (explicit); JPM - 425, accepted, given distribution: NCo, SNF, GV, CW, SCo, DMoj; native to Medit; JPM2 - 550, accepted, in Oregon (explicit).

Synonyms:

***Sinapis incana* L.**

FN - 7:437, synonym for *Hirschfeldia incana*, in Oregon (explicit); FOO - 2:488, synonym for *Hirschfeldia incana*; IL - 2:272, accepted, not in Oregon.

Hornungia

Checklist contributor: Richard Halse, 10/3/2005

Flora contributor: Ihsan Al-Shehbaz

***Hornungia procumbens* (L.) Hayek**

Common names: oval purse, prostrate hutchinsia

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:530, accepted, in Oregon (explicit); FOO - 2:489, accepted, in Oregon (explicit); FPN2 - 304, accepted, in Oregon (implied), ; IN - 2b:266, accepted, in Oregon; JPM2 - 550, accepted, in Oregon (implied).

Synonyms:

***Hutchinsia procumbens* (L.) Desv.**

illegitimate name

FN - 7:530, synonym for *Hornungia procumbens*, in Oregon (explicit); FPN - 169, accepted, in Oregon (implied); IL - 2:290, accepted, in Oregon (implied); JPM - 425, accepted, in Oregon (implied); PEK - 374, accepted, in Oregon (explicit); VP - 2:511, accepted, in Oregon (implied).

Literature cited for *Hornungia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Idaho

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Idaho scapigera* (Hook.) A. Nelson & J.F. Macbr.**

Common names: flatpod, scalepod, oldstem idaho

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 7:567, accepted, in Oregon (explicit); FOO - 2:489, accepted, in Oregon (explicit); FPN - 169, accepted, in Oregon; FPN2 - 305, accepted, in Oregon (explicit), ; IL - 2:283, accepted, in Oregon (explicit); IN - 2b:386, accepted, in Oregon (explicit); JPM - 425, accepted, in Oregon (implied); JPM2 - 550, accepted, in Oregon (implied); PEK - 360, accepted, in Oregon (explicit); VP - 2:511, accepted, in Oregon (implied).

Synonyms:

***Platyspermum scapigerum* Hook.**

FN - 7:567, synonym for *Idaho scapigera*, in Oregon (explicit); FOO - 2:489, synonym for *Idaho scapigera*; FPN - 169, synonym for *Idaho scapigera*, in Oregon (implied); IL - 2:283, synonym for *Idaho scapigera*, in Oregon (explicit); PEK - 360, accepted, in Oregon (explicit).

Isatis

Checklist contributor: Richard Halse, 10/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Isatis tinctoria* L.**

Common names: woad, dyer's woad

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:568, accepted, in Oregon (explicit); FOO - 2:490, accepted, in Oregon (explicit); FPN - 169, accepted, given distribution: "...weed ...in much of our area."; FPN2 - 305, accepted, not in Oregon, ; IL - 2:271, accepted, not in Oregon; IN - 2b:272, accepted, not in Oregon; JPM - 425, accepted, not in Oregon; JPM2 - 550, accepted, in Oregon (implied); KZ - 2:402, accepted; VP - 2:512, accepted, in Oregon (implied).

Lepidium

Checklist contributor: Richard Halse, 11/1/2006

Flora contributor: Ihsan Al-Shehbaz

***Lepidium acutidens* (A. Gray) Howell**

Common names: alkali veiny peppergrass

Origin: native

Voucher: OSU, most recently collected in 1889.

FN - 7:575, accepted, in Oregon (explicit); FOO - 2:492, accepted, in Oregon (explicit); FPN2 - 307, accepted, in Oregon (explicit); IL - 2:263, accepted, in Oregon (explicit); JPM2 - 553, accepted, in Oregon (explicit).

Synonyms:

***Lepidium dictyotum* A. Gray var. *acutidens* A. Gray**

FN - 7:575, synonym for *Lepidium acutidens*, in Oregon (explicit); FOO - 2:492, synonym for *Lepidium acutidens*;

FPN - 171, accepted, in Oregon (explicit); IL - 2:263, synonym for *Lepidium acutidens*, in Oregon (explicit); JPM - 428, accepted, in Oregon (implied); PEK - 363, accepted, in Oregon (explicit); VP - 2:516, accepted, in Oregon (implied).

***Lepidium appelianum* Al-Shehbaz**

Common names: globe-podded hoary cress, hairy whitetop

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2014.

FN - 7:576, accepted, in Oregon (explicit); FOO - 2:492, accepted, in Oregon (explicit); FPN2 - 305, accepted, in Oregon (implied); JPM2 - 553, accepted, not in Oregon.

Synonyms:

***Cardaria pubescens* (C.A. Mey.) Jarm.**

FN - 7:576, synonym for *Lepidium appelianum*, in Oregon (explicit); FOO - 2:492, synonym for *Lepidium appelianum*;

FPN - 159, accepted, given distribution: ...less common {than *C. draba*} with us...; IL - 2:630, accepted, in Oregon (implied); IN - 2b:245, accepted, in Oregon (implied); JPM - 410, accepted, not in Oregon; VP - 2:475, accepted, in Oregon (implied).

***Cardaria pubescens* (C.A. Mey.) Jarm. var. *elongata* Rollins**

FN - 7:576, synonym for *Lepidium appelianum*, in Oregon (explicit); FOO - 2:492, synonym for *Lepidium appelianum*;

IL - 2:630, accepted, in Oregon (implied); PEK - 361, accepted, in Oregon (explicit).

***Hymenophyssa pubescens* C.A. Mey.**

FN - 7:576, synonym for *Lepidium appelianum*, in Oregon (explicit); FOO - 2:492, synonym for *Lepidium appelianum*;

IL - 2:258, accepted, in Oregon (explicit).

***Lepidium campestre* (L.) W.T. Aiton**

Common names: field cress, field pepperweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:577, accepted, in Oregon (explicit); FOO - 2:492, accepted, in Oregon (explicit); FPN - 170, accepted, given distribution: "much of US, occ in our area."; FPN2 - 305, accepted, in Oregon (implied); IL - 2:259, accepted, in Oregon (explicit); IN - 2b:248, accepted, in Oregon (implied); JPM - 428, accepted, in Oregon (implied); JPM2 - 553, accepted, in Oregon (implied); PEK - 361, accepted, in Oregon (explicit); VP - 2:513, accepted, in Oregon (implied).

***Lepidium chalepense* L.**

Common names: lens-podded hoary cress, Chalapa hoary cress, lenspod whitetop

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:577, accepted, in Oregon (explicit); FOO - 2:492, accepted, in Oregon (explicit); FPN2 - 305, accepted, in Oregon (implied); JPM2 - 553, accepted, not in Oregon.

Synonyms:

***Cardaria chalepensis* (L.) Hand.-Mazz.**

FN - 7:577, synonym for *Lepidium chalepense* L., in Oregon (explicit); FOO - 2:492, synonym for *Lepidium chalepense*;

FPN - 159, accepted, given distribution: ...with *C. draba* [widespread weed in lowl of much of temp N Am] and intergradient with it...; JPM - 410, accepted, in Oregon (implied).

***Cardaria draba* (L.) Desv. var. *repens* (Schrenk) O.E. Schulz**

FN - 7:577, synonym for *Lepidium chalepense* L., in Oregon (explicit); FOO - 2:492, synonym for *Lepidium chalepense*;

IN - 2b:245, accepted, in Oregon (implied).

***Lepidium davisii* Rollins**

Common names: Davis' peppergrass, Davis' pepperwort

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 7:579, accepted, in Oregon (explicit); FOO - 2:492, accepted, in Oregon (explicit); IN - 2b:262, accepted, in Oregon (explicit).

***Lepidium densiflorum* Schrad.**

Common names: common pepperweed, prairie peppergrass, miner's pepperweed, babyseed pepperweed

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:579, accepted, in Oregon (explicit); FOO - 2:493, accepted, in Oregon (explicit); FPN - 171, accepted, in Oregon (implied); FPN2 - 307, accepted, in Oregon (implied); ; IL - 2:261, accepted, in Oregon (implied); IN - 2b:250, accepted, in Oregon (implied); JPM - 428, accepted, in Oregon (implied); JPM2 - 553, accepted, in Oregon (implied).

Synonyms:

***Lepidium densiflorum* Schrad. var. *bourgeaunum* (Thell.) C.L. Hitchc.**

FN - 7:591, synonym for *Lepidium ramosissimum*, not in Oregon; FOO - 2:493, synonym for *Lepidium densiflorum*;

PEK - 362, accepted, in Oregon (explicit).

Lepidium densiflorum* Schrad. var. *densiflorum

FN - 7:579, synonym for *Lepidium densiflorum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*;

FPN - 171, accepted, given distribution: common from RMS, occ in most w states; IL - 2:261, (subtaxon implied),

accepted, in Oregon (explicit); IN - 2b:251, accepted, in Oregon (implied); JPM - 428, accepted, in Oregon (implied);

VP - 2:514, accepted, in Oregon (implied).

***Lepidium densiflorum* Schrad. var. *elongatum* (Rydb.) Thell.**

FN - 7:579, synonym for *Lepidium densiflorum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*;

FPN - 171, accepted, in Oregon (explicit); JPM - 428, accepted, in Oregon (implied); VP - 2:514, accepted, in Oregon

(explicit).

***Lepidium densiflorum* Schrad. var. *macrocarpum* G.A. Mulligan**

FN - 7:579, synonym for *Lepidium densiflorum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*;

FPN - 171, accepted, in Oregon (implied); JPM - 428, accepted, in Oregon (implied); VP - 2:514, accepted, in Oregon

(implied).

***Lepidium densiflorum* Schrad. var. *pubicarpum* (A. Nelson) Thell.**

FN - 7:579, synonym for *Lepidium densiflorum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*;

FPN - 171, accepted, in Oregon (explicit); GWM - 176, accepted, in Oregon (explicit); IL - 2:261, accepted, in Oregon

(implied); IN - 2b:251, accepted, in Oregon (implied); JPM - 428, accepted, given distribution: KR, CaR, GB, DMtns,

expected elsewhere; to s-c Can, UT; VP - 2:514, accepted, in Oregon (explicit).

***Lepidium densiflorum* Schrad. var. *ramosum* (A. Nelson) Thell.**

FN - 7:579, synonym for *Lepidium densiflorum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*;

IN - 2b:251, accepted, in Oregon (implied); JPM - 428, accepted, not in Oregon.

***Lepidium texanum* Buckley**

FN - 7:592, synonym for *Lepidium ruderales*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium densiflorum*; IL -

2:261, accepted, in Oregon (implied).

***Lepidium dictyotum* A. Gray**

Common names: alkali pepperweed, veiny peppergrass

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:580, accepted, in Oregon (explicit); FOO - 2:493, accepted, in Oregon (explicit); FPN - 170, accepted, in Oregon (implied); FPN2 -

306, accepted, in Oregon (implied); ; IL - 2:262, accepted, in Oregon (implied); IN - 2b:252, accepted, in Oregon (explicit); JPM - 428,

accepted, in Oregon (implied); JPM2 - 553, accepted, in Oregon (implied).

Synonyms:

Lepidium dictyotum* A. Gray var. *dictyotum

FN - 7:580, synonym for *Lepidium dictyotum*, in Oregon (explicit); FOO - 2:493, synonym for *Lepidium dictyotum*;

FPN - 171, accepted, in Oregon (implied); JPM - 428, accepted, in Oregon (implied); PEK - 363, (subtaxon implied),

accepted, in Oregon (explicit); VP - 2:516, accepted, in Oregon (implied).

***Lepidium didymum* L.**

Common names: lesser swinecress, lesser wartcress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:580, accepted, in Oregon (explicit); FOO - 2:494, accepted, in Oregon (explicit); FPN2 - 306, accepted, in Oregon (implied); IL - 2:263, synonym for *Coronopus didymus*, in Oregon (implied); JPM2 - 553, accepted, in Oregon (implied).

Synonyms:

***Coronopus didymus* (L.) Sm.**

FN - 7:580, synonym for *Lepidium didymum*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium didymum*;

FPN - 161, accepted, in Oregon (implied); IL - 2:263, accepted, in Oregon (implied); JPM - 413, accepted, in Oregon (implied); PEK - 364, accepted, in Oregon (explicit); VP - 2:480, accepted, in Oregon (implied).

***Lepidium draba* L.**

Common names: heart-podded hoary cress, hoary pepperwort

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:581, accepted, in Oregon (explicit); FOO - 2:494, accepted, in Oregon (explicit); FPN - 159, synonym for *Cardaria draba*, in Oregon (implied); FPN2 - 305, accepted, given distribution: both sides Cas, and over much of temp N Am; IL - 2:258, accepted, in Oregon (explicit); IN - 2b:244, synonym for *Cardaria draba* var. *draba*, in Oregon (implied); JPM2 - 553, accepted, not in Oregon.

Synonyms:

***Cardaria draba* (L.) Desv.**

FN - 7:581, synonym for *Lepidium draba*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium draba*; FPN - 159, accepted, given distribution: widespread weed in lowl of much of tem N Am; IL - 2:259, synonym for *Lepidium draba*, in Oregon (implied); IN - 2b:244, accepted, in Oregon (implied); JPM - 410, accepted, in Oregon (implied); PEK - 361, accepted, in Oregon (explicit); Rollins, 1993A - ; VP - 2:474, accepted, in Oregon (implied).

Cardaria draba* (L.) Desv. var. *draba

FN - 7:581, synonym for *Lepidium draba*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium draba*; IN - 2b:245, accepted.

Lepidium draba* L. ssp. *draba

FOO - 2:494, synonym for *Lepidium draba*.

***Lepidium graminifolium* L.**

Common names: grassleaf pepperweed

Origin: exotic, not naturalized

Voucher: GH, most recently collected in 1915.

FN - 7:571, excluded, *L. graminifolium* recorded from N. America as ballast introductions. Apparently, hasn't become naturalized and, therefore, not included in FNA.; FOO - 2:490, uncertain; FPN - 170, accepted, in Oregon (explicit), collected on ballast near Portland, Ore - probably not established in our area; FPN2 - 305, accepted, given distribution: was reported as a ballast waif near Portland, OR, but no specimens seen, in genus desc. ; Hitchcock, 1936 - 272, accepted, in Oregon (explicit), Hitchcock notes that he confirmed a specimen at GH, Nelson #503; VP - 2:516, accepted, in Oregon (explicit), reported near Portland on ballast..

***Lepidium heterophyllum* Benth.**

Common names: purple-anther field pepperweed, Smith's pepperwort

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:582, accepted, in Oregon (explicit); FOO - 2:494, accepted, in Oregon (explicit); FPN - 169, accepted, not in Oregon, "not seen from our area"; FPN2 - 305, accepted, in Oregon (implied); Halse, 1993 - , "First record for the United States..." Halse 4132, 4146, 4142 [plus earlier collections from OSU campus]; JPM - 429, accepted, in Oregon (implied); JPM2 - 554, accepted, in Oregon (implied).

***Lepidium latifolium* L.**

Common names: broad-leaved peppergrass, broad-leaved pepperweed, perennial pepperweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:585, accepted, in Oregon (explicit); FOO - 2:494, accepted, in Oregon (explicit); FPN - 170, accepted, given distribution: occ in Ida and Mont, perhaps elsewhere on irrigated land...; FPN2 - 306, accepted, in Oregon (implied); IN - 2b:254, accepted, in Oregon (implied); JPM - 429, accepted, in Oregon (implied); JPM2 - 554, accepted, in Oregon (implied); PEK - 362, accepted, in Oregon (explicit); VP - 2:516, accepted, in Oregon (implied).

***Lepidium montanum* Nutt.**

Common names: mountain pepperweed, mountain pepperwort

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:587, accepted, in Oregon (explicit); FOO - 2:494, accepted, in Oregon (explicit); FPN - 170, accepted, in Oregon (implied); FPN2 - 306, accepted, in Oregon (explicit); ; IL - 2:259, accepted, in Oregon (explicit); JPM - 429, accepted, in Oregon (explicit); JPM2 - 554, accepted, in Oregon (explicit).

Synonyms:

***Lepidium montanum* Nutt. var. *canescens* (Thell.) C.L. Hitchc.**

FN - 7:586, synonym for *Lepidium montanum*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium montanum*; IL - 2:259, accepted, in Oregon (explicit); JPM - 429, accepted, in Oregon (explicit); PEK - 363, accepted, in Oregon (explicit).

Lepidium montanum* Nutt. var. *montanum

FN - 7:586, synonym for *Lepidium montanum*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium montanum*; FPN - 170, accepted, in Oregon (explicit); IL - 2:259, (subtaxon implied), accepted, in Oregon (explicit); IN - 2b:256, accepted, in Oregon (explicit); JPM - 429, accepted, not in Oregon; VP - 2:516, accepted, in Oregon (explicit).

***Lepidium montanum* Nutt. var. *nevadense* Rollins**

FN - 7:586, synonym for *Lepidium montanum*, in Oregon (explicit); FOO - 2:494, synonym for *Lepidium montanum*; IN - 2b:256, accepted, in Oregon (explicit).

***Lepidium nitidum* Nutt.**

Common names: shining pepperweed

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:588, accepted, in Oregon (explicit); FOO - 2:495, accepted, in Oregon (explicit); FPN - 170, accepted, in Oregon (explicit); FPN2 - 306, accepted, in Oregon (explicit); ; IL - 2:262, accepted, in Oregon (implied); JPM - 429, accepted, in Oregon (explicit); JPM2 - 554, accepted, in Oregon (implied); VP - 2:517, accepted, in Oregon (explicit).

Synonyms:

Lepidium nitidum* Nutt. var. *nitidum

FN - 7:588, synonym for *Lepidium nitidum*, in Oregon (explicit); FOO - 2:495, synonym for *Lepidium nitidum*; IL - 2:262, (subtaxon implied), accepted, in Oregon (implied); JPM - 429, accepted, not in Oregon; PEK - 363, (subtaxon implied), accepted, in Oregon (explicit).

***Lepidium nitidum* Nutt. var. *oreganum* (Howell ex Greene) C.L. Hitchc.**

FN - 7:588, synonym for *Lepidium nitidum*, in Oregon (explicit); FOO - 2:495, synonym for *Lepidium nitidum*; JPM - 429, accepted, in Oregon (explicit); PEK - 363, accepted, in Oregon (explicit).

***Lepidium oblongum* Small**

Common names: veiny pepperweed

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 7:588, accepted, not in Oregon; FOO - 2:495, accepted, in Oregon (explicit); FPN2 - 307, accepted, not in Oregon; ; JPM - 429, accepted, not in Oregon; JPM2 - 554, accepted, not in Oregon; PEK - 362, accepted, in Oregon (explicit).

Synonyms:

Lepidium oblongum* Small var. *oblongum

FOO - 2:495, synonym for *Lepidium oblongum*; JPM - 429, accepted, not in Oregon.

***Lepidium perfoliatum* L.**

Common names: clasping pepperweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2021.

FN - 7:590, accepted, in Oregon (explicit); FOO - 2:496, accepted, in Oregon (explicit); FPN - 169, accepted, in Oregon (implied); FPN2 - 305, accepted, in Oregon (implied); ; IL - 2:259, accepted, in Oregon (implied); IN - 2b:248, accepted, in Oregon (implied); JPM - 429, accepted, in Oregon (implied); JPM2 - 556, accepted, in Oregon (implied); PEK - 362, accepted, in Oregon (explicit); VP - 2:517, accepted, in Oregon (implied).

***Lepidium pinnatifidum* Ledeb.**

Common names: featherleaf pepperweed

Origin: exotic, not naturalized

Voucher: SOC, most recently collected in 1957.

***Lepidium rudera*le L.**

Common names: stinking pepperweed, narrow-leaved peppergrass

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1916.

FN - 7:592, accepted, in Oregon (explicit); FOO - 2:490, accepted, not treated, ballast; FPN - 171, accepted, in Oregon (explicit), from near Portland, Ore; FPN2 - 307, accepted, in Oregon (explicit); ; Hitchcock, 1936 - 275, accepted, in Oregon; VP - 2:519, accepted, in Oregon (explicit).

***Lepidium sativum* L.**

Common names: garden cress, pepper cress, garden pepperwort

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1987.

FN - 7:592, accepted, not in Oregon; FOO - 2:496, accepted, in Oregon (explicit); FPN - 170, accepted, in Oregon; FPN2 - 306, accepted, given distribution: salad herb, escaping in our area, ; PEK - 362, accepted, in Oregon (explicit); VP - 2:519, accepted, in Oregon (explicit), occasional in OR.

***Lepidium strictum* (S. Watson) Rattan**

Common names: upright pepperweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:593, accepted, in Oregon (explicit); FOO - 2:496, accepted, in Oregon (explicit); FPN - 170, accepted, in Oregon (explicit), known from Portland, Ore; FPN2 - 306, accepted, in Oregon (explicit); ; IN - 2b:252, accepted, in Oregon (explicit); JPM - 430, accepted, in Oregon (explicit); JPM2 - 556, accepted, in Oregon (explicit); VP - 2:519, accepted, in Oregon (explicit).

Misapplied names:

***Lepidium pubescens* Desv.**

FN - 7:576, synonym for *Lepidium appelianum*, in Oregon (explicit); FPN - 170, synonym for *Lepidium strictum*, in Oregon (explicit), known from Portland, Ore; PEK - 362, accepted, in Oregon (explicit).

***Lepidium virginicum* L.**

FN - 7:595, accepted, bare species, 2 ssp. recognized, one in Oregon.; FPN - 171, accepted, given distribution: widely distributed in N Am; IL - 2:261, accepted, in Oregon (implied); IN - 2b:249, accepted, in Oregon (implied); JPM - 430, accepted, in Oregon (implied).

***Lepidium virginicum* L. ssp. *menziesii* (DC.) Thell.**

Common names: medium pepperweed, Menzies' pepperweed, hairy pepperweed

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 7:595, accepted, in Oregon (explicit); FOO - 2:496, accepted, in Oregon (explicit); FPN2 - 307, accepted, in Oregon (implied); ; JPM2 - 556, accepted, in Oregon (implied).

Synonyms:

***Lepidium menziesii* DC.**

FN - 7:595, synonym for *Lepidium virginicum* ssp. *menziesii*, in Oregon (explicit); FOO - 2:496, synonym for *Lepidium virginicum* ssp. *menziesii*; FPN - 171, synonym for *Lepidium virginicum* var. *menziesii*, in Oregon (implied); IL - 2:261, accepted, in Oregon (explicit).

***Lepidium virginicum* L. var. *medium* (Greene) C.L. Hitchc.**

FN - 7:595, synonym for *Lepidium virginicum* L. ssp. *menziesii* (DC.) Thellung, in Oregon (explicit); FOO - 2:496, synonym for *Lepidium virginicum* ssp. *menziesii*; FPN - 171, accepted, in Oregon (implied); JPM - 430, accepted, in Oregon (implied); PEK - 362, accepted, in Oregon (explicit).

***Lepidium virginicum* L. var. *menziesii* (DC.) C.L. Hitchc.**

FN - 7:595, synonym for *Lepidium virginicum* L. ssp. *menziesii* (DC.) Thellung, in Oregon (explicit); FOO - 2:496, synonym for *Lepidium virginicum* ssp. *menziesii*; FPN - 171, accepted, in Oregon (implied); VP - 2:521, accepted, not in Oregon.

***Lepidium virginicum* L. var. *pubescens* (Greene) Schmitz**

FN - 7:595, synonym for *Lepidium virginicum* L. ssp. *menziesii* (DC.) Thellung, in Oregon (explicit); FOO - 2:496, synonym for *Lepidium virginicum* ssp. *menziesii*; FPN - 171, accepted, in Oregon (explicit); GWM - 176, accepted, in Oregon (explicit); JPM - 430, accepted, not in Oregon; PEK - 363, accepted, in Oregon (explicit); VP - 2:521, accepted, in Oregon (explicit).

Literature cited for *Lepidium*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Halse, R.R. 1993. Noteworthy collections - Oregon. *Madroño* 40(3):184.

Hitchcock, C.L. 1936. The genus *Lepidium* in the United States. *Madroño* 3(7):272.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Lobularia

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Lobularia maritima (L.) Desv.

Common names: sweet alyssum

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2007.

FN - 7:598, accepted, in Oregon (explicit); FOO - 2:497, accepted, in Oregon (explicit); FPN - 173, accepted, no geog. info. given; FPN2 - 307, accepted, in Oregon (implied), ; IN - 2b:276, accepted, given distribution: escaping and persisting in Slt Lake, Utah, and Washington Cos., Utah and probably elsewhere.; JPM - 431, accepted, given distribution: NCo, CCo, SnFrB, SCo; native to Medit, Eur; JPM2 - 556, accepted, not in Oregon; VP - 2:526, accepted, in Oregon (implied).

Lunaria

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Lunaria annua L.

Common names: honesty, satin flower, moonwort, money-plant

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2008.

FN - 7:597, accepted, in Oregon (explicit); FOO - 2:497, accepted, in Oregon (explicit); FPN - 173, accepted, no geog. info. given; FPN2 - 308, accepted, in Oregon (implied), ; IN - 2b:280, accepted, not in Oregon; JPM - 431, accepted, not in Oregon; JPM2 - 557, accepted, not in Oregon; VP - 2:526, accepted, in Oregon (implied).

Matthiola

Checklist contributor: Richard Halse, 4/15/2009

Flora contributor: treatment pending

Matthiola incana (L.) W.T. Aiton

Common names: tenweeks stock

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2008.

FN - 7:254, accepted, not in Oregon, "widely cultivated worldwide"; FPN2 - 278, accepted, given distribution: uncommon garden escape; w Cas, ; IL - 2:321, accepted, not in Oregon; JPM - 432, accepted, not in Oregon; JPM2 - 557, accepted, not in Oregon.

Nasturtium

Checklist contributor: Richard Halse, 11/1/2005

Flora contributor: Ihsan Al-Shehbaz

Nasturtium microphyllum Boenn. ex Rchb.

Common names: one-row yellowcress, watercress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

FN - 7:490, accepted, in Oregon (explicit); FOO - 2:498, accepted, in Oregon (explicit); FPN2 - 308, accepted, given distribution: very occ in shallow water, ditches, and marshy areas, .

Nasturtium officinale W.T. Aiton

Common names: watercress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 7:490, accepted, in Oregon (explicit); FOO - 2:498, accepted, in Oregon (explicit); FPN2 - 308, accepted, given distribution: widespread and common, ; IL - 2:276, synonym for *Rorippa nasturtium-aquaticum*, in Oregon (implied); IN - 2b:346, accepted, in Oregon (implied); JPM2 - 557, accepted, in Oregon (implied).

Synonyms:

***Rorippa nasturtium-aquaticum* (L.) Hayek**

FN - 7:492, synonym for *Nasturtium officinale*, in Oregon (explicit); FOO - 2:498, synonym for *Nasturtium officinale*;

FPN - 175, accepted, in Oregon; IL - 2:276, accepted, in Oregon (implied); JPM - 435, accepted, in Oregon (implied);

PEK - 369, accepted, in Oregon (explicit); VP - 2:537, accepted, in Oregon (implied).

Nasturtium × *sterile* (Airy Shaw) Oefelein

Common names: sterile cress

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1916.

FOO - 2:498, uncertain; FPN2 - 308, accepted, given distribution: infrequent hybrids with no. 2 are *N. xsterilis*, in desc. of *N. microphyllum*; range of no. 1: very occ in shallow waater, ditches, and marchy areas; no 2: widespread and common.

Literature cited for *Nasturtium*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Neslia

Checklist contributor:

Flora contributor: treatment pending

Neslia paniculata (L.) Desv.

Common names: ballmustard

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1912.

FPN2 - 308, accepted, not in Oregon, .

Noccaea

Checklist contributor: Richard Halse, 1/1/2007

Flora contributor: Ihsan Al-Shehbaz

Noccaea fendleri (A. Gray) Holub ssp. *glauc*a (A. Nelson) Al-Shehbaz & M. Koch

Common names: alpine pennycress, rock pennycress

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:602, accepted, in Oregon (explicit); FOO - 2:499, accepted, in Oregon (explicit); FPN2 - 309, accepted, in Oregon (implied), sp.

Range: n WA to CA; IN - 2b:268, synonym for *Noccaea montana*, in Oregon; JPM2 - 557, accepted, in Oregon (implied).

Synonyms:

***Thlaspi alpestre* L.**

FOO - 2:499, synonym for *Noccaea fendleri* ssp. *glauc*a; IL - 2:266, accepted, in Oregon (implied); PEK - 364, accepted, in Oregon (explicit).

***Thlaspi fendleri* A. Gray var. *glaucum* (A. Nelson) C.L. Hitchc.**

FN - 7:602, synonym for *Noccaea fendleri* ssp. *glauc*a, in Oregon (explicit); FOO - 2:499, synonym for *Noccaea fendleri* ssp. *glauc*a; FPN - 180, accepted, in Oregon (implied); VP - 2:556, accepted, in Oregon (implied).

Thlaspi montanum* L. var. *montanum

FN - 7:603, excluded, See discussion under *Noccaea fendleri* ssp. *Glauc*a. "T. *montanum* var *montanum* in the sense of Holmgren and Rollins Strictly a European taxon."; FOO - 2:499, synonym for *Noccaea fendleri* ssp. *glauc*a; JPM - 447, accepted, in Oregon (implied).

***Noccaea fendleri* (A. Gray) Holub ssp. *siskiyouensis* (P.K.Holmgren) Al-Shehbaz & M. Koch**

Common names: Siskiyou pennycress

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 7:603, accepted, in Oregon (explicit); FOO - 2:499, accepted, in Oregon (explicit).

Synonyms:

***Noccaea fendleri* (A. Gray) Holub ssp. *siskiyouense* (P. Holmgren) Al-Shehbaz & M. Koch**

orthographic variant

Literature cited for *Noccaea*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Koch, M. and I. Al-Shehbaz. 2004. Taxonomic and phylogenetic evaluation of the American "Thlaspi" species: Identity and relationship to the Eurasian genus *Noccaea* (Brassicaceae). *Systematic Botany* 29(2):375-384.

Rollins, R.C. 1936. The genus *Arabis* L. in the Pacific Northwest. *Research Studies of the State College of Washington* 4:1-52.

Odontarrhena

Checklist contributor:

Flora contributor: Ihsan Al-Shehbaz

***Odontarrhena muralis* (Waldst. & Kit.) Endl.**

Common names: yellowtuft

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2009.

FOO - 2:500, accepted, in Oregon (explicit).

Synonyms:

***Alyssum murale* Waldst. & Kit.**

FN - 7:250, accepted, in Oregon (explicit); FOO - 2:500, synonym for *Odontarrhena muralis*; FPN2 - 282, accepted, in Oregon (explicit); ; IN - 2b:278, accepted, given distribution: escaping from gardens sporadically in N. America.; in our range in Ogden canyon, Weber Co., Utah..

Phoenicaulis

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Phoenicaulis cheiranthoides* Nutt.**

Common names: daggerpod

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:415, accepted, in Oregon (explicit); FOO - 2:500, accepted, in Oregon (explicit); FPN - 173, accepted, in Oregon (implied); FPN2 - 309, accepted, in Oregon (implied); ; GWM - 177, accepted, in Oregon (explicit); IL - 2:290, accepted, in Oregon (explicit); IN - 2b:396, accepted, in Oregon (explicit); JPM - 432, accepted, in Oregon (implied); JPM2 - 558, accepted, in Oregon (implied); Liston, 2000 - ; PEK - 374, accepted, in Oregon (explicit); VP - 2:528, accepted, in Oregon (implied).

Synonyms:

Phoenicaulis cheiranthoides* Nutt. ssp. *cheiranthoides

FN - 7:415, synonym for *Phoenicaulis cheiranthoides*, in Oregon (explicit); FOO - 2:500, synonym for *Phoenicaulis cheiranthoides*; IL - 2:290, (subtaxon implied), accepted, in Oregon (explicit).

***Phoenicaulis cheiranthoides* Nutt. ssp. *lanuginosa* (S. Watson) Abrams**

FN - 7:415, synonym for *Phoenicaulis cheiranthoides*, in Oregon (implied); FOO - 2:500, synonym for *Phoenicaulis cheiranthoides*; IL - 2:290, accepted, in Oregon (explicit).

Physaria

Checklist contributor: Henrietta Chambers, 10/6/2006

Flora contributor: Ihsan Al-Shehbaz

***Physaria chambersii* Rollins**

Common names: Chambers' bladderpod

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:631, accepted, in Oregon (explicit); FOO - 2:501, accepted, in Oregon (explicit); FPN2 - 310, accepted, in Oregon (explicit); ; IN - 2b:301, accepted, in Oregon (explicit); JPM - 432, accepted, in Oregon (explicit); JPM2 - 558, accepted, in Oregon (explicit); PEK - 373, accepted, in Oregon (explicit).

Physaria douglasii* (S. Watson) O'Kane & Al-Shehbaz ssp. *douglasii

Common names: Columbia bladderpod, Douglas' bladderpod

Origin: native

Voucher: OSU, most recently collected in 1986.

FN - 7:635, accepted, in Oregon (explicit); FOO - 2:502, accepted, in Oregon (explicit); FPN2 - 311, accepted, in Oregon (explicit), sp. Range: sc BC to n OR, e to w ID.

Synonyms:

***Lesquerella douglasii* S. Watson**

FOO - 2:502, synonym for *Physaria douglasii* ssp. *douglasii*; FPN - 172, accepted, in Oregon (explicit); IL - 2:287, accepted, in Oregon (explicit); PEK - 374, accepted, in Oregon (explicit); VP - 2:523, accepted, in Oregon (explicit).

***Physaria geyeri* (Hook.) A. Gray**

FN - 7:638, accepted, in Oregon (explicit); FPN - 174, accepted, not in Oregon; IL - 2:286, accepted, not in Oregon.

Physaria geyeri* (Hook.) A. Gray ssp. *geyeri

Common names: Geyer's twinpod

Origin: native

Voucher: OSU, most recently collected in 1894.

FN - 7:639, accepted, in Oregon (explicit); FOO - 2:502, accepted, in Oregon (explicit); FPN2 - 310, accepted, in Oregon (explicit), sp. Range: far e WA and e OR to ID.

Synonyms:

Physaria geyeri* (Hook.) A. Gray var. *geyeri

FOO - 2:502, synonym for *Physaria geyeri* ssp. *geyeri*; FPN - 174, accepted, not in Oregon; VP - 2:530, accepted, not in Oregon.

***Physaria kingii* (S. Watson) O'Kane & Al-Shehbaz ssp. *cobrensis* (Rollins & E.A. Shaw) O'Kane & Al-Shehbaz**

Common names: Cobre bladderpod

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 7:646, accepted, in Oregon (explicit); FOO - 2:502, accepted, in Oregon (explicit).

Synonyms:

***Physaria cobrensis* (Rollins & E.A. Shaw) N.H. Holmgren**

FN - 7:646, synonym for *Physaria kingii* ssp. *cobrensis*, in Oregon (explicit); FOO - 2:502, synonym for *Physaria kingii* ssp. *cobrensis*; IN - 2b:292, accepted, not in Oregon.

***Physaria kingii* (S. Watson) O'Kane & Al-Shehbaz ssp. *diversifolia* (Greene) O'Kane & Al-Shehbaz**

Common names: Wallowa bladderpod

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:646, accepted, in Oregon (explicit); FOO - 2:503, accepted, in Oregon (explicit); FPN2 - 311, accepted, in Oregon (explicit), .

Synonyms:

***Lesquerella diversifolia* Greene**

FN - 7:646, synonym for *Physaria kingii* ssp. *diversifolia*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria kingii* ssp. *diversifolia*; FPN - 172, synonym for *Lesquerella occidentalis* ssp. *diversifolia*, not in Oregon; IL - 2:287, accepted, in Oregon (explicit).

***Lesquerella kingii* (S. Watson) S. Watson var. *sherwoodii* (M. Peck) C.L. Hitchc.**

FN - 7:646, synonym for *Physaria kingii* ssp. *diversifolia*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria kingii* ssp. *diversifolia*; FPN - 172, accepted, in Oregon (explicit).

***Lesquerella occidentalis* (S. Watson) S. Watson**

in part

FOO - 2:503, ambiguous synonym for *Physaria kingii* ssp. *diversifolia*.

***Lesquerella occidentalis* (S. Watson) S. Watson ssp. *diversifolia* (Greene) Maguire & A.H. Holmgren**

FN - 7:646, synonym for *Physaria kingii* ssp. *diversifolia*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria kingii* ssp. *diversifolia*; GWM - 176, accepted, in Oregon (explicit).

***Lesquerella occidentalis* (S. Watson) S. Watson var. *diversifolia* (Greene) C.L. Hitchc.**

FN - 7:646, synonym for *Physaria kingii* ssp. *diversifolia*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria kingii* ssp. *diversifolia*; FPN - 172, accepted, not in Oregon; VP - 2:526, accepted, not in Oregon.

***Lesquerella sherwoodii* M. Peck**

FN - 7:646, synonym for *Physaria kingii* ssp. *diversifolia*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria kingii* ssp. *diversifolia*; GWM - 176, accepted, in Oregon (explicit); PEK - 373, accepted, in Oregon (explicit).

Physaria occidentalis* (S. Watson) O'Kane & Al-Shehbaz ssp. *occidentalis

Common names: western bladderpod

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 7:654, accepted, in Oregon (explicit); FOO - 2:503, accepted, in Oregon (explicit); FPN2 - 311, accepted, in Oregon (explicit), ; JPM2 - 560, accepted, in Oregon (implied).

Synonyms:

***Lesquerella cusickii* M.E. Jones**

FOO - 2:503, synonym for *Physaria occidentalis* ssp. *occidentalis*; FPN - 172, synonym for *Lesquerella occidentalis* var. *cusickii*, in Oregon (explicit); IL - 2:287, accepted, in Oregon (explicit).

***Lesquerella occidentalis* (S. Watson) S. Watson**

in part

FN - 7:654, synonym for *Physaria occidentalis*, in Oregon (explicit); IL - 2:287, accepted, not in Oregon.

***Lesquerella occidentalis* (S. Watson) S. Watson var. *cusickii* (M.E. Jones) C.L. Hitchc.**

FN - 7:654, synonym for *Physaria occidentalis* ssp. *occidentalis*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria occidentalis* ssp. *occidentalis*; FPN - 172, accepted, in Oregon (explicit); VP - 2:525, accepted, in Oregon (explicit).

Lesquerella occidentalis* (S. Watson) S. Watson ssp. *occidentalis

FN - 7:654, synonym for *Physaria occidentalis*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria occidentalis* ssp. *occidentalis*; JPM - 431, accepted, in Oregon (explicit).

Lesquerella occidentalis* (S. Watson) S. Watson var. *occidentalis

FN - 7:654, synonym for *Physaria occidentalis*, in Oregon (explicit); FOO - 2:503, synonym for *Physaria occidentalis* ssp. *occidentalis*; FPN - 172, accepted, in Oregon (explicit); VP - 2:526, accepted, in Oregon (explicit).

Physaria occidentalis* (S. Watson) O'Kane & Al-Shehbaz var. *occidentalis

FOO - 2:503, synonym for *Physaria occidentalis* ssp. *occidentalis*; IN - 2b:288, accepted for *Physaria occidentalis*, in Oregon (implied).

***Physaria oregona* S. Watson**

Common names: Oregon twinpod

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:655, accepted, in Oregon (explicit); FOO - 2:503, accepted, in Oregon (explicit); FPN2 - 310, accepted, in Oregon (explicit); IL - 2:286, accepted, in Oregon (explicit); VP - 2:532, accepted, in Oregon (explicit).

Synonyms:

***Physaria oregana* S. Watson**

orthographic variant

FPN - 174, accepted, in Oregon (explicit); IL - 2:286, accepted, in Oregon (explicit); PEK - 373, accepted, in Oregon (explicit); VP - 2:532, accepted.

Literature cited for *Physaria*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Al-Shehbaz, I.A. and S.L. O'Kane. 2002. *Lesquerella* is united with *Physaria* (Brassicaceae). *Novon* 12:319-329.

Rollins, R.C. 1993A. *The Cruciferae of Continental North America*. Stanford University Press.

Polyctenium

Checklist contributor: Richard Halse, 1/1/1997

Flora contributor: Ihsan Al-Shehbaz

***Polyctenium fremontii* (S. Watson) Greene**

Common names: desert combleaf, two-grooved combleaf, Washoe combleaf

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 7:416, accepted, in Oregon (explicit); FOO - 2:503, accepted, in Oregon (explicit); FPN - 174, accepted, in Oregon; FPN2 - 312, accepted, in Oregon (explicit); IL - 2:302, synonym for *Smelowskia fremontii*, in Oregon (explicit); IN - 2b:416, accepted, in Oregon (explicit); JPM - 432, accepted, not in Oregon; JPM2 - 560, accepted, in Oregon (explicit); VP - 2:532, accepted, in Oregon (explicit).

Synonyms:

***Polyctenium fremontii* (S. Watson) Greene var. *confertum* Rollins**

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; JPM - 432, accepted, not in Oregon.

Polyctenium fremontii* (S. Watson) Greene var. *fremontii

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; JPM - 432, accepted, not in Oregon.

***Polyctenium williamsiae* Rollins**

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; IN - 2b:417, accepted, in Oregon (explicit).

***Smelowskia fremontii* S. Watson**

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; IL - 2:302, accepted, in Oregon (explicit); IN - 2b:416, synonym for *Polyctenium fremontii* var. *fremontii*; PEK - 379, accepted, in Oregon (explicit).

***Smelowskia fremontii* S. Watson var. *bisulcata* (Greene) O.E. Schulz**

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; IL - 2:302, accepted, in Oregon (explicit); IN - 2b:416, synonym for *Polyctenium fremontii* var. *bisulcatum*, in Oregon.

Smelowskia fremontii* S. Watson var. *fremontii

FN - 7:416, synonym for *Polyctenium fremontii*, in Oregon (explicit); FOO - 2:503, synonym for *Polyctenium fremontii*; IL - 2:302, (subtaxon implied), accepted, in Oregon (explicit).

Raphanus

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Raphanus raphanistrum* L.**

Common names: jointed charlock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 7:439, accepted, in Oregon (explicit); FOO - 2:504, accepted, in Oregon (explicit); FPN - 175, accepted, in Oregon (explicit); FPN2 - 312, accepted, given distribution: chiefly w Cas in our area, ; IL - 2:275, accepted, in Oregon (implied); IN - 2b:242, accepted, in Oregon (implied); JPM - 432, accepted, in Oregon (implied); JPM2 - 560, accepted, in Oregon (implied); PEK - 387, accepted, in Oregon (explicit); VP - 2:533, accepted, in Oregon (explicit).

***Raphanus sativus* L.**

Common names: wild radish, garden radish

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

FN - 7:439, accepted, in Oregon (explicit); FOO - 2:504, accepted, in Oregon (explicit); FPN - 175, accepted, given distribution: waste places in much of our area; FPN2 - 312, accepted, in Oregon (implied), ; IL - 2:275, accepted, in Oregon (implied); IN - 2b:242, accepted, in Oregon (implied); JPM - 434, accepted, in Oregon (implied); JPM2 - 561, accepted, in Oregon (implied); PEK - 387, accepted, in Oregon (explicit); VP - 2:533, accepted, in Oregon (implied).

Rapistrum

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: treatment pending

***Rapistrum rugosum* (L.) All.**

Common names: wild turnip, annual bastard cabbage, turnipweed

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1912.

FN - 7:441, accepted, in Oregon (explicit); FPN2 - 376, accepted, in Oregon (explicit), ; JPM - 434, accepted, in Oregon (explicit); JPM2 - 561, accepted, in Oregon (implied).

Rorippa

Checklist contributor: Richard Halse, 11/5/2005

Flora contributor: Ihsan Al-Shehbaz

***Rorippa austriaca* (Crantz) Besser**

Common names: Austrian yellowcress

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2013.

FOO - 2:505, accepted, in Oregon (explicit); FPN2 - 313, accepted, not in Oregon, ; JPM - 434, accepted, in Oregon (implied); JPM2 - 561, accepted, in Oregon (implied).

***Rorippa columbiae* (B.L. Rob.) Howell**

Common names: Columbia yellowcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:499, accepted, in Oregon (explicit); FOO - 2:505, accepted, in Oregon (explicit); FPN - 175, synonym for *Rorippa calycina* var. *columbiae*, in Oregon (implied); FPN2 - 313, accepted, in Oregon (explicit), ; IL - 2:278, accepted, in Oregon (explicit); IN - 2b:338, accepted, in Oregon (explicit); JPM - 434, accepted, in Oregon (implied); JPM2 - 561, accepted, in Oregon (implied); PEK - 369, accepted, in Oregon (explicit).

Synonyms:

***Rorippa calycina* (Engelm.) Rydb.**

FN - 7:498, accepted, not in Oregon; FOO - 2:505, synonym for *Rorippa columbiae*; FPN - 175, accepted, in Oregon (implied); FPN2 - 313, accepted, in Oregon (explicit), in geuns desc..

***Rorippa calycina* (Engelm.) Rydb. var. *columbiae* (B.L. Rob.) Rollins**

FN - 7:499, synonym for *Rorippa columbiae*, in Oregon (explicit); FOO - 2:505, synonym for *Rorippa columbiae*; FPN - 175, accepted, in Oregon (implied); VP - 2:535, accepted, in Oregon (explicit).

***Rorippa curvipes* Greene**

Common names: bluntleaf yellowcress, common yellowcress

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:499, accepted, in Oregon (explicit); FOO - 2:506, accepted, in Oregon (explicit); FPN2 - 314, accepted, in Oregon (implied), ; JPM - 434, accepted, in Oregon (implied); JPM2 - 561, accepted, in Oregon (implied).

Synonyms:

Rorippa curvipes* Greene var. *curvipes

FN - 7:499, synonym for *Rorippa curvipes*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvipes*; IN - 2b:340, accepted, in Oregon (explicit); JPM - 435, accepted, not in Oregon.

***Rorippa curvipes* Greene var. *truncata* (Jeps.) Rollins**

FN - 7:499, synonym for *Rorippa curvipes*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvipes*; IN - 2b:340, accepted, in Oregon (explicit); JPM - 435, accepted, in Oregon (implied).

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton**

Common names: curvepod yellowcress, western yellowcress

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 7:500, accepted, in Oregon (explicit); FOO - 2:506, accepted, in Oregon (explicit); FPN - 176, accepted, in Oregon (implied); FPN2 - 314, accepted, in Oregon (implied), ; GWM - 177, accepted, in Oregon (explicit); IL - 2:278, accepted, in Oregon (implied); JPM - 435, accepted, in Oregon (implied); JPM2 - 562, accepted, in Oregon (implied); PEK - 370, accepted, in Oregon (explicit).

Synonyms:

Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *curvisiliqua

FN - 7:500, synonym for *Rorippa curvisiliqua*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvisiliqua*; FPN - 176, accepted, in Oregon (implied); VP - 2:536, accepted, no geog. info. given.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *lyrata* (Nutt. ex Torr. & A. Gray) C.L.**

Hitchc.

FN - 7:500, synonym for *Rorippa curvisiliqua*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvisiliqua*; FPN - 176, accepted, in Oregon (implied); VP - 2:536, accepted, in Oregon (implied).

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *occidentalis* (Greene) Stuckey**

FN - 7:500, synonym for *Rorippa curvisiliqua*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvisiliqua*; IN - 2b:340, accepted, not in Oregon.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *orientalis* Stuckey**

FN - 7:500, synonym for *Rorippa curvisiliqua*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvisiliqua*; IN - 2b:339, accepted, in Oregon (explicit); KZ - 1:170, accepted.

***Rorippa curvisiliqua* (Hook.) Bessey ex Britton var. *spatulata* Stuckey**

FN - 7:500, synonym for *Rorippa curvisiliqua*, in Oregon (explicit); FOO - 2:506, synonym for *Rorippa curvisiliqua*; IN - 2b:340, accepted, in Oregon (explicit); KZ - 1:170, accepted.

***Rorippa indica* (L.) Hiern**

Common names: variableleaf yellowcress

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1902.

FN - 7:501, accepted, in Oregon (explicit); FOO - 2:505, uncertain; FPN2 - 313, accepted, in Oregon (explicit), in genus desc. .

***Rorippa palustris* (L.) Besser ssp. *hispida* (Desv.) Jonsell**

Common names: hairy marsh yellowcress

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 7:502, accepted, in Oregon (explicit); FOO - 2:507, accepted, in Oregon (explicit); FPN2 - 313, accepted, given distribution: less common in our area the subsp. *Palustris*, ; IN - 2b:343, accepted, in Oregon (implied); JPM2 - 562, accepted, in Oregon (implied).

Synonyms:

***Rorippa islandica* (Oeder) Borbás var. *hispida* (Desv.) Butters & Abbe**

FN - 7:502, synonym for *Rorippa palustris* ssp. *hispida*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *hispida*; FPN - 176, accepted, given distribution: occ in much of N Am, but not common; PEK - 369, accepted, in Oregon (explicit); VP - 2:537, accepted, not in Oregon.

***Rorippa palustris* (L.) Besser var. *hispida* (Desv.) Rydb.**

FN - 7:502, synonym for *Rorippa palustris* ssp. *hispida*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *hispida*; IL - 2:278, synonym for *Rorippa hispida* (Desv.) Britt., in Oregon (implied); JPM - 435, accepted, in Oregon (implied).

Rorippa palustris* (L.) Besser ssp. *palustris

Common names: western bog yellowcress, smooth marsh yellowcress

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:502, accepted, in Oregon (explicit); FOO - 2:507, accepted, in Oregon (explicit); FPN2 - 313, accepted, given distribution: range of sp., sp. Range: circumboreal, common in much of N Am. ; JPM2 - 562, accepted, in Oregon (implied).

Synonyms:

***Rorippa islandica* (Oeder) Borbás var. *fernaldiana* Butters & Abbe**

FN - 7:502, synonym for *Rorippa palustris* (L.) Besser ssp. *palustris*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *palustris*; PEK - 369, accepted, in Oregon (explicit).

***Rorippa islandica* (Oeder) Borbás var. *glabrata* (Lunell) Butters & Abbe**

FN - 7:502, synonym for *Rorippa palustris* (L.) Besser ssp. *palustris*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *palustris*; FPN - 176, accepted, given distribution: common in most of US and s Can; VP - 2:537, accepted, in Oregon (implied).

***Rorippa palustris* (L.) Besser var. *glabra* (O.E. Schulz) Roy L. Taylor & MacBryde**

FN - 7:502, synonym for *Rorippa palustris* (L.) Besser ssp. *palustris*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *palustris*; IN - 2b:344, accepted, in Oregon (implied).

***Rorippa palustris* (L.) Besser ssp. *occidentalis* (S. Watson) Abrams**

FN - 7:502, synonym for *Rorippa palustris* (L.) Besser ssp. *palustris*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *palustris*; IL - 2:278, accepted, in Oregon (implied).

***Rorippa palustris* (L.) Besser var. *occidentalis* (S. Watson) Rollins**

FN - 7:502, synonym for *Rorippa palustris* (L.) Besser ssp. *palustris*, in Oregon (explicit); FOO - 2:507, synonym for *Rorippa palustris* ssp. *palustris*; IN - 2b:344, accepted, in Oregon (explicit); JPM - 435, accepted, not in Oregon.

***Rorippa sinuata* (Nutt.) Hitchc.**

Common names: spreading yellowcress, western yellowcress

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 7:504, accepted, in Oregon (explicit); FOO - 2:507, accepted, in Oregon (explicit); FPN - 175, accepted, in Oregon (implied); FPN2 - 313, accepted, in Oregon (implied), ; IL - 2:276, accepted, in Oregon (explicit); IN - 2b:338, accepted, in Oregon (explicit); JPM - 435, accepted, in Oregon (implied); JPM2 - 562, accepted, in Oregon (implied); PEK - 369, accepted, in Oregon (explicit); VP - 2:539, accepted, in Oregon (implied).

***Rorippa sylvestris* (L.) Besser**

Common names: creeping yellowcress, shore yellowcress

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 7:505, accepted, in Oregon (explicit); FOO - 2:507, accepted, in Oregon (explicit); FPN - 175, accepted, in Oregon (explicit); FPN2 - 313, accepted, in Oregon (explicit), ; IN - 2b:344, accepted, not in Oregon; PEK - 369, accepted, in Oregon (explicit); VP - 2:539, accepted, in Oregon (explicit).

***Rorippa tenerrima* Greene**

Common names: Modoc yellowcress, low yellowcress

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:505, accepted, in Oregon (explicit); FOO - 2:507, accepted, in Oregon (explicit); FPN2 - 313, accepted, in Oregon (implied), ; IN - 2b:338, accepted, in Oregon (explicit); JPM - 435, accepted, in Oregon (implied); JPM2 - 562, accepted, in Oregon (implied).

Literature cited for *Rorippa*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Sinapis

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Sinapis arvensis* L.**

Common names: charlock, wild mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2005.

FN - 7:443, accepted, in Oregon (explicit); FOO - 2:508, accepted, in Oregon (explicit); FPN - 156, synonym for *Brassica kaber*, no geog. info. given, ...often escaped in waste places...; FPN2 - 314, accepted, in Oregon (implied), ; IL - 2:271, accepted, in Oregon (implied); IN - 2b:237, accepted, in Oregon (implied); JPM - 436, accepted, in Oregon (implied); JPM2 - 564, accepted, in Oregon (implied).

Synonyms:

***Brassica kaber* (DC.) L.C. Wheeler**

FN - 7:443, synonym for *Sinapis arvensis*, in Oregon (explicit); FOO - 2:508, synonym for *Sinapis arvensis*; FPN - 156, accepted, no geog. info. given; IL - 2:271, synonym for *Sinapis arvensis*, in Oregon (implied); VP - 2:462, accepted, in Oregon (implied).

***Brassica kaber* (DC.) L.C. Wheeler var. *pinnatifida* (Stokes) L.C. Wheeler**

FOO - 2:508, synonym for *Sinapis arvensis*; PEK - 367, accepted, in Oregon (explicit).

Sisymbrium

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Sisymbrium altissimum* L.**

Common names: tumble mustard, Jim Hill mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:668, accepted, in Oregon (explicit); FOO - 2:509, accepted, in Oregon (explicit); FPN - 176, accepted, no geog. info. given, mostly in waste places; FPN2 - 315, accepted, in Oregon (implied), ; GWM - 178, accepted, in Oregon (explicit); IL - 2:267, accepted, in Oregon (explicit); IN - 2b:402, accepted, in Oregon (implied); JPM - 436, accepted, in Oregon (implied); JPM2 - 564, accepted, in Oregon (implied); PEK - 365, accepted, in Oregon (explicit); VP - 2:541, accepted, in Oregon (implied).

***Sisymbrium irio* L.**

Common names: London rocket

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2006.

FOO - 2:509, accepted, in Oregon (explicit); JPM2 - accepted.

***Sisymbrium linifolium* (Nutt.) Nutt.**

Common names: flax-leaved plains mustard, lava cress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:668, accepted, in Oregon (explicit); FOO - 2:509, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (implied), ; IL - 2:246, synonym for *Schoenocrambe linifolia*, in Oregon (explicit).

Synonyms:

***Schoenocrambe linearifolia* (Nutt.) Greene**

orthographic variant

FN - 7:690, synonym for *Hesperidanthus linearifolius* (A. Gray) Rydberg, not in Oregon; FPN - 176, accepted; IL - 2:246, accepted; KZ - 1:171, accepted; PEK - 358, accepted, in Oregon (explicit); VP - 2:539, accepted.

***Schoenocrambe linifolia* (Nutt.) Greene**

FN - 7:668, synonym for *Sisymbrium linifolium*, in Oregon (explicit); FOO - 2:509, synonym for *Sisymbrium linifolium*; FPN - 176, accepted, given distribution: ... BC to Nev, e of Cas, e to Mont...; IL - 2:246, accepted, in Oregon (explicit); IN - 2b:216, accepted, in Oregon (explicit); VP - 2:539, accepted, not in Oregon.

***Sisymbrium loeselii* L.**

Common names: Loesel's tumblemustard, small tumbleweed mustard, tall hedge mustard

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2002.

FN - 7:669, accepted, in Oregon (explicit); FOO - 2:509, accepted, in Oregon (explicit); FPN - 176, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (explicit), ; IN - 2b:400, accepted, not in Oregon; JPM - 438, accepted, in Oregon (implied); JPM2 - 564, accepted, in Oregon (implied); VP - 2:541, accepted, in Oregon (explicit).

***Sisymbrium officinale* (L.) Scop.**

Common names: hedge mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2005.

FN - 7:670, accepted, in Oregon (explicit); FOO - 2:510, accepted, in Oregon (explicit); FPN - 176, accepted, in Oregon (implied); FPN2 - 314, accepted, in Oregon (implied), ; IL - 2:266, accepted, in Oregon (implied); IN - 2b:402, accepted; JPM - 438, accepted, in Oregon (implied); JPM2 - 565, accepted, in Oregon (implied); VP - 2:542, accepted, in Oregon (implied).

Synonyms:

***Sisymbrium officinale* (L.) Scop. var. *leiocarpum* DC.**

FN - 7:670, synonym for *Sisymbrium officinale*, in Oregon (explicit); FOO - 2:510, synonym for *Sisymbrium officinale*; PEK - 364, accepted, in Oregon (explicit).

Sisymbrium officinale* (L.) Scop. var. *officinale

FN - 7:670, synonym for *Sisymbrium officinale*, in Oregon (explicit); FOO - 2:510, synonym for *Sisymbrium officinale*; PEK - 364, (subtaxon implied), accepted, in Oregon (explicit).

***Sisymbrium orientale* L.**

Common names: Indian hedge mustard

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1911.

FN - 7:670, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (implied), ; IL - 2:267, accepted, not in Oregon; JPM - 438, accepted, not in Oregon; JPM2 - 565, accepted, in Oregon (implied).

Smelowskia

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

***Smelowskia americana* Rydb.**

Common names: alpine smelowskia, Siberian smelowskia

Origin: native

Voucher: OSU, most recently collected in 1992.

FN - 7:672, accepted, in Oregon (explicit); FOO - 2:510, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (explicit); IN - 2b:415, synonym for *Smelowskia calycina*.

Synonyms:

***Smelowskia calycina* (Stephan ex Willd.) C.A. Mey.**

FOO - 2:510, synonym for *Smelowskia americana*; FPN - 177, accepted, given distribution: from BC to Alta, s to Cas and OM, Wn, and in Rm to Colo; FPN2 - 315, synonym for *Smelowskia americana*, given distribution: , in parenthesis in *S. americana* desc.; IL - 2:302, accepted, in Oregon (explicit); IN - 2b:415, accepted, in Oregon; PEK - 379, accepted, in Oregon (explicit); VP - 2:542, accepted, not in Oregon, "our material... is referable to var. *americana*...".

***Smelowskia calycina* (Stephan ex Willd.) C.A. Mey. var. *americana* (Regel & Herder) W.H.**

Drury & Rollins

FN - 7:672, synonym for *Smelowskia americana*, in Oregon (explicit); FOO - 2:510, synonym for *Smelowskia americana*; FPN - 177, accepted, given distribution: from BC to Alta, s to as and OM, Wn, and in RM to Colo; GWM - 178, accepted, in Oregon (explicit); IN - 2b:416, accepted, in Oregon, *Smelowskia calycina* is represented in the western U.S. by var. *americana*; e. Oregon; KZ - 1:172, accepted; VP - 2:543, accepted, in Oregon, "our material is referable to var. *americana*...".

***Smelowskia ovalis* M.E. Jones**

Common names: short-fruited smelowskia, alpine false candytuft

Origin: native

Voucher: OSU, most recently collected in 1977.

FN - 7:674, accepted, in Oregon (explicit); FOO - 2:510, accepted, in Oregon (explicit); FPN - 177, accepted, in Oregon (implied); FPN2 - 315, accepted, in Oregon (implied); IL - 2:302, accepted, in Oregon (explicit); JPM2 - 565, accepted, in Oregon (implied); PEK - 379, accepted, in Oregon (explicit); VP - 2:543, accepted, in Oregon (explicit), "our plant ... is referable to the var. *ovalis*".

Synonyms:

***Smelowskia ovalis* M.E. Jones var. *congesta* Rollins**

FN - 7:674, synonym for *Smelowskia ovalis*, in Oregon (explicit); FOO - 2:510, synonym for *Smelowskia ovalis*; JPM - 438, accepted, not in Oregon.

Smelowskia ovalis* M.E. Jones var. *ovalis

FN - 7:674, synonym for *Smelowskia ovalis*, in Oregon (explicit); FOO - 2:510, synonym for *Smelowskia ovalis*; VP - 2:543, accepted, in Oregon, "our plant ... is referable to the var. *ovalis*".

Literature cited for *Smelowskia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Stanleya

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Stanleya confertiflora* (B.L. Rob.) Howell**

Common names: biennial stanleya

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 7:696, accepted, in Oregon (explicit); FOO - 2:511, accepted, in Oregon (explicit); FPN - 177, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (explicit); IL - 2:240, accepted, in Oregon (explicit); IN - 2b:196, accepted, in Oregon (explicit); PEK - 356, accepted, in Oregon (explicit); VP - 2:545, accepted, in Oregon (explicit).

***Stanleya pinnata* (Pursh) Britton**

FN - 7:697, accepted, in Oregon (explicit); FPN - 177, accepted, in Oregon (explicit); IL - 2:240, accepted, not in Oregon; JPM - 438, accepted, not in Oregon; PEK - 355, accepted, in Oregon (explicit); VP - 2:545, accepted, in Oregon (explicit).

Stanleya pinnata* (Pursh) Britton var. *pinnata

Common names: prince's plume, bush stanleya

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:697, accepted, in Oregon (explicit); FOO - 2:512, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (explicit); ; IN - 2b:191, accepted, in Oregon; JPM - 438, accepted, not in Oregon; JPM2 - 565, accepted, in Oregon (explicit); VP - 2:545, accepted, in Oregon.

***Stanleya viridiflora* Nutt.**

Common names: perennial stanleya

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:698, accepted, in Oregon (explicit); FOO - 2:512, accepted, in Oregon (explicit); FPN - 177, accepted, in Oregon (explicit); FPN2 - 315, accepted, in Oregon (explicit); ; IL - 2:240, accepted, in Oregon (explicit); IN - 2b:195, accepted, in Oregon (explicit); JPM - 438, accepted, not in Oregon; JPM2 - 565, accepted, not in Oregon; PEK - 355, accepted, in Oregon (explicit); VP - 2:547, accepted, in Oregon (explicit).

Streptanthella

Checklist contributor: Richard Halse, 10/4/2004

Flora contributor: Ihsan Al-Shehbaz

***Streptanthella longirostris* (S. Watson) Rydb.**

Common names: beaked streptanthella, fiddle mustard

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:700, accepted, in Oregon (explicit); FOO - 2:512, accepted, in Oregon (explicit); FPN - 177, accepted, in Oregon (implied); FPN2 - 316, accepted, in Oregon (implied); ; IL - 2:253, accepted, in Oregon (explicit); JPM - 439, accepted, in Oregon (implied); JPM2 - 566, accepted, in Oregon (implied); PEK - 360, accepted, in Oregon (explicit); VP - 2:547, accepted, in Oregon (implied).

Streptanthus

Checklist contributor: Richard Halse, 12/1/2006

Flora contributor: Ihsan Al-Shehbaz

***Streptanthus cordatus* Nutt.**

FN - 7:708, accepted, in Oregon (explicit); FPN - 178, accepted, in Oregon (explicit); IL - 2:247, accepted, in Oregon (explicit); JPM - 442, accepted, in Oregon (explicit); PEK - 359, accepted, in Oregon (explicit).

Streptanthus cordatus* Nutt. ssp. *cordatus

Common names: heartleaf twistflower

Origin: native

Voucher: OSU, most recently collected in 1976.

FOO - 2:513, accepted, in Oregon (explicit).

Synonyms:

Streptanthus cordatus* Nutt. var. *cordatus

FN - 7:709, accepted, in Oregon (explicit); FOO - 2:513, synonym for *Streptanthus cordatus* ssp. *cordatus*; FPN2 - 316, accepted, in Oregon (explicit); ; IN - 2b:226, accepted, in Oregon (explicit); JPM - 442, accepted, in Oregon (explicit); JPM2 - 569, accepted, in Oregon (explicit).

***Streptanthus glandulosus* Hook. ssp. *josephinensis* Al-Shehbaz & M.S. Mayer**

Common names: Josephine jewelflower

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:713, accepted, in Oregon (explicit); FOO - 2:513, accepted, in Oregon (explicit).

Synonyms:

Streptanthus glandulosus* Hook. ssp. *glandulosus

FN - 7:713, accepted, not in Oregon; FOO - 2:513, synonym for *Streptanthus glandulosus* ssp. *josephinensis*; IL - 2:249, (subtaxon implied), accepted, not in Oregon; JPM - 443, accepted, not in Oregon; JPM2 - 570, accepted, not in Oregon; Rollins, 1993A - accepted.

***Streptanthus glandulosus* Hook. ssp. *secundus* (Greene) Kruckeb.**

FN - 7:714, accepted, not in Oregon; FOO - 2:513, synonym for *Streptanthus glandulosus* ssp. *josephinensis*; JPM - 443, accepted, given distribution: s NCoRO, sw NCoRI, nw SnFrB; sw OR?; JPM2 - 570, accepted, not in Oregon.

***Streptanthus howellii* S. Watson**

Common names: Howell's jewelflower, Howell's streptanthus

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:716, accepted, in Oregon (explicit); FOO - 2:514, accepted, in Oregon (explicit); IL - 2:248, accepted, in Oregon (explicit); JPM - 443, accepted, in Oregon (explicit); JPM2 - 572, accepted, in Oregon (explicit); PEK - 359, accepted, in Oregon (explicit).

***Streptanthus tortuosus* Kellogg**

Common names: mountain jewelflower, shield plant

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:722, accepted, in Oregon (explicit); FOO - 2:514, accepted, in Oregon (explicit); IL - 2:248, accepted, not in Oregon; IN - 2b:228, accepted, in Oregon (explicit); JPM - 443, accepted, in Oregon (explicit); JPM2 - 573, accepted, in Oregon (explicit).

Synonyms:

***Streptanthus tortuosus* Kellogg var. *orbiculatus* (Greene) H.M. Hall**

FN - 7:722, synonym for *Streptanthus tortuosus*, in Oregon (explicit); FOO - 2:514, synonym for *Streptanthus tortuosus*; IL - 2:248, accepted, in Oregon (explicit); JPM - 444, accepted, in Oregon (explicit); PEK - 358, accepted, in Oregon (explicit).

Streptanthus tortuosus* Kellogg ssp. *tortuosus

Streptanthus tortuosus* Kellogg var. *tortuosus

FN - 7:722, synonym for *Streptanthus tortuosus*, in Oregon (explicit); FOO - 2:514, synonym for *Streptanthus tortuosus*; IL - 2:248, (subtaxon implied), accepted, not in Oregon; JPM - 444, accepted, not in Oregon.

Literature cited for *Streptanthus*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Al-Shehbaz, I.A. and M.S. Mayer. 2008. New or noteworthy *Streptanthus* (Brassicaceae) for the Flora of North America. *Novon* 18(3):279-282.

Rollins, R.C. 1993A. *The Cruciferae of Continental North America*. Stanford University Press.

Strigosella

Checklist contributor: , 8/4/2010

Flora contributor: Ihsan Al-Shehbaz

Strigosella africana (L.) Botsch.

Common names: African mustard

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2004.

FN - 7:554, accepted, in Oregon (explicit); FOO - 2:515, accepted, in Oregon (explicit); FPN2 - 316, accepted, in Oregon (explicit); JPM2 - 573, accepted, not in Oregon.

Synonyms:

***Malcolmia africana* R. Br.**

FN - 7:554, synonym for *Strigosella africana* (L.) Botschantzev, in Oregon (explicit); FOO - 2:515, synonym for *Strigosella africana*; FPN - 173, accepted, not in Oregon, well estab in GB area; now in Ida; IN - 2b:394, accepted, in Oregon (implied); JPM - 431, accepted, not in Oregon; PEK - 365, accepted, in Oregon (explicit); VP - 2:528, accepted, in Oregon (implied).

Subularia

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

Subularia aquatica L.

FN - 7:509, accepted, not in Oregon, one subspecies in flora, ssp. *americana*; FPN - 178, accepted, in Oregon (implied); IL - 2:257, accepted, in Oregon (implied); IN - 2b:274, accepted, not in Oregon; PEK - 360, accepted, in Oregon (explicit); VP - 2:547, accepted, in Oregon (implied).

Subularia aquatica L. ssp. *americana* G.A. Mulligan & Calder

Common names: American water-awwort, awwort

Origin: native

FN - 7:309, accepted, not in Oregon; FOO - 2:515, accepted, in Oregon (explicit); FPN2 - 316, accepted, not in Oregon; IN - 2b:274, synonym for *Subularia aquatica*, in Oregon (implied); JPM2 - 573, accepted, in Oregon (implied).

Synonyms:

***Subularia aquatica* L. var. *americana* (G.A. Mulligan & Calder) B. Boivin**

FN - 7:509, synonym for *Subularia aquatica* ssp. *americana*, not in Oregon; FOO - 2:515, synonym for *Subularia aquatica* ssp. *americana*; JPM - 444, accepted, in Oregon (implied).

Literature cited for Subularia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Teesdalia

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

Teesdalia nudicaulis (L.) W.T. Aiton

Common names: shepherd's cress, teesdalia

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:565, accepted, in Oregon (explicit); FOO - 2:516, accepted, in Oregon (explicit); FPN - 178, accepted, in Oregon (explicit); FPN2 - 316, accepted, in Oregon (implied); PEK - 360, accepted, in Oregon (explicit); VP - 2:548, accepted, in Oregon (explicit).

Thelypodium

Checklist contributor: Richard Halse, 10/4/2005

Flora contributor: Ihsan Al-Shehbaz

Thelypodium brachycarpum Torr.

Common names: short-podded thelypodium, shortpod thelypod

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 7:730, accepted, in Oregon (explicit); FOO - 2:517, accepted, in Oregon (explicit); IL - 2:243, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (explicit); JPM2 - 574, accepted, in Oregon (explicit); PEK - 357, accepted, in Oregon (explicit).

***Thelypodium eucosmum* B.L. Rob.**

Common names: arrowleaf thelypody

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 7:731, accepted, in Oregon (explicit); FOO - 2:517, accepted, in Oregon (explicit); FPN - 179, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit); ; IL - 2:243, accepted, in Oregon (explicit); PEK - 358, accepted, in Oregon (explicit); VP - 2:549, accepted, in Oregon (explicit).

***Thelypodium flexuosum* B.L. Rob.**

Common names: spreading thelypodium, zigzag thelypody, nodding thelypody

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:731, accepted, in Oregon (explicit); FOO - 2:517, accepted, in Oregon (explicit); FPN - 178, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit); ; IL - 2:244, accepted, in Oregon (explicit); IN - 2b:206, accepted, in Oregon (explicit); JPM - 446, accepted, not in Oregon; JPM2 - 574, accepted, in Oregon (explicit); PEK - 356, accepted, in Oregon (explicit).

***Thelypodium howellii* S. Watson**

FN - 7:732, accepted, in Oregon (explicit); FOO - 2:517, accepted, in Oregon (explicit); FPN - 179, accepted, in Oregon (explicit); IL - 2:243, accepted, in Oregon (explicit); VP - 2:549, accepted, in Oregon (explicit).

Thelypodium howellii* S. Watson ssp. *howellii

Common names: Howell's thelypody

Origin: native

Voucher: OSU, most recently collected in 1969.

FN - 7:732, accepted, in Oregon (explicit); FOO - 2:517, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit), ne OR to CA and reportedly from e WA; IN - 2b:204, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (implied); JPM2 - 574, accepted, in Oregon (implied).

Synonyms:

Thelypodium howellii* S. Watson var. *howellii

FN - 7:732, synonym for *Thelypodium howellii* ssp. *howellii*, in Oregon (explicit); FOO - 2:517, synonym for *Thelypodium howellii* ssp. *howellii*; PEK - 357, (subtaxon implied), accepted, in Oregon (explicit).

***Thelypodium howellii* S. Watson ssp. *spectabilis* (M. Peck) Al-Shehbaz**

Common names: spectacular thelypody

Origin: native

Voucher: OSU, most recently collected in 1990.

FN - 7:732, accepted, in Oregon (explicit); FOO - 2:518, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit); .

Synonyms:

***Thelypodium howellii* S. Watson var. *spectabilis* M. Peck**

FN - 7:732, matched with var. *spectabilis* (minor spelling difference), synonym for *Thelypodium howellii* ssp. *spectabilis*, in Oregon (explicit); FOO - 2:518, synonym for *Thelypodium howellii* ssp. *spectabilis*; IN - 2b:204, accepted, in Oregon (explicit); PEK - 357, accepted, in Oregon (explicit).

***Thelypodium integrifolium* (Nutt.) Endl.**

FN - 7:732, accepted, in Oregon (explicit); FOO - 2:518, accepted, in Oregon (explicit); FPN - 179, accepted, in Oregon (explicit); IL - 2:245, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (implied); PEK - 357, accepted, in Oregon (explicit); VP - 2:549, accepted, in Oregon (explicit).

***Thelypodium integrifolium* (Nutt.) Endl. ssp. *complanatum* Al-Shehbaz**

Common names: entire-leaved thelypody

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 7:734, accepted, in Oregon (explicit); FOO - 2:518, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit); ; IN - 2b:202, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (explicit); JPM2 - 574, accepted, in Oregon (explicit).

Thelypodium integrifolium* (Nutt.) Endl. ssp. *integrifolium

Common names: entire-leaved thelypody

Origin: native

Voucher: OSU, most recently collected in 1935.

FN - 7:733, accepted, in Oregon (explicit); FOO - 2:518, accepted, in Oregon (explicit); FPN2 - 317, accepted, in Oregon (explicit); ; IN - 2b:202, accepted, in Oregon (explicit).

***Thelypodium laciniatum* (Hook.) Endl.**

Common names: cutleaf thelypody, western thelypodium, thick-leaved thelypody

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 7:734, accepted, in Oregon (explicit); FOO - 2:519, accepted, in Oregon (explicit); FPN - 179, accepted, in Oregon (implied); FPN2 - 318, accepted, in Oregon (implied), ; IL - 2:244, accepted, in Oregon (explicit); IN - 2b:198, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (implied); JPM2 - 574, accepted, in Oregon (implied).

Synonyms:

Thelypodium laciniatum* (Hook.) Endl. var. *laciniatum

FOO - 2:519, synonym for *Thelypodium laciniatum*; FPN - 179, accepted, in Oregon (implied); PEK - 357, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:551, accepted, in Oregon (implied).

***Thelypodium laciniatum* (Hook.) Endl. var. *streptanthoides* (Leiberg) Payson**

FN - 7:734, synonym for *Thelypodium laciniatum*, in Oregon (explicit); FOO - 2:519, synonym for *Thelypodium laciniatum*; FPN - 179, accepted, in Oregon (explicit); VP - 2:551, accepted, in Oregon (explicit).

***Thelypodium milleflorum* A. Nelson**

Common names: many-flowered thelypody

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:735, accepted, in Oregon (explicit); FOO - 2:519, accepted, in Oregon (explicit); FPN - 179, synonym for *Thelypodium laciniatum* var. *milleflorum*, given distribution: c Wn, chiefly along CR, to Nev and Ida; FPN2 - 318, accepted, in Oregon (implied), ; IN - 2b:200, accepted, in Oregon (explicit); JPM - 446, accepted, in Oregon (implied); JPM2 - 574, accepted, in Oregon (implied).

Synonyms:

***Thelypodium laciniatum* (Hook.) Endl. var. *milleflorum* (A. Nelson) Payson**

FN - 7:735, synonym for *Thelypodium milleflorum*, in Oregon (explicit); FOO - 2:519, synonym for *Thelypodium milleflorum*; FPN - 179, accepted, given distribution: c Wn, chiefly along CR, to Nev and Ida; PEK - 357, accepted, in Oregon (explicit); VP - 2:551, accepted, not in Oregon.

Literature cited for *Thelypodium*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Thlaspi

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Thlaspi arvense* L.**

Common names: fanweed, field pennycress, pennycress, stinkweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:746, accepted, in Oregon (explicit); FOO - 2:519, accepted, in Oregon (explicit); FPN - 179, accepted, given distribution: common in N Am; FPN2 - 318, accepted, in Oregon (implied), ; GWM - 178, accepted, in Oregon (explicit); IL - 2:266, accepted, in Oregon (implied); IN - 2b:268, accepted, in Oregon (implied); JPM - 447, accepted, in Oregon (implied); JPM2 - 576, accepted, in Oregon (implied); PEK - 364, accepted, in Oregon (explicit); VP - 2:554, accepted, in Oregon (implied).

Thysanocarpus

Checklist contributor: Richard Halse, 1/28/1996

Flora contributor: Ihsan Al-Shehbaz

***Thysanocarpus curvipes* Hook.**

Common names: sand fringe-pod, lace-pod

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 7:740, accepted, in Oregon (explicit); FOO - 2:520, accepted, in Oregon (explicit); FPN - 180, accepted, in Oregon (implied); FPN2 - 318, accepted, in Oregon (explicit); ; IL - 2:299, accepted, in Oregon (implied); IN - 2b:274, accepted, in Oregon (explicit); JPM - 447, accepted, in Oregon (implied); JPM2 - 576, accepted, in Oregon (implied); VP - 2:557, accepted, in Oregon (implied).

Synonyms:

Thysanocarpus curvipes* Hook. var. *curvipes

FN - 7:740, synonym for *Thysanocarpus curvipes*, in Oregon (explicit); FOO - 2:520, synonym for *Thysanocarpus curvipes*; IL - 2:299, (subtaxon implied), accepted, in Oregon (implied); PEK - 388, (subtaxon implied), accepted, in Oregon (explicit).

***Thysanocarpus curvipes* Hook. var. *elegans* (Fisch. & C.A. Mey.) B.L. Rob.**

FN - 7:740, synonym for *Thysanocarpus curvipes*, in Oregon (explicit); FOO - 2:520, synonym for *Thysanocarpus curvipes*; IL - 2:299, accepted, not in Oregon; PEK - 388, accepted, in Oregon (explicit).

***Thysanocarpus radians* Benth.**

Common names: ribbed fringe-pod, large fringe-pod

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 7:741, accepted, in Oregon (explicit); FOO - 2:520, accepted, in Oregon (explicit); IL - 2:299, accepted, in Oregon (explicit); JPM - 447, accepted, in Oregon (explicit); JPM2 - 576, accepted, in Oregon (explicit); PEK - 389, accepted, in Oregon (explicit).

Tomostima

Checklist contributor:

Flora contributor: Ihsan Al-Shehbaz

***Tomostima platycarpa* (Torr. & A. Gray) Al-Shehbaz, M. Koch & Jordon-Thaden**

Common names: flat-podded whitlow-grass

Origin: native

Voucher: WS, most recently collected in 1980.

FOO - 2:521, accepted, in Oregon (explicit).

Synonyms:

***Draba cuneifolia* Nutt.**

FN - 7:303, accepted, not in Oregon; FOO - 2:521, synonym for *Tomostima platycarpa*; FPN - 163, accepted, in Oregon (implied); JPM - 418, accepted, in Oregon (implied); JPM2 - 545, accepted, in Oregon (implied); VP - 2:492, accepted, in Oregon (explicit).

***Draba cuneifolia* Nutt. var. *platycarpa* (Torr. & A. Gray) S. Watson**

FN - 7:330, synonym for *Draba platycarpa*, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima platycarpa*; FPN - 163, accepted, in Oregon (explicit); PEK - 378, accepted, in Oregon (explicit).

***Draba platycarpa* Torr. & A. Gray**

FN - 7:330, accepted, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima platycarpa*; FPN2 - 297, accepted, in Oregon (explicit); ; IL - 2:294, accepted, in Oregon (explicit); Rollins, 1993A - 444, accepted, in Oregon.

***Tomostima reptans* (Lam.) Al-Shehbaz, M. Koch & Jordon-Thaden**

Common names: Carolina whitlow-grass

Origin: native

Voucher: OSU, most recently collected in 1980.

FOO - 2:521, accepted, in Oregon (explicit).

Synonyms:

***Draba reptans* (Lam.) Fernald**

FN - 7:333, accepted, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima reptans*; FPN - 163, accepted, given distribution: in much of US; Carolina w; FPN2 - 298, accepted, in Oregon (implied); ; IL - 2:292, accepted, in Oregon (explicit); IN - 2b:330, accepted; JPM - 420, accepted, given distribution: n SNH (Emigrant Gap, n Placer Co.), n DMtns (w Panamint Mtns); US, s-c Can; JPM2 - 546, accepted, in Oregon (implied); PEK - 378, accepted, in Oregon (explicit); Rollins, 1993A - 449, accepted.

***Draba reptans* (Lam.) Fernald var. *micrantha* (Nutt.) Fernald**

FN - 7:333, synonym for *Draba reptans*, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima reptans*; IL - 2:294, accepted, in Oregon (implied).

Draba reptans* (Lam.) Fernald var. *reptans

FN - 7:333, synonym for *Draba reptans*, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima reptans*; FPN - 163, accepted, given distribution: sporadic in our area; IL - 2:292, (subtaxon implied), accepted, in Oregon (explicit); PEK - 378, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:499, accepted, in Oregon.

***Draba reptans* (Lam.) Fernald var. *stellifera* (O.E. Schulz) C.L. Hitchc.**

FN - 7:333, synonym for *Draba reptans*, in Oregon (explicit); FOO - 2:521, synonym for *Tomostima reptans*; FPN - 163, accepted, in Oregon (implied); PEK - 378, accepted, in Oregon (explicit); VP - 2:499, accepted, in Oregon (implied).

Literature cited for *Tomostima*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Turritis

Checklist contributor: Richard Halse, 10/5/2005

Flora contributor: Ihsan Al-Shehbaz

***Turritis glabra* L.**

Common names: tower mustard, tower rockcress

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:458, accepted, in Oregon (explicit); FOO - 2:521, accepted, in Oregon (explicit); FPN2 - 318, accepted, in Oregon (implied); ; IL - 2:302, accepted, given distribution: BC to Quebec, southern California and Pennsylvania; IN - 2b:352, accepted, in Oregon; JPM2 - 577, accepted, in Oregon (implied).

Synonyms:

***Arabis glabra* (L.) Bernh.**

FN - 7:458, synonym for *Turritis glabra*, in Oregon (explicit); FOO - 2:521, synonym for *Turritis glabra*; FPN - 152, accepted, in Oregon (implied); GWM - 165, accepted, in Oregon (explicit); IL - 2:302, synonym for *Turritis glabra*, in Oregon (implied); JPM - 400, accepted, in Oregon (implied); PEK - 380, accepted, in Oregon (explicit); VP - 2:446, accepted, in Oregon (implied).

Arabis glabra* (L.) Bernh. var. *glabra

FOO - 2:521, synonym for *Turritis glabra*; JPM - 400, accepted, in Oregon (implied).

Literature cited for *Turritis*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rollins, R.C. 1993A. The Cruciferae of Continental North America. Stanford University Press.

Excluded names:

***Arabis beckwithii* S. Watson**

FN - 7:399, synonym for *Boechera puberula*, in Oregon (explicit); IL - 2:311, accepted, in Oregon (explicit).

***Arabis nuttallii* B.L. Rob.**

FN - 7:263, accepted, not in Oregon; FPN - 153, accepted, not in Oregon; FPN2 - 284, accepted, not in Oregon, ; GWM - 168, accepted, in Oregon (explicit); IL - 2:305, accepted, not in Oregon; IN - 2b:354, accepted, not in Oregon; PEK - 381, accepted, in Oregon (explicit); Rollins, 1936 - accepted, in Oregon; VP - 2:453, accepted, not in Oregon.

***Boechera microphylla* (Nutt.) Dorn var. *macounii* (S. Watson) Dorn**

FN - 7:390, synonym for *Boechera macounii* (S. Watson) Windham & Al-Shehbaz, not in Oregon, Mentioned in text under *Boechera microphylla*.; IN - 2b:372, accepted, in Oregon (explicit), through e. Wash, e. Oregon, Idaho...

***Boechera polyantha* (Greene) Al-Shehbaz**

FN - 7:398, accepted, in Oregon (explicit); FPN2 - 286, accepted, in Oregon (explicit), .

***Caulanthus glaucus* S. Watson**

FN - 7:682, accepted, not in Oregon; IL - 2:257, accepted, in Oregon (explicit); IN - 2b:220, accepted, not in Oregon; JPM - 411, accepted, not in Oregon; JPM2 - 538, accepted, not in Oregon.

Synonyms:

***Streptanthus glaucus* (S. Watson) Jeps.**

FN - 7:682, synonym for *Caulanthus glaucus*, not in Oregon; IL - 2:257, synonym for *Caulanthus glaucus*, in Oregon (explicit); IN - 2b:220, synonym for *Caulanthus glaucus*, not in Oregon; PEK - 359, accepted, in Oregon (explicit).

***Draba lanceolata* Royle**

FN - 7:299, excluded, not in Oregon, See discussion under *Draba cana*. Referenced as "the Himalayan *D. lanceolata*....."; FPN - 164, accepted, not in Oregon; GWM - 172, accepted, in Oregon (explicit); VP - 2:494, accepted, not in Oregon.

***Erucastrum gallicum* (Willd.) O.E. Schulz**

FN - 7:435, accepted, in Oregon (explicit); FPN - 167, accepted, given distribution: "... and prob in Ore."; FPN2 - 302, accepted, given distribution: mostly in e part of our area; widespread in N Am, ; IL - 2:274, accepted, not in Oregon; IN - 2b:241, accepted, not in Oregon; JPM - 421, accepted, not in Oregon; JPM2 - 546, accepted, in Oregon (implied); VP - 2:502, accepted, in Oregon (explicit), "probably is to be found in Ore.".

***Erysimum menziesii* (Hook.) Wettst.**

JPM2 - 548, accepted, in Oregon (explicit).

***Halimolobos virgata* (Nutt.) O.E. Schulz**

FN - 7:457, synonym for *Transberingia bursifolia* (de Candolle) Al-Shehbaz & O'Kane ssp. *virgata* (Nuttall) Al-Shehbaz & O'Kane, not in Oregon; GWM - 175, accepted, in Oregon (explicit); JPM - 424, accepted, in Oregon (implied); VP - 2:509, accepted, not in Oregon.

***Lepidium bipinnatifidum* auct. non Desv.**

IL - 2:262, accepted, in Oregon (explicit).

***Lepidium ramosissimum* A. Nelson**

FN - 7:591, accepted, not in Oregon; FPN - 171, accepted, given distribution: Alta to Man, s through Mont & e Ida to NM, occ intro farther w; FPN2 - 307, accepted, given distribution: reaching our area in sw MT and e ID, widespread elsewhere in N Am, ; JPM2 - 556, accepted, in Oregon (implied); VP - 2:517, accepted, given distribution: Ont. and Man. to Alta., and through Mont. and e. Ida. to N.M., occasional as an introduction further west..

***Lepidium ramosissimum* A. Nelson var. *bourgeauanum* (Thell.) Rollins**

FN - 7:591, synonym for *Lepidium ramosissimum*, not in Oregon; IN - 2b:251, accepted, in Oregon (implied); JPM - 430, accepted, in Oregon (implied).

Lepidium virginicum L. var. virginicum

FPN - 171, accepted, given distribution: ...only occ in our area...; JPM - 430, accepted, not in Oregon; VP - 2:521, accepted, in Oregon (implied).

Synonyms:

Lepidium virginicum L. ssp. virginicum

FPN2 - 307, accepted, given distribution: common in N Am, very occ in our area, ; JPM2 - 556, accepted, given distribution: SNH, TR, PR, GB, D; N.Am; introduced elsewhere..

Physaria cordiformis Rollins

JPM2 - 558, accepted, in Oregon (explicit).

Physaria didymocarpa (Hook.) A. Gray var. didymocarpa

FPN - 174, accepted, not in Oregon; IL - 2:286, accepted, in Oregon (explicit); VP - 2:530, accepted, not in Oregon.

Synonyms:

Physaria didymocarpa (Hook.) A. Gray

FN - 7:633, accepted, not in Oregon; FPN - 174, accepted, not in Oregon; IL - 2:286, accepted, in Oregon (explicit).

Physaria kingii (S. Watson) O'Kane & Al-Shehbaz ssp. kingii

FN - 7:646, accepted, in Oregon (explicit); JPM2 - 558, accepted, in Oregon (explicit).

Physaria ludoviciana (Nutt.) O'Kane & Al-Shehbaz

FPN2 - 309, accepted, given distribution: found e and s of us, in genus desc. ; JPM2 - 560, accepted, in Oregon (explicit).

Rorippa armoracia (L.) Hitchc.

FN - 7:459, synonym for *Armoracia rusticana*, in Oregon (explicit); FPN - 175, accepted, given distribution: widely cultivated; IL - 2:279, accepted, in Oregon (explicit).

Rorippa dubia (Persoon) H. Hara

FN - 7:500, accepted, in Oregon (explicit); FPN2 - 313, accepted, in Oregon (explicit), in genus desc. .

Rorippa islandica (Oeder) Borbás var. islandica

FN - 7:494, excluded, not in Oregon, Last collected from western Greenland in 1925. Not treated in FNA, Vol. 7.; FPN - 175, accepted, given distribution: mostly n of our agea, but occ, perhaps where intro; VP - 2:536, accepted, in Oregon (implied).

Rorippa obtusa (Nutt.) Britton

FN - 7:505, accepted, not in Oregon; FPN - 176, accepted, in Oregon (implied); GWM - 177, accepted, in Oregon (explicit); IL - 2:278, accepted, in Oregon (implied); PEK - 369, accepted, in Oregon (explicit); VP - 2:537, accepted, in Oregon (implied).

Synonyms:

Rorippa obtusa (Nutt.) Britton var. obtusa

FN - 7:505, synonym for *Rorippa teres*, not in Oregon; VP - 2:537, accepted, in Oregon.

Sinapis alba L.

FN - 7:442, accepted, in Oregon (explicit); FPN2 - 314, accepted, given distribution: European intro, often cult, rarely escaped, ; IL - 2:271, accepted, not in Oregon; IN - 2b:238, accepted, in Oregon (implied); JPM - 436, accepted, not in Oregon; JPM2 - 564, accepted, in Oregon (implied); VP - 2:460, synonym for *Brassica hirta*, given distribution: B.C. to Calif., B.C. to Calif..

Synonyms:

Brassica hirta Moench

FN - 7:442, synonym for *Sinapis alba*, in Oregon (explicit); FPN - 156, accepted, no geog. info. given; IL - 2:271, synonym for *Sinapis alba*, not in Oregon; KZ - 2:274, accepted; VP - 2:460, accepted, in Oregon (implied).

Thelypodium sagittatum (Nutt. ex Torr. & A. Gray) Endl.

FN - 7:736, accepted, not in Oregon; FPN - 179, accepted, in Oregon (implied); IL - 2:243, accepted, not in Oregon; PEK - 357, accepted, in Oregon (explicit); VP - 2:553, accepted, in Oregon (implied).

Literature cited for Brassicaceae

- Al-Shehbaz, I.A. 1984. The tribes of Cruciferae (Brassicaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 65:343-373.
- Al-Shehbaz, I.A. 2007. *Cardamine holmgrenii* (Brassicaceae), a new species from the Blue Mountains, Oregon. *Harvard Papers in Botany* 11(2):275.
- Al-Shehbaz, I.A. and M.D. Windham. 2007. *Boechera*, draft treatment. In: *Flora of North America North of Mexico, Volume 7. Flora of North America Editorial Committee*, Eds. Oxford University Press, Inc., New York, NY.
- Al-Shehbaz, I.A. and M.S. Mayer. 2008. New or noteworthy *Streptanthus* (Brassicaceae) for the Flora of North America. *Novon* 18(3):279-282.
- Al-Shehbaz, I.A. and S.L. O'Kane. 2002. *Lesquerella* is united with *Physaria* (Brassicaceae). *Novon* 12:319-329.
- Detling, L.E. 1936. The genus *Dentaria* in the Pacific states. *American Journal of Botany* 23:570-576.
- Detling, L.E. 1937. The Pacific Coast species of *Cardamine*. *American Journal of Botany* 24:70-76.
- Dorn, R.D. 2003. A new species of *Boechera* (Brassicaceae) from Utah and Colorado. *Brittonia* 55(1):1-3.
- Douglas, G.W., D.V. Meidinger, and J. Pojar, Eds. 2002. *Illustrated Flora of British Columbia. Volume 8: General Summary, Maps and Keys*. B.C. Ministry of Sustainable Resource Management and B.C. Ministry of Forests, Victoria, BC, Canada.
- Douglas, G.W., G.B. Straley, D. Meidinger, and J. Pojar, Eds. 1998. *Illustrated Flora of British Columbia. Volume 2. Dicotyledons (Balsaminaceae through Cuscutaceae)*. B.C. Ministry of Environment, Lands & Parks and B.C. Ministry of Forests, Victoria, BC, Canada.
- Fernald, M.L. 1950. *Gray's Manual of Botany*. 8th ed. American Book Company.
- Halse, R.R. 1993. Noteworthy collections - Oregon. *Madroño* 40(3):184.
- Hitchcock, C.L. 1936. The genus *Lepidium* in the United States. *Madroño* 3(7):272.
- Koch, M. and I. Al-Shehbaz. 2004. Taxonomic and phylogenetic evaluation of the American "*Thlaspi*" species: Identity and relationship to the Eurasian genus *Nocca* (Brassicaceae). *Systematic Botany* 29(2):375-384.
- Mansfield, D. 2000. *Flora of Steens Mountain*. Oregon State University Press, Corvallis, OR.
- Nakamura, G., and J.K. Nelson, Eds. 2001. *Illustrated Field Guide to Selected Rare Plants of Northern California*. University of California Division of Agriculture and Natural Resources Publ. 3395, Oakland.
- Peck, M. 1936. Six new plants from Oregon. *Proceedings of the Biological Society of Washington* 1949:109-112.
- Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.
- Post, A.R., R. Ali, A. Krings, J. Xiang, B.R. Sosinski, and J.C. Neal. 2011. On the identity of the weedy bittercresses (Cardamine: Brassicaceae) in United States nurseries: Evidence from molecules and morphology. *Weed Science* 59(1):123-135.
- Rollins, R.C. 1936. The genus *Arabis* L. in the Pacific Northwest. *Research Studies of the State College of Washington* 4:1-52.
- Rollins, R.C. 1993A. *The Cruciferae of Continental North America*. Stanford University Press.
- Rollins, R.C. 1993B. New taxa and names in the Cruciferae of California. *Harvard Papers in Botany* 4:43-48.
- Schulz, O.E. 1903. Monographie der gattung *Cardamine*. *Botanisches Jahrbuch für Systematik, Pflanzengeschichte und Pflanzengeographie* 32:280-623.
- Stace, C. 1997. *New flora of the British Isles*. 2nd edition. Cambridge University Press.
- Stafleu, F.A. and R.S. Cowan. 1986. *Taxonomic Literature. A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types. Volume 6: Sti-Vuy*. 2nd edition. Bohn, Scheltema & Holkema, Utrecht, Netherlands.
- Windham, M.D. and I.A. Al-Shehbaz. 2006. New and noteworthy species of *Boechera* (Brassicaceae) I: sexual diploids. *Harvard Papers in Botany* 11(1):61-88.
- Windham, M.D. and I.A. Al-Shehbaz. 2007A. New and noteworthy species of *Boechera* (Brassicaceae) II: apomictic hybrids. *Harvard Papers in Botany* 11(2):257-274.
- Windham, M.D. and I.A. Al-Shehbaz. 2007B. New and noteworthy species of *Boechera* (Brassicaceae) III: additional sexual diploids and apomictic hybrids. *Harvard Papers in Botany* 12(1):235-257.
- Zika, P.F. 2003A. *A Crater Lake National Park Vascular Plant Checklist*. Crater Lake Natural History Association, Crater Lake, OR.

Abbreviations Used

FN = Flora of North America

FPN = Flora of the Pacific Northwest

FOO = Flora of Oregon

GWM = Guide to the plants of the
Wallowa Mountains of northeastern

IL = An Illustrated Flora of the Pacific States

IN = Intermountain Flora

IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = <http://plants.usda.gov>

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference

a+ = authority in the reference matches checklist

a± = authority abbreviation in the reference differs

sa = authority at the specific level in the reference

ssa = authority at the subspecific level in the reference