

Checklist of Oregon Polygonaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Bistorta

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora contributor: Kenton Chambers

Bistorta bistortoides (Pursh) Small

Common names: western bistort, smokeweed, American bistort

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:596, accepted, FNA common name: Western bistort; American bistort; FPN2 - 324, accepted, in Oregon (implied); ; IL - 2:62, synonym for *Polygonum bistortoides*, in Oregon (implied); IN - 2a:250, accepted, in Oregon (explicit); JPM2 - 1077, accepted, in Oregon (implied).

Synonyms:

Polygonum bistortoides Pursh

FN - 5:596, synonym for *Bistorta bistortoides*, in Oregon, FNA common name: Western bistort; American bistort; FPN - 86, accepted, in Oregon (implied); GWM - 125, accepted, in Oregon (explicit); IL - 2:62, accepted, in Oregon (implied); JPM - 888, accepted, in Oregon (implied); PEK - 265, accepted, in Oregon (explicit); VP - 2:148, accepted, in Oregon (implied).

Bistorta vivipara (L.) Delarbre

Common names: viviparous bistort, serpent-grass, alpine bistort

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:595, accepted, FNA common name: alpine bistort; FPN2 - 324, accepted, in Oregon (explicit); ; IL - 2:61, synonym for *Polygonum viviparum*, in Oregon (explicit); IN - 2a:250, accepted, in Oregon (explicit).

Synonyms:

Polygonum viviparum L.

FN - 5:595, synonym for *Bistorta vivipara*, in Oregon, FNA common name: alpine bistort; FPN - 86, accepted, in Oregon (explicit); Gale, 1944 - 128, accepted; GWM - 128, accepted, in Oregon (explicit); IL - 2:61, accepted, in Oregon (explicit); PEK - 265, accepted, in Oregon (explicit); VP - 2:167, accepted, in Oregon (explicit).

Literature cited for Bistorta

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gale, S. 1944. Rhynchospora, section Eurhynchospora, in Canada, the United States and the West Indies. *Rhodora* 46:89-134, 159-197, 207-249, 255-278.

Chorizanthe

Checklist contributor: James Reveal, 1/1/2006

Flora contributor: James Reveal

Chorizanthe brevicornu Torr.

FN - 5:469, accepted, in Oregon, FNA common name: Great Basin brittle spineflower; FPN - 79, accepted, in Oregon (explicit); IL - 2:5, accepted, not in Oregon; IN - 2a:384, accepted, in Oregon (explicit); JPM - 858, accepted, in Oregon (explicit); VP - 2:103, accepted, in Oregon (explicit).

***Chorizanthe brevicornu* Torr. var. *spathulata* (Small ex Rydb.) C.L. Hitchc.**

Common names: Great Basin brittle spineflower

Origin: native

Voucher: OSU, most recently collected in 1949.

FN - 5:470, accepted, in Oregon, FNA common name: Great Basin brittle spineflower; FPN - 79, accepted, in Oregon; FPN2 - 324, accepted, in Oregon (explicit); JPM - 858, accepted, in Oregon (explicit); JPM2 - 1079, accepted, in Oregon (explicit).

Synonyms:

***Chorizanthe spathulata* Small**

FN - 5:470, synonym for *Chorizanthe brevicornu* var. *spathulata*, in Oregon, FNA common name: Great Basin brittle spineflower; "known only from cold deserts of the Intermountain West."; IL - 2:5, accepted, not in Oregon; PEK - 281, accepted, in Oregon (explicit).

***Chorizanthe membranacea* Benth.**

Common names: pink spineflower

Origin: native

Voucher: OSU, most recently collected in 1998.

FN - 5:450, accepted, in Oregon, FNA common name: pink spineflower; IL - 2:12, accepted, not in Oregon; JPM - 858, accepted, in Oregon (explicit); JPM2 - 1080, accepted, in Oregon (explicit).

Synonyms:

***Eriogonella membranacea* (Benth.) Goodman**

IL - 2:12, synonym for *Chorizanthe membranacea*, not in Oregon; PEK - 282, accepted, in Oregon (explicit).

***Chorizanthe watsonii* Torr. & A. Gray**

Common names: Watson's spineflower, five-tooth spineflower

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:468, accepted, in Oregon, FNA common name: Watson's spineflower; FPN - 79, accepted, in Oregon (explicit); FPN2 - 324, accepted, in Oregon (explicit); IL - 2:14, accepted, in Oregon (implied); IN - 2a:384, accepted, in Oregon (explicit); JPM - 860, accepted, in Oregon (explicit); JPM2 - 1082, accepted, not in Oregon; PEK - 281, accepted, in Oregon (explicit); VP - 2:104, accepted, in Oregon (implied).

Eriogonum

Checklist contributor: James Reveal, 10/1/2005

Flora contributor: James Reveal

***Eriogonum baileyi* S. Watson**

FN - 5:425, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); IL - 2:36, accepted, not in Oregon; IN - 2a:368, accepted, in Oregon (implied); JPM - 869, accepted, in Oregon (implied); PEK - 274, accepted, in Oregon (explicit).

Eriogonum baileyi* S. Watson var. *baileyi

Common names: Bailey's buckwheat

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 5:425, accepted, in Oregon; FPN2 - 325, accepted, in Oregon (implied), sp. Range: e Cas, n WA to CA, e to ID and UT; JPM - 869, accepted, not in Oregon; JPM2 - 1094, accepted, in Oregon (implied).

Synonyms:

***Eriogonum vimineum* Douglas ex Benth. var. *baileyi* (S. Watson) R.J. Davis**

FPN - 84, synonym for *Eriogonum baileyi*, in Oregon (explicit); VP - 2:138, accepted, in Oregon (explicit).

***Eriogonum brachyanthum* Coville**

Common names: shortflower buckwheat

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 5:426, accepted, in Oregon; IL - 2:36, accepted, not in Oregon; IN - 2a:368, accepted, in Oregon (explicit); JPM - 869, accepted, not in Oregon; JPM2 - 1094, accepted, in Oregon (explicit).

***Eriogonum caespitosum* Nutt.**

Common names: matted buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:364, accepted, in Oregon; FPN - 79, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); ; GWM - 121, accepted, in Oregon (explicit); IL - 2:23, accepted, in Oregon (explicit); JPM2 - 1094, accepted, in Oregon (explicit); PEK - 279, accepted, in Oregon (explicit); VP - 2:112, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum cespitosum* Nutt.**

orthographic variant

JPM - 869, accepted, in Oregon (explicit).

***Eriogonum calcareum* (S. Stokes) Grady & Reveal**

FPN2 - 328, accepted, in Oregon (explicit); ; Grady & Reveal, 2011 - accepted, in Oregon (explicit); IN - 2a:298, accepted, in Oregon (explicit).

Eriogonum calcareum* (S. Stokes) Grady & Reveal var. *calcareum

Common names: Harper buckwheat, calcareous buckwheat

Origin: native

Voucher: WS, most recently collected in 2006.

Synonyms:

***Eriogonum ochrocephalum* S. Watson**

FN - 5:283, accepted, in Oregon, (authority in FNA: S. Watson in W.H. Brewer, et. al.); FPN - 82, accepted, in Oregon; IL - 2:43, accepted, in Oregon (explicit); IN - 2a:294, accepted, not in Oregon; JPM - 878, accepted, in Oregon (explicit); VP - 2:126, accepted, in Oregon (explicit).

***Eriogonum ochrocephalum* S. Watson ssp. *calcareum* S. Stokes**

FN - 5:284, synonym for *Eriogonum ochrocephalum* var. *calcareum*, in Oregon; IL - 2:43, synonym for *Eriogonum ochrocephalum*, in Oregon (explicit); PEK - 276, accepted, in Oregon (explicit); Walker, 2000 - .

***Eriogonum ochrocephalum* S. Watson var. *calcareum* (S. Stokes) M. Peck**

FN - 5:284, accepted, in Oregon; FPN - 82, accepted, in Oregon (explicit).

***Eriogonum cernuum* Nutt.**

Common names: nodding buckwheat

Origin: native

Voucher: OSU, most recently collected in 1984.

FN - 5:401, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); ; IL - 2:34, accepted, in Oregon (explicit); IN - 2a:356, accepted, in Oregon (explicit); JPM - 869, accepted, in Oregon (implied); JPM2 - 1095, accepted, in Oregon (implied); PEK - 273, accepted, in Oregon (explicit); VP - 2:112, accepted, in Oregon (explicit).

Synonyms:

Eriogonum cernuum* Nutt. var. *cernuum

JPM - 869, accepted, in Oregon (implied).

***Eriogonum cernuum* Nutt. var. *viminale* (S. Stokes) Reveal**

FN - 5:401, synonym for *Eriogonum cernuum*, in Oregon; JPM - 869, accepted, in Oregon (explicit).

***Eriogonum chrysops* Rydb.**

Common names: bitterroot buckwheat, one-eyed wild buckwheat, golden buckwheat

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:281, accepted, in Oregon, common name: one-eye buckwheat; FPN - 82, accepted, in Oregon; FPN2 - 324, accepted, given distribution: occur south of our area, in genus desc.; GWM - 121, accepted, in Oregon (explicit); IN - 2a:296, accepted, in Oregon (explicit); VP - 2:113, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum ovalifolium* Nutt. ssp. *chrysops* (Rydb.) S. Stokes**

FN - 5:281, matched with *Eriogonum ovalifolium* var. *chrysops* (subtaxon form), synonym for *Eriogonum chrysops*, in Oregon; PEK - 277, accepted, in Oregon (explicit).

***Eriogonum collinum* S. Stokes ex M.E. Jones**

Common names: juniper buckwheat, hill buckwheat

Origin: native

Voucher: IDS, most recently collected in 1981.

FN - 5:406, accepted, in Oregon; IN - 2a:362, accepted, in Oregon (explicit); JPM2 - 1095, accepted, in Oregon (explicit).

***Eriogonum compositum* Douglas ex Benth.**

FN - 5:355, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); GWM - 121, accepted; IL - 2:27, accepted, in Oregon (implied); IN - 2a:328, accepted, in Oregon (explicit); PEK - 278, accepted, in Oregon (explicit).

Eriogonum compositum* Douglas ex Benth. var. *compositum

Common names: northern buckwheat, arrowleaf buckwheat

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:355, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); FPN2 - 326, accepted, in Oregon (explicit), ; JPM - 869, accepted, in Oregon (implied); JPM2 - 1095, accepted, in Oregon (implied); VP - 2:115, accepted, in Oregon (explicit).

***Eriogonum compositum* Douglas ex Benth. var. *leianthum* Hook.**

Common names: smooth arrowleaf buckwheat

Origin: native

Voucher: OSU, most recently collected in 2003.

FN - 5:356, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); FPN2 - 326, accepted, in Oregon (explicit), ; VP - 2:115, accepted, in Oregon (explicit).

***Eriogonum crosbyae* Reveal**

FN - 5:277, accepted, in Oregon; FPN2 - 324, accepted, given distribution: occur south of our area, in genus desc.; IN - 2a:292, accepted, in Oregon (explicit).

Eriogonum crosbyae* Reveal var. *crosbyae

Common names: Crosby's buckwheat

Origin: native

Voucher: OSU, most recently collected in 2008.

Reveal, 1983 - accepted, in Oregon (explicit).

***Eriogonum crosbyae* Reveal var. *mystrium* (Reveal) Grady & Reveal**

Common names: Pueblo Mountains buckwheat

Origin: native

Voucher: OSU, most recently collected in 2018.

Grady & Reveal, 2011 - accepted, in Oregon (explicit).

Synonyms:

***Eriogonum prociduum* Reveal var. *mystrium* Reveal**

FN - 5:276, accepted, in Oregon, published in Phytologia 2004.

***Eriogonum cusickii* M.E. Jones**

Common names: Cusick's buckwheat

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 5:277, accepted, in Oregon; FPN - 82, accepted, in Oregon (explicit); FPN2 - 328, accepted, in Oregon (explicit), ; IL - 2:41, synonym for *Eriogonum strictum*, in Oregon (explicit); VP - 2:115, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum chrysocephalum* A. Gray**

FN - 5:266, synonym for *Eriogonum brevicaulum* var. *laxifolium*, not in Oregon; VP - 2:112, accepted, in Oregon (explicit).

***Eriogonum diclinum* Reveal**

Common names: Jaynes Canyon buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:367, accepted, in Oregon; JPM - 870, accepted, in Oregon (explicit); JPM2 - 1096, accepted, in Oregon (explicit).

***Eriogonum douglasii* Benth.**

FN - 5:363, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); GWM - 122, accepted, in Oregon (explicit); IL - 2:23, accepted, in Oregon (explicit); IN - 2a:332, accepted, in Oregon (explicit); PEK - 279, accepted, in Oregon (explicit).

Eriogonum douglasii* Benth. var. *douglasii

Common names: Douglas' buckwheat

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:364, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); JPM - 870, accepted, in Oregon (implied); VP - 2:117, accepted, in Oregon (explicit).

***Eriogonum douglasii* Benth. var. *meridionale* Reveal**

Common names: southern buckwheat

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:363, accepted, in Oregon; JPM2 - 1096, accepted, in Oregon (explicit).

***Eriogonum elatum* Douglas ex Benth.**

FN - 5:315, accepted, in Oregon; FPN - 82, accepted, in Oregon (implied); IL - 2:47, accepted, in Oregon (implied); IN - 2a:312, accepted, in Oregon (explicit); JPM - 870, accepted, in Oregon (implied); VP - 2:117, accepted, in Oregon (explicit).

Eriogonum elatum* Douglas ex Benth. var. *elatum

Common names: rush buckwheat, tall buckwheat

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:316, accepted, in Oregon; FPN2 - 329, accepted, in Oregon (implied); JPM - 870, accepted, not in Oregon; JPM2 - 1096, accepted, in Oregon (implied); PEK - 277, (subtaxon implied), accepted, in Oregon (explicit).

***Eriogonum elatum* Douglas ex Benth. var. *villosum* Jeps.**

Common names: tall woolly buckwheat

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 5:316, accepted, in Oregon; IL - 2:47, synonym for *Eriogonum elatum*, in Oregon (explicit); JPM - 870, accepted, in Oregon (explicit); JPM2 - 1096, accepted, in Oregon (explicit); PEK - 277, accepted, in Oregon (explicit).

***Eriogonum flavum* Nutt.**

FN - 5:371, accepted, in Oregon; FPN - 81, accepted, in Oregon (explicit); GWM - 122, accepted, in Oregon (explicit); VP - 2:118, accepted, in Oregon (explicit).

***Eriogonum flavum* Nutt. var. *piperi* (Greene) M.E. Jones**

Common names: Piper's buckwheat, Piper's golden buckwheat

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:372, accepted, in Oregon; FPN - 82, accepted, in Oregon (explicit); FPN2 - 328, accepted, in Oregon (explicit); VP - 2:120, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum androsaceum* Benth.**

FN - 5:372, accepted, not in Oregon, common name: rock-jasmin wild buckwheat; FPN - 81, accepted, not in Oregon; FPN2 - 327, accepted, not in Oregon; VP - 2:109, accepted, not in Oregon.

***Eriogonum piperi* Greene**

FN - 5:372, synonym for *Eriogonum flavum* var. *piperi*, in Oregon; FPN - 82, synonym for *Eriogonum flavum* var. *piperi*, in Oregon (explicit); IL - 2:24, accepted, in Oregon (explicit); PEK - 278, accepted, in Oregon (explicit).

***Eriogonum heracleoides* Nutt.**

FN - 5:353, accepted, in Oregon; FPN - 80, accepted, in Oregon (implied); FPN2 - 326, accepted, in Oregon (implied); GWM - 122, accepted, in Oregon (explicit); IL - 2:27, accepted, in Oregon (explicit); IN - 2a:328, accepted, in Oregon (implied); PEK - 279, accepted, in Oregon (explicit).

Eriogonum heracleoides* Nutt. var. *heracleoides

Common names: whorled buckwheat, Wyeth's buckwheat, parsnipflower buckwheat

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:354, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); JPM - 873, accepted, in Oregon (implied); JPM2 - 1099, accepted, in Oregon (implied); VP - 2:121, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum heracleoides* Nutt. var. *angustifolium* (Nutt.) Torr. & A. Gray**

FN - 5:354, synonym for *Eriogonum heracleoides* var. *heracleoides*, in Oregon; FPN - 80, accepted, in Oregon (implied);

VP - 2:121, accepted, in Oregon (implied).

***Eriogonum hookeri* S. Watson**

Common names: Hooker's buckwheat

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:396, accepted, in Oregon; IN - 2a:353, accepted, not in Oregon; JPM - 873, accepted, not in Oregon; JPM2 - 1099, accepted, not in Oregon.

***Eriogonum latifolium* Sm.**

Common names: coast buckwheat, seaside buckwheat

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 5:314, accepted, in Oregon, (authority in FNA: Smith in A. Rees); IL - 2:46, accepted, in Oregon (explicit); JPM - 874, accepted, in Oregon (implied); JPM2 - 1100, accepted, in Oregon (explicit); PEK - 276, accepted, in Oregon (explicit).

***Eriogonum lobbii* Torr. & A. Gray**

Common names: granite buckwheat, Lobb's buckwheat

Origin: native

Voucher: OSU, most recently collected in 1984.

FN - 5:374, accepted, in Oregon; IL - 2:27, accepted, in Oregon (implied); IN - 2a:336, accepted, in Oregon (explicit); JPM - 874, accepted, in Oregon (explicit); JPM2 - 1100, accepted, in Oregon (explicit).

Synonyms:

Eriogonum lobbii* Torr. & A. Gray var. *lobbii

JPM - 874, accepted.

Eriogonum luteolum* Greene var. *luteolum

Common names: goldencarpet buckwheat

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 5:420, accepted, in Oregon; JPM - 874, accepted, not in Oregon; JPM2 - 1100, accepted, not in Oregon.

***Eriogonum maculatum* A. Heller**

Common names: spotted buckwheat

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 5:411, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); ; IN - 2a:364, accepted, in Oregon (explicit); JPM - 874, accepted, in Oregon (implied); JPM2 - 1100, accepted, in Oregon (implied); PEK - 273, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum angulosum* Benth. var. *maculatum* (A. Heller) Jeps.**

FN - 5:411, synonym for *Eriogonum maculatum*, in Oregon; IL - 2:29, accepted, not in Oregon.

Misapplied names:

***Eriogonum angulosum* Benth.**

FN - 5:411, accepted, not in Oregon, common name: anglestem wild buckwheat; FPN - 84, synonym for *Eriogonum maculatum*, in Oregon (explicit), misapplied; IL - 2:29, accepted, not in Oregon; JPM - 868, accepted, not in Oregon; JPM2 - 1094, accepted, not in Oregon; VP - 2:109, accepted, in Oregon (explicit).

***Eriogonum marifolium* Torr. & A. Gray**

FN - 5:365, accepted, in Oregon; FPN - 81, accepted, in Oregon (explicit); IL - 2:26, accepted, in Oregon (explicit); IN - 2a:334, accepted, in Oregon (explicit); JPM - 874, accepted, in Oregon (explicit); PEK - 280, accepted, in Oregon (explicit); VP - 2:121, accepted, in Oregon (explicit).

Eriogonum marifolium* Torr. & A. Gray var. *marifolium

Common names: marumleaf buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:366, accepted, in Oregon; FPN2 - 327, accepted, in Oregon (explicit), ; JPM2 - 1100, accepted, in Oregon (implied).

***Eriogonum microtheca* Nutt. var. *ambiguum* (M.E. Jones) Reveal**

Common names: yellow-flowered slender buckwheat

Origin: native

Voucher: OSU, most recently collected in 2014.

Synonyms:

***Eriogonum microthecum* Nutt. var. *ambiguum* (M.E. Jones) Reveal**

orthographic variant

FN - 5:247, accepted, in Oregon; JPM - 876, accepted, not in Oregon; JPM2 - 1102, accepted, in Oregon (explicit).

***Eriogonum microtheca* Nutt. var. *laxiflorum* Hook.**

Common names: Great Basin wild buckwheat, Great Basin slender buckwheat

Origin: native

Voucher: OSU, most recently collected in 2009.

Synonyms:

***Eriogonum microthecum* Nutt. var. *laxiflorum* Hook.**

orthographic variant

FN - 5:244, accepted, in Oregon; FPN - 82, accepted, in Oregon (implied); FPN2 - 328, accepted, in Oregon (implied), ; JPM - 876, accepted, in Oregon (implied); JPM2 - 1102, accepted, in Oregon (implied); VP - 2:123, accepted, in Oregon (implied), Benth. listed as auth..

Eriogonum microtheca* Nutt. var. *microtheca

Common names: slender buckwheat

Origin: native

Voucher: OSU, most recently collected in 2013.

Synonyms:

Eriogonum microthecum* Nutt. var. *microthecum

orthographic variant

FN - 5:247, accepted, in Oregon, Common name: slender buckwheat; FPN - 82, accepted, in Oregon (explicit); FPN2 - 328, accepted, in Oregon (explicit), ; VP - 2:123, accepted, in Oregon (explicit).

***Eriogonum nidularium* Coville**

Common names: birdnest buckwheat

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:427, accepted, in Oregon, birdnest buckwheat (please, this is a more user friendly common name!)(CS); IL - 2:35, accepted, not in Oregon; IN - 2a:370, accepted, in Oregon (explicit); JPM - 876, accepted, in Oregon (explicit); JPM2 - 1102, accepted, in Oregon (explicit); PEK - 274, accepted, in Oregon (explicit).

***Eriogonum niveum* Douglas ex Benth.**

Common names: snow buckwheat

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:318, accepted, in Oregon; FPN - 83, accepted, in Oregon (explicit); FPN2 - 329, accepted, in Oregon (explicit); IL - 2:41, accepted, in Oregon (explicit); PEK - 275, accepted, in Oregon (explicit); VP - 2:124, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum niveum* Douglas ex Benth. var. *decumbens* (Benth.) Torr. & A. Gray**

FN - 5:318, matched with *Eriogonum niveum* ssp. *decumbens* (subtaxon form), synonym for *Eriogonum niveum*, in Oregon, This var. is not in FNA as a syn. Author recognizes *E. niverum* ssp. *dedumbens* as a syn.; PEK - 275, accepted, in Oregon (explicit).

Eriogonum niveum* Douglas ex Benth. var. *niveum

PEK - 275, (subtaxon implied), accepted, in Oregon (explicit).

***Eriogonum novonudum* M. Peck**

Common names: false naked buckwheat

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:284, accepted, in Oregon; IN - 2a:300, accepted, in Oregon (explicit); PEK - 276, accepted, in Oregon (explicit).

***Eriogonum nudum* Douglas ex Benth.**

FN - 5:309, accepted, in Oregon; FPN - 82, accepted, in Oregon (explicit); IL - 2:46, accepted, in Oregon (explicit); IN - 2a:310, accepted, in Oregon (implied); JPM - 876, accepted, in Oregon (implied); VP - 2:126, accepted, in Oregon (explicit).

Eriogonum nudum* Douglas ex Benth. var. *nudum

Common names: naked buckwheat, barestem buckwheat, nude buckwheat

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:310, accepted, in Oregon; FPN2 - 329, accepted, in Oregon (explicit); IL - 2:46, (subtaxon implied), accepted, in Oregon (explicit); JPM - 876, accepted, in Oregon (implied); JPM2 - 1103, accepted, in Oregon (implied); PEK - 276, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:126, accepted.

***Eriogonum nudum* Douglas ex Benth. var. *oblongifolium* S. Watson**

Common names: Harford's wild buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:313, accepted, in Oregon; FPN2 - 329, accepted, in Oregon (explicit); JPM - 876, accepted, in Oregon (explicit); JPM2 - 1103, accepted, in Oregon (explicit).

***Eriogonum nudum* Douglas ex Benth. var. *paralinum* Reveal**

Common names: Del Norte buckwheat

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:310, accepted, in Oregon; JPM - 876, accepted, in Oregon (explicit); JPM2 - 1103, accepted, in Oregon (explicit).

***Eriogonum nudum* Douglas ex Benth. var. *pubiflorum* Benth.**

Common names: hairy-flowered buckwheat, Fremont's wild buckwheat

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:312, accepted, in Oregon, (subtaxon authority: Benth. in A.P. de Candolle and A.L.P.P. de Candoll); FPN2 - 329, accepted, given distribution: much like the more s E. n. var *pubiflorum*, in *E. oblongifolium* desc.; IL - 2:46, accepted, not in Oregon; JPM - 876, accepted, in Oregon (explicit); JPM2 - 1103, accepted, in Oregon (explicit); PEK - 276, accepted, in Oregon (explicit).

***Eriogonum nutans* Torr. & A. Gray**

FN - 5:402, accepted, in Oregon; IL - 2:34, accepted, not in Oregon; IN - 2a:358, accepted, in Oregon (explicit); JPM - 878, accepted, in Oregon (explicit); PEK - 273, accepted, in Oregon (explicit).

Eriogonum nutans* Torr. & A. Gray var. *nutans

Common names: Dugway buckwheat

Origin: native

Voucher: OSU, most recently collected in 2003.

FN - 5:403, accepted, in Oregon; JPM2 - 1103, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt.**

FN - 5:319, accepted, in Oregon; FPN - 83, accepted, in Oregon (implied); IL - 2:43, accepted, in Oregon (explicit); IN - 2a:316, accepted, in Oregon (implied); JPM - 878, accepted, in Oregon (implied).

***Eriogonum ovalifolium* Nutt. var. *depressum* Blank.**

Common names: dwarf cushion buckwheat

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 5:323, accepted, in Oregon; FPN - 83, accepted, in Oregon (explicit); FPN2 - 330, accepted, in Oregon (explicit); JPM2 - 1104, accepted, not in Oregon; VP - 2:129, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt. var. *nivale* (Canby ex Coville) M.E. Jones**

Common names: Sierran cushion buckwheat

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:323, accepted, in Oregon; FPN - 83, accepted, in Oregon (explicit); FPN2 - 330, accepted, in Oregon (implied); GWM - 123, accepted, in Oregon (explicit); JPM - 878, accepted, in Oregon (implied); JPM2 - 1104, accepted, in Oregon (implied); VP - 2:129, accepted, in Oregon (explicit).

Eriogonum ovalifolium* Nutt. var. *ovalifolium

Common names: cushion buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:320, accepted, in Oregon; FPN - 83, accepted, in Oregon (explicit); FPN2 - 330, accepted, in Oregon (implied); GWM - 123, (subtaxon implied), accepted; IL - 2:43, (subtaxon implied), accepted, in Oregon (explicit); JPM - 878, accepted, in Oregon (explicit); JPM2 - 1104, accepted, in Oregon (implied); VP - 2:129, accepted, in Oregon (explicit).

Synonyms:

Eriogonum ovalifolium* Nutt. ssp. *ovalifolium

PEK - 277, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt. var. *purpureum* (Nutt.) Durand**

Common names: purple cushion buckwheat

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:320, accepted, in Oregon; FPN2 - 330, accepted, in Oregon (implied); JPM - 878, accepted, in Oregon (implied); JPM2 - 1104, accepted, in Oregon (implied).

Synonyms:

***Eriogonum ovalifolium* Nutt. var. *celsum* A. Nelson**

FN - 5:320, synonym for *Eriogonum ovalifolium* var. *purpureum*, in Oregon; FPN - 83, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt. var. *rubidum* (Gand.) Reveal & Mansfield**

Common names: Steens Mountain cushion buckwheat

Origin: native

Voucher: OSU, most recently collected in 1997.

***Eriogonum pendulum* S. Watson**

Common names: Waldo buckwheat

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 5:303, accepted, in Oregon; JPM - 878, accepted, in Oregon (explicit); JPM2 - 1104, accepted, in Oregon (explicit); PEK - 275, accepted, in Oregon (explicit).

***Eriogonum prociduum* Reveal**

Common names: prostrate buckwheat

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 5:276, accepted, in Oregon; FPN2 - 328, accepted, in Oregon (explicit); IN - 2a:292, accepted, in Oregon (explicit); JPM - 879, accepted, in Oregon (explicit); JPM2 - 1106, accepted, in Oregon (explicit).

Synonyms:

Eriogonum prociduum* Reveal var. *prociduum

FN - 5:276, accepted, in Oregon, Disjunct populations in s Baker Co., Oregon, E. chrysops misapplied to these by J. Reveal, 1968b;.

***Eriogonum pusillum* Torr. & A. Gray**

Common names: yellow turbans

Origin: native

Voucher: OSU, most recently collected in 2000.

FN - 5:404, accepted, in Oregon; IL - 2:34, accepted, not in Oregon; IN - 2a:258, accepted, in Oregon (explicit); JPM - 879, accepted, in Oregon (explicit); JPM2 - 1106, accepted, in Oregon (explicit); PEK - 273, accepted, in Oregon (explicit).

***Eriogonum pyrolifolium* Hook.**

FN - 5:374, accepted, in Oregon; FPN - 81, accepted, in Oregon (implied); FPN2 - 327, accepted, in Oregon (implied), ; JPM - 879, accepted, in Oregon (implied); PEK - 278, (subtaxon implied), accepted, in Oregon (explicit).

***Eriogonum pyrolifolium* Hook. var. *coryphaeum* Torr. & A. Gray**

Common names: hairy Shasta buckwheat

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 5:374, accepted, in Oregon; FPN - 81, accepted, in Oregon; JPM2 - 1106, accepted, in Oregon (implied); VP - 2:130, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum pyrolaefolium* Hook. var. *coryphaeum* Torr. & A. Gray**

orthographic variant

IL - 2:24, synonym for *Eriogonum pyrolifolium*, in Oregon (explicit); VP - 2:130, accepted.

***Eriogonum pyrolifolium* Hook. var. *bellingerianum* M. Peck**

FN - 5:374, synonym for *Eriogonum pyrolifolium* var. *coryphaeum*, in Oregon; PEK - 278, accepted, in Oregon (explicit).

Eriogonum pyrolifolium* Hook. var. *pyrolifolium

Common names: pyrola-leaved buckwheat

Origin: native

Voucher: OSU, most recently collected in 1994.

FN - 5:374, accepted, not in Oregon; FPN - 81, accepted, in Oregon; JPM2 - 1106, accepted, not in Oregon.

Synonyms:

Eriogonum pyrolaefolium* Hook. var. *pyrolaefolium

orthographic variant

IL - 2:24, (subtaxon implied), accepted, in Oregon (implied); PEK - 278, accepted, in Oregon (explicit); VP - 2:130, accepted, not in Oregon.

***Eriogonum roseum* Durand & Hilg.**

Common names: wand buckwheat

Origin: native

Voucher: OSU, most recently collected in 1909.

FN - 5:423, accepted, in Oregon; IL - 2:36, synonym for *Eriogonum virgatum*, in Oregon (explicit); JPM - 879, accepted, in Oregon (explicit); JPM2 - 1106, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum virgatum* Benth.**

FN - 5:423, synonym for *Eriogonum roseum*, in Oregon; IL - 2:36, accepted, in Oregon (explicit); PEK - 274, accepted, in Oregon (explicit).

***Eriogonum salicornioides* Gand.**

Common names: saltwort buckwheat, glasswort buckwheat

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 5:406, accepted, in Oregon; IN - 2a:362, accepted, in Oregon (explicit).

***Eriogonum scopulorum* Reveal**

Common names: cliff buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:280, accepted, in Oregon; FPN2 - 328, accepted, in Oregon (explicit), .

***Eriogonum spergulinum* A. Gray**

FN - 5:409, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); IL - 2:29, accepted, in Oregon (explicit); IN - 2a:363, accepted, in Oregon (explicit); JPM - 879, accepted, in Oregon (explicit); VP - 2:130, accepted, in Oregon (implied).

***Eriogonum spergulinum* A. Gray var. *reddingianum* (M.E. Jones) J.T. Howell**

Common names: Redding's buckwheat, spurry buckwheat

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:409, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); JPM - 879, accepted, in Oregon (explicit); JPM2 - 1107, accepted, in Oregon (explicit); PEK - 272, accepted, in Oregon (explicit); VP - 2:130, accepted.

***Eriogonum sphaerocephalum* Douglas ex Benth.**

FN - 5:361, accepted, in Oregon; FPN - 80, accepted, in Oregon; GWM - 123, accepted, in Oregon (explicit); IL - 2:23, accepted, in Oregon (implied); IN - 2a:330, accepted, in Oregon (implied); JPM - 880, accepted, in Oregon (implied); PEK - 278, accepted, in Oregon (explicit).

***Eriogonum sphaerocephalum* Douglas ex Benth. var. *halimioides* (Gand.) S. Stokes**

Common names: halimium buckwheat, rock buckwheat

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 5:362, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); FPN2 - 326, accepted, in Oregon (implied); JPM - 880, accepted, not in Oregon; JPM2 - 1107, accepted, in Oregon (implied); VP - 2:131, accepted, in Oregon (explicit).

Eriogonum sphaerocephalum* Douglas ex Benth. var. *sphaerocephalum

Common names: round-headed buckwheat, rock buckwheat

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:362, accepted, in Oregon; FPN - 80, accepted, in Oregon (explicit); FPN2 - 326, accepted, in Oregon (implied); JPM - 880, accepted, not in Oregon; JPM2 - 1107, accepted, in Oregon (implied); VP - 2:131, accepted, in Oregon (implied).

***Eriogonum sphaerocephalum* Douglas ex Benth. var. *sublineare* (S. Stokes) Reveal**

Common names: scabland buckwheat

Origin: native

Voucher: OSU, most recently collected in 1982.

FN - 5:363, accepted, in Oregon; FPN2 - 326, accepted, in Oregon (explicit), .

Synonyms:

***Eriogonum douglasii* Benth. var. *tenue* (Small) C.L. Hitchc.**

FN - 5:363, synonym for *Eriogonum sphaerocephalum* var. *sublineare*, in Oregon; FPN - 80, accepted, in Oregon (explicit).

***Eriogonum strictum* Benth.**

FN - 5:317, accepted, in Oregon; FPN - 83, accepted, in Oregon (implied); GWM - 123, accepted, in Oregon (explicit); IL - 2:41, accepted, in Oregon (explicit); IN - 2a:314, accepted, in Oregon (implied); JPM - 880, accepted, in Oregon (implied); JPM2 - 1107, accepted, in Oregon (implied); PEK - 275, accepted, in Oregon (explicit).

***Eriogonum strictum* Benth. var. *anserinum* (Greene) S. Stokes**

Common names: Goose Lake buckwheat

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:318, accepted, in Oregon, (CS used B&P abbrev. for FNA auth.); FPN - 83, accepted, in Oregon; FPN2 - 329, accepted, in Oregon (implied); JPM - 880, accepted, in Oregon (explicit); JPM2 - 1107, accepted, in Oregon (implied).

Synonyms:

***Eriogonum flavissimum* Gand.**

FPN - 83, synonym for *Eriogonum strictum* var. *anserinum*, in Oregon (explicit); IL - 2:43, synonym for *Eriogonum ovalifolium* ssp. *flavissimum*, in Oregon (explicit); PEK - 277, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt. ssp. *flavissimum* (Gand.) S. Stokes**

FN - 5:318, synonym for *Eriogonum strictum* var. *anserinum*, in Oregon; IL - 2:43, accepted, in Oregon (explicit).

***Eriogonum strictum* Benth. var. *flavissimum* (Gand.) C.L. Hitchc.**

FN - 5:318, synonym for *Eriogonum strictum* var. *anserinum*, in Oregon; FPN - 83, synonym for *Eriogonum strictum* var. *anserinum*, in Oregon (explicit); VP - 2:132, accepted.

***Eriogonum strictum* Benth. var. *proliferum* (Torr. & A. Gray) C.L. Hitchc.**

Common names: proliferous buckwheat, Blue Mountain buckwheat

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:317, accepted, in Oregon; FPN - 83, accepted, in Oregon (implied); FPN2 - 329, accepted, in Oregon (implied), ; IL - 2:43, synonym for *Eriogonum prociduum*, in Oregon (implied); JPM - 880, accepted, in Oregon (implied); JPM2 - 1107, accepted, in Oregon (implied); PEK - 275, accepted, in Oregon (explicit); VP - 2:132, accepted, no geog. info. given.

Synonyms:

***Eriogonum proliferum* Torr. & A. Gray**

FN - 5:317, synonym for *Eriogonum strictum* var. *proliferum*, in Oregon; IL - 2:43, accepted, in Oregon (implied); PEK - 275, accepted, in Oregon (explicit).

***Eriogonum strictum* Benth. ssp. *proliferum* (Torr. & A. Gray) S. Stokes**

FN - 5:317, synonym for *Eriogonum strictum* var. *proliferum*, in Oregon; FPN - 83, accepted, in Oregon (explicit), (not terminal: 3 vars. accepted).

Eriogonum strictum* Benth. var. *strictum

Common names: strict buckwheat, Blue Mountain buckwheat

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 5:318, accepted, in Oregon; FPN2 - 329, accepted, in Oregon (explicit), .

Synonyms:

Eriogonum strictum* Benth. ssp. *strictum

FPN - 83, accepted, in Oregon (explicit); VP - 2:132, accepted, in Oregon (explicit).

***Eriogonum ternatum* Howell**

Common names: ternate buckwheat

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 5:356, accepted, in Oregon; IL - 2:26, accepted, in Oregon (explicit); JPM - 880, accepted, in Oregon (explicit); JPM2 - 1107, accepted, in Oregon (explicit); PEK - 280, accepted, in Oregon (explicit).

***Eriogonum thymoides* Benth.**

Common names: thyme buckwheat, thymeleaf buckwheat

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 5:360, accepted, in Oregon; FPN - 81, accepted, in Oregon (explicit); FPN2 - 327, accepted, in Oregon (explicit), ; GWM - 123, accepted, in Oregon (explicit); IL - 2:24, accepted, in Oregon (explicit); IN - 2a:330, accepted, in Oregon (explicit); PEK - 279, accepted, in Oregon (explicit); VP - 2:132, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *argus* Reveal**

Common names: one-eyed sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:348, accepted, in Oregon; JPM - 880, accepted, in Oregon (explicit); JPM2 - 1108, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *aureum* (Gand.) Reveal**

Common names: golden sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:340, accepted, in Oregon, (CS used B&P abbrev. for FNA auth.); FPN2 - 327, accepted, in Oregon (explicit), ; IN - 2a:324, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum umbellatum* Torr. var. *intectum* A. Nelson**

FN - 5:340, synonym for *Eriogonum umbellatum* var. *aureum*, in Oregon; FPN - 81, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *devestivum* Reveal**

Common names: emperor's sulphur flower

Origin: native

Voucher: OSU, most recently collected in 1968.

FN - 5:347, accepted, in Oregon; FPN2 - 326, accepted, in Oregon (explicit), .

***Eriogonum umbellatum* Torr. var. *dichrocephalum* Gand.**

Common names: bicolor sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 5:344, accepted, in Oregon; FPN2 - 327, accepted, in Oregon (explicit); IN - 2a:326, accepted, in Oregon (explicit); JPM - 882, accepted, in Oregon (explicit); JPM2 - 1108, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum umbellatum* Torr. ssp. *aridum* (Greene) S. Stokes**

FN - 5:344, synonym for *Eriogonum umbellatum* var. *dichrocephalum*, in Oregon; VP - 2:136, accepted, not in Oregon.

***Eriogonum umbellatum* Torr. var. *dumosum* (Greene) Reveal**

Common names: many-flowered sulphur flower, American Valley sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 5:343, accepted, in Oregon; JPM2 - 1108, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum umbellatum* Torr. var. *speciosum* (Drew) S. Stokes**

FN - 5:352, accepted, not in Oregon; JPM - 882, accepted, in Oregon (explicit); JPM2 - 1108, accepted, not in Oregon.

Misapplied names:

***Eriogonum umbellatum* Torr. ssp. *polyanthum* (Benth.) S. Stokes**

IL - 2:27, accepted, in Oregon (explicit), especially in southern Oregon and California.; PEK - 280, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *polyanthum* (Benth.) M.E. Jones**

***Eriogonum umbellatum* Torr. var. *ellipticum* (Nutt.) Reveal**

Common names: starry sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:347, accepted, in Oregon; FPN2 - 326, accepted, in Oregon (explicit); IN - 2a:326, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum umbellatum* Torr. var. *chrysanthum* Gand.**

FN - 5:347, synonym for *Eriogonum umbellatum* var. *ellipticum*, in Oregon; FPN - 81, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *croceum* S. Stokes**

FN - 5:347, synonym for *Eriogonum umbellatum* var. *ellipticum*, in Oregon; GWM - 124, accepted, in Oregon (explicit); VP - 2:136, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *stellatum* (Benth.) M.E. Jones**

FN - 5:347, synonym for *Eriogonum umbellatum* var. *ellipticum*, in Oregon; FPN - 81, accepted, in Oregon (explicit); IL - 2:27, accepted, in Oregon (explicit); PEK - 280, accepted, in Oregon (explicit); Reveal, 1983 - synonym for *Eriogonum umbellatum* var. *ellipticum*.

***Eriogonum umbellatum* Torr. var. *glaberrimum* (Gand.) Reveal**

Common names: Warner Mountains sulphur flower, green buckwheat

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:353, accepted, in Oregon; FPN - 81, accepted, in Oregon (explicit); FPN2 - 324, accepted, given distribution: occur south of our area, in genus desc.; JPM - 882, accepted, in Oregon (explicit); JPM2 - 1108, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *goodmanii* Reveal**

Common names: serpentine sulphur buckwheat, Goodman's sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:343, accepted, in Oregon; JPM2 - 1108, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *haussknechtii* (Dammer) M.E. Jones**

Common names: Haussknecht's sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2010.

FPN2 - 326, accepted, in Oregon (explicit), .

Synonyms:

***Eriogonum umbellatum* Torr. var. *hausknechtii* (Dammer) M.E. Jones**

orthographic variant

FN - 5:342, accepted, in Oregon (explicit); FPN - 81, accepted, in Oregon (explicit); VP - 2:136, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *modocense* (Greene) S. Stokes**

Common names: Modoc sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:342, accepted, in Oregon, (CS used B&P abbrev. for FNA auth.); IN - 2a:324, accepted, in Oregon (explicit); JPM2 - 1108, accepted, in Oregon (explicit).

Misapplied names:

***Eriogonum umbellatum* Torr. var. *polyanthum* (Benth.) M.E. Jones**

***Eriogonum umbellatum* Torr. var. *nelsoniorum* Reveal**

Common names: Nelson's sulphur flower

Origin: native

Voucher: OSU, most recently collected in 2010.

JPM2 - 1108, accepted, not in Oregon.

***Eriogonum umbellatum* Torr. var. *nevadense* Gand.**

Common names: Nevada sulphur flower, Nevada buckwheat

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:343, accepted, in Oregon; IN - 2a:326, accepted, in Oregon (explicit); JPM - 882, accepted, in Oregon (explicit); JPM2 - 1108, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *sandbergii* Reveal**

Common names: Sandberg's sulphur flower

Origin: native

Voucher: OSU, most recently collected in 1982.

FN - 5:341, accepted; FPN2 - 327, accepted, in Oregon (explicit), .

***Eriogonum villosissimum* Reveal & D.A. York**

Common names: Acker Rock buckwheat

Origin: native

Voucher: NY, most recently collected in 2009.

Reveal et al., 2009 - accepted, in Oregon (explicit), protologue.

***Eriogonum vimineum* Douglas ex Benth.**

Common names: broom buckwheat, wickerstem buckwheat

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:421, accepted, in Oregon; FPN - 84, accepted, in Oregon (implied); FPN2 - 325, accepted, in Oregon (implied), ; IL - 2:38, accepted, in Oregon (explicit); IN - 2a:366, accepted, in Oregon (implied); JPM - 882, accepted, in Oregon (implied); JPM2 - 1110, accepted, in Oregon (implied); PEK - 274, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum vimineum* Douglas ex Benth. var. *shoshonense* (A. Nelson) S. Stokes**

FN - 5:421, matched with *E. vimineum* ssp. *shoshonense* (subtaxon form), synonym for *Eriogonum vimineum*, in Oregon; FPN - 84, accepted, not in Oregon; VP - 2:138, accepted, not in Oregon.

Eriogonum vimineum* Douglas ex Benth. var. *vimineum

FPN - 84, accepted, in Oregon (implied); IL - 2:38, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:138, accepted, in Oregon (explicit), 2 vars. In OR..

***Eriogonum watsonii* Torr. & A. Gray**

Common names: Watson's buckwheat

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:399, accepted, in Oregon; FPN - 84, accepted, in Oregon (explicit); FPN2 - 325, accepted, in Oregon (explicit); IL - 2:34, synonym for *Eriogonum deflexum* Torr. ssp. *watsonii* (Torr. & A. Gray Stokes, not in Oregon; IN - 2a:354, accepted, in Oregon (explicit); PEK - 273, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum deflexum* Torr.**

FN - 5:394, accepted, not in Oregon; IL - 2:34, accepted, not in Oregon; IN - 2a:351, accepted, not in Oregon; JPM - 870, accepted, not in Oregon; VP - 2:115, accepted, in Oregon (explicit).

***Eriogonum deflexum* Torr. var. *multipedunculatum* (S. Stokes) C.L. Hitchc.**

FN - 5:399, synonym for *Eriogonum watsonii*, in Oregon; FPN - 84, synonym for *Eriogonum watsonii*, in Oregon (explicit); VP - 2:115, accepted.

Literature cited for *Eriogonum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, K.L. 2006B. Is there a visitor from Chile in our *Plectritis* flora? Oregon Flora Newsletter 12(3):11-12.

Grady, B.R. and J. Reveal. 2011. New combinations and a new species of *Eriogonum* (Polygonaceae: Eriogonoideae) from the Great Basin Desert, United States. *Phytotaxa* 24:33-38.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Reveal, J.L. 1983. The Demoulin Rule and newly mandated combinations in *Eriogonum* (Polygonaceae). *Taxon* 32:292-295.

Reveal, J.L., D. York, and R. Helliwell. 2009. *Eriogonum villosissimum* (Polygonaceae: Eriogonoideae), a new species endemic to Acker Rock, Oregon. *Journal of the Botanical Research Institute of Texas* 3(2):639-643.

Fagopyrum

Checklist contributor: Richard Halse, 4/15/2009

Flora contributor: Richard Halse

***Fagopyrum esculentum* Moench**

Common names: buckwheat, common buckwheat, domestic buckwheat

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2015.

FN - 5:573, accepted, in Oregon, FNA common name: common buckwheat; FPN2 - 323, accepted, given distribution: cult buckwheat, a waif or uncommon weed of disturbed places, ; IN - 2a:200, accepted, in Oregon (explicit); JPM - 883, accepted, not in Oregon.

Fallopia

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora contributor: Kenton Chambers

***Fallopia baldschuanica* (Regel) Holub**

Common names: silver lace vine, Bukhara fleecflower

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2009.

FN - 5:544, accepted, not in Oregon, cultivated as a trellis or garden plant; FPN2 - 330, accepted, in Oregon (explicit), ; IN - 2a:221, accepted.

***Fallopia × bohémica* (Chrtek & Chrtkova) J.P. Bailey**

Common names: Bohemian knotweed, hybrid knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 5:542, accepted, in Oregon, FNA common name: Bohemian knotweed; FPN2 - 330, accepted, in Oregon (explicit), .

***Fallopia convolvulus* (L.) Á. Löve**

Common names: climbing knotweed, ivy bindweed, black bindweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2013.

FN - 5:545, accepted, FNA common name: black bindweed; FPN2 - 330, accepted, in Oregon (implied), ; IN - 2a:222, accepted, in Oregon (explicit); JPM2 - 1111, accepted, not in Oregon.

Synonyms:

***Polygonum convolvulus* L.**

FN - 5:545, synonym for *Fallopia convolvulus*, in Oregon, FNA common name: black bindweed; FPN - 85, accepted, no geog. info. given; IL - 2:66, accepted, in Oregon (implied); JPM - 890, accepted, given distribution: CA-FP; to e N.Am; native to Eur; PEK - 270, accepted, in Oregon (explicit); VP - 2:151, accepted, in Oregon (implied).

***Fallopia japonica* (Houtt.) Ronse Decr.**

Common names: Japanese knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2008.

FN - 5:543, accepted, in Oregon, FNA common name: Japanese knotweed; JPM2 - 1111, accepted, not in Oregon.

Synonyms:

Fallopia japonica* (Houtt.) Ronse Decr. var. *japonica

FPN2 - 330, accepted, in Oregon (implied).

***Polygonum cuspidatum* Siebold & Zucc.**

FN - 5:543, synonym for *Fallopia japonica*, in Oregon, FNA common name: Japanese knotweed; FPN - 89, accepted, in Oregon (implied); IL - 2:66, accepted, in Oregon (implied); JPM - 890, accepted, given distribution: n CA-FP (esp s NCoR, SnFrB); to e N.Am; native to Japan; VP - 2:152, accepted, in Oregon (implied).

***Fallopia sachalinensis* (F. Schmidt ex Maxim.) Ronse Decr.**

Common names: giant knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 5:542, accepted, FNA common name: Giant knotweed; FPN2 - 330, accepted, in Oregon (implied), ; JPM2 - 1111, accepted, no geog. info. given.

Synonyms:

***Polygonum sachalinense* F. Schmidt ex Maxim.**

FN - 5:542, synonym for *Fallopia sachalinensis*, in Oregon, FNA common name: giant knotweed; FPN - 89, accepted, in Oregon (explicit); IL - 2:66, accepted, in Oregon (explicit); JPM - 891, accepted, given distribution: n CA-FP; native to Japan; PEK - 265, accepted, in Oregon (explicit); VP - 2:165, accepted, in Oregon (implied).

Koenigia

Checklist contributor:

Flora contributor: treatment pending

Koenigia davisiae* (A. Gray) T.M. Schust. & Reveal var. *davisiae

Common names: Newberry's knotweed, Newberry's fleecflower, Davis' knotweed

Origin: native

Voucher: OSU, most recently collected in 2014.

Synonyms:

Aconogonon davisiae* (A. Gray) Soják var. *davisiae

FN - 5:600, accepted, in Oregon, FNA common name: Davis' knotweed.

***Polygonum davisiae* Brewer ex A. Gray**

FN - 5:599, synonym for *Aconogonon davisiae*, in Oregon, FNA common name: Davis's knotweed; FPN - 89, accepted, in Oregon (explicit); IL - 2:62, accepted, in Oregon (explicit); JPM - 890, accepted, in Oregon (explicit); KZ - 1:487, accepted; PEK - 266, accepted, in Oregon (explicit).

***Polygonum newberryi* Small**

FN - 5:599, synonym for *Aconogonon davisiae*, in Oregon, FNA common name: Davis's knotweed; FPN - 89, accepted, in Oregon (implied); IL - 2:62, accepted, in Oregon (explicit); JPM - 890, accepted, in Oregon (implied); PEK - 265, accepted, in Oregon (explicit).

Polygonum newberryi* Small var. *newberryi

FN - 5:599, synonym for *Aconogonon davisiae*, not in Oregon, FNA common name: Davis's knotweed; FPN - 89, accepted, in Oregon (implied); VP - 2:160, accepted, in Oregon (explicit).

***Koenigia phytolaccifolia* (Small) T.M. Schust. & Reveal**

Common names: alpine fleecflower, poke knotweed

Origin: native

Voucher: OSU, most recently collected in 2018.

Synonyms:

***Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb.**

FN - 5:599, accepted, in Oregon, FNA common name: poke knotweed; IL - 2:62, matched with *Aconogonon phytolaccaefolium* (minor spelling difference), synonym for *Polygonum phytolaccaefolium*, in Oregon (explicit); JPM2 - 1077, accepted, in Oregon (implied).

***Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb. var. *glabrum* S.-P. Hong**

FN - 5:599, accepted, in Oregon, FNA common name: poke knotweed; FPN2 - 324, accepted, in Oregon (explicit), .

Aconogonon phytolaccifolium* (Meisn. ex Small) Rydb. var. *phytolaccifolium

FN - 5:599, accepted, in Oregon, FNA common name: poke knotweed; FPN2 - 324, accepted, in Oregon (implied), .

***Polygonum phytolaccaefolium* Meisn.**

orthographic variant

FPN - 89, accepted, in Oregon (explicit); IL - 2:63, accepted, in Oregon (explicit).

***Polygonum phytolaccifolium* Meisn.**

FN - 5:599, synonym for *Aconogonon phytolaccifolium*, FNA common name: Poke knotweed; GWM - 126, accepted, in Oregon (explicit); JPM - 891, accepted, in Oregon (implied); KZ - 1:488, accepted; PEK - 265, accepted, in Oregon (explicit); VP - 2:161, accepted, in Oregon (explicit).

Literature cited for *Koenigia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Schuster, T., J. Reveal, M. Bayly, and K. Kron. 2015. An updated molecular phylogeny of Polygonoideae (Polygonaceae): Relationships of *Oxygonum*, *Pteroxygonum*, and *Rumex*, and a new circumscription of *Koenigia* Taxon 64(6):1188-1208.

Oxyria

Checklist contributor: Henrietta Chambers, 6/6/2005

Flora contributor: Kenton Chambers

***Oxyria digyna* (L.) Hill**

Common names: mountain sorrel, alpine sorrel

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:533, accepted, in Oregon, FNA common name: alpine mountain sorrel; FPN - 84, accepted, in Oregon (implied); FPN2 - 331, accepted, in Oregon (implied); ; GWM - 124, accepted, in Oregon (explicit); IL - 2:54, accepted, in Oregon (implied); IN - 2a:218, accepted, in Oregon (implied); JPM - 884, accepted, in Oregon (implied); JPM2 - 1114, accepted, not in Oregon; PEK - 263, accepted, in Oregon (explicit); VP - 2:139, accepted, in Oregon (explicit).

Oxytheca

Checklist contributor: Henrietta Chambers, 12/19/2006

Flora contributor: James Reveal

***Oxytheca dendroidea* Nutt.**

FN - 5:435, accepted, in Oregon, FNA common name: treelike puncturebract; IL - 2:18, accepted, given distribution: Wash, Id, Wy s to Nevada and Mono Co. CA; IN - 2a:378, accepted, in Oregon (implied); PEK - 281, accepted, in Oregon (explicit); VP - 2:139, accepted, in Oregon (explicit).

Oxytheca dendroidea* Nutt. ssp. *dendroidea

Common names: treelike puncturebract, narrowleaf oxytheca

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 5:435, accepted, in Oregon, FNA common name: treelike puncturebract; FPN2 - 331, accepted, in Oregon (explicit); ; IL - 2:18, accepted, given distribution: Wash, Id, Wy s to Nevada and Mono Co. CA; JPM - 886, accepted, in Oregon (implied); JPM2 - 1115, accepted, in Oregon (implied); PEK - 281, accepted, in Oregon (explicit); VP - 2:139, accepted, in Oregon, ssp. implied; spelled O. dendroides Nutt..

Synonyms:

***Oxytheca dendroides* Nutt.**

orthographic variant

FPN - 84, accepted, in Oregon (explicit).

Persicaria

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora contributor: Richard Halse

***Persicaria amphibia* (L.) Delarbre**

Common names: water smartweed

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 5:583, accepted, in Oregon, FNA common name: water smartweed; FPN2 - 331, accepted, in Oregon (implied), ; JPM2 - 1115, accepted, in Oregon (implied).

Synonyms:

***Polygonum amphibium* L.**

FN - 5:584, synonym for *Persicaria amphibia*, FNA common name: water smartweed; FPN - 90, accepted, in Oregon (implied); IL - 2:62, synonym for *Polygonum natans*, in Oregon (implied), *P. amphibium* of Amer. authors, not L. is a syn of *P. natans* (Michx.) Eaton.; JPM - 888, accepted, given distribution: CA-FP, w DMOj, SNE; to e N.Am, Eurasia; Mitchell, 1968 - 45:1-65, accepted; VP - 2:145, accepted, not in Oregon.

***Polygonum amphibium* L. var. *emersum* Michx.**

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; IL - 2:63, synonym for *Polygonum coccineum*, in Oregon (implied); JPM - 888, accepted, not in Oregon.

***Polygonum amphibium* L. var. *natans* Michx.**

IL - 2:62, synonym for *Polygonum natans*, in Oregon (implied); VP - 2:145, accepted.

***Polygonum amphibium* L. var. *stipulaceum* N. Coleman**

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; JPM - 888, accepted, not in Oregon.

***Polygonum coccineum* Muhl. ex Willd.**

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; FPN - 90, accepted, in Oregon (implied); IL - 2:63, accepted, in Oregon (implied); PEK - 266, accepted, in Oregon (explicit); VP - 2:149, accepted, in Oregon (explicit).

Polygonum coccineum* Muhl. ex Willd. var. *coccineum

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; synonymy assumed; PEK - 266, (subtaxon implied), accepted, in Oregon (explicit).

***Polygonum coccineum* Muhl. ex Willd. var. *hartwrightii* (A. Gray) Bissell**

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; Synonymy assumed;; PEK - 266, accepted, in Oregon (explicit).

***Polygonum natans* Eaton**

FN - 5:583, synonym for *Persicaria amphibia*, in Oregon, FNA common name: water smartweed; IL - 2:62, accepted, in Oregon (implied); PEK - 266, accepted, in Oregon (explicit).

***Persicaria hydropiper* (L.) Delarbre**

Common names: marshpepper knotweed, marshpepper smartweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 5:590, accepted, in Oregon, FNA common name: marsh-pepper smartweed; water-pepper; IN - 2a:246, accepted, not in Oregon; JPM2 - 1115, accepted, in Oregon (implied).

Synonyms:

***Polygonum hydropiper* L.**

FN - 5:590, synonym for *Persicaria hydropiper*, in Oregon, FNA common name: marsh-pepper smartweed; water-pepper; FPN - 86, accepted, in Oregon (implied); IL - 2:63, accepted, in Oregon (implied); JPM - 890, accepted, given distribution: n&c CA-FP; native to Eur; PEK - 267, accepted, in Oregon (explicit); VP - 2:155, accepted, in Oregon (implied).

***Persicaria hydropiperoides* (Michx.) Small**

Common names: waterpepper

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:585, accepted, FNA common name: swamp smartweed; FPN2 - 332, accepted, in Oregon (implied), ; IN - 2a:247, accepted, not in Oregon; JPM2 - 1116, accepted, not in Oregon.

Synonyms:

***Polygonum hydropiperoides* Michx.**

FN - 5:585, synonym for *Persicaria hydropiperoides*, in Oregon, FNA common name: swamp smartweed; FPN - 90, accepted, in Oregon; IL - 2:63, accepted, in Oregon (implied); JPM - 890, accepted, given distribution: CA-FP, DSON (Colorado River); to Mex, e N.Am.

***Polygonum hydropiperoides* Michx. var. *asperifolium* Stanford**

FN - 5:585, synonym for *Persicaria hydropiperoides*, in Oregon, FNA common name: swamp smartweed; IL - 2:63, synonym for *Polygonum hydropiperoides*, in Oregon (implied); PEK - 266, accepted, in Oregon (explicit).

Polygonum hydropiperoides* Michx. var. *hydropiperoides

FN - 5:585, synonym for *Persicaria hydropiperoides*, in Oregon, FNA common name: swamp smartweed; FPN - 90, accepted, in Oregon (implied); PEK - 266, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:157, accepted, in Oregon (implied).

***Polygonum hydropiperoides* Michx. var. *psilostachyum* H. St. John**

FN - 5:585, synonym for *Persicaria hydropiperoides*, in Oregon, FNA common name: swamp smartweed; PEK - 266, accepted, in Oregon (explicit).

***Polygonum persicarioides* Kunth**

PEK - 267, accepted, in Oregon (explicit).

***Persicaria lapathifolia* (L.) Delarbre**

Common names: pale smartweed, curltop knotweed, curltop ladysthumb

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:589, accepted, FNA common name: pale smartweed; FPN2 - 332, accepted, in Oregon (implied), ; IL - 2:66, synonym for *Polygonum lapathifolium*, in Oregon (implied); JPM2 - 1116, accepted, in Oregon (implied).

Synonyms:

***Polygonum lapathifolium* L.**

FN - 5:589, synonym for *Persicaria lapathifolia*, in Oregon, FNA common name: pale smartweed; FPN - 87,90, accepted, no geog. info. given; IL - 2:66, accepted, in Oregon (implied); JPM - 890, accepted, not in Oregon; PEK - 266, accepted, in Oregon (explicit); VP - 2:157, accepted, in Oregon (implied).

Polygonum lapathifolium* L. var. *lapathifolium

FN - 5:589, synonym for *Persicaria lapathifolia*, in Oregon, FNA common name: pale smartweed; IL - 2:66, (subtaxon implied), accepted, in Oregon (implied); PEK - 266, (subtaxon implied), accepted, in Oregon (explicit).

***Polygonum lapathifolium* L. var. *salicifolium* Sibth.**

FN - 5:589, synonym for *Persicaria lapathifolia*, in Oregon, FNA common name: pale smartweed; IL - 2:66, accepted, not in Oregon; PEK - 266, accepted, in Oregon (explicit).

***Persicaria maculosa* Gray**

Common names: heartweed, redshank, spotted ladysthumb

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 5:593, accepted, FNA common name: spotted lady's-thumb; redshank; FPN2 - 332, accepted, in Oregon (implied), ; IN - 2a:248, accepted, in Oregon (implied); JPM2 - 1116, accepted, in Oregon (implied).

Synonyms:

***Polygonum persicaria* L.**

FN - 5:593, synonym for *Persicaria maculosa*, in Oregon, FNA common name: spotted lady's-thumb; redshank; FPN - 90, accepted, in Oregon (implied); IL - 2:63, accepted, in Oregon (implied); JPM - 891, accepted, not in Oregon; PEK - 267, accepted, in Oregon (explicit); VP - 2:161, accepted, in Oregon (implied).

***Persicaria orientalis* (L.) Spach**

Common names: kiss-me-over-the-garden-gate, princess-feather

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2013.

FN - 5:591, accepted, in Oregon, introduced as a garden ornamental; FPN2 - 331, accepted, in Oregon (implied), ; JPM2 - 1116, accepted, in Oregon (implied).

***Persicaria pensylvanica* (L.) M. Gomez**

Common names: Pennsylvania smartweed, pinkweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1988.

FN - 5:588, accepted, FNA common name: Pennsylvania smartweed; IL - 2:66, synonym for *Polygonum pensylvanicum*, in Oregon (implied); IN - 2a:242, accepted; JPM2 - 1116, accepted, given distribution: e ScV, expected elsewhere; native to e US, introduced otherwise in N.Am, Eur..

Synonyms:

***Polygonum pensylvanicum* L.**

FN - 5:588, synonym for *Persicaria pensylvanica*, not in Oregon, FNA common name: Pennsylvania smartweed; IL - 2:66, accepted, in Oregon (implied); JPM - 891, accepted, not in Oregon.

***Persicaria perfoliata* (L.) H. Gross**

Common names: devil's-tail, giant climbing tearthumb, mile a minute

Origin: exotic, not naturalized

Voucher: GH

FN - 5:577, accepted, in Oregon, aggressive and fast growing pest (Oreg. is the only state west of the Mississippi); FPN2 - 331, accepted, not in Oregon, ; Hickman & Hickman, 1977 - accepted, in Oregon.

***Persicaria punctata* (Elliott) Small**

Common names: dotted knotweed, water smartweed, dotted smartweed

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 5:586, accepted, FNA common name: dotted smartweed; FPN2 - 332, accepted, in Oregon (implied), ; IN - 2a:244, accepted; JPM2 - 1116, accepted, in Oregon (implied).

Synonyms:

***Polygonum punctatum* Elliott**

FN - 5:586, synonym for *Persicaria punctata*, in Oregon, FNA common name: dotted smartweed; FPN - 86, accepted, in Oregon (implied); IL - 2:63, accepted, in Oregon (implied); JPM - 891, accepted, in Oregon (implied); PEK - 267, accepted, in Oregon (explicit); VP - 2:163, accepted, in Oregon (implied).

Polygonum punctatum* Elliott var. *punctatum

FN - 5:586, synonym for *Persicaria punctata*, in Oregon, FNA common name: dotted smartweed; IL - 2:63, (subtaxon implied), accepted, in Oregon (implied).

***Persicaria sagittata* (L.) H. Gross**

Common names: arrowleaf knotweed, arrowvine, arrowleaf tearthumb

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1999.

FN - 5:577, accepted, FNA common name: arrow-leaf tearthumb; FPN2 - 331, accepted, in Oregon (explicit), .

***Persicaria wallichii* Greuter & Burdet**

FN - 5:581, accepted, FNA common name: Himalayan knotweed; FNA author recognizes var. *wallichii*; JPM2 - 1116, accepted, in Oregon (explicit).

Persicaria wallichii* Greuter & Burdet var. *wallichii

Common names: Himalayan knotweed, cultivated knotweed

Origin: exotic, naturalized

Voucher: OSU

FN - 5:581, accepted; FPN2 - 331, accepted, in Oregon (implied), .

Synonyms:

***Polygonum polystachyum* Wall.**

FN - 5:581, synonym for *Persicaria wallichii*, in Oregon, FNA common name: Himalayan knotweed; FPN - 89, accepted, in Oregon (explicit); JPM - 891, accepted, given distribution: NCo (esp Del Norte, Humboldt cos.), n CCo; native to s-c Asia; VP - 2:163, accepted, in Oregon (explicit).

Literature cited for *Persicaria*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Hickman, J.C. and C.S. Hickman. 1977. *Polygonum perfoliatum*: a recent Asiatic adventive. *Bartonia* 45:18-23.

Mitchell, R.S. 1968. Variation in the *Polygonum amphibium* complex and its taxonomic significance. University of California Publications in Botany 45:1-65.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. *Journal of the Torrey Botanical Society* 130(1):43-46.

Polygonum

Checklist contributor: Henrietta Chambers, 8/17/2005

Flora contributor: Richard Halse

Polygonum achoreum S.F. Blake

Common names: Blake's knotweed, striate knotweed, leathery knotweed

Origin: native

Voucher: OSU, most recently collected in 1968.

FN - 5:549, accepted, FNA common name: Blake's knotweed; FPN - 89, accepted, in Oregon (explicit); FPN2 - 333, accepted, in Oregon (explicit); ; GWM - 125, accepted, in Oregon (explicit); VP - 2:145, accepted, in Oregon (explicit).

Polygonum austiniiae Greene

Common names: Austin's knotweed

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 5:569, accepted, FNA common name: Mrs. Austin's knotweed; FPN - 87, accepted, in Oregon (explicit); FPN2 - 335, accepted, in Oregon (implied); ; IL - 2:58, accepted, in Oregon (explicit); IN - 2a:232, accepted, in Oregon (explicit); JPM2 - 1119, accepted, in Oregon (implied); PEK - 268, accepted, in Oregon (explicit); VP - 2:146, accepted, in Oregon (explicit).

Synonyms:

Polygonum douglasii Greene ssp. *austiniiae* Greene

FN - 5:569, synonym for *Polygonum austiniiae*, in Oregon, FNA common name: Mrs. Austin's knotweed; JPM - 890, accepted, in Oregon (explicit).

Polygonum aviculare L.

FN - 5:556, accepted, in Oregon, FNA common name: doorweed; knotgrass; FPN - 88, 89, accepted, in Oregon (implied); GWM - 125, accepted, in Oregon (explicit); IL - 2:56, accepted, in Oregon (implied); IN - 2a:228, accepted, in Oregon (implied); PEK - 269, accepted; VP - 2:146, accepted, in Oregon (implied).

Polygonum aviculare L. ssp. *aviculare*

Common names: prostrate knotweed, common knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 5:557, accepted, FNA common name: common knotweed; FPN2 - 333, accepted, in Oregon (implied); ; JPM2 - 1119, accepted, given distribution: CA; worldwide..

Synonyms:

Polygonum aviculare L. var. *aviculare*

FN - 5:557, synonym for *Polygonum aviculare* ssp. *aviculare*, in Oregon, FNA common name: common knotweed; IL - 2:56, (subtaxon implied), accepted, in Oregon (explicit); PEK - 269, (subtaxon implied), accepted, in Oregon (explicit).

Polygonum aviculare L. var. *littorale* (Link) Koch

IL - 2:56, accepted, in Oregon (implied); PEK - 269, accepted, in Oregon (explicit).

Polygonum aviculare L. ssp. *buxiforme* (Small) Costea & Tardif

Common names: American knotweed, box knotweed

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:558, accepted, FNA common name: American knotweed; FPN2 - 333, accepted, in Oregon (implied); ; JPM2 - 1119, accepted, in Oregon (implied).

***Polygonum aviculare* L. ssp. *depressum* (Meisn.) Arcang.**

Common names: oval-leaf knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 5:559, accepted, in Oregon, FNA common name: common knotweed; oval leaf knotweed; FPN2 - 333, accepted, in Oregon (implied), ; JPM2 - 1119, accepted, given distribution: CA; worldwide..

Synonyms:

***Polygonum arenastrum* Boreau**

FN - 5:559, synonym for *Polygonum aviculare*, in Oregon, FNA common name: common knotweed; oval leaf knotweed;

JPM - 888, accepted, not in Oregon.

***Polygonum aviculare* L. ssp. *neglectum* (Besser) Arcang.**

Common names: narrow-leaf knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

FN - 5:558, accepted, in Oregon, FNA common name: narrow leaf knotweed; FPN2 - 333, accepted, in Oregon (implied), ; JPM2 - 1119, accepted, in Oregon (implied).

Synonyms:

***Polygonum aviculare* L. var. *angustissimum* Meisn.**

FN - 5:560, synonym for *Polygonum aviculare* ssp. *ruvifolium*, not in Oregon, FNA common name: narrow leaf knotweed; IL - 2:56, accepted, in Oregon (implied); PEK - 269, accepted, in Oregon (explicit).

***Polygonum californicum* Meisn.**

Common names: California knotweed

Origin: native

Voucher: OSU, most recently collected in 2001.

FN - 5:564, accepted, FNA common name: no common name provided; FPN - 85, accepted, in Oregon (explicit); FPN2 - 334, accepted, in Oregon (implied), ; IL - 2:61, accepted, in Oregon (explicit); JPM - 890, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied); PEK - 270, accepted, in Oregon (explicit); VP - 2:149, accepted, in Oregon (explicit).

***Polygonum cascadenae* W.H. Baker**

Common names: Cascade knotweed

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 5:571, accepted, FNA common name: Cascade knotweed; FPN - 87, accepted, in Oregon (explicit); FPN2 - 335, accepted, in Oregon (explicit), ; Kruckeberg & Love, 2006 - ; Oregon Flora Project, 2006F - ; PEK - 268, accepted, in Oregon (explicit); VP - 2:149, accepted, in Oregon (explicit).

***Polygonum douglasii* Greene**

Common names: Douglas' knotweed

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:567, accepted, FNA common name: Douglas' knotweed; FPN - 87, accepted, in Oregon (implied); FPN2 - 334, accepted, in Oregon (implied); ; GWM - 126, accepted, in Oregon (explicit); IL - 2:58, accepted, in Oregon (implied); IN - 2a:231, accepted, in Oregon (implied); JPM - 890, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied); PEK - 268, accepted, in Oregon (explicit); VP - 2:152, accepted, in Oregon (implied).

Synonyms:

Polygonum douglasii* Greene ssp. *douglasii

FN - 5:567-68, synonym for *Polygonum douglasii*, in Oregon, FNA common name: Douglas's knotweed; FNA author does not recognize vars. or ssp. of POLDOU; JPM - 890, accepted, in Oregon (implied).

Polygonum douglasii* Greene var. *douglasii

FN - 5:567, synonym for *Polygonum douglasii*, in Oregon, FNA common name: Douglas's knotweed; FPN - 87, accepted, in Oregon (implied); IL - 2:58, accepted, in Oregon (implied); PEK - 268, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:152, accepted, no geog. info. given.

***Polygonum douglasii* Greene ssp. *johnstonii* (Munz) J.C. Hickman**

FN - 5:568, synonym for *Polygonum sawatchense* ssp. *sawatchense*, not in Oregon, FNA common name: no common name suggested; FNA author recognizes only ssp. *oblivium* Costea & Tardif in Oregon; JPM - 890, accepted, in Oregon (implied).

***Polygonum douglasii* Greene var. *latifolium* (Engelm.) Greene**

FN - 5:567, synonym for *Polygonum douglasii*, in Oregon, FNA common name: Douglas' knotweed; FPN - 87, accepted, in Oregon (implied); IL - 2:58, accepted, in Oregon (implied); PEK - 268, accepted, in Oregon (explicit); VP - 2:152, accepted, in Oregon (implied).

***Polygonum erectum* L.**

Common names: erect knotweed

Origin: native

Voucher: OSU, most recently collected in 1927.

FN - 5:550, accepted, FNA common name: erect knotweed; FPN - 86, accepted, not in Oregon; FPN2 - 333, accepted, in Oregon (explicit); ; IL - 2:58, accepted, in Oregon (explicit); PEK - 268, accepted, in Oregon (explicit); VP - 2:153, accepted.

***Polygonum fowleri* B.L. Rob.**

FN - 5:554, accepted, in Oregon, FNA common name: Fowler's knotweed; FNA author recognizes *Polygonum fowleri* B.L. Rob. ssp. *fowleri* in Oregon; FPN - 88, accepted, in Oregon (implied); IL - 2:56, accepted, not in Oregon; IN - ; VP - 2:153, accepted, in Oregon (implied).

Polygonum fowleri* B.L. Rob. ssp. *fowleri

Common names: Fowler's knotweed

Origin: native

Voucher: OSU, most recently collected in 2010.

FPN2 - 333, accepted, in Oregon (implied); ; IL - 2:56, (subtaxon implied), accepted, not in Oregon; JPM2 - 1120, accepted, in Oregon (implied).

***Polygonum gabriellae* Costea & Tardif**

Common names: Gabriela's knotweed

Origin: native

Voucher: OSU, most recently collected in 1953.

FPN2 - 334, accepted, in Oregon (explicit), .

***Polygonum heterosepalum* M. Peck & Ownbey**

Common names: oddsepal knotweed, dwarf desert knotweed

Origin: native

Voucher: OSU, most recently collected in 2006.

FN - 5:563, accepted, FNA common name: dwarf desert knotweed; FPN - 85, accepted, in Oregon (explicit); FPN2 - 334, accepted, in Oregon (explicit); ; IN - 2a:229, accepted, in Oregon (implied); PEK - 270, accepted, in Oregon (explicit); VP - 2:155, accepted, in Oregon (explicit).

***Polygonum majus* (Meisn.) Piper**

Common names: large Douglas' knotweed, wiry knotweed, Palouse knotweed

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:570, accepted, FNA common name: wiry knotweed; FPN - 87, accepted, in Oregon (implied); FPN2 - 334, accepted, in Oregon (implied); ; GWM - 126, accepted, in Oregon (explicit); IL - 2:58, accepted, in Oregon (explicit); IN - 2a:234, accepted, in Oregon (explicit); JPM2 - 1120, accepted, in Oregon (implied); PEK - 268, accepted, in Oregon (explicit); VP - 2:158, accepted, in Oregon (implied).

Synonyms:

***Polygonum douglasii* Greene ssp. *majus* (Meisn. ex Small) J.C. Hickman**

FN - 5:570, synonym for *Polygonum majus*, in Oregon, FNA common name: wiry knotweed; JPM - 890, accepted, in Oregon (implied).

***Polygonum minimum* S. Watson**

Common names: leafy dwarf knotweed, broadleaf knotweed

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 5:569, accepted, in Oregon, FNA common name: broad leaf knotweed; leafy dwarf knotweed; FPN - 86, accepted, in Oregon (implied); FPN2 - 335, accepted, in Oregon (implied); ; GWM - 126, accepted, in Oregon (explicit); IL - 2:58, accepted, in Oregon (implied); IN - 2a:234, accepted, in Oregon (explicit); JPM - 890, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied); PEK - 267, accepted, in Oregon (explicit); VP - 2:158, accepted, in Oregon (implied).

***Polygonum nuttallii* Small**

Common names: Nuttall's knotweed

Origin: native

Voucher: OSU, most recently collected in 2000.

FN - 5:570, accepted, FNA common name: Nuttall's knotweed; FPN - 87, accepted, in Oregon (explicit); FPN2 - 335, accepted, in Oregon (explicit); ; IL - 2:59, accepted, in Oregon (explicit); PEK - 269, accepted, in Oregon (explicit); VP - 2:160, accepted, in Oregon (explicit).

***Polygonum paronychia* Cham. & Schltdl.**

Common names: black knotweed, dune knotweed, beach knotweed

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:562, accepted, FNA common name: beach knotweed; dune knotweed; black knotweed; FPN - 89, accepted, in Oregon (implied); FPN2 - 332, accepted, in Oregon (implied); ; IL - 2:56, accepted, in Oregon (implied); JPM - 891, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied); PEK - 267, accepted, in Oregon (explicit); VP - 2:160, accepted, in Oregon (implied).

***Polygonum parryi* Greene**

Common names: prickly knotweed, Parry's knotweed

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:563, accepted, FNA common name: Parry's knotweed; prickly knotweed; FPN - 85, accepted, in Oregon (implied); FPN2 - 334, accepted, in Oregon (implied); ; IL - 2:61, accepted, in Oregon (implied); JPM - 891, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied); PEK - 270, accepted, in Oregon (explicit); VP - 2:160, accepted, in Oregon (explicit).

***Polygonum polygaloides* Meisn.**

FN - 5:565, accepted, in Oregon, FNA common name: polygala knotweed; FPN - 88, accepted, in Oregon (explicit); GWM - 128, accepted, in Oregon (explicit); IL - 2:59, accepted, in Oregon (explicit); IN - 2a:230, accepted, in Oregon (explicit); JPM - 891, accepted, in Oregon (implied); PEK - 270, accepted, in Oregon (explicit); VP - 2:163, accepted, in Oregon (explicit).

***Polygonum polygaloides* Meisn. ssp. *confertiflorum* (Nutt. ex Piper) J.C. Hickman**

Common names: dense-flowered knotweed, fruitleaf knotweed

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:566, accepted, FNA common name: no common name suggested; FPN2 - 334, accepted, in Oregon (implied), ; JPM - 891, accepted, in Oregon (implied); JPM2 - 1120, accepted, not in Oregon.

Synonyms:

***Polygonum confertiflorum* Nutt.**

FN - 5:566, synonym for *Polygonum polygaloides* ssp. *confertiflorum*, in Oregon, FNA common name: no common name suggested; FPN - 88, accepted, in Oregon (implied); IL - 2:61, accepted, in Oregon (explicit); PEK - 269, accepted, in Oregon (explicit); VP - 2:151, accepted, in Oregon (explicit).

***Polygonum watsonii* Small**

FN - 5:566, synonym for *Polygonum polygaloides* ssp. *confertiflorum*, in Oregon, FNA common name: no common name suggested; FPN - 88, accepted; IL - 2:61, synonym for *Polygonum confertiflorum*, in Oregon (explicit); PEK - 269, accepted, in Oregon (explicit); VP - 2:167, accepted, in Oregon (implied).

***Polygonum polygaloides* Meisn. ssp. *esotericum* (L.C. Wheeler) J.C. Hickman**

Common names: whitemargin knotweed, Modoc County knotweed

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 5:567, accepted, FNA common name: Modoc County knotweed; FPN2 - 334, accepted, in Oregon (explicit), ; JPM - 891, accepted, not in Oregon; JPM2 - 1120, accepted, not in Oregon.

Synonyms:

***Polygonum esotericum* L.C. Wheeler**

FN - 5:567, synonym for *Polygonum polygaloides* ssp. *esotericum*, in Oregon, FNA common name: Modoc County knotweed; FPN - 88, synonym for *Polygonum watsonii*, in Oregon (explicit); IL - 2:59, accepted, not in Oregon; PEK - 270, accepted, in Oregon (explicit).

***Polygonum polygaloides* Meisn. ssp. *kelloggii* (Greene) J.C. Hickman**

Common names: Kellogg's knotweed

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 5:567, accepted, FNA common name: Kellogg's knotweed; FPN2 - 334, accepted, in Oregon (implied), ; JPM - 891, accepted, in Oregon (implied); JPM2 - 1120, accepted, in Oregon (implied).

Synonyms:

***Polygonum kelloggii* Greene**

FN - 5:567, synonym for *Polygonum polygaloides* ssp. *kelloggii*, in Oregon, FNA common name: Kellogg's knotweed; FPN - 88, accepted, in Oregon (implied); GWM - 126, accepted, in Oregon (explicit); IL - 2:59, accepted, in Oregon (implied); IN - 2a:230, accepted, in Oregon (implied); PEK - 269, accepted, in Oregon (explicit); VP - 2:157, accepted, in Oregon (explicit).

Polygonum polygaloides* Meisn. ssp. *polygaloides

Common names: polygala knotweed, milkwort knotweed

Origin: native

Voucher: OSU, most recently collected in 2015.

FN - 5:566, accepted, FNA common name: polygala knotweed; FPN2 - 334, accepted, in Oregon (explicit), .

***Polygonum ramosissimum* Michx.**

FN - 5:551, accepted, FNA common name: bushy knotweed; Note nativity differs from OFP determination; FPN - 86, accepted, in Oregon (explicit); IL - 2:58, accepted, in Oregon (implied); JPM - 891, accepted, given distribution: n CA-FP; probably native to e N.Am; PEK - 268, accepted, in Oregon (explicit); VP - 2:165, accepted, in Oregon (explicit).

Polygonum ramosissimum* Michx. ssp. *ramosissimum

Common names: yellow-flowered knotweed, bushy knotweed

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1985.

FN - 5:551, accepted; FPN2 - 333, accepted, not in Oregon, ; JPM2 - 1121, accepted, in Oregon (implied).

***Polygonum sawatchense* Small**

FN - 5:568, accepted, FNA common name: no common name suggested; FNA author recognizes two ssp.: sawatchense and oblivium. Only oblivium is in Oregon.; FPN - 88, accepted, in Oregon (implied); GWM - 128, accepted, in Oregon (explicit); IL - 2:59, accepted, in Oregon (implied); IN - 2a:232, accepted, in Oregon (implied); PEK - 268, accepted, in Oregon (explicit); VP - 2:165, accepted, in Oregon (implied).

***Polygonum sawatchense* Small ssp. *oblivium* Costea & Tardif**

Common names: Sawatch knotweed

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 5:569, accepted, in Oregon; FPN2 - 335, accepted, in Oregon (implied), ; JPM2 - 1121, accepted, in Oregon (implied).

Polygonum sawatchense* Small ssp. *sawatchense

Common names: Sawatch knotweed

Origin: native

Voucher: OSU, most recently collected in 1993.

FPN2 - 335, accepted, in Oregon (implied), .

***Polygonum shastense* Brewer ex A. Gray**

Common names: Shasta knotweed

Origin: native

Voucher: OSU, most recently collected in 2004.

FN - 5:565, accepted, FNA common name: Shasta knotweed; IL - 2:56, accepted, in Oregon (explicit); JPM - 891, accepted, in Oregon (explicit); JPM2 - 1121, accepted, in Oregon (explicit); PEK - 267, accepted, in Oregon (explicit).

***Polygonum spargulariiforme* Meisn. ex Small**

Common names: spurry knotweed, fall knotweed

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 5:570, accepted, in Oregon (explicit), FNA common name: spurry knotweed; fall knotweed; spelling of specific name updated to "spargulariiforme"; FPN2 - 335, accepted, in Oregon (implied), ; JPM2 - 1121, accepted, in Oregon (implied).

Synonyms:

***Polygonum douglasii* Greene ssp. *spargulariiforme* (Meisn. ex Small) J.C. Hickman**

FN - 5:570, synonym for *Polygonum spargulariaeforme*, in Oregon, FNA common name: spurry knotweed; fall knotweed; JPM - 890, accepted, in Oregon (implied).

***Polygonum spargulariaeforme* Meisn. ex Small**

orthographic variant

FPN - 87, 88, accepted, in Oregon (implied); IL - 2:59, accepted, in Oregon (implied); PEK - 269, accepted, in Oregon (explicit); VP - 2:167, accepted, in Oregon (implied).

Literature cited for *Polygonum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Hinds, H. 1995. Nomenclatural changes in *Polygonum*, *Persicaria*, and *Aconogonon* (Polygonaceae). *Novon* 5:165-166.

Hong, S.-P. 1991. A revision of *Aconogonon* (= *Polygonum* sect. *Aconogonon*, Polygonaceae) in North America. *Rhodora* 93:322-346.

Mitchell, R.S. 1968. Variation in the *Polygonum amphibium* complex and its taxonomic significance. University of California Publications in Botany 45:1-65.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Ronse Decraene, L.-P. and J.R. Akeroyd. 1988. Generic limits in *Polygonum* and related genera (Polygonaceae) on the basis of floral characters. *Botanical Journal of the Linnean Society* 98:321-371.

Rumex

Checklist contributor: Henrietta Chambers, 1/15/2001

Flora contributor: Richard Halse

***Rumex acetosella* L.**

Common names: red sorrel, sheep sorrel

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2013.

FN - 5:498, accepted, in Oregon, FNA common name: sheep sorrel; field sorrel; FPN - 91, accepted, in Oregon (implied); FPN2 - 335, accepted, in Oregon (implied); ; GWM - 128, accepted, in Oregon (explicit); IL - 2:54, accepted, in Oregon (implied); IN - 2a:203, accepted, given distribution: mainly in the mts.; JPM - 894, accepted, given distribution: CA-FP; native to Eur; JPM2 - 1124, accepted, given distribution: CA-FP, GB; worldwide; native to Eur, Asia.; PEK - 263, accepted, in Oregon (explicit); VP - 2:171, accepted, in Oregon (implied).

***Rumex californicus* Rech. f.**

Common names: California dock, California willow dock, toothed willow dock

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2002.

FN - 5:509-510, accepted, in Oregon, In Oregon reported only as a ballast waif on Albina neighborhood of Portland.; IL - 2:51, synonym for *Rumex salicifolius* var. *denticulatus*, in Oregon (implied); JPM2 - 1124, accepted, in Oregon (explicit).

Synonyms:

***Rumex salicifolius* Weinm. var. *denticulatus* Torr.**

FN - 5:509, synonym for *Rumex californicus*, in Oregon, FNA common name: California willow dock; FPN2 - 336, accepted, in Oregon (explicit); ; IL - 2:51, accepted, in Oregon (implied); JPM - 894, accepted, in Oregon (implied).

***Rumex conglomeratus* Murray**

Common names: sharp dock, clustered dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 5:524, accepted, in Oregon, FNA common name: clustered dock; clustered green dock; FPN - 92, accepted, in Oregon (implied); FPN2 - 337, accepted, in Oregon (implied); ; IL - 2:51, accepted, in Oregon (implied); IN - 2a:210, accepted, in Oregon (implied); JPM - 894, accepted, given distribution: CA-FP; native to Eur; JPM2 - 1124, accepted, no geog. info. given; PEK - 262, accepted, in Oregon (explicit); VP - 2:171, accepted, in Oregon (implied).

***Rumex crassus* Rech. f.**

Common names: fleshy willow dock, willow dock

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 5:510, accepted, in Oregon; FPN2 - 336, synonym for *Rumex salicifolius* var. *salicifolius*, in parenthesis in *R. salicifolius* var. *salicifolius* desc. Also in genus desc. "occur s of our area" p. 335; IL - 2:51, synonym for *Rumex salicifolius*, in Oregon (implied); JPM2 - 1124, accepted, in Oregon (explicit).

Synonyms:

***Rumex salicifolius* Weinm. var. *crassus* (Rech. f.) J.T. Howell**

FN - 5:510, synonym for *Rumex crassus*, in Oregon, FNA common name: fleshy willow dock; JPM - 894, accepted, in Oregon (implied).

Misapplied names:

***Rumex salicifolius* Weinm.**

***Rumex crispus* L.**

Common names: yellow dock, sour dock, curly dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2021.

FN - 5:522, accepted, in Oregon, FNA common name: curly dock; yellow dock; FPN - 92, accepted, in Oregon (implied); FPN2 - 337, accepted, in Oregon (implied); ; IL - 2:51, accepted, in Oregon (implied); IN - 2a:212, accepted, in Oregon (implied); JPM - 894, accepted, in Oregon (implied); JPM2 - 1124, accepted, given distribution: CA; worldwide; native to Eurasia.; PEK - 261, accepted, in Oregon (explicit); VP - 2:171, accepted, in Oregon (implied).

***Rumex cuneifolius* Campd.**

Common names: Argentine dock, wedgeleaf dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1996.

FN - 5:514, accepted, in Oregon, FNA common name: Argentine dock; wedgeleaf dock; FPN - 91, accepted, in Oregon (explicit); FPN2 - 335, accepted, given distribution: reports of [...] from Portland, OR, in genus desc.; PEK - 262, accepted, in Oregon (explicit); VP - 2:173, accepted, in Oregon (explicit).

***Rumex dentatus* L.**

Common names: toothed dock

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1912.

FN - 5:527, accepted, in Oregon, FNA common name: toothed dock; dentate dock; Indian dock; FPN - 91, accepted, in Oregon (explicit); FPN2 - 336, accepted, in Oregon (implied); ; IN - 2a:216, accepted, given distribution: known only from Salt Lake Co., Utah, but to be expected elsewhere.; JPM - 894, accepted, not in Oregon; JPM2 - 1124, accepted, in Oregon (explicit); VP - 2:173, accepted, in Oregon (explicit).

***Rumex fueginus* Phil.**

Common names: Tierra del Fuego dock, golden dock, seaside dock

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 5:531, accepted, in Oregon; FPN - 91, synonym for *Rumex maritimus*, in Oregon (implied); JPM2 - 1124, accepted, given distribution: CA; most of N.Am, Mex, S.Am; introduced in Eur..

Synonyms:

***Rumex maritimus* L.**

FN - 5:529, accepted, not in Oregon, FNA common name: golden dock; maritime dock; See text under *Rumex feuginus* (p. 531): Specimens of *R. fueginus* often are misidentified as *R. maritimus*...; FPN - 91, accepted, in Oregon (implied); IN - 2a:216, accepted, in Oregon (implied); JPM - 894, accepted, in Oregon (implied); VP - 2:173, accepted, in Oregon (implied).

***Rumex maritimus* L. var. *athrix* H. St. John**

FN - 5:531, synonym for *Rumex fueginus*, in Oregon, FNA common name: American golden dock; Text under *Rumex fueginus*, p. 531, mentions *Rumex fueginus* var. *athrix* (St. John) Rechinger f; PEK - 263, accepted, in Oregon (explicit).

***Rumex maritimus* L. ssp. *fueginus* Dusén**

FPN2 - 336, accepted, in Oregon (implied).

***Rumex maritimus* L. var. *fueginus* (Phil.) Dusén**

FN - 5:531, synonym for *Rumex fueginus*, in Oregon, FNA common name: American golden dock; Tierra del Fuego dock; PEK - 263, accepted, in Oregon (explicit).

***Rumex lacustris* Greene**

Common names: lake willow dock, lake dock

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 5:510, accepted, in Oregon; IL - 2:51, synonym for *Rumex salicifolius* var. *denticulatus*, in Oregon (implied); JPM2 - 1125, accepted, in Oregon (explicit).

Synonyms:

***Rumex salicifolius* Weinm. var. *lacustris* (Greene) J.C. Hickman**

FN - 5:510, synonym for *Rumex lacustris*, in Oregon, FNA common name: lake willow dock; FPN2 - 337, accepted, in Oregon (explicit); ; JPM - 894, accepted, in Oregon (explicit).

Misapplied names:

***Rumex salicifolius* Weinm.**

***Rumex obtusifolius* L.**

Common names: bitter dock, broadleaf dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2020.

FN - 5:526, accepted, in Oregon, FNA common name: broadleaf dock; bitter dock; FPN - 91, accepted, in Oregon (implied); FPN2 - 336, accepted, in Oregon (implied); ; IL - 2:53, accepted, in Oregon (implied); IN - 2a:214, accepted, in Oregon (implied); JPM - 894, accepted, not in Oregon; JPM2 - 1125, accepted, in Oregon (implied); PEK - 262, accepted, in Oregon (explicit); VP - 2:175, accepted, in Oregon (implied).

***Rumex occidentalis* S. Watson**

Common names: western dock

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:518, accepted, in Oregon, FNA common name: western dock; FPN - 92, accepted, in Oregon (implied); IL - 2:50, accepted, in Oregon (implied); IN - 2a:210, accepted, in Oregon (implied); JPM - 894, accepted, in Oregon (implied); JPM2 - 1125, accepted, in Oregon (implied); PEK - 261, accepted, in Oregon (explicit); VP - 2:175, accepted, in Oregon (implied).

Synonyms:

Rumex occidentalis* S. Watson var. *occidentalis

FN - 5:518, synonym for *Rumex occidentalis*, in Oregon; FPN - 92, accepted, in Oregon (explicit); FPN2 - 337, accepted, in Oregon (implied); ; VP - 2:177, accepted, in Oregon (explicit).

***Rumex occidentalis* S. Watson var. *procerus* (Greene) J.T. Howell**

FPN - 92, accepted, in Oregon (explicit); VP - 2:177, accepted, in Oregon (implied).

***Rumex patientia* L.**

Common names: garden patience, patience dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2017.

FN - 5:520, accepted, not in Oregon, FNA common name: patience dock; FPN - 92, accepted, given distribution: ...chiefly in se Wn...; FPN2 - 337, accepted, in Oregon (explicit); ; IN - 2a:211, accepted, in Oregon (implied).

***Rumex paucifolius* Nutt.**

Common names: alpine sheep sorrel

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:501, accepted, in Oregon, FNA common name: alpine sheep sorrel; FPN - 90, accepted, in Oregon (explicit); FPN2 - 337, accepted, in Oregon (implied); ; IL - 2:54, accepted, given distribution: BC and Alberta s to Colorado, Utah & Sieirra Nevada, Calif.; IN - 2a:204, accepted, in Oregon (implied); JPM - 894, accepted, in Oregon (implied); JPM2 - 1125, accepted, in Oregon (implied); PEK - 263, accepted, in Oregon (explicit).

***Rumex persicarioides* L.**

Common names: yellow dock, golden dock, seashore dock

Origin: native

Voucher: OSU, most recently collected in 1978.

FN - 5:530, accepted, in Oregon, FNA common name: no English common name given; text explains confusion with Eurasiain *R. matitimus* and *R. fueginus*; FPN - 91, accepted, in Oregon (explicit); FPN2 - 336, accepted, in Oregon (implied); ; IL - 2:53, accepted, in Oregon (implied); JPM2 - 1125, accepted, in Oregon (implied); PEK - 263, accepted, in Oregon (explicit); VP - 2:177, accepted, in Oregon (implied).

***Rumex pulcher* L.**

Common names: fiddle dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1978.

FN - 5:526, accepted, in Oregon, FNA common name: fiddle dock; FPN - 91, accepted, in Oregon (explicit); FPN2 - 336, accepted, in Oregon (explicit); ; IL - 2:51, accepted, not in Oregon; IN - 2a:214, accepted, given distribution: most of the e. U.S. with scattered populations in the West.; JPM - 894, accepted, not in Oregon; JPM2 - 1125, accepted, in Oregon (explicit); PEK - 262, accepted, in Oregon (explicit); VP - 2:179, accepted, in Oregon (explicit).

***Rumex sanguineus* L.**

Common names: bloody dock, red-veined dock

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2016.

FN - 5:525, accepted, in Oregon, FNA common name: redvein dock; bloodwort dock; FPN - 92, accepted, in Oregon (explicit); FPN2 - 337, accepted, in Oregon (explicit); ; IL - 2:51, accepted, in Oregon (explicit); VP - 2:180, accepted, in Oregon (explicit).

***Rumex transitorius* Rech. f.**

Common names: Pacific willow dock

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 5:512, accepted, in Oregon; JPM2 - 1125, accepted, in Oregon (implied).

Synonyms:

***Rumex salicifolius* Weinm. var. *transitorius* (Rech. f.) J.C. Hickman**

FN - 5:512, synonym for *Rumex transitorius*, in Oregon, FNA common name: Pacific willow dock; FPN2 - 336, accepted, in Oregon (implied), ; JPM - 894, accepted, in Oregon (implied).

Misapplied names:

***Rumex salicifolius* Weinm.**

***Rumex triangulivalvis* (Danser) Rech. f.**

Common names: white dock, white willow dock, triangular-valved dock

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 5:511, accepted, in Oregon; FPN - 92, synonym for *Rumex salicifolius* var. *triangulivalvis*, in Oregon (implied); IL - 2:51, synonym for *Rumex salicifolius* var. *denticulatus*, in Oregon (implied); JPM2 - 1125, accepted, in Oregon (implied).

Synonyms:

***Rumex mexicanus* Meisn.**

FN - 5:511, accepted, not in Oregon, FNA common name: Mexican dock; FPN - 92, synonym for *Rumex salicifolius* var. *mexicanus*, in Oregon (explicit); PEK - 262, accepted, in Oregon (explicit).

***Rumex mexicanus* Meisn. var. *strictus* M. Peck**

PEK - 262, accepted, in Oregon (explicit).

***Rumex salicifolius* Weinm. var. *triangulivalvis* Danser**

FN - 5:511, synonym for *Rumex triangulivalvis*, in Oregon, FNA common name: white willow; triangular-valved dock; FPN - 92, accepted, in Oregon (implied); FPN2 - 336, accepted, in Oregon (implied), ; JPM - 894, accepted, in Oregon (implied); VP - 2:180, accepted, in Oregon (implied).

Misapplied names:

***Rumex salicifolius* Weinm.**

***Rumex utahensis* Rech. f.**

Common names: Utah willow dock

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 5:510, accepted, in Oregon; JPM2 - 1126, accepted, in Oregon (explicit).

Synonyms:

***Rumex salicifolius* Weinm. var. *montigenitus* Jeps.**

FPN - 92, accepted, in Oregon (explicit); IL - 2:51, synonym for *Rumex salicifolius* var. *denticulatus*, in Oregon (implied); VP - 2:180, accepted for *Rumex salicifolius*, in Oregon (explicit), =*utahensis*.

***Rumex salicifolius* Weinm. var. *utahensis* (Rech.f.) Reveal**

FPN2 - 336, accepted, in Oregon (explicit).

Misapplied names:

***Rumex salicifolius* Weinm.**

***Rumex venosus* Pursh**

Common names: winged dock, veiny dock

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 5:505, accepted, in Oregon, FNA common name: veiny dock; wild-begonia; FPN - 91, accepted, in Oregon (explicit); FPN2 - 336, accepted, in Oregon (implied), ; IL - 2:50, accepted, in Oregon (explicit); IN - 2a:204, accepted, in Oregon (explicit); JPM - 895, accepted, in Oregon (implied); JPM2 - 1126, accepted, in Oregon (implied); PEK - 261, accepted, in Oregon (explicit); VP - 2:180, accepted, in Oregon (implied).

Literature cited for Rumex

(Excluding the standard references unless specifically cited in the flora manuscript.)

Rechinger, K.H., Jr. 1937. The North American species of Rumex. Publications of the Field Museum of Natural History. Botanical series 17:1-151.

Excluded names:

***Eriogonum commixtum* Greene ex Tidestr.**

FN - 5:425, synonym for *Eriogonum baileyi* var. *praebens*, not in Oregon; FPN - 84, synonym for *Eriogonum vimineum* var. *shoshonense*, not in Oregon; PEK - 274, accepted, in Oregon (explicit).

***Eriogonum incanum* Torr. & A. Gray**

FN - 5:366, accepted, not in Oregon; IL - 2:26, accepted, not in Oregon; IN - 2a:334, accepted, not in Oregon; JPM - 873, accepted, in Oregon (explicit); JPM2 - 1099, accepted, not in Oregon; PEK - 279, accepted, in Oregon (explicit).

***Eriogonum kingii* Torr. & A. Gray**

FN - 5:281, accepted, not in Oregon; IN - 2a:296, accepted, not in Oregon; PEK - 278, accepted, in Oregon (explicit).

Eriogonum ochrocephalum* S. Watson var. *ochrocephalum

FN - 5:283, accepted, not in Oregon, [occurs in Lassen and Modoc Co. CA]; JPM - 878, accepted, in Oregon (explicit); JPM2 - 1104, accepted, in Oregon (explicit); PEK - 276, accepted, in Oregon (explicit).

***Eriogonum ovalifolium* Nutt. ssp. *vineum* S. Stokes**

FN - 5:322, synonym for *Eriogonum ovalifolium* var. *vineum*, not in Oregon; IL - 2:43, accepted, in Oregon (implied); PEK - 277, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *majus* Hook.**

FN - 5:346, accepted, not in Oregon; FPN2 - 327, accepted, not in Oregon, ; IN - 2a:326, accepted, not in Oregon; PEK - 280, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *subalpinum* (Greene) M.E. Jones**

FN - 5:346, matched with *Eriogonum umbellatum* ssp. *subalpinum* (subtaxon form), synonym for *Eriogonum umbellatum* var. *majus*, not in Oregon; FPN - 81, accepted, in Oregon (explicit); IL - 2:27, matched with *Eriogonum umbellatum* ssp. *subalpinum* (subtaxon form), synonym for *Eriogonum umbellatum* ssp. *majus*, not in Oregon; VP - 2:136, accepted, in Oregon (explicit).

***Eriogonum umbellatum* Torr. var. *torreyanum* (A. Gray) M.E. Jones**

FN - 5:353, accepted, not in Oregon, (CS used B&P abbrev. for FNA auth.); FPN - 81, synonym for *Eriogonum umbellatum* var. *glaberrimum*, in Oregon (explicit); JPM - 882, accepted, not in Oregon; JPM2 - 1108, accepted, not in Oregon; VP - 2:136, accepted, in Oregon (explicit).

Synonyms:

***Eriogonum torreyanum* A. Gray**

FN - 5:353, synonym for *Eriogonum umbellatum* var. *torreyanum*, not in Oregon; FPN - 81, synonym for *Eriogonum umbellatum* var. *glaberrimum*, in Oregon (explicit); IL - 2:27, synonym for *Eriogonum umbellatum* var. *polyanthum*, in Oregon (explicit); PEK - 280, accepted, in Oregon (explicit).

Eriogonum umbellatum* Torr. var. *umbellatum

FN - 5:339, accepted, not in Oregon; FPN - 81, accepted, in Oregon (implied); FPN2 - 327, accepted, in Oregon (explicit), ; IL - 2:27, (subtaxon implied), accepted, in Oregon (implied); IN - 2a:324, accepted, not in Oregon; PEK - 280, (subtaxon implied), accepted, in Oregon (explicit); VP - 2:138, accepted, in Oregon (explicit).

***Eriogonum ursinum* S. Watson**

FN - 5:358, accepted, not in Oregon; IL - 2:26, accepted, not in Oregon; JPM - 882, accepted, not in Oregon; PEK - 280, accepted, in Oregon (explicit).

***Persicaria capitata* (Buch.-Ham. ex D. Don) H. Gross**

FN - 5:579, accepted, in Oregon, planted as a garden groundcover; difficult to eradicate; FPN2 - 331, accepted, given distribution: reports of [...] from Lincoln Co, OR not supported by specimens, ; JPM2 - 1115, accepted, in Oregon (explicit).

***Persicaria coccinea* (Muhl. ex Willd.) Greene**

IN - 2a:239, accepted, in Oregon (implied).

***Polygonum ramosissimum* Michx. ssp. *prolificum* (Small) Costea & Tardif**

FN - 5:552, accepted, in Oregon; FPN2 - 333, accepted, in Oregon (implied), ; JPM2 - 1120, accepted, no geog. info. given.

***Pterostegia drymarioides* Fisch. & C.A. Mey.**

FN - 5:478, accepted, not in Oregon, FNA common name: no common name suggested; Per FNA author: "species will likely be found in southern Oregon." The only presumed Oregon colln. ...along ; IL - 2:1, synonym for *Pterostegia drymaroides*, not in Oregon; IN - 2a:387, accepted, not in Oregon; JPM - 892, accepted, in Oregon (explicit); JPM2 - 1121, accepted, in Oregon (explicit); Kartesz, 2005 - accepted, not in Oregon, range extends from AZ and southern NV to northern CA, Cos. not adjacent to Oregon.; PEK - 271, accepted, in Oregon (explicit), dry places se OR to UT, AZ and CA.

Synonyms:

***Pterostegia drymaroides* Fisch. & C.A. Mey.**

orthographic variant

IL - 2:1, accepted, not in Oregon.

***Rumex acetosa* L.**

FN - 5:502, accepted, in Oregon, FNA common name: common sorrel; sourdock; FPN - 90, accepted, given distribution: known from nc Mont, but prob elsewhere in our area; VP - 2:169, accepted, in Oregon (explicit).

***Rumex salicifolius* Weinm. var. *mexicanus* (Meisn.) C.L. Hitchc.**

FPN - 92, accepted, in Oregon (explicit); FPN2 - 335, accepted, given distribution: occurs of our area, in genus desc. .

Synonyms:

Rumex mexicanus* Meisn. var. *mexicanus

PEK - 262, (subtaxon implied), accepted, in Oregon (explicit).

Rumex salicifolius* Weinm. var. *salicifolius

FPN2 - 335, accepted, not in Oregon, ; IL - 2:51, accepted, in Oregon (implied); JPM - 894, accepted, given distribution: CA-FP, W&I; NV, Baja CA; VP - 2:180, accepted, in Oregon (implied).

Literature cited for Polygonaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gale, S. 1944. Rhynchospora, section Eurhynchospora, in Canada, the United States and the West Indies. *Rhodora* 46:89-134, 159-197, 207-249, 255-278.

Grady, B.R. and J. Reveal. 2011. New combinations and a new species of *Eriogonum* (Polygonaceae: Eriogonoideae) from the Great Basin Desert, United States. *Phytotaxa* 24:33-38.

Hickman, J.C. and C.S. Hickman. 1977. *Polygonum perfoliatum*: a recent Asiatic adventive. *Bartonia* 45:18-23.

Hinds, H. 1995. Nomenclatural changes in *Polygonum*, *Persicaria*, and *Aconogonon* (Polygonaceae). *Novon* 5:165-166.

Hong, S.-P. 1991. A revision of *Aconogonon* (= *Polygonum* sect. *Aconogonon*, Polygonaceae) in North America. *Rhodora* 93:322-346.

Kartesz, J.T. 2005. A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada and Greenland. Second Edition. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Mitchell, R.S. 1968. Variation in the *Polygonum amphibium* complex and its taxonomic significance. University of California Publications in Botany 45:1-65.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Rechinger, K.H., Jr. 1937. The North American species of *Rumex*. Publications of the Field Museum of Natural History. Botanical series 17:1-151.

Reveal, J.L. 1983. The Demoulin Rule and newly mandated combinations in *Eriogonum* (Polygonaceae). *Taxon* 32:292-295.

Reveal, J.L. 2005A. Polygonaceae. *Flora of North America* 5:218-478.

Reveal, J.L. 2012. A revision of *Eriogoneae* for North America (Polygonaceae). <http://www.eriogonum.org/>. The *Eriogonum* Society.

Reveal, J.L., D. York, and R. Helliwell. 2009. *Eriogonum villosissimum* (Polygonaceae: Eriogonoideae), a new species endemic to Acker Rock, Oregon. *Journal of the Botanical Research Institute of Texas* 3(2):639-643.

Ronse Decraene, L.-P. and J.R. Akeroyd. 1988. Generic limits in *Polygonum* and related genera (Polygonaceae) on the basis of floral characters. *Botanical Journal of the Linnean Society* 98:321-371.

Schuster, T., J. Reveal, M. Bayly, and K. Kron. 2015. An updated molecular phylogeny of Polygonoideae (Polygonaceae): Relationships of Oxygonum, Pteroxygonum, and Rumex, and a new circumscription of Koenigia Taxon 64(6):1188-1208.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Abbreviations Used

FN = Flora of North America

FPN = Flora of the Pacific Northwest

FOO = Flora of Oregon

GWM = Guide to the plants of the
Wallowa Mountains of northeastern

IL = An Illustrated Flora of the Pacific States

IN = Intermountain Flora

IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = <http://plants.usda.gov>

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference

a+ = authority in the reference matches checklist

a± = authority abbreviation in the reference differs

sa = authority at the specific level in the reference

ssa = authority at the subspecific level in the reference