

Checklist of Oregon Asparagaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Asparagus

Checklist contributor: Henrietta Chambers, 10/9/2006

Flora contributor: Stephen Meyers

Asparagus officinalis L.

Common names: asparagus

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 26:214, accepted, in Oregon; FOO - 1:152, accepted, in Oregon (explicit); FPN - 685, accepted, in Oregon (implied); FPN2 - 704, accepted, in Oregon (implied); IL - 1:452, accepted, in Oregon (implied); IN - 6:491, accepted, in Oregon (implied); PEK - 227, accepted, in Oregon (explicit); VP - 1:760, accepted, in Oregon (implied).

Synonyms:

Asparagus officinalis L. **ssp. officinalis**

JPM - 1179, accepted, given distribution: CA-FP, W&I; native to Eur; JPM2 - 1303, accepted, no geog. info. given.

Brodiaea

Checklist contributor: Henrietta Chambers, 9/22/2006

Flora contributor: Stephen Meyers

Brodiaea californica Lindl.

Chambers, 1995B - uncertain, in Oregon (explicit); FN - 26:323, accepted, not in Oregon, JCP recognizes ssp. Verified records only from CA; IL - 1:406, accepted, not in Oregon, this name represents the concept for our accepted terminal - ssp. coronaria; JPM - 1182, accepted, not in Oregon; JPM2 - 1510, accepted, in Oregon (explicit); Niehaus, 1971 - 60:1-66, accepted; PEK - 216, accepted, in Oregon (explicit).

Brodiaea californica Lindl. **ssp. californica**

Common names: California brodiaea, California cluster-lily

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 26:322, accepted, not in Oregon, "There are unverified reports of occurrence in southern Oregon."; FOO - 1:154, accepted, in Oregon (explicit).

Brodiaea coronaria (Salisb.) Engl.

Common names: crown brodiaea, harvest brodiaea, harvest cluster-lily

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 26:324, accepted; FOO - 1:154, accepted, in Oregon (explicit); FPN - 685, accepted, in Oregon (explicit); FPN2 - 705, accepted, in Oregon (explicit); JPM - 1182, accepted, in Oregon (implied); JPM2 - 1510, accepted, in Oregon (implied); VP - 1:762, accepted, in Oregon (explicit), this name represents the concept for our accepted terminal - ssp. coronaria.

Synonyms:

Brodiaea coronaria (Salisb.) Engl. **ssp. coronaria**

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:324, accepted, in Oregon; JPM - 1182, accepted, not in Oregon.

Brodiaea coronaria (Salisb.) Engl. **var. coronaria**

PEK - 215, (subtaxon implied), accepted, in Oregon (explicit).

Brodiaea rosea (Greene) Baker **ssp. rosea**

Brodiaea rosea (Greene) Baker **var. rosea**

FPN2 - 705, accepted, in Oregon (explicit).

***Brodiaea elegans* Hoover**

Common names: elegant brodiaea, elegant cluster-lily, harvest brodiaea

Origin: native

Voucher: OSU, most recently collected in 2017.

FOO - 1:154, accepted, in Oregon (explicit); FPN - 685, accepted, in Oregon (explicit); JPM - 1182, accepted, in Oregon (explicit); PEK - 215, accepted, in Oregon (explicit); VP - 1:763, accepted, in Oregon (explicit).

Synonyms:

Brodiaea elegans* Hoover ssp. *elegans

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:325, accepted, in Oregon; JPM - 1182, accepted, not in Oregon; JPM2 - 1510, accepted, not in Oregon.

***Brodiaea elegans* Hoover ssp. *hooveri* T.F. Niehaus**

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:325, accepted, in Oregon; FPN2 - 705, accepted, in Oregon (explicit); JPM - 1182, accepted, in Oregon (explicit).

***Brodiaea minor* (Benth.) S. Watson**

Common names: small brodiaea, dwarf brodiaea, vernalpool brodiaea

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2007.

JPM - 1182, accepted, not in Oregon; JPM2 - 1511, accepted, in Oregon (explicit).

***Brodiaea nana* Hoover**

Common names: vernalpool brodiaea, dwarf brodiaea

Origin: native?

Voucher: OSU, most recently collected in 2011.

***Brodiaea terrestris* Kellogg**

Common names: dwarf brodiaea, dwarf cluster-lily

Origin: native

Voucher: OSU, most recently collected in 2001.

FOO - 1:154, accepted, in Oregon (explicit); JPM - 1183, accepted, in Oregon (explicit).

Synonyms:

***Brodiaea coronaria* (Salisb.) Engl. var. *macropoda* (Torr.) Hoover**

FN - 26:327, synonym for *Brodiaea terrestris* ssp. *terrestris*, in Oregon; PEK - 215, accepted, in Oregon (explicit).

Brodiaea terrestris* Kellogg ssp. *terrestris

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:327, accepted, in Oregon; FPN2 - 705, accepted, in Oregon (explicit); JPM - 1183, accepted, in Oregon (explicit); JPM2 - 1511, accepted, in Oregon (explicit).

Literature cited for *Brodiaea*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Niehaus, T.F. 1971. A biosystematic study of the genus *Brodiaea* (Amaryllidaceae). University of California Publications in Botany 60:1-66.

Camassia

Checklist contributor: Henrietta Chambers, 5/18/2004

Flora contributor: Susan Kephart

***Camassia cusickii* S. Watson**

Common names: Cusick's camas

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 26:307, accepted, in Oregon; FOO - 1:155, accepted, in Oregon (explicit); FPN - 688, accepted, in Oregon (explicit); FPN2 - 705, accepted, in Oregon (explicit); GWM - 92, accepted, in Oregon (explicit); IL - 1:415, accepted, in Oregon (explicit); PEK - 218, accepted, in Oregon (explicit); VP - 1:779, accepted, in Oregon (explicit).

***Camassia howellii* S. Watson**

Common names: Howell's camas

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 26:306, accepted, in Oregon; FOO - 1:155, accepted, in Oregon (explicit); IL - 1:416, accepted, in Oregon (explicit); PEK - 218, accepted, in Oregon (explicit).

***Camassia leichtlinii* (Baker) S. Watson**

FOO - 1:155, accepted, in Oregon (explicit); FPN - 688, accepted, in Oregon (explicit); IL - 1:416, accepted, in Oregon (explicit); IN - 6:504, accepted, in Oregon (implied); PEK - 218, accepted; VP - 1:780, accepted, in Oregon (explicit).

Camassia leichtlinii* (Baker) S. Watson ssp. *leichtlinii

Common names: Leichtlin's camas, great white camas, large camas

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 26:306, accepted, in Oregon; FOO - 1:155, accepted, in Oregon (explicit); FPN - 688, excluded, given distribution: from s of our area.

Synonyms:

Camassia leichtlinii* (Baker) S. Watson var. *leichtlinii

FPN - 688, accepted; PEK - 218, (subtaxon implied), accepted, in Oregon (explicit); VP - 1:780, accepted.

***Camassia leichtlinii* (Baker) S. Watson ssp. *suksdorfii* (Greenm.) Gould**

Common names: great camas

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 26:306, accepted, in Oregon; FOO - 1:156, accepted, in Oregon (explicit); FPN - 688, synonym for *Camassia leichtlinii* var. *suksdorfii*, in Oregon (explicit); FPN2 - 705, accepted, in Oregon (implied), ; JPM2 - 1284, accepted, in Oregon (implied); PEK - 218, accepted, in Oregon (explicit).

Synonyms:

***Camassia leichtlinii* (Baker) S. Watson var. *suksdorfii* (Greenm.) C.L. Hitchc.**

FPN - 688, accepted, in Oregon (explicit); VP - 1:780, accepted.

***Camassia quamash* (Pursh) Greene**

FOO - 1:156, accepted, in Oregon (explicit); FPN - 688, accepted, in Oregon (implied); GWM - 93, accepted, in Oregon (explicit); IL - 1:415, accepted, given distribution: British Columbia to Montana, Utah, and the Coast Ranges of northern California; IN - 6:506, accepted, in Oregon (implied); JPM - 1189, accepted, in Oregon (implied); PEK - 218, accepted, in Oregon (explicit).

***Camassia quamash* (Pursh) Greene ssp. *breviflora* Gould**

Common names: small camas

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 26:306, accepted, in Oregon; FOO - 1:156, accepted, in Oregon (explicit); FPN - 689, synonym for *Camassia quamash* var. *breviflora*, in Oregon (explicit); FPN2 - 706, accepted, in Oregon (explicit), ; JPM - 1189, accepted, in Oregon (implied); JPM2 - 1284, accepted, in Oregon (implied); PEK - 218, accepted, in Oregon (explicit).

Synonyms:

***Camassia quamash* (Pursh) Greene var. *breviflora* (Gould) C.L. Hitchc.**

FN - 26:306, excluded, in Oregon; FPN - 689, accepted, in Oregon (explicit); VP - 1:782, accepted, in Oregon (explicit).

***Camassia quamash* (Pursh) Greene ssp. *intermedia* Gould**

Common names: common camas

Origin: native

Voucher: OSU, most recently collected in 1989.

FN - 26:305, accepted, in Oregon; FOO - 1:156, accepted, in Oregon (explicit); FPN - 689, synonym for *Camassia quamash* var. *intermedia*, in Oregon (explicit); FPN2 - 706, accepted, in Oregon (explicit), ; PEK - 218, accepted, in Oregon (explicit).

Synonyms:

***Camassia quamash* (Pursh) Greene var. *intermedia* (Gould) C.L. Hitchc.**

FPN - 689, accepted, in Oregon (explicit); VP - 1:782, accepted, in Oregon (explicit).

***Camassia quamash* (Pursh) Greene ssp. *maxima* Gould**

Common names: common camas

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 26:305, accepted, in Oregon; FOO - 1:157, accepted, in Oregon (explicit); FPN - 689, synonym for *Camassia quamash* var. *maxima*, in Oregon (explicit); FPN2 - 706, accepted, in Oregon (explicit), ; Gould, 1942 - uncertain, ..

Synonyms:

***Camassia quamash* (Pursh) Greene var. *maxima* (Gould) C.L. Hitchc.**

FPN - 689, accepted, in Oregon (explicit); VP - 1:782, accepted, in Oregon (explicit).

Camassia quamash* (Pursh) Greene ssp. *quamash

Common names: common camas

Origin: native

Voucher: OSU, most recently collected in 2004.

FN - 26:305, accepted, in Oregon; FOO - 1:157, accepted, in Oregon (explicit); FPN2 - 705, accepted, in Oregon (explicit); ; Gould, 1942 - uncertain; JPM - 1189, accepted, not in Oregon.

Synonyms:

Camassia quamash* (Pursh) Greene var. *quamash

FPN - 689, accepted, in Oregon (implied); PEK - 218, (subtaxon implied), accepted, in Oregon (explicit); VP - 1:782, accepted, not in Oregon.

***Camassia quamash* (Pursh) Greene ssp. *utahensis* Gould**

Common names: Utah camas

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 26:306, accepted, not in Oregon; FOO - 1:157, accepted, in Oregon (explicit); FPN - 688, synonym for *Camassia quamash* var. *utahensis*, in Oregon (explicit); FPN2 - 706, accepted, in Oregon (explicit); ; Gould, 1942 - uncertain.

Synonyms:

***Camassia quamash* (Pursh) Greene var. *utahensis* (Gould) C.L. Hitchc.**

FPN - 688, accepted, in Oregon (explicit); VP - 1:782, accepted, in Oregon (explicit).

***Camassia quamash* (Pursh) Greene ssp. *walpolei* (Piper) Gould**

Common names: Walpole's camas

Origin: native

Voucher: OSU, most recently collected in 1986.

FN - 26:305, accepted, in Oregon; FOO - 1:157, accepted, in Oregon (explicit); Gould, 1942 - uncertain; PEK - 218, accepted, in Oregon (explicit).

Literature cited for *Camassia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Fishbein, M., S.R. Kephart, M. Wilder, K.M. Halpin, and S.L. Datwyler. 2010. Phylogeny of *Camassia* (Agavaceae) inferred from plastid rpl16 intron and trnD-trnY-trnE-trnT intergenic spacer DNA sequences: Implications for species delimitation. *Systematic Botany*

Gould, F.W. 1942. A systematic treatment of the genus *Camassia* Lindl. *American Midland Naturalist* 28:712-742.

Chlorogalum

Checklist contributor: Kenton Chambers, 4/13/2000

Flora contributor: Frank Callahan

***Chlorogalum angustifolium* Kellogg**

Common names: narrowleaf amole, narrowleaf soap plant

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 26:308, accepted, in Oregon; FOO - 1:158, accepted, in Oregon (explicit); JPM - 1189, accepted, in Oregon (explicit); JPM2 - 1285, accepted, in Oregon (explicit).

***Chlorogalum grandiflorum* Hoover**

Common names: Red Hills soap plant

Origin: native

Voucher: OSU, most recently collected in 2009.

FOO - 1:158, accepted, in Oregon (explicit); JPM2 - 1285, accepted, not in Oregon.

***Chlorogalum pomeridianum* (DC.) Kunth**

FOO - 1:158, accepted, in Oregon (explicit); JPM - 1190, accepted, in Oregon (explicit); PEK - 217, accepted, in Oregon (explicit).

***Chlorogalum pomeridianum* (DC.) Kunth ssp. *austrooreganum* Callahan**

Common names: southern Oregon amole

Origin: native

Voucher: OSU, most recently collected in 2009.

FOO - 1:159, accepted, in Oregon (explicit).

***Chlorogalum pomeridianum* (DC.) Kunth var. *minus* Hoover**

Common names: small amole

Origin: native

Voucher: OSU, most recently collected in 2011.

FOO - 1:159, accepted, in Oregon (explicit); JPM - 1190, accepted, not in Oregon; JPM2 - 1285, accepted, not in Oregon; KZ - 1:362, accepted.

Chlorogalum pomeridianum* (DC.) Kunth var. *pomeridianum

Common names: amole, wavyleaf soap plant

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 26:308, accepted, in Oregon; FOO - 1:159, accepted, in Oregon (explicit); JPM - 1190, accepted, in Oregon (explicit); JPM2 - 1285, accepted, in Oregon (explicit).

Dichelostemma

Checklist contributor: Henrietta Chambers, 9/22/2006

Flora contributor: Stephen Meyers

***Dichelostemma congestum* (Sm.) Kunth**

Common names: ookow

Origin: native

Voucher: OSU, most recently collected in 2017.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:330, accepted, in Oregon; FOO - 1:160, accepted, in Oregon (explicit); FPN - 685, accepted, in Oregon; FPN2 - 706, accepted, in Oregon (explicit); JPM - 1192, accepted, in Oregon (implied); JPM2 - 1512, accepted, in Oregon (implied).

Synonyms:

***Brodiaea congesta* Sm.**

FN - 26:330, synonym for *Dichelostemma congestum*, in Oregon; FPN - 685, accepted, in Oregon (explicit); VP - 1:762, accepted, in Oregon (explicit).

***Dichelostemma ida-maia* (A.W. Wood) Greene**

Common names: firecracker flower

Origin: native

Voucher: OSU, most recently collected in 1998.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:330, accepted, in Oregon; FOO - 1:160, accepted, in Oregon (explicit); JPM - 1192, accepted, in Oregon (explicit); JPM2 - 1512, accepted, in Oregon (explicit); Oregon Flora Project, 1996J - .

Synonyms:

***Brodiaea ida-maia* (A.W. Wood) Greene**

FN - 26:330, synonym for *Dichelostemma ida-maia*, in Oregon; PEK - 216, accepted, in Oregon (explicit).

***Dichelostemma multiflorum* (Benth.) A. Heller**

Common names: round tooth snakelily, round-toothed ookow, wild hyacinth

Origin: native

Voucher: OSU, most recently collected in 2016.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:331, accepted, in Oregon; FOO - 1:160, accepted, in Oregon (explicit); IL - 1:409, accepted, in Oregon (explicit); JPM - 1192, accepted, in Oregon (explicit); JPM2 - 1512, accepted, in Oregon (explicit).

Synonyms:

***Brodiaea multiflora* Benth.**

FN - 26:331, synonym for *Dichelostemma multiflorum*, in Oregon; PEK - 216, accepted, in Oregon (explicit).

***Dichelostemma* × *venustum* (Greene) Hoover**

Common names: snakelily

Origin: native

Voucher: OSU, most recently collected in 1975.

Chambers, 1995B - excluded, in Oregon (explicit); FN - 26:331, synonym for *Dichelostemma ida-maia*, in Oregon, may be a hybrid between *D. ida-maia* and *D. congestum* or *D. multiflorum*.

***Dichelostemma volubile* (Kellogg) A. Heller**

Common names: twining snakelily, twining brodiaea

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2010.

FN - 26:331, accepted, not in Oregon; JPM - 1192, accepted, not in Oregon; JPM2 - 1512, accepted, not in Oregon.

Dipterostemon

Checklist contributor:

Flora contributor: not applicable

Dipterostemon capitatus* (Benth.) Rydb. ssp. *capitatus

Common names: bluedicks

Origin: native

Voucher: OSU, most recently collected in 2012.

Preston, 2017 - 4, accepted.

Synonyms:

***Brodiaea capitata* Benth.**

FN - 26:329, synonym for *Dichelostemma capitatum*, in Oregon; PEK - 216, accepted, in Oregon (explicit).

***Brodiaea pulchella* (Salisb.) Greene**

PEK - 216, accepted, in Oregon (explicit).

Dichelostemma capitatum* (Benth.) A.W. Wood ssp. *capitatum

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:330, accepted, in Oregon; FOO - 1:159, accepted, in Oregon (explicit); FPN2 - 706, accepted, in Oregon (explicit), ; JPM - 1192, accepted, in Oregon (explicit); JPM2 - 1512, accepted, in Oregon (explicit).

***Dichelostemma pulchellum* (Salisb.) A. Heller**

Chambers, 1995B - ambiguous synonym, in Oregon (explicit); IL - 1:408, accepted, in Oregon (implied); IN - 6:524, accepted, in Oregon (explicit).

Literature cited for Dipterostemon

(Excluding the standard references unless specifically cited in the flora manuscript.)

Preston, R.E. 2017. New nomenclatural combinations for blue dicks (*Dipterostemon capitatus*; Asparagaceae: Brodiaeoideae).

Phytoneuron 2017-15:1-11.

Hastingsia

Checklist contributor: Kenton Chambers, 4/18/2000

Flora contributor: Kathryn Theiss

***Hastingsia alba* (Durand) S. Watson**

Common names: white-flowered rush-lily

Origin: native

Voucher: OSU, most recently collected in 2018.

Becking, 1989 - ; FN - 26:311, accepted, in Oregon; FOO - 1:160, accepted, in Oregon (explicit); JPM - 1196, accepted, in Oregon (explicit); JPM2 - 1285, accepted, in Oregon (explicit).

Synonyms:

***Hastingsia serpentinicola* Becking**

Becking, 1989 - , [protologue]; FN - 26:312, accepted, in Oregon; JPM - 1196, accepted, in Oregon (explicit); JPM2 - 1285, accepted, in Oregon (explicit).

***Schoenolirion album* Durand**

IL - 1:412, accepted, in Oregon (explicit); PEK - 217, accepted, in Oregon (explicit).

***Hastingsia bracteosa* S. Watson**

FN - 26:312, accepted, in Oregon; FOO - 1:161, accepted, in Oregon (explicit); Lang & Zika, 1997 - .

***Hastingsia bracteosa* S. Watson var. *atropurpurea* (Becking) F.A. Lang & Zika**

Common names: purple-flowered rush-lily

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:161, accepted, in Oregon (explicit).

Synonyms:

***Hastingsia atropurpurea* Becking**

Becking, 1986 -, [protologue]; FN - 26:312, accepted, in Oregon; Lang & Zika, 1997 - .

Hastingsia bracteosa* S. Watson var. *bracteosa

Common names: large-flowered rush-lily

Origin: native

Voucher: OSU, most recently collected in 2004.

FOO - 1:161, accepted, in Oregon (explicit).

Synonyms:

***Schoenolirion bracteosum* (S. Watson) Jeps.**

IL - 1:413, accepted, in Oregon (explicit); PEK - 217, accepted, in Oregon (explicit).

Literature cited for *Hastingsia*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Becking, R.W. 1986. *Hastingsia atropurpurea* (Liliaceae: Asphodeleae), a new species from southwestern Oregon. *Madroño* 33:175-181.

Becking, R.W. 1989. Segregation of *Hastingsia serpentinicola*, sp. nov. from *Hastingsia alba* (Liliaceae: Asphodeleae). *Madroño* 36:208-216.

Lang, F.A. and P.F. Zika. 1997. A nomenclatural note on *Hastingsia bracteosa* and *Hastingsia atropurpurea* (Liliaceae). *Madroño* 44:189-192.

Sherman, H.L. and R.W. Becking. 1991. The generic distinctness of *Schoenolirion* and *Hastingsia*. *Madroño* 38:130-138.

Hyacinthoides

Checklist contributor: Henrietta Chambers, 10/9/2006

Flora contributor: Stephen Meyers

***Hyacinthoides* × *massartiana* Geerinck**

Common names: variable hyacinthoides

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2004.

FPN2 - 706, accepted, in Oregon (explicit), .

Synonyms:

***Hyacinthoides* × *variabilis* P.D. Sell**

FN - 26:315, accepted, widely naturalized in Washington state.

***Hyacinthoides non-scripta* (L.) Chouard**

Common names: English bluebell

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2017.

FN - 26:316, accepted, not in Oregon, no specific mention of Oregon; FOO - 1:161, accepted, in Oregon (explicit); FPN2 - 706, accepted, not in Oregon, .

Synonyms:

***Scilla non-scripta* (L.) Hoffmanns. & Link**

FN - 26:316, synonym for *Hyacinthoides non-scripta*, not in Oregon.

Leucocrinum

Checklist contributor: Kenton Chambers, 2/20/1999

Flora contributor: Stephen Meyers

***Leucocrinum montanum* Nutt.**

Common names: sand-lily

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 26:218, accepted, in Oregon; FOO - 1:161, accepted, in Oregon (explicit); FPN - 691, accepted, in Oregon (explicit); FPN2 - 707, accepted, in Oregon (explicit); ; IL - 1:411, accepted, in Oregon (explicit); IN - 6:482, accepted, in Oregon (explicit); JPM - 1198, accepted, in Oregon (explicit); JPM2 - 1286, accepted, in Oregon (explicit); PEK - 216, accepted, in Oregon (explicit); VP - 1:793, accepted, in Oregon (explicit).

Literature cited for *Leucocrinum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Ornduff, R. and M.S. Cave. 1975. Geography of pollen and chromosomal heteromorphism in *Leucocrinum montanum* (Liliaceae). *Madroño* 23:65-67.

Maianthemum

Checklist contributor: Kenton Chambers, 10/29/1998

Flora contributor: Thea Jaster

***Maianthemum dilatatum* (A.W. Wood) A. Nelson & J.F. Macbr.**

Common names: false lily-of-the-valley, beadruby

Origin: native

Voucher: OSU, most recently collected in 2021.

Chambers, 2003A - , in Oregon (explicit); FN - 26:208, accepted, in Oregon; FOO - 1:162, accepted, in Oregon (explicit); FPN - 692, accepted, in Oregon (implied); FPN2 - 707, accepted, in Oregon (implied); ; IL - 1:455, accepted, in Oregon (explicit); JPM - 1202, accepted, in Oregon (implied); JPM2 - 1504, accepted, in Oregon (implied); LaFrankie, 1986 - ; VP - 1:798, accepted, in Oregon (implied).

Synonyms:

***Maianthemum bifolium* DC. var. *kamtschaticum* (J.F. Gmel.) Jeps.**

FN - 26:208, synonym for *Maianthemum dilatatum*, in Oregon; FPN - 692, synonym for *Maianthemum dilatatum*, in Oregon (implied); PEK - 229, accepted, in Oregon (explicit).

***Maianthemum racemosum* (L.) Link**

JPM2 - 1504, accepted, in Oregon (implied).

***Maianthemum racemosum* (L.) Link ssp. *amplexicaule* (Nutt.) LaFrankie**

Common names: large false Solomon's seal, western Solomon plume

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 26:209, accepted, in Oregon; FOO - 1:163, accepted, in Oregon (explicit); FPN2 - 707, accepted, in Oregon (implied), .

Synonyms:

Smilacina amplexicaulis* Nutt. var. *amplexicaulis

FN - 26:718, excluded; IL - 1:453, accepted, in Oregon (implied), var. implied in IL, PEK; PEK - 228, (subtaxon implied), accepted, in Oregon (explicit).

***Smilacina amplexicaulis* Nutt. var. *glabra* J.F. Macbr.**

FN - 26:718, excluded; IL - 1:453, accepted, in Oregon (implied); PEK - 228, accepted, in Oregon (explicit).

***Smilacina racemosa* (L.) Desf.**

FN - 26:208, synonym for *Maianthemum racemosum*, in Oregon; FPN - 693, accepted, in Oregon (implied); GWM - 94, accepted, in Oregon (explicit); IN - 6:482, accepted, in Oregon (implied); JPM - 1204, accepted, in Oregon (implied); VP - 1:800, accepted, in Oregon (implied).

***Maianthemum stellatum* (L.) Link**

Common names: starry false Solomon's seal, small false Solomon's seal

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 26:209, accepted, in Oregon; FOO - 1:163, accepted, in Oregon (explicit); FPN2 - 707, accepted, in Oregon (implied), ; JPM2 - 1504, accepted, in Oregon (implied).

Synonyms:

***Smilacina liliacea* (Greene) F.L. Wynd**

FN - 26:209, synonym for *Maianthemum stellatum*, in Oregon; IL - 1:454, accepted, in Oregon (implied); PEK - 229, accepted, in Oregon (explicit).

***Smilacina sessilifolia* (Baker) S. Watson**

FN - 26:718, excluded; FPN - 693, synonym for *Smilacina stellata*, in Oregon (implied); IL - 1:454, accepted, in Oregon (explicit); PEK - 228, accepted, in Oregon (explicit).

***Smilacina stellata* (L.) Desf.**

FN - 26:209, synonym for *Maianthemum stellatum*, in Oregon; FPN - 693, accepted, in Oregon (implied); GWM - 96, accepted; IN - 6:484, accepted, in Oregon (implied); JPM - 1204, accepted, in Oregon (implied); VP - 1:800, accepted, in Oregon (implied).

Literature cited for *Maianthemum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

LaFrankie, J.V., Jr. 1986. Morphology and taxonomy of the New World species of *Maianthemum* (Liliaceae). *Journal of the Arnold Arboretum* 67:371-439.

Muilla

Checklist contributor:

Flora contributor: not applicable

***Muilla transmontana* Greene**

Common names: Great Basin muilla

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2017.

Muscari

Checklist contributor: Henrietta Chambers, 10/9/2006

Flora contributor: Tamra Prior

***Muscari botryoides* (L.) Mill.**

Common names: grape hyacinth, common grape hyacinth

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2014.

FN - 26:317, accepted, in Oregon; FOO - 1:163, accepted, in Oregon (explicit); FPN2 - 707, accepted, in Oregon (implied), ; IN - 6:508, accepted, in Oregon (implied); JPM - 1202, accepted, not in Oregon.

Synonyms:

***Hyacinthus botryoides* L.**

***Muscari comosum* (L.) Mill.**

Common names: tassel hyacinth, tassel grape hyacinth

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2008.

FN - 26:317, accepted, in Oregon; FOO - 1:163, accepted, in Oregon (explicit); FPN2 - 707, accepted, in Oregon (explicit), .

Synonyms:

***Hyacinthus comosus* L.**

***Leopoldia comosa* (L.) Parl.**

Ornithogalum

Checklist contributor: Scott Sundberg, 10/1/2002

Flora contributor: Stephen Meyers

Ornithogalum nutans L.

Common names: drooping star of Bethlehem

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1991.

FN - 26:319, accepted, in Oregon; FPN2 - 708, accepted, in Oregon (explicit), ; Zika, 1992 - , "First record for OR."; "...weed in seed crop of *Poa pratensis*..." Zika 11068 & 11076.

Ornithogalum umbellatum L.

Common names: star of Bethlehem, nap-at-noon, sleepy dick

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2007.

FN - 26:319, accepted, in Oregon; FOO - 1:164, accepted, in Oregon (explicit); FPN2 - 708, accepted, in Oregon (implied), ; IN - 6:506, accepted, given distribution: infrequent in our area.

Literature cited for *Ornithogalum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Zika, P.F. 1992. Noteworthy collections - Oregon. *Madroño* 39(1):80.

Triteleia

Checklist contributor: Henrietta Chambers, 9/22/2006

Flora contributor: Stephen Meyers

Triteleia bridgesii (S. Watson) Greene

Common names: Bridges' triteleia

Origin: native

Voucher: OSU, most recently collected in 2012.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:340, accepted, in Oregon; FOO - 1:165, accepted, in Oregon (explicit); IL - 1:404, accepted, in Oregon (explicit); JPM - 1207, accepted, in Oregon (explicit); JPM2 - 1513, accepted, in Oregon (explicit); PEK - 215, accepted, in Oregon (explicit).

Synonyms:

Brodiaea bridgesii S. Watson

FN - 26:340, synonym for *Triteleia bridgesii*, in Oregon; PEK - 215, accepted, in Oregon (explicit).

Triteleia crocea (A.W. Wood) Greene

Common names: yellow triteleia

Origin: native

Voucher: OSU, most recently collected in 2009.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:340, accepted, in Oregon, *Bloomeria crocea* IS NOT A SYN for *TRICRO*; FOO - 1:165, accepted, in Oregon (explicit); IL - 1:403, accepted, not in Oregon; JPM - 1207, accepted, in Oregon (explicit); JPM2 - 1513, accepted, in Oregon (explicit).

Synonyms:

Brodiaea crocea (A.W. Wood) S. Watson

FN - 26:340, synonym for *Triteleia crocea*, in Oregon; PEK - 215, accepted, in Oregon (explicit).

Triteleia crocea (A.W. Wood) Greene var. *crocea*

JPM - 1207, accepted, not in Oregon.

***Triteleia grandiflora* Lindl.**

Common names: large-flowered triteleia, Howell's triteleia

Origin: native

Voucher: OSU, most recently collected in 2019.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:341, accepted, in Oregon, JCP does not recognize ssp. howellii; FOO - 1:165, accepted, in Oregon (explicit); FPN - 686, synonym for *Brodiaea douglasii*, in Oregon (explicit); IL - 1:401, accepted, in Oregon; IN - 6:523, accepted, in Oregon (explicit); JPM2 - 1513, accepted, in Oregon (implied).

Synonyms:

***Brodiaea douglasii* S. Watson**

FPN - 686, accepted, in Oregon (explicit); GWM - 92, accepted, in Oregon (explicit); PEK - 214, accepted, in Oregon (explicit); VP - 1:763, accepted, in Oregon (explicit).

Brodiaea douglasii* S. Watson var. *douglasii

PEK - 214, (subtaxon implied), accepted, in Oregon (explicit), Check PEK lists authority as "(Lindl.) Wats.".

***Brodiaea douglasii* S. Watson var. *howellii* (S. Watson) M. Peck**

FN - 26:341, synonym for *Triteleia grandiflora*, in Oregon; FPN - 686, synonym for *Brodiaea howellii*, in Oregon (explicit); GWM - 92, accepted; PEK - 214, accepted, in Oregon (explicit).

***Brodiaea howellii* S. Watson**

FN - 26:341, synonym for *Triteleia grandiflora*, in Oregon; FPN - 686, accepted, in Oregon (explicit); VP - 1:765, accepted, in Oregon (explicit).

Triteleia grandiflora* Lindl. ssp. *grandiflora

FN - 26:341, excluded; IN - 6:523, accepted.

Triteleia grandiflora* Lindl. var. *grandiflora

FN - 26:341, excluded; FPN2 - 708, accepted, in Oregon (explicit), .

***Triteleia grandiflora* Lindl. ssp. *howellii* (S. Watson) Hoover**

FN - 26:341, excluded; JPM - 1207, accepted, in Oregon (implied).

***Triteleia grandiflora* Lindl. var. *howellii* (S. Watson) Hoover**

FN - 26:341, synonym for *Triteleia grandiflora*, in Oregon; FPN - 686, synonym for *Brodiaea howellii*, in Oregon (explicit); FPN2 - 708, accepted, in Oregon (explicit), ; VP - 1:765, synonym for *Brodiaea howellii*, in Oregon (explicit).

***Triteleia howellii* (S. Watson) Greene**

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:341, synonym for *Triteleia grandiflora*, in Oregon; IL - 1:402, accepted, in Oregon (explicit); VP - 1:765, synonym for *Brodiaea howellii*, in Oregon (explicit).

***Triteleia hendersonii* Greene**

Common names: Henderson's triteleia

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 26:342, accepted, in Oregon; FOO - 1:166, accepted, in Oregon (explicit); FPN2 - 708, accepted, in Oregon (explicit), ; JPM2 - 1513, accepted, in Oregon (explicit).

Synonyms:

***Brodiaea hendersonii* S. Watson**

FN - 26:342, synonym for *Triteleia hendersonii*, in Oregon; FPN - 685, accepted, in Oregon (explicit); VP - 1:763, accepted, in Oregon (explicit).

***Brodiaea hendersonii* S. Watson var. *galeae* M. Peck**

PEK - 214, accepted, in Oregon (explicit).

Brodiaea hendersonii* S. Watson var. *hendersonii

PEK - 214, (subtaxon implied), accepted, in Oregon (explicit).

***Brodiaea leachiae* M. Peck**

FN - 26:342, synonym for *Triteleia hendersonii*, in Oregon; PEK - 215, accepted, in Oregon (explicit).

***Triteleia hyacinthina* (Lindl.) Greene**

Common names: hyacinth triteleia, fool's-onion, hyacinth cluster-lily, white triteleia

Origin: native

Voucher: OSU, most recently collected in 2019.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:342, accepted; FOO - 1:166, accepted, in Oregon (explicit); FPN2 - 708, accepted, in Oregon (explicit); IN - 6:524, accepted, in Oregon (explicit); JPM - 1207, accepted, in Oregon (implied); JPM2 - 1513, accepted, in Oregon (implied).

Synonyms:

***Brodiaea dissimulata* M. Peck**

Chambers, 1995B - excluded, in Oregon (explicit); FN - 26:342, synonym for *Triteleia hyacinthina*, in Oregon; PEK - 214, accepted, in Oregon (explicit).

***Brodiaea hyacinthina* (Lindl.) Baker**

FN - 26:342, synonym for *Triteleia hyacinthina*, in Oregon; FPN - 685, accepted, in Oregon (explicit); PEK - 214, accepted, in Oregon (explicit); VP - 1:765, accepted, in Oregon (explicit).

***Hesperoscordum hyacinthinum* Lindl.**

FN - 26:342, synonym for *Triteleia hyacinthina*, in Oregon; FPN - 685, synonym for *Brodiaea hyacinthina*, in Oregon (explicit); IL - 1:400, accepted, in Oregon (implied).

***Triteleia ixioides* (W.T. Aiton) Greene**

Common names: prettyface

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 26:342, accepted, in Oregon; FOO - 1:166, accepted, in Oregon (explicit); JPM - 1207, accepted, in Oregon (explicit).

Synonyms:

***Brodiaea scabra* (Greene) Baker var. *analina* (Greene) M. Peck**

PEK - 214, accepted, in Oregon (explicit).

***Brodiaea scabra* (Greene) Baker var. *anilina* (Greene) Munz**

PEK - 214, accepted, in Oregon (explicit).

***Calliprora scabra* Greene**

FN - 26:344, synonym for *Triteleia ixioides* ssp. *scabra*, not in Oregon, not in Oregon; IL - 1:400, accepted, not in Oregon.

***Triteleia ixioides* (W.T. Aiton) Greene ssp. *anilina* (Greene) L.W. Lenz**

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:343, accepted, in Oregon; JPM - 1207, accepted, in Oregon (explicit); JPM2 - 1514, accepted, not in Oregon.

***Triteleia ixioides* (W.T. Aiton) Greene ssp. *scabra* (Greene) L.W. Lenz**

FN - 26:344, accepted, not in Oregon, not documented from Oregon; JPM - 1208, accepted, not in Oregon; JPM2 - 1514, accepted, not in Oregon.

***Triteleia laxa* Benth.**

Common names: triplet lily, Ithuriel's spear

Origin: native

Voucher: OSU, most recently collected in 2020.

Chambers, 1995B - accepted, in Oregon (explicit); FN - 26:344, accepted, not in Oregon, documentation from Oregon lacking; FOO - 1:166, accepted, in Oregon (explicit); JPM - 1208, accepted, in Oregon (explicit); JPM2 - 1514, accepted, in Oregon (explicit).

Synonyms:

***Brodiaea laxa* (Benth.) S. Watson**

FN - 26:344, synonym for *Triteleia laxa*, not in Oregon, documentation in Oregon lacking; PEK - 215, accepted, in Oregon (explicit).

***Triteleia peduncularis* Lindl.**

Common names: long rayed brodiaea

Origin: native

Voucher: OSU, most recently collected in 2007.

IL - 1:403, accepted, not in Oregon; JPM - 1208, accepted, not in Oregon; JPM2 - 1514, accepted, not in Oregon.

Excluded names:

Triteleia ixioides (W.T. Aiton) Greene ssp. *unifolia* L.W. Lenz
FN - 26:344, accepted, in Oregon; JPM2 - 1514, accepted, in Oregon (explicit).

Literature cited for Asparagaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Becking, R.W. 1986. *Hastingsia atropurpurea* (Liliaceae: Asphodeleae), a new species from southwestern Oregon. *Madroño* 33:175-181.

Becking, R.W. 1989. Segregation of *Hastingsia serpentinicola*, sp. nov. from *Hastingsia alba* (Liliaceae: Asphodeleae). *Madroño* 36:208-216.

Fishbein, M., S.R. Kephart, M. Wilder, K.M. Halpin, and S.L. Datwyler. 2010. Phylogeny of *Camassia* (Agavaceae) inferred from plastid *rpl16* intron and *trnD-trnY-trnE-trnT* intergenic spacer DNA sequences: Implications for species delimitation. *Systematic Botany* 35(1):77-85.

Gould, F.W. 1942. A systematic treatment of the genus *Camassia* Lindl. *American Midland Naturalist* 28:712-742.

LaFrankie, J.V., Jr. 1986. Morphology and taxonomy of the New World species of *Maianthemum* (Liliaceae). *Journal of the Arnold Arboretum* 67:371-439.

Lang, F.A. and P.F. Zika. 1997. A nomenclatural note on *Hastingsia bracteosa* and *Hastingsia atropurpurea* (Liliaceae). *Madroño* 44:189-192.

Niehaus, T.F. 1971. A biosystematic study of the genus *Brodiaea* (Amaryllidaceae). University of California Publications in Botany 60:1-66.

Ornduff, R. and M.S. Cave. 1975. Geography of pollen and chromosomal heteromorphism in *Leucocrinum montanum* (Liliaceae). *Madroño* 23:65-67.

Preston, R.E. 2017. New nomenclatural combinations for blue dicks (*Dipterostemon capitatus*; Asparagaceae: Brodiaeoideae). *Phytoneuron* 2017-15:1-11.

Sherman, H.L. and R.W. Becking. 1991. The generic distinctness of *Schoenolirion* and *Hastingsia*. *Madroño* 38:130-138.

Zika, P.F. 1992. Noteworthy collections - Oregon. *Madroño* 39(1):80.

Abbreviations Used

FN = Flora of North America	GWM = Guide to the plants of the Wallowa Mountains of northeastern	JPM = The Jepson manual	a- = no authority given in the reference
FPN = Flora of the Pacific Northwest	IL = An Illustrated Flora of the Pacific States	KZ = A synonymized checklist...(Kartesz)	a+ = authority in the reference matches checklist
FOO = Flora of Oregon	IN = Intermountain Flora	PEK = A manual of the higher plants of Oregon	a± = authority abbreviation in the reference differs
	IPNI = The International Plant Names Index	PLANTS = http://plants.usda.gov	sa = authority at the specific level in the reference
		VP = Vascular Plants of the Pacific Northwest	ssa = authority at the subspecific level in the reference