

Checklist of Oregon Juncaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Juncus

Checklist contributor: Peter Zika, 3/24/2003

Flora contributor: Peter Zika

Juncus acuminatus Michx.

Common names: tapered rush, knotty-leaf rush, sharp-fruited rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:251, accepted, in Oregon; FOO - 1:271, accepted, in Oregon (explicit); FPN - 571, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (explicit); IL - 1:366, accepted, in Oregon (explicit); JPM - 1159, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (implied); PEK - 198, accepted, in Oregon (explicit); VP - 1:185, accepted, in Oregon (implied); Zika, 2000 - .

Juncus anthelatus (Wiegand) R.E. Brooks

Common names: Kentucky rush, poverty rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FN - 22:223, accepted, in Oregon (explicit); FOO - 1:271, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (explicit).

Juncus articulatus L.

FN - 22:255, accepted, in Oregon; FPN - 572, accepted, in Oregon (implied); IL - 1:362, accepted, in Oregon (explicit); IN - 6:60, accepted, not in Oregon; JPM - 1159, accepted, in Oregon (implied); PEK - 197, accepted, in Oregon (explicit); VP - 1:187, accepted, in Oregon (implied).

Juncus articulatus L. ssp. *articulatus*

Common names: joint-leaved rush, jointed rush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:271, accepted, in Oregon (explicit); FPN2 - 715, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (implied).

Juncus balticus Willd.

FN - 22:216, synonym for *Juncus arcticus* var. *balticus*, in Oregon; FPN - 569, accepted, in Oregon (implied); IL - 1:354, accepted, in Oregon (implied); IN - 6:50, accepted, in Oregon (implied); JPM - 1159, accepted, in Oregon (implied).

***Juncus balticus* Willd. ssp. *ater* (Rydb.) Snogerup**

Common names: Baltic rush, dark Baltic rush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:271, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (implied), ; JPM2 - 1366, accepted, in Oregon (implied).

Synonyms:

***Juncus arcticus* Willd.**

in part

FPN - 569, accepted, not in Oregon.

***Juncus arcticus* Willd. var. *balticus* (Willd.) Trautv.**

in part

Juncus balticus* Willd. ssp. *balticus

IL - 1:354, accepted.

Juncus balticus* Willd. var. *balticus

FPN - 570, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit); VP - 1:189, accepted, in Oregon (implied).

***Juncus balticus* Willd. ssp. *cascadensis* Lint**

unpublished name

GWM - 34, accepted, in Oregon (explicit).

***Juncus balticus* Willd. var. *montanus* Engelm.**

FN - 22:216, synonym for *Juncus arcticus* var. *balticus*, in Oregon; FPN - 570, accepted, not in Oregon; PEK - 193, accepted, in Oregon (explicit); VP - 1:189, accepted, not in Oregon.

***Juncus balticus* Willd. var. *vallicola* Rydb.**

FN - 22:216, synonym for *Juncus arcticus* var. *balticus*, in Oregon; FPN - 570, accepted, in Oregon (implied); VP - 1:189, accepted, in Oregon (implied).

***Juncus bolanderi* Engelm.**

Common names: Bolander's rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:250, accepted, in Oregon; FOO - 1:271, accepted, in Oregon (explicit); FPN - 572, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (explicit), ; IL - 1:365, accepted, in Oregon (explicit); JPM - 1159, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (implied); PEK - 198, accepted, in Oregon (explicit); VP - 1:189, accepted, in Oregon (implied).

***Juncus brevicaudatus* (Engelm.) Fernald**

Common names: short-tailed rush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1999.

FN - 22:244, accepted, in Oregon; FOO - 1:271, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (explicit), ; Zika, 2000 - ; Zika, 2003B - 43-46, accepted.

***Juncus breweri* Engelm.**

Common names: Brewer's rush, salt rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 22:216, synonym for *Juncus arcticus* var. *balticus*, in Oregon; FOO - 1:272, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (implied), ; JPM - 1159, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (implied).

Synonyms:

***Juncus arcticus* Willd.**

in part

***Juncus arcticus* Willd. var. *balticus* (Willd.) Trautv.**

in part

***Juncus bryoides* F.J. Herm.**

Common names: mosslike dwarf rush, moss rush

Origin: native

Voucher: OSU, most recently collected in 1979.

FN - 22:232, accepted, in Oregon; FOO - 1:272, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit), ; JPM - 1159, accepted, in Oregon (explicit); JPM2 - 1366, accepted, in Oregon (explicit).

Synonyms:

***Juncus kelloggii* Engelm.**

in part

***Juncus bufonius* L.**

FN - 22:224, accepted, in Oregon; FOO - 1:272, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (implied); GWM - 35, accepted, in Oregon (explicit); IL - 1:356, accepted, in Oregon (implied); IN - 6:63, accepted, in Oregon (implied); JPM - 1159, accepted, in Oregon (implied); Kirschner, 2002A - accepted; PEK - 194, accepted, in Oregon (explicit); VP - 1:189, accepted, in Oregon (implied).

Juncus bufonius* L. var. *bufonius

Common names: toad rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FOO - 1:273, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (implied), ; JPM - 1160, accepted, in Oregon (implied); JPM2 - 1366, accepted, given distribution: CA; +- worldwide.; KZ - 341, accepted.

***Juncus bufonius* L. var. *congestus* Wahlenb.**

Common names: Swedish toad rush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2008.

FOO - 1:273, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (implied), ; JPM - 1160, accepted, not in Oregon; JPM2 - 1366, accepted, not in Oregon.

***Juncus bufonius* L. var. *occidentalis* F.J. Herm.**

Common names: western toad rush

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 22:224, synonym for *Juncus bufonius*, in Oregon; FOO - 1:273, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit), ; JPM - 1160, accepted, in Oregon (explicit); JPM2 - 1366, accepted, in Oregon (implied).

Misapplied names:

***Juncus sphaerocarpus* Nees**

FPN - 568, synonym for *Juncus bufonius*, in Oregon (implied), misapplied; GWM - 38, accepted, in Oregon (explicit);

IL - 1:356, accepted, in Oregon (explicit); PEK - 194, accepted, in Oregon (explicit).

***Juncus bulbosus* L.**

Common names: bulbous rush, spreading rush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2010.

FN - 22:247, accepted, in Oregon; FOO - 1:273, accepted, in Oregon (explicit); FPN2 - 715, accepted, in Oregon (explicit), .

Synonyms:

***Juncus supinus* Moench**

FN - 22:219, synonym for *Juncus compressus*, in Oregon, not in Oregon; FPN - 572, accepted, not in Oregon; VP - 1:207, accepted, not in Oregon.

***Juncus canadensis* J. Gay ex LaHarpe**

Common names: Canada rush, Canadian rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2008.

FN - 22:243, accepted, in Oregon; FOO - 1:273, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (explicit), ; Zika, 2000 - .

***Juncus capillaris* F.J. Herm.**

Common names: hairstem rush

Origin: native

Voucher: OSU, most recently collected in 1896.

FN - 22:232, accepted, in Oregon; FOO - 1:273, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (explicit); JPM - 1160, accepted, in Oregon (explicit); JPM2 - 1367, accepted, in Oregon (explicit); PEK - 196, accepted, in Oregon (explicit).

Synonyms:

***Juncus kelloggii* Engelm.**

in part

***Juncus capitatus* Weigel**

Common names: capitate rush, leafybract dwarf rush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2010.

FOO - 1:274, accepted, in Oregon (explicit); JPM2 - 1367, accepted, not in Oregon.

***Juncus compressus* Jacq.**

Common names: round-fruited rush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2019.

FOO - 1:274, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (explicit), .

***Juncus confusus* Coville**

Common names: Colorado rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:221, accepted, in Oregon; FOO - 1:274, accepted, in Oregon (explicit); FPN - 574, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied), ; GWM - 35, accepted, in Oregon (explicit); IL - 1:357, accepted, in Oregon (implied); IN - 6:49, accepted, in Oregon (implied); JPM - 1160, accepted, in Oregon (implied); JPM2 - 1367, accepted, in Oregon (implied); PEK - 194, accepted, in Oregon (explicit); VP - 1:191, accepted, in Oregon (explicit).

***Juncus conglomeratus* L.**

Common names: compact rush

Origin: exotic, not naturalized

Voucher: MICH, most recently collected in 1921.

FN - 22:214, synonym for *Juncus effusus*, in Oregon; FOO - 1:274, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit), .

***Juncus covillei* Piper**

Common names: Coville's rush

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 22:229, accepted, in Oregon; FOO - 1:274, accepted, in Oregon (explicit); FPN - 573, accepted, in Oregon (implied); FPN2 - 718, accepted, in Oregon (implied), ; IL - 1:359, accepted, in Oregon (implied); JPM - 1160, accepted, in Oregon (implied); JPM2 - 1367, accepted, in Oregon (implied); PEK - 196, accepted, in Oregon (explicit); VP - 1:193, accepted, in Oregon (implied).

Synonyms:

Juncus covillei* Piper var. *covillei

FN - 22:229, accepted, in Oregon; FPN - 573, accepted, in Oregon (implied); JPM - 1160, accepted, in Oregon (implied).

***Juncus covillei* Piper var. *obtusatus* (Engelm.) C.L. Hitchc.**

FN - 22:229, accepted, in Oregon; FPN - 574, accepted, in Oregon (implied); JPM - 1160, accepted, not in Oregon.

***Juncus obtusatus* Engelm.**

FN - 22:229, synonym for *Juncus covillei* var. *obtusatus*, in Oregon; FPN - 574, synonym for *Juncus covillei* var. *obtusatus*, in Oregon (implied); IL - 1:360, accepted, not in Oregon.

***Juncus diffusissimus* Buckley**

Common names: slim pod rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FOO - 1:275, accepted, in Oregon (explicit); FPN2 - 715, accepted, in Oregon (explicit), ; JPM2 - 1367, accepted, in Oregon (explicit).

***Juncus drummondii* E. Mey.**

Common names: Drummond's rush, threeflower rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 22:214, accepted, in Oregon; FOO - 1:275, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (implied); FPN2 - 713, accepted, in Oregon (implied); ; GWM - 35, accepted, in Oregon (explicit); IL - 1:352, matched with *Juncus drummondii* (minor spelling difference), accepted, in Oregon (implied); IN - 6:52, accepted, not in Oregon; JPM - 1160, accepted, in Oregon (implied); JPM2 - 1367, accepted, in Oregon (implied); PEK - 192, accepted, in Oregon (explicit).

Synonyms:

***Juncus drummondii* E. Mey. var. *subtriflorus* (E. Mey.) C.L. Hitchc.**

FN - 22:214, synonym for *Juncus drummondii*, in Oregon; FPN - 568, accepted, in Oregon (implied); VP - 1:194, accepted, in Oregon (implied).

Misapplied names:

Juncus drummondii* E. Mey. var. *drummondii

FPN - 569, accepted, not in Oregon; Kartesz & Meacham, 2007 - accepted, not in Oregon, reaches N.W. corner of NV; KZ - 2:408, accepted; VP - 1:194, accepted, given distribution: Rocky Mts..

***Juncus dudleyi* Wiegand**

Common names: Dudley's rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:224, accepted, in Oregon; FOO - 1:275, accepted, in Oregon (explicit); FPN - 575, synonym for *Juncus tenuis* var. *dudleyi*, in Oregon (implied); FPN2 - 717, accepted, in Oregon (implied); ; IL - 1:357, accepted, in Oregon (implied); JPM - 1160, accepted, given distribution: KR; scattered to e N.Am; JPM2 - 1367, accepted, in Oregon (implied); PEK - 194, accepted, in Oregon (explicit).

Synonyms:

***Juncus tenuis* Willd. var. *dudleyi* (Wiegand) F.J. Herm.**

FN - 22:224, synonym for *Juncus dudleyi*, in Oregon; FPN - 575, accepted, in Oregon (implied); VP - 1:209, accepted, in Oregon (implied).

***Juncus effusus* L.**

FN - 22:214, accepted, in Oregon; FOO - 1:276, accepted, in Oregon (explicit); FPN - 569, accepted, in Oregon (implied); IL - 1:353, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied).

Juncus effusus* L. ssp. *effusus

Common names: pasture rush, soft rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FOO - 1:276, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (implied); ; JPM2 - 1368, accepted, in Oregon (implied).

Synonyms:

***Juncus effusus* L. var. *compactus* Lej. & Court.**

FPN - 569, accepted, given distribution: on VI and prob elsewhere (Ida and Wn) in our area; VP - 1:194, accepted, in Oregon (implied).

***Juncus effusus* L. ssp. *pacificus* (Fernald & Wiegand) Piper & Beattie**

Common names: common rush, Pacific rush

Origin: native

Voucher: OSU, most recently collected in 2017.

FOO - 1:276, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (explicit); ; JPM2 - 1368, accepted, in Oregon (implied).

Synonyms:

***Juncus effusus* L. var. *pacificus* Fernald & Wiegand**

FN - 22:214, synonym for *Juncus effusus*, in Oregon; FPN - 569, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit); VP - 1:194, accepted, in Oregon (implied).

***Juncus effusus* L. ssp. *solutus* (Fernald & Wiegand) Hämet-Ahti**

Common names: eastern soft rush, Nova Scotia rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 22:214, synonym for *Juncus effusus*, in Oregon; FOO - 1:276, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (implied); ; JPM2 - 1368, accepted, in Oregon (implied).

***Juncus ensifolius* Wickstr.**

Common names: dagger-leaved rush, swordleaf rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:235, accepted, in Oregon; FOO - 1:277, accepted, in Oregon (explicit); FPN - 570, accepted, in Oregon (implied); FPN2 - 716, accepted, in Oregon (implied); ; GWM - 35, accepted, in Oregon (explicit); IL - 1:368, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied); JPM2 - 1368, accepted, in Oregon (implied); Oregon Flora Project, 2000L - ; PEK - 199, accepted, in Oregon (explicit).

Synonyms:

Juncus ensifolius* Wickstr. var. *ensifolius

FN - 22:235, accepted; FPN - 570, accepted, in Oregon (explicit); IN - 6:56, accepted, in Oregon (explicit); VP - 1:195, accepted, in Oregon (explicit).

***Juncus tracyi* Rydb.**

FPN - 570, accepted, not in Oregon; VP - 1:211, accepted, not in Oregon.

***Juncus ensifolius* Wickstr. × *Juncus nevadensis* S. Watson**

Origin: native

Voucher: OSU

***Juncus exiguus* (Fernald & Wiegand) Lint ex Snogerup & Zika**

Common names: Klamath rush, weak rush

Origin: native

Voucher: OSU, most recently collected in 2015.

FOO - 1:277, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (explicit); ; JPM2 - 1368, accepted, in Oregon (explicit).

Synonyms:

***Juncus effusus* L. var. *exiguus* Fernald & Wiegand**

FN - 22:214, synonym for *Juncus effusus*, in Oregon; JPM - 1162, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit).

***Juncus falcatus* E. Mey.**

FN - 22:228, accepted, not in Oregon; FPN - 573, accepted, in Oregon (explicit); IL - 1:359, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit); VP - 1:195, accepted, in Oregon (implied).

***Juncus falcatus* E. Mey. ssp. *sitchensis* (Buchenau) Hultén**

Common names: sickle-leaved rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:228, synonym for *Juncus falcatus* var. *sitchensis*, not in Oregon; FOO - 1:278, accepted, in Oregon (explicit); FPN2 - 718, accepted, in Oregon (implied); ; JPM2 - 1368, accepted, in Oregon (implied).

Synonyms:

***Juncus falcatus* E. Mey. var. *sitchensis* Buchenau**

FN - 22:228, accepted, not in Oregon; FPN - 573, accepted, in Oregon (explicit).

Misapplied names:

Juncus falcatus* E. Mey. ssp. *falcatus

JPM2 - 1368, accepted, not in Oregon.

Juncus falcatus* E. Mey. var. *falcatus

FN - 22:228, accepted, not in Oregon; JPM - 1162, accepted, in Oregon (implied).

***Juncus filiformis* L.**

Common names: thread rush

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 22:214, accepted, in Oregon; FOO - 1:278, accepted, in Oregon (explicit); FPN - 569, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit); ; GWM - 36, accepted, in Oregon (explicit); IL - 1:353, accepted, in Oregon (explicit); IN - 6:52, accepted, in Oregon (explicit); PEK - 193, accepted, in Oregon (explicit); VP - 1:197, accepted, in Oregon (explicit).

***Juncus gerardi* Loisel.**

IL - 1:356, accepted, not in Oregon.

Synonyms:

***Juncus gerardii* Loisel.**

orthographic variant

FN - 22:219, accepted, in Oregon; FPN - 574, accepted, not in Oregon; VP - 1:197, accepted, not in Oregon.

Juncus gerardi* Loisel. ssp. *gerardi

Common names: saltmeadow rush, black grass, Gerard's rush, mud rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2012.

FOO - 1:278, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied), .

Synonyms:

Juncus gerardii* Loisel. ssp. *gerardii

orthographic variant

JPM2 - 1368, accepted, in Oregon (explicit).

Juncus gerardii* Loisel. var. *gerardii

orthographic variant

***Juncus hemiendytus* F.J. Herm.**

FN - 22:232, accepted, in Oregon; FOO - 1:278, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (explicit); GWM - 36, accepted, in Oregon (explicit); JPM - 1162, accepted, in Oregon (implied); PEK - 196, accepted, in Oregon (explicit); VP - 1:197, accepted, in Oregon (explicit).

***Juncus hemiendytus* F.J. Herm. var. *abjectus* (F.J. Herm.) Ertter**

Common names: Center Basin rush, least rush

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 22:233, accepted, in Oregon; FOO - 1:278, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit), ; JPM - 1162, accepted, in Oregon (explicit); JPM2 - 1368, accepted, in Oregon (explicit).

Synonyms:

***Juncus abjectus* F.J. Herm.**

FN - 22:233, synonym for *Juncus hemiendytus* var. *abjectus*, in Oregon; FPN - 568, accepted, in Oregon (explicit);

PEK - 197, accepted, in Oregon (explicit).

***Juncus kelloggii* Engelm.**

in part

Juncus hemiendytus* F.J. Herm. var. *hemiendytus

Common names: dwarf rush

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 22:233, accepted, in Oregon; FOO - 1:278, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit), ; JPM - 1162, accepted, in Oregon (implied); JPM2 - 1368, accepted, in Oregon (implied).

Synonyms:

***Juncus kelloggii* Engelm.**

in part

***Juncus hesperius* (Piper) Lint**

Common names: bog rush, coast rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FOO - 1:278, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (implied), ; JPM2 - 1370, accepted, in Oregon (implied).

Synonyms:

***Juncus effusus* L. var. *brunneus* Engelm.**

orthographic variant

FN - 22:214, synonym for *Juncus effusus*, in Oregon; IL - 1:353, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit).

***Juncus howellii* F.J. Herm.**

Common names: Howell's rush

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 22:227, accepted, in Oregon; FOO - 1:279, accepted, in Oregon (explicit); FPN - 573, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied), ; GWM - 36, accepted, in Oregon (explicit); JPM - 1162, accepted, in Oregon (explicit); JPM2 - 1370, accepted, in Oregon (explicit); PEK - 197, accepted, in Oregon (explicit); VP - 1:199, accepted, in Oregon (explicit).

Juncus inflexus* L. ssp. *inflexus

Common names: European blue rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2010.

FOO - 1:279, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit), .

***Juncus interior* Wiegand**

Common names: interior juncus

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:224, accepted, not in Oregon, not in Oregon; FOO - 1:279, accepted, in Oregon (explicit); FPN - 574, accepted, no geog. info. given; FPN2 - 717, accepted, in Oregon (explicit), ; JPM2 - 1370, accepted, given distribution: DMtns (San Bernardino Co.); AZ to BC, ON, TN..

***Juncus kelloggii* Engelm.**

sensu stricto

Common names: Kellogg's rush

Origin: native

Voucher: OSU, most recently collected in 1990.

FN - 22:231, accepted, in Oregon; FOO - 1:279, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (explicit); JPM2 - 1370, accepted, in Oregon (implied); PEK - 196, accepted, in Oregon (explicit).

Synonyms:

***Juncus brachystylus* (Engelm.) Piper**

FPN - 568, synonym for *Juncus kelloggii*, in Oregon (explicit); IL - 1:361, accepted, in Oregon (implied).

***Juncus laccatus* Zika**

Common names: shiny rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FOO - 1:279, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (implied), ; JPM2 - 1370, accepted, in Oregon (implied).

Synonyms:

***Juncus effusus* L. var. *gracilis* Hook.**

FN - 22:214, synonym for *Juncus effusus*, in Oregon; FPN - 569, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit); VP - 1:194, accepted, in Oregon (implied).

***Juncus lescurii* Bol.**

Common names: San Francisco rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FOO - 1:280, accepted, in Oregon (explicit); IL - 1:354, accepted, in Oregon (implied); JPM2 - 1370, accepted, in Oregon (explicit).

Synonyms:

***Juncus lesueurii* Bol.**

orthographic variant

FN - 22:217, accepted, in Oregon; FPN - 569, accepted, in Oregon (implied); FPN2 - 713, synonym for *Juncus breweri*, given distribution: missapplied, misapplied to *J. breweri* desc.; JPM - 1162, accepted, not in Oregon; PEK - 193, accepted, in Oregon (explicit); VP - 1:199, accepted, in Oregon (implied).

***Juncus longistylis* Torr.**

Common names: long-styled rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:226, accepted, in Oregon; FOO - 1:280, accepted, in Oregon (explicit); FPN - 574, accepted, in Oregon (implied); FPN2 - 718, accepted, in Oregon (implied); ; GWM - 36, accepted, in Oregon (explicit); IL - 1:360, accepted, in Oregon (implied); IN - 6:54, accepted, in Oregon (implied); JPM - 1162, accepted, in Oregon (implied); JPM2 - 1370, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit); VP - 1:201, accepted, in Oregon (implied).

***Juncus marginatus* Rostk.**

Common names: grass rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2014.

FN - 22:229, accepted, in Oregon; FOO - 1:280, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (explicit); ; JPM2 - 1370, accepted, in Oregon (explicit).

Synonyms:

Juncus marginatus* Rostk. var. *marginatus

JPM - 1164, accepted, given distribution: n SNF; scattered across US, s Can.

***Juncus mertensianus* Bong.**

Common names: Mertens' rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:252, accepted, in Oregon; FOO - 1:280, accepted, in Oregon (explicit); FPN - 572, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (implied); ; IL - 1:363, accepted, in Oregon (implied); IN - 6:60, accepted, in Oregon (implied); JPM - 1164, accepted, in Oregon (implied); JPM2 - 1371, accepted, in Oregon (implied); PEK - 197, accepted, in Oregon (explicit); VP - 1:201, accepted, in Oregon (implied).

***Juncus mexicanus* Willd. ex Roem. & Schult.**

Common names: Mexican rush

Origin: native

Voucher: OSU, most recently collected in 1955.

FN - 22:217, synonym for *Juncus arcticus* var. *mexicanus*, not in Oregon; FOO - 1:280, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit); ; IL - 1:354, accepted, not in Oregon; JPM - 1164, accepted, in Oregon (implied); JPM2 - 1371, accepted, in Oregon (explicit).

Synonyms:

***Juncus arcticus* Willd. var. *mexicanus* (Willd. ex Roem. & Schult.) Balslev**

FN - 22:217, accepted.

***Juncus nevadensis* S. Watson**

FN - 22:253, accepted, in Oregon; FOO - 1:280, accepted, in Oregon (explicit); FPN - 572, accepted, in Oregon (implied); GWM - 36, accepted, in Oregon (explicit); IL - 1:364, accepted, in Oregon (implied); IN - 6:58, accepted, in Oregon (implied); JPM - 1164, accepted, in Oregon (implied); PEK - 198, accepted, in Oregon (explicit).

Synonyms:

***Juncus badius* Suksd.**

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FPN - 573, synonym for *Juncus nevadensis* var. *badius*, in Oregon (explicit); IL - 1:364, accepted, not in Oregon.

***Juncus columbianus* Coville**

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FPN - 573, synonym for *Juncus nevadensis* var. *columbianus*, in Oregon (explicit); IL - 1:364, accepted, in Oregon (explicit); PEK - 198, accepted, in Oregon (explicit).

***Juncus nevadensis* S. Watson var. *badius* (Suksd.) C.L. Hitchc.**

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FPN - 573, accepted, in Oregon (explicit); VP - 1:203, accepted, in Oregon (explicit).

***Juncus nevadensis* S. Watson var. *columbianus* (Coville) H. St. John**

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FPN - 573, accepted, in Oregon (explicit); KZ - 1:342, accepted; VP - 1:203, accepted, in Oregon (explicit).

***Juncus nevadensis* S. Watson var. *inventus* (L.F. Hend.) C.L. Hitchc.**

Common names: Oregon rush

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FOO - 1:281, accepted, in Oregon (explicit); FPN - 572, accepted, in Oregon (explicit); FPN2 - 715, accepted, in Oregon (implied), ; JPM2 - 1371, accepted, in Oregon (implied); VP - 1:203, accepted, in Oregon (explicit).

Misapplied names:

***Juncus phaeocephalus* Engelm.**

FN - 22:234, accepted, in Oregon; IL - 1:367, accepted, not in Oregon; JPM - 1164, accepted, not in Oregon; Kartesz & Meacham, 2007 - accepted, in Oregon, cites Peck 1961 as reference for Oregon presence; KZ - 2:409, accepted; PEK - 199, accepted, in Oregon (explicit).

***Juncus phaeocephalus* Engelm. var. *glomeratus* Engelm.**

PEK - 199, accepted, in Oregon (explicit).

***Juncus phaeocephalus* Engelm. var. *paniculatus* Engelm.**

FN - 22:234, synonym for *Juncus phaeocephalus*, in Oregon; JPM - 1164, accepted, not in Oregon; JPM2 - 1371, accepted, not in Oregon.

Juncus phaeocephalus* Engelm. var. *phaeocephalus

JPM - 1164, accepted, not in Oregon; JPM2 - 1371, accepted, not in Oregon.

Juncus nevadensis* S. Watson var. *nevadensis

Common names: Sierra rush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:281, accepted, in Oregon (explicit); FPN - 573, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (explicit), ; JPM2 - 1371, accepted, in Oregon (implied).

Synonyms:

***Juncus mertensianus* Bong. ssp. *gracilis* (Engelm.) F.J. Herm.**

FN - 22:253, synonym for *Juncus nevadensis*, in Oregon; FPN - 573, synonym for *Juncus nevadensis* var. *nevadensis*, in Oregon (implied); GWM - 36, accepted, in Oregon (explicit); IN - 6:58, synonym for *Juncus nevadensis*, in Oregon (implied); VP - 1:201, synonym for *Juncus nevadensis*, in Oregon (implied).

Misapplied names:

***Juncus dubius* Engelm.**

FN - 22:254, accepted, not in Oregon, not in Oregon; IL - 1:365, accepted, in Oregon (explicit); JPM - 1160, accepted, in Oregon (explicit); JPM2 - 1367, accepted, not in Oregon; PEK - 198, accepted, in Oregon (explicit).

***Juncus occidentalis* (Coville) Wiegand**

Common names: prairie rush, western rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:223, accepted, in Oregon; FOO - 1:281, accepted, in Oregon (explicit); FPN - 575, synonym for *Juncus tenuis* var. *congestus*, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied), ; IL - 1:358, accepted, in Oregon (explicit); JPM - 1164, accepted, in Oregon (explicit); JPM2 - 1371, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit).

Synonyms:

***Juncus tenuis* Willd. var. *congestus* Engelm.**

FN - 22:223, synonym for *Juncus occidentalis*, in Oregon (explicit); FPN - 575, accepted, in Oregon (explicit); VP - 1:209, accepted, in Oregon (explicit).

***Juncus orthophyllus* Coville**

Common names: straight-leaved rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:226, accepted, in Oregon; FOO - 1:282, accepted, in Oregon (explicit); FPN - 574, accepted, in Oregon (explicit); FPN2 - 718, accepted, in Oregon (implied), ; GWM - 38, accepted, in Oregon (explicit); IL - 1:358, accepted, in Oregon (implied); IN - 6:54, accepted, in Oregon (explicit); JPM - 1164, accepted, in Oregon (implied); JPM2 - 1371, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit); VP - 1:203, accepted, in Oregon (explicit).

***Juncus oxymetris* Engelm.**

Common names: pointed rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:235, accepted, in Oregon; FOO - 1:282, accepted, in Oregon (explicit); FPN - 570, accepted, in Oregon (implied); FPN2 - 716, accepted, in Oregon (explicit), ; IL - 1:367, accepted, in Oregon (implied); JPM - 1164, accepted, in Oregon (implied); JPM2 - 1371, accepted, in Oregon (implied); PEK - 199, accepted, in Oregon (explicit); VP - 1:205, accepted, in Oregon (implied).

***Juncus parryi* Engelm.**

Common names: Parry's rush

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 22:213, accepted, in Oregon; FOO - 1:282, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (implied); FPN2 - 713, accepted, in Oregon (implied), ; GWM - 38, accepted, in Oregon (explicit); IL - 1:352, accepted, in Oregon (implied); IN - 6:52, accepted, in Oregon (implied); JPM - 1164, accepted, in Oregon (implied); JPM2 - 1371, accepted, in Oregon (implied); PEK - 192, accepted, in Oregon (explicit); VP - 1:205, accepted, in Oregon (implied).

***Juncus patens* E. Mey.**

Common names: gray rush, spreading rush

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 22:215, accepted, in Oregon; FOO - 1:282, accepted, in Oregon (explicit); FPN - 569, accepted, in Oregon (explicit); FPN2 - 713, accepted, in Oregon (explicit), ; IL - 1:353, accepted, in Oregon (explicit); JPM - 1164, accepted, in Oregon (explicit); JPM2 - 1371, accepted, in Oregon (implied); PEK - 193, accepted, in Oregon (explicit); VP - 1:207, accepted, in Oregon (explicit).

***Juncus pelocarpus* E. Mey.**

Common names: brown-fruited rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 1999.

FN - 22:245, accepted, in Oregon; FOO - 1:282, accepted, in Oregon (explicit); FPN2 - 714, accepted, in Oregon (explicit), ; Zika, 2003B - 44, accepted, in Oregon.

***Juncus planifolius* R. Br.**

Common names: New Zealand rush, flat-leaved rush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FOO - 1:283, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit), ; JPM2 - 1372, accepted, in Oregon (explicit).

***Juncus ranarius* Songeon & E.P. Perrier**

Common names: frog rush

Origin: exotic, not naturalized

FOO - 1:283, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit), .

Misapplied names:

***Juncus ambiguus* Guss.**

FOO - 1:283, uncertain, misapplied name in our flora; JPM2 - 1366, accepted, given distribution: NCo, CaRF, SnJV, CCo, SnFrB, SCo, ChI, SnGb, MP (exc Wrn); scattered in N.Am, native to Eurasia, n Afr.; KZ - 2:407, accepted.

***Juncus bufonius* L. var. *halophilus* Fernald & Buchenau**

FN - 22:224, synonym for *Juncus bufonius*, in Oregon; IL - 1:356, accepted.

***Juncus regelii* Buchenau**

Common names: Regel's rush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:227, accepted, in Oregon; FOO - 1:283, accepted, in Oregon (explicit); FPN - 573, accepted, in Oregon (implied); FPN2 - 718, accepted, in Oregon (implied), ; GWM - 38, accepted, in Oregon (explicit); IL - 1:359, accepted, in Oregon (implied); IN - 6:54, accepted, in Oregon (implied); JPM - 1164, accepted, in Oregon (implied); JPM2 - 1372, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit); VP - 1:207, accepted, in Oregon (implied).

***Juncus saximontanus* A. Nelson**

Common names: Rocky Mountain rush

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 22:236, synonym for *Juncus ensifolius* var. *montanus*, in Oregon; FOO - 1:283, accepted, in Oregon (explicit); FPN - 571, synonym for *Juncus ensifolius* var. *montanus*, in Oregon (implied); FPN2 - 716, accepted, in Oregon (implied), ; GWM - 38, accepted, in Oregon (explicit); IL - 1:368, accepted, in Oregon (explicit); JPM - 1165, accepted, in Oregon (implied); JPM2 - 1372, accepted, in Oregon (implied).

Synonyms:

***Juncus ensifolius* Wickstr. var. *brunnescens* (Rydb.) Cronquist**

FN - 22:236, synonym for *Juncus ensifolius* var. *montanus*, in Oregon; IN - 6:56, accepted, not in Oregon.

***Juncus ensifolius* Wickstr. var. *montanus* (Engelm.) C.L. Hitchc.**

FN - 22:236, accepted; FPN - 569, accepted, in Oregon (implied); IN - 6:56, accepted, in Oregon (implied); VP - 1:195, accepted, in Oregon (implied).

***Juncus saximontanus* A. Nelson var. *robustior* M. Peck**

FPN - 571, synonym for *Juncus ensifolius* var. *montanus*, in Oregon (implied); PEK - 200, accepted, in Oregon (explicit).

Juncus saximontanus* A. Nelson var. *saximontanus

PEK - 200, (subtaxon implied), accepted, in Oregon (explicit).

Misapplied names:

Juncus xiphioides* E. Mey. var. *xiphioides

GWM - 39, accepted, implied in GWM.

***Juncus supiniformis* Engelm.**

Common names: hair-leaved rush, spreading rush

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 22:247, accepted, in Oregon; FOO - 1:283, accepted, in Oregon (explicit); FPN - 571, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (implied), ; IL - 1:362, accepted, not in Oregon; JPM - 1165, accepted, in Oregon (implied); JPM2 - 1372, accepted, in Oregon (implied); PEK - 197, accepted, in Oregon (explicit); VP - 1:207, accepted, in Oregon (explicit).

Synonyms:

***Juncus oreganus* S. Watson**

FN - 22:247, synonym for *Juncus supiniformis*, in Oregon; FPN - 571, synonym for *Juncus supiniformis*, in Oregon (implied); IL - 1:362, accepted, in Oregon (implied); PEK - 197, accepted, in Oregon (explicit).

***Juncus tenuis* Willd.**

Common names: path rush, poverty rush, slender rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:223, accepted, in Oregon; FOO - 1:284, accepted, in Oregon (explicit); FPN - 575, accepted, in Oregon (implied); FPN2 - 717, accepted, in Oregon (implied); ; GWM - 39, accepted, in Oregon (explicit); IL - 1:358, accepted, in Oregon (explicit); IN - 6:49, accepted, not in Oregon; JPM - 1165, accepted, in Oregon (implied); JPM2 - 1372, accepted, in Oregon (implied); PEK - 195, accepted, in Oregon (explicit); VP - 1:209, accepted, in Oregon (explicit).

Synonyms:

Juncus tenuis* Willd. var. *tenuis

FPN - 575, accepted, in Oregon (implied); VP - 1:209, accepted, in Oregon (implied).

***Juncus tiehmii* Ertter**

Common names: Tiehm's dwarf rush

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 22:231, accepted, not in Oregon; FOO - 1:284, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit); ; JPM - 1165, accepted, in Oregon (explicit); JPM2 - 1372, accepted, in Oregon (implied).

***Juncus torreyi* Coville**

Common names: Torrey's rush

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 22:249, accepted, in Oregon; FOO - 1:284, accepted, in Oregon (explicit); FPN - 571, accepted, in Oregon (implied); FPN2 - 715, accepted, in Oregon (explicit); ; IL - 1:366, accepted, in Oregon (implied); IN - 6:58, accepted, in Oregon (implied); JPM - 1165, accepted, in Oregon (implied); JPM2 - 1372, accepted, in Oregon (implied); PEK - 199, accepted, in Oregon (explicit); VP - 1:209, accepted, in Oregon (implied).

***Juncus triglumis* L.**

FN - 22:239, accepted, in Oregon; FPN - 570, accepted, not in Oregon; FPN2 - 716, accepted, in Oregon (explicit); ; IN - 6:63, accepted, in Oregon (implied).

***Juncus triglumis* L. var. *albescens* Lange**

Common names: three-flowered rush

Origin: native

Voucher: OSU, most recently collected in 1992.

FN - 22:240, accepted, in Oregon; FOO - 1:284, accepted, in Oregon (explicit); FPN - 570, accepted, not in Oregon.

***Juncus trilocularis* Zika**

Common names: foothill rush

Origin: native

Voucher: OSU, most recently collected in 2017.

FOO - 1:284, accepted, in Oregon (explicit); FPN2 - 717, accepted, in Oregon (implied); ; Zika, 2012 - , in Oregon (explicit).

Misapplied names:

***Juncus brachyphyllus* Wiegand**

FN - 22:221, accepted, in Oregon; FPN - 574, accepted, in Oregon (explicit); GWM - 35, accepted, in Oregon (explicit); IL - 1:357, accepted, in Oregon (explicit); JPM - 1159, accepted, in Oregon (implied); JPM2 - 1366, accepted, in Oregon (implied); PEK - 194, accepted, in Oregon (explicit); VP - 1:189, accepted, in Oregon (explicit).

***Juncus uncialis* Greene**

Common names: inch-high rush, twelfth rush

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 22:232, accepted, in Oregon; FOO - 1:284, accepted, in Oregon (explicit); FPN - 568, accepted, in Oregon (explicit); FPN2 - 712, accepted, in Oregon (explicit); ; IL - 1:361, accepted, in Oregon (implied); JPM - 1165, accepted, in Oregon (explicit); JPM2 - 1372, accepted, in Oregon (implied); PEK - 197, accepted, in Oregon (explicit).

Literature cited for Juncus

(Excluding the standard references unless specifically cited in the flora manuscript.)

- Hämet-Ahti, L. 1980. The *Juncus effusus* aggregates in eastern North America. *Annales Botanici Fennici* 17:183-191.
- Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.
- Kirschner, J., Ed. 2002A. Juncaceae 1: *Rostkovia* to *Luzula*, Species Plantarum: Flora of the World Part 6. Australian Biological Resources Study, Canberra, Australia.
- Kirschner, J., Ed. 2002B. Juncaceae 2: *Juncus* subg. *Juncus*, Species Plantarum: Flora of the World Part 7. Australian Biological Resources Study, Canberra, Australia.
- Kirschner, J., Ed. 2002C. Juncaceae 3: *Juncus* subg. *Agathryon*, Species Plantarum: Flora of the World Part 8. Australian Biological Resources Study, Canberra, Australia.
- Munz, P.A. and D.D. Keck. 1968. A California Flora with Supplement. University of California Press.
- Snogerup, S., P. Zika, and J. Kirschner. 2002. Taxonomic and nomenclatural notes on *Juncus*. *Preslia*, Praha 74:247-266.
- Zika, P. 2000. Unexpected rushes (*Juncus*) in Oregon's cranberry fields. *Oregon Flora Newsletter* 6(1):3.
- Zika, P.F. 1991. Noteworthy collections - Oregon. *Madroño* 38(3):204-205.
- Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. *Journal of the Torrey Botanical Society* 130(1):43-46.
- Zika, P.F. 2006C. A key to *Juncus* section *Juncotypus* in British Columbia. *Botanical Electronic News* 358:2.
- Zika, P.F. 2012. *Juncus trilocularis* (Juncaceae), a new rush species from western North America. *Rhodora* 114(959):309-329.

Luzula

Checklist contributor: Peter Zika, 4/1/2003

Flora contributor: Peter Zika

Luzula campestris (L.) DC. ssp. *campestris*

Common names: field woodrush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1991.

FOO - 1:286, accepted, in Oregon (explicit); FPN2 - 718, accepted, not in Oregon, .

Synonyms:

Luzula campestris (L.) DC.

in part

FN - 22:266, accepted, not in Oregon, not in Oregon; GWM - 39, accepted, in Oregon (explicit).

Luzula cascadiensis Zika

Common names: Cascades woodrush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:286, accepted, in Oregon (explicit); FPN2 - 718, accepted, in Oregon (explicit), .

Misapplied names:

Luzula multiflora (Ehrh.) Lej.

Luzula comosa E. Mey.

FN - 22:262, accepted, in Oregon; FOO - 1:286, accepted, in Oregon (explicit); JPM - 1166, accepted, in Oregon (implied).

Luzula comosa* E. Mey. var. *comosa

Common names: pale woodrush

Origin: native

Voucher: OSU, most recently collected in 2011.

FOO - 1:286, accepted, in Oregon (explicit); FPN2 - 719, accepted, in Oregon (implied), ; JPM2 - 1374, accepted, in Oregon (implied).

Synonyms:

***Luzula multiflora* (Ehrh.) Lej. var. *comosa* (E. Mey.) Fernald & Wiegand**

PEK - 201, accepted, in Oregon (explicit).

***Luzula comosa* E. Mey. var. *laxa* Buchenau**

Common names: Pacific woodrush

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 22:262, accepted, in Oregon (explicit); FOO - 1:286, accepted, in Oregon (explicit); FPN2 - 719, accepted, in Oregon (implied), ; JPM2 - 1374, accepted, in Oregon (implied).

Luzula forsteri* (Sm.) DC. ssp. *forsteri

Common names: southern woodrush

Origin: exotic, not naturalized

FOO - 1:286, accepted, in Oregon (explicit); FPN2 - 719, accepted, in Oregon (explicit), .

***Luzula hitchcockii* Hämet-Ahti**

Common names: Hitchcock's woodrush, smooth woodrush

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 22:259, accepted, in Oregon; FOO - 1:286, accepted, in Oregon (explicit); FPN - 575, accepted, in Oregon (explicit); FPN2 - 719, accepted, in Oregon (explicit), .

Misapplied names:

***Luzula glabrata* (Hoppe) Desv.**

FN - 22:258, excluded, not in Oregon, *L. glabrata* is a European species; FPN2 - 719, synonym for *Luzula hitchcockii*, given distribution: , in parenthesis in *L. hitchcockii* desc.; GWM - 40, accepted, in Oregon (explicit); IL - 1:369, accepted, in Oregon (explicit); PEK - 201, accepted, in Oregon (explicit); VP - 1:217, accepted, in Oregon (explicit).

***Luzula macrantha* (S. Watson) Zika & B.L. Wilson**

Common names: prairie woodrush, large-anthered woodrush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:287, accepted, in Oregon (explicit); FPN2 - 719, accepted, in Oregon (implied), .

***Luzula multiflora* (Ehrh.) Lej.**

Common names: common woodrush

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2015.

FOO - 1:287, accepted, in Oregon (explicit); PEK - 201, accepted, (bare).

Synonyms:

***Luzula campestris* (L.) DC. var. *multiflora* (Ehrh.) Célak.**

FPN - 576, accepted, in Oregon (implied); VP - 1:215, accepted, in Oregon (implied).

Luzula multiflora* (Ehrh.) Lej. ssp. *multiflora

FN - 22:265, accepted, in Oregon.

Luzula multiflora* (Ehrh.) Lej. var. *multiflora

PEK - 201, (subtaxon implied), accepted, in Oregon (explicit).

Misapplied names:

***Luzula campestris* (L.) DC.**

misapplied, in part

FPN - 576, accepted, in Oregon (implied); IN - 6:65, accepted, not in Oregon.

***Luzula campestris* (L.) DC. var. *congesta* (Thuill.) E. Mey.**

FPN - 576, accepted, in Oregon (implied); VP - 1:215, accepted, in Oregon (implied).

***Luzula campestris* (L.) DC. var. *frigida* Buchenau**

FN - 22:265, synonym for *Luzula multiflora* ssp. *frigida*, not in Oregon, not in Oregon; FPN - 576, accepted, in Oregon (explicit); VP - 1:215, accepted, in Oregon (explicit).

***Luzula multiflora* (Ehrh.) Lej. var. *congesta* (Thuill.) E. Mey.**

PEK - 201, accepted, in Oregon (explicit).

***Luzula multiflora* (Ehrh.) Lej. ssp. *frigida* (Buchenau) Krecz.**

FN - 22:265, accepted, not in Oregon, not in Oregon; KZ - 1:343, accepted.

***Luzula subcongesta* (S. Watson) Jeps.**

FN - 22:267, accepted, in Oregon; GWM - 41, accepted, in Oregon (explicit); IL - 1:370, accepted, not in Oregon; JPM - 1166, accepted, not in Oregon; JPM2 - 1375, accepted, not in Oregon; PEK - 201, accepted, in Oregon (explicit).

***Luzula orestera* Sharsm.**

Common names: Sierra woodrush, alpine woodrush

Origin: native

Voucher: OSU, most recently collected in 2002.

FN - 22:261, accepted, not in Oregon; FOO - 1:287, accepted, in Oregon (explicit); FPN - 576, synonym for *Luzula spicata*, in Oregon (implied); FPN2 - 718, accepted, in Oregon (explicit); ; GWM - 40, accepted, in Oregon (explicit); JPM - 1166, accepted, not in Oregon; JPM2 - 1374, accepted, not in Oregon.

***Luzula parviflora* (Ehrh.) Desv.**

Common names: small-flowered woodrush

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 22:259, accepted, in Oregon; FOO - 1:287, accepted, in Oregon (explicit); FPN - 575, accepted, in Oregon (implied); FPN2 - 719, accepted, in Oregon (implied); ; GWM - 40, accepted, in Oregon (explicit); IL - 1:369, accepted, in Oregon (implied); IN - 6:65, accepted, in Oregon (implied); JPM - 1166, accepted, in Oregon (implied); VP - 1:217, accepted, in Oregon (implied).

Synonyms:

***Luzula parviflora* (Ehrh.) Desv. ssp. *fastigiata* (E. Mey.) Hämet-Ahti**

IN - 6:65, synonym for *Luzula parviflora*, in Oregon (implied); JPM2 - 1374, accepted, in Oregon (implied); KZ - 1:343, accepted.

***Luzula parviflora* (Ehrh.) Desv. var. *melanocarpa* (Michx.) Buchenau**

PEK - 200, accepted, in Oregon (explicit).

Luzula parviflora* (Ehrh.) Desv. ssp. *parviflora

JPM2 - 1375, accepted, in Oregon (implied).

Luzula parviflora* (Ehrh.) Desv. var. *parviflora

PEK - 200, (subtaxon implied), accepted, in Oregon (explicit).

Misapplied names:

***Luzula divaricata* S. Watson**

FN - 22:258, accepted, in Oregon; FPN - 575, accepted, in Oregon (explicit); FPN2 - 719, synonym for *Luzula parviflora*, misapplied to *L. parviflora* desc.; IL - 1:370, accepted, in Oregon (implied); JPM - 1166, accepted, in Oregon (explicit); JPM2 - 1374, accepted, in Oregon (explicit); PEK - 201, accepted, in Oregon (explicit); VP - 1:215, accepted, in Oregon (explicit).

***Luzula piperi* (Coville) M.E. Jones**

Common names: Piper's woodrush

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 22:259, accepted, in Oregon; FOO - 1:287, accepted, in Oregon (explicit); FPN - 575, accepted, not in Oregon; FPN2 - 719, accepted, in Oregon (implied); ; IL - 1:370, accepted, not in Oregon; JPM2 - 1375, accepted, in Oregon (implied).

Misapplied names:

***Luzula wahlenbergii* Rupr.**

FN - 22:259, accepted, not in Oregon, not in Oregon; GWM - 41, accepted, in Oregon (explicit); PEK - 200, accepted, in Oregon (explicit); VP - 1:219, accepted, not in Oregon.

***Luzula spicata* (L.) DC.**

FN - 22:261, accepted, in Oregon; FPN - 576, accepted, in Oregon (implied); GWM - 40, accepted, in Oregon (explicit); IL - 1:371, accepted, in Oregon (implied); IN - 6:67, accepted, in Oregon (implied); JPM - 1166, accepted, in Oregon (implied); JPM2 - 1375, accepted, in Oregon (implied); VP - 1:219, accepted, in Oregon (explicit).

Luzula spicata* (L.) DC. ssp. *spicata

Common names: spiked woodrush

Origin: native

FOO - 1:288, accepted, in Oregon (explicit); FPN2 - 718, accepted, in Oregon (implied), .

***Luzula subsessilis* (S. Watson) Buchenau**

Common names: prairie woodrush

Origin: native

Voucher: OSU, most recently collected in 2018.

FOO - 1:288, accepted, in Oregon (explicit); FPN2 - 718, accepted, in Oregon (implied); ; JPM2 - 1375, accepted, in Oregon (implied).

Literature cited for *Luzula*

(Excluding the standard references unless specifically cited in the flora manuscript.)

- Clemants, S.E. 1990. Juncaceae (Rush Family) of New York State. Bulletin of the New York State Museum 475:67.
- Coffey, J.C. 1970. Investigations in *Luzula*: species of the southeastern U.S. Castanea 35:68-77.
- Edgar, E. 1975. Australasian *Luzula*. New Zealand Journal of Botany 13:781-802.
- Fernald, M.L. 1913. The variations of *Luzula campestris* in North America. Rhodora 15:38-43.
- Hämet-Ahti, L. 1965. *Luzula piperi*, an overlooked woodrush in western North America and eastern Asia. Aquilo, Serie Botanica 3:11-21.
- Hämet-Ahti, L. 1971. A synopsis of the species of *Luzula*, subgenus *Anthelaea* Griseb. (Juncaceae) indigenous in North America. Annales Botanici Fennici 8:368-381.
- Hämet-Ahti, L. 1973. Notes on the *Luzula arcuata* and *L. parviflora* groups in eastern Asia and Alaska. Annales Botanici Fennici 10:123-130.
- Hämet-Ahti, L. 1975. Additional notes on *Luzula subcongesta* and *L. parviflora* (Juncaceae) in North America. Annales Botanici Fennici 12:27-29.
- Holm, T. 1926. The bulbiferous form of *Luzula multiflora*. Rhodora 28:133-138.
- Hulten, E. and M. Fries. 1986. Atlas of North European Vascular Plants North of the Tropic of Cancer, 3 volumes. Koeltz Scientific Books, Germany.
- Kirschner, J. 1990. *Luzula multiflora* and allied species (Juncaceae): a nomenclatural study. Taxon 39:106-114.
- Kirschner, J., Ed. 2002A. Juncaceae 1: *Rostkovia* to *Luzula*, Species Plantarum: Flora of the World Part 6. Australian Biological Resources Study, Canberra, Australia.
- Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.
- Stace, C. 1997. New flora of the British Isles. 2nd edition. Cambridge University Press.
- Zika, P.F., E.R. Alverson, and B.L. Wilson. 2000. Noteworthy collections. Madroño 47:213-216.
-

Excluded names:

***Juncus nodosus* L.**

FPN - 571, accepted, in Oregon (implied); FPN2 - 715, accepted, not in Oregon; ; IL - 1:366, accepted, in Oregon (implied); IN - 6:58, accepted, in Oregon (implied); JPM - 1164, accepted, given distribution: se SNH, W&I, n DMtns; scattered across US, s Can; JPM2 - 1371, accepted, in Oregon (implied); PEK - 199, accepted, in Oregon (explicit), meadows east of the Cascades, to B.C., N.S., and Va.; VP - 1:203, accepted, in Oregon (implied).

***Juncus xiphioides* E. Mey.**

FN - 22:235, accepted, not in Oregon; GWM - 39, accepted, in Oregon (explicit); IL - 1:368, accepted, not in Oregon; JPM - 1165, accepted, in Oregon (explicit); JPM2 - 1374, accepted, not in Oregon; Oregon Flora Project, 2000L - ; PEK - 199, accepted, in Oregon (explicit).

Literature cited for Juncaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

- Clemants, S.E. 1990. Juncaceae (Rush Family) of New York State. Bulletin of the New York State Museum 475:67.
- Coffey, J.C. 1970. Investigations in *Luzula*: species of the southeastern U.S. Castanea 35:68-77.
- Edgar, E. 1975. Australasian *Luzula*. New Zealand Journal of Botany 13:781-802.
- Fernald, M.L. 1913. The variations of *Luzula campestris* in North America. Rhodora 15:38-43.
- Hämet-Ahti, L. 1965. *Luzula piperi*, an overlooked woodrush in western North America and eastern Asia. Aquilo, Serie Botanica 3:11-21.
- Hämet-Ahti, L. 1971. A synopsis of the species of *Luzula*, subgenus *Anthelaea* Griseb. (Juncaceae) indigenous in North America. Annales Botanici Fennici 8:368-381.
- Hämet-Ahti, L. 1973. Notes on the *Luzula arcuata* and *L. parviflora* groups in eastern Asia and Alaska. Annales Botanici Fennici 10:123-130.
- Hämet-Ahti, L. 1975. Additional notes on *Luzula subcongesta* and *L. parviflora* (Juncaceae) in North America. Annales Botanici Fennici 12:27-29.
- Hämet-Ahti, L. 1980. The *Juncus effusus* aggregates in eastern North America. Annales Botanici Fennici 17:183-191.
- Holm, T. 1926. The bulbiferous form of *Luzula multiflora*. Rhodora 28:133-138.
- Hulten, E. and M. Fries. 1986. Atlas of North European Vascular Plants North of the Tropic of Cancer, 3 volumes. Koeltz Scientific Books, Germany.
- Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.
- Kirschner, J. 1990. *Luzula multiflora* and allied species (Juncaceae): a nomenclatural study. Taxon 39:106-114.
- Kirschner, J., Ed. 2002A. Juncaceae 1: *Rostkovia* to *Luzula*, Species Plantarum: Flora of the World Part 6. Australian Biological Resources Study, Canberra, Australia.
- Kirschner, J., Ed. 2002B. Juncaceae 2: *Juncus* subg. *Juncus*, Species Plantarum: Flora of the World Part 7. Australian Biological Resources Study, Canberra, Australia.
- Kirschner, J., Ed. 2002C. Juncaceae 3: *Juncus* subg. *Agathryon*, Species Plantarum: Flora of the World Part 8. Australian Biological Resources Study, Canberra, Australia.
- Kirschner, J. 2012. *Luzula*, hairy wood rush. In: The Jepson Manual: Vascular Plants of California, second edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilkin, Eds. University of California Press, Berkeley, CA.
- Munz, P.A. and D.D. Keck. 1968. A California Flora with Supplement. University of California Press.
- Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.
- Snogerup, S., P. Zika, and J. Kirschner. 2002. Taxonomic and nomenclatural notes on *Juncus*. Preslia, Praha 74:247-266.
- Stace, C. 1997. New flora of the British Isles. 2nd edition. Cambridge University Press.
- Voss, E.G. 1966. Nomenclatural notes on monocots. Rhodora 68:435-463.
- Zika, P. 2000. Unexpected rushes (*Juncus*) in Oregon's cranberry fields. Oregon Flora Newsletter 6(1):3.
- Zika, P.F. 1991. Noteworthy collections - Oregon. Madroño 38(3):204-205.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. *Journal of the Torrey Botanical Society* 130(1):43-46.

Zika, P.F. 2003D. The native subspecies of *Juncus effusus* (Juncaceae) in western North America. *Brittonia* 55:150-156.

Zika, P.F. 2004. Noteworthy collections from Oregon and Washington. *Madroño* 51:395-397.

Zika, P.F. 2006C. A key to *Juncus* section *Juncotypus* in British Columbia. *Botanical Electronic News* 358:2.

Zika, P.F. 2009A. Noteworthy Collections, California. *Madroño* 56:65-66.

Zika, P.F. 2009B. Noteworthy Collections, California. *Madroño* 56:130.

Zika, P.F. 2009C. The status of *Juncus marginatus* (Juncaceae) in California. *Madroño* 56:283-284.

Zika, P.F. 2012. *Juncus trilocularis* (Juncaceae), a new rush species from western North America. *Rhodora* 114(959):309-329.

Zika, P.F. 2012B. *Juncus* rush. In: *The Jepson Manual: Vascular Plants of California*, second edition. Baldwin, B.G., D.H. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilkin, Eds. University of California Press, Berkeley, CA.

Zika, P.F., E.R. Alverson, and B.L. Wilson. 2000. Noteworthy collections. *Madroño* 47:213-216.

Abbreviations Used

FN = Flora of North America
 FPN = Flora of the Pacific Northwest
 FOO = Flora of Oregon

GWM = Guide to the plants of the
 Wallowa Mountains of northeastern
 IL = An Illustrated Flora of the Pacific States
 IN = Intermountain Flora
 IPNI = The International Plant Names Index

JPM = The Jepson manual
 KZ = A synonymized checklist...(Kartesz)
 PEK = A manual of the higher plants of Oregon
 PLANTS = <http://plants.usda.gov>
 VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference
 a+ = authority in the reference matches checklist
 a± = authority abbreviation in the reference differs
 sa = authority at the specific level in the reference
 ssa = authority at the subspecific level in the reference