

Checklist of Oregon Crassulaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Crassula

Checklist contributor: Peter Zika, 12/7/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Crassula aquatica (L.) Schönland

Common names: water pygmyweed

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 8:153, accepted, in Oregon; FOO - 2:597, accepted, in Oregon (explicit); FPN - 184, synonym for *Tillaea aquatica*, in Oregon (explicit); FPN2 - 119, accepted, in Oregon (implied); IL - 2:331, synonym for *Tillaestrum aquaticum*, in Oregon (implied); IN - 3a:32, accepted, in Oregon (explicit); JPM - 525, accepted, in Oregon (implied); JPM2 - 666, accepted, in Oregon (implied).

Synonyms:

Tillaea aquatica L.

FN - 8:153, synonym for *Crassula aquatica*, in Oregon; FOO - 2:597, synonym for *Crassula aquatica*; FPN - 184, accepted, in Oregon (explicit); IL - 2:331, synonym for *Tillaestrum aquaticum*, in Oregon (implied); PEK - 395, accepted, in Oregon (explicit); VP - 2:574, accepted, in Oregon (explicit).

Tillaestrum aquaticum (L.) Britton

FN - 8:153, synonym for *Crassula aquatica*, in Oregon; FOO - 2:597, synonym for *Crassula aquatica*; IL - 2:331, accepted, in Oregon (implied).

Crassula connata (Ruíz & Pav.) A. Berger

Common names: sand pygmyweed

Origin: native

Voucher: OSU, most recently collected in 2010.

Bywater & Wickens, 1984 - ; FN - 8:152, accepted, in Oregon, *read text re: nativity or introduced referencing A. Ceska, pers. comm.; FOO - 2:597, accepted, in Oregon (explicit); FPN2 - 119, accepted, not in Oregon; JPM - 525, accepted, in Oregon (explicit); JPM2 - 666, accepted, in Oregon (implied).

Synonyms:

Tillaea erecta Hook. & Arn.

FN - 8:152, synonym for *Crassula connata*, in Oregon, See text under *C. connata* regarding nativity.; FOO - 2:597, synonym for *Crassula connata*; IL - 2:330, accepted, in Oregon (explicit); PEK - 395, accepted, in Oregon (explicit).

Crassula solieri (Gay) F. Meigen

Common names: smooth-seed pygmyweed

Origin: native

Voucher: OSU, most recently collected in 2016.

Bywater & Wickens, 1984 - ; FN - 8:154, accepted, in Oregon; FOO - 2:597, accepted, in Oregon (explicit); FPN2 - 119, accepted, in Oregon (implied), *C. aquatica* range: scattered on both sides Cas, AK to CA, e to RMS and Atl; JPM - 525, accepted, in Oregon (explicit); JPM2 - 666, accepted, in Oregon (explicit).

Crassula tillaea Lest.-Garl.

Common names: moss pygmyweed, tilliwort

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2019.

FN - 8:152, accepted, in Oregon; FOO - 2:598, accepted, in Oregon (explicit); FPN2 - 119, accepted, in Oregon (implied); JPM - 525, accepted, not in Oregon; JPM2 - 666, accepted, in Oregon (implied); Wagner, 1991 - .

Literature cited for *Crassula*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Bywater, M. and G.E. Wickens. 1984. New world species of the genus *Crassula*. Kew Bulletin 39:699-728.

Moran, R. 1992. Pygmy weed (*Crassula connata*) in western North America. Cactus and Succulent Journal 64:223-231.

Wagner, D.H. 1991. Noteworthy collections - Oregon. Madroño 38(2):145-146.

Dudleya

Checklist contributor: Peter Zika, 12/7/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Dudleya farinosa (Lindl.) Britton & Rose

Common names: powdery liveforever, bluff lettuce, powdery dudleya

Origin: native

Voucher: OSU, most recently collected in 1984.

FN - 8:188, accepted, in Oregon; FOO - 2:599, accepted, in Oregon (explicit); IL - 2:337, accepted, not in Oregon; JPM - 528, accepted, in Oregon (explicit); JPM2 - 670, accepted, in Oregon (explicit); PEK - 394, accepted, in Oregon (explicit).

Phedimus

Checklist contributor:

Flora contributor: treatment pending

Phedimus spurius (M. Bieb.) 't Hart

Common names: Caucasian stonecrop

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1958.

Rhodiola

Checklist contributor:

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Rhodiola integrifolia Raf.

FN - 8:163, accepted, in Oregon; FPN - 183, synonym for *Sedum roseum*, in Oregon (implied); IL - 2:344, accepted, in Oregon (implied); PEK - 395, accepted, in Oregon (explicit).

Synonyms:

Sedum rosea (L.) Scop.

Clausen, 1975 - ; FN - 8:167, synonym for *Rhodiola rosea*, not in Oregon; IN - 3a:30, accepted, in Oregon (explicit).

Sedum roseum (L.) Scop.

orthographic variant

FPN - 183, accepted, in Oregon (implied); VP - 2:572, accepted, in Oregon (explicit).

Rhodiola integrifolia Raf. ssp. *integrifolia*

Common names: western roseroot, king's crown

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 8:166, accepted, in Oregon; FOO - 2:599, accepted, in Oregon (explicit); FPN2 - 119, accepted, in Oregon (implied), ; JPM2 - 673, accepted, in Oregon (implied).

Synonyms:

Sedum rosea (L.) Scop. ssp. *integrifolium* (Raf.) Hultén

FOO - 2:599, synonym for *Rhodiola integrifolia* ssp. *integrifolia*; GWM - 181, matched with *Sedum roseum* ssp. *integrifolium* (Raf.) Hultén (minor spelling difference), accepted, in Oregon (explicit), spelled *Sedum roseum* ssp. *integrifolium*; JPM - 534, matched with *Sedum roseum* ssp. *integrifolium* (minor spelling difference), accepted.

Literature cited for *Rhodiola*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Clausen, R.T. 1975. *Sedum of North America North of the Mexican Plateau*. Cornell University Press, Ithaca, NY.

Sedella

Checklist contributor: Peter Zika, 12/7/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Sedella pumila (Benth.) Britton & Rose

Common names: Sierra mock stonecrop

Origin: native

Voucher: OSU, most recently collected in 2015.

Clausen, 1975 - ; Egli, 1992 - , discusses use of *Sedella* vs. *Parvisedum*; FN - 8:196, accepted, not in Oregon, "The Oregon specimen cited by R.T. Clausen (1975) as needing confirmation is not of this species..."; FOO - 2:599, accepted, in Oregon (explicit); IL - 2:331, accepted, not in Oregon; JPM2 - 674, accepted, not in Oregon.

Synonyms:

Parvisedum pumilum (Benth.) R.T. Clausen

FN - 8:196, synonym for *Sedella pumila*, not in Oregon, ""The Oregon specimen cited by R.T. Clausen (1975) as needing confirmation is not of this species..."; FOO - 2:599, synonym for *Sedella pumila*; JPM - 531, accepted, not in Oregon.

Literature cited for *Sedella*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Clausen, R.T. 1975. *Sedum* of North America North of the Mexican Plateau. Cornell University Press, Ithaca, NY.

Egli, U. 1992. Nomenclatural notes on two genera of Crassulaceae and a new combination. *Bradleya* 10:83-84.

Moran, R. 1997. The genus *Sedella* Britton & Rose (Crassulaceae). *Haseltonia* 5:53-60.

Sedum

Checklist contributor: Peter Zika, 12/7/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Sedum acre L.

Common names: wall-pepper

Origin: exotic, not naturalized

Voucher: WS, most recently collected in 1912.

FN - 8:215, accepted, in Oregon; FPN - 183, accepted, no geog. info. given; FPN2 - 121, accepted, in Oregon (explicit), ; IL - 2:344, accepted, not in Oregon; VP - 2:567, accepted, in Oregon (implied).

Sedum album L.

Common names: white stonecrop

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 8:213, accepted, in Oregon; FOO - 2:601, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (implied), ; JPM2 - 675, accepted, in Oregon (implied); Oregon Flora Project, 1997D - , in Oregon (explicit).

Sedum debile S. Watson

Common names: weakstem stonecrop

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 8:211, accepted, in Oregon; FOO - 2:601, accepted, in Oregon (explicit); FPN - 183, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (explicit), ; IN - 3a:28, accepted, in Oregon (explicit); PEK - 393, accepted, in Oregon (explicit); VP - 2:567, accepted, in Oregon (explicit).

Synonyms:

Gormania debilis (S. Watson) Britton

FN - 8:211, synonym for *Sedum debile*, in Oregon; FOO - 2:601, synonym for *Sedum debile*; IL - 2:344, accepted, in Oregon (explicit).

Sedum divergens S. Watson

Common names: Cascade stonecrop, Pacific stonecrop, spreading stonecrop

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 8:210, accepted, in Oregon; FOO - 2:602, accepted, in Oregon (explicit); FPN - 183, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (implied), ; IL - 2:346, accepted, in Oregon (explicit); JPM - 532, accepted, in Oregon (implied); JPM2 - 675, accepted, in Oregon (implied); PEK - 393, accepted, in Oregon (explicit); VP - 2:569, accepted, in Oregon (explicit).

***Sedum lanceolatum* Torr.**

FN - 8:206, accepted, in Oregon; FPN - 183, accepted, in Oregon (implied); FPN2 - 121, accepted, in Oregon (implied), ; GWM - 181, accepted, in Oregon (explicit); IL - 2:344, synonym for *Sedum stenopetalum*, in Oregon (explicit); IN - 3a:29, accepted, in Oregon (implied); JPM - 532, accepted, in Oregon (implied); JPM2 - 675, accepted, in Oregon (implied).

Misapplied names:

***Sedum lanceolatum* Torr. var. *rupicola* (G.N. Jones) C.L. Hitchc.**

FN - 8:207, synonym for *Sedum rupicola*, not in Oregon, FNA author recognizes *Sedum repicola* G.N. Jones (published in 1931 as *rupicolum*). Syn is *S. lanceolatum* var. *rupicola*; FPN - 184, accepted, not in Oregon; VP - 2:569, accepted, in Oregon (explicit).

***Sedum stenopetalum* Pursh**

IL - 2:344, accepted; PEK - 392, accepted, in Oregon (explicit).

Sedum lanceolatum* Torr. var. *lanceolatum

Common names: spearleaf stonecrop, lance-leaved stonecrop

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 8:206, accepted, in Oregon; FOO - 2:602, accepted, in Oregon (explicit); FPN - 184, accepted, in Oregon (implied); VP - 2:569, accepted, in Oregon (explicit).

***Sedum laxum* (Britton) A. Berger**

FN - 8:218, accepted, in Oregon; FOO - 2:602, accepted, in Oregon (explicit); JPM - 532, accepted, in Oregon (explicit); PEK - 394, accepted, in Oregon (explicit).

***Sedum laxum* (Britton) A. Berger ssp. *heckneri* (M. Peck) R.T. Clausen**

Common names: Heckner's stonecrop

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 8:219, synonym for *Sedum laxum* var. *heckneri*, in Oregon; FOO - 2:602, accepted, in Oregon (explicit); JPM - 532, accepted, in Oregon (explicit); JPM2 - 675, accepted, in Oregon (explicit).

Synonyms:

***Sedum heckneri* M. Peck**

FN - 8:219, synonym for *Sedum laxum* var. *heckneri*, in Oregon; FOO - 2:602, synonym for *Sedum laxum* ssp. *heckneri*; PEK - 394, accepted, in Oregon (explicit).

***Sedum laxum* (Britton) A. Berger var. *heckneri* (M. Peck) H. Ohba**

FN - 8:219, accepted, in Oregon; FOO - 2:602, synonym for *Sedum laxum* ssp. *heckneri*; Ohba, 2007 - 899, accepted, comb. nov..

Sedum laxum* (Britton) A. Berger ssp. *laxum

Common names: roseflower stonecrop

Origin: native

Voucher: OSU, most recently collected in 2017.

Clausen, 1942 - ; FOO - 2:603, accepted, in Oregon (explicit); JPM - 532, accepted, in Oregon (explicit); JPM2 - 675, accepted, in Oregon (explicit).

Synonyms:

***Gormaniana laxa* Britton**

FN - 8:218, synonym for *Sedum laxum*, in Oregon; FOO - 2:603, synonym for *Sedum laxum* ssp. *laxum*; IL - 2:343, accepted, in Oregon (explicit).

***Sedum laxum* (Britton) A. Berger ssp. *latifolium* R.T. Clausen**

FN - 8:219, synonym for *Sedum laxum* var. *latifolium*, not in Oregon; FOO - 2:603, synonym for *Sedum laxum* ssp. *laxum*; IL - 2:630, accepted, given distribution: type locality--Crescent City, Del Norte County, California; JPM - 532, synonym for *Sedum laxum* ssp. *laxum*.

***Sedum laxum* (Britton) A. Berger var. *latifolium* (R.T. Clausen) H. Ohba**

FN - 8:219, accepted, not in Oregon; FOO - 2:603, synonym for *Sedum laxum* ssp. *laxum*; Ohba, 2007 - 899, accepted, comb. nov..

Sedum laxum* (Britton) A. Berger var. *laxum

FN - 8:218, accepted, in Oregon; FOO - 2:603, synonym for *Sedum laxum* ssp. *laxum*.

***Sedum laxum* (Britton) A. Berger ssp. *perplexum* R.T. Clausen**

FN - 8:218, synonym for *Sedum laxum* var. *laxum*, in Oregon; FOO - 2:603, synonym for *Sedum laxum* ssp. *laxum*; IL - 2:630, accepted, in Oregon (explicit); JPM - 532, synonym for *Sedum laxum* ssp. *laxum*.

***Sedum leibergii* Britton**

Common names: Leiberg's stonecrop

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 8:209, accepted, in Oregon; FOO - 2:603, accepted, in Oregon (explicit); FPN - 183, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (explicit); IL - 2:346, accepted, in Oregon (explicit); PEK - 392, accepted, in Oregon (explicit); VP - 2:570, accepted, in Oregon (explicit).

Synonyms:

***Sedum borschii* (R.T. Clausen) R.T. Clausen**

FN - 8:210, accepted, not in Oregon; FOO - 2:603, synonym for *Sedum leibergii*; FPN2 - 121, accepted, not in Oregon; ; KZ - 2:224, accepted.

***Sedum moranii* R.T. Clausen**

Common names: Rogue River stonecrop

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 8:220, accepted, in Oregon; FOO - 2:603, accepted, in Oregon (explicit).

Synonyms:

***Gormaniana glandulifera* (L.F. Hend.) Abrams**

FN - 8:220, synonym for *Sedum moranii*, in Oregon; FOO - 2:603, synonym for *Sedum moranii*; IL - 2:343, accepted, in Oregon (explicit).

***Sedum glanduliferum* (L.F. Hend.) M. Peck**

FOO - 2:603, synonym for *Sedum moranii*; PEK - 393, accepted, in Oregon (explicit).

***Sedum oblanceolatum* R.T. Clausen**

Common names: oblongleaf stonecrop

Origin: native

Voucher: OSU, most recently collected in 2012.

FN - 8:219, accepted, in Oregon; FOO - 2:603, accepted, in Oregon (explicit); JPM - 532, accepted, in Oregon (explicit); JPM2 - 675, accepted, in Oregon (explicit).

***Sedum oreganum* Nutt.**

Common names: Oregon stonecrop

Origin: native

Voucher: OSU, most recently collected in 2013.

Clausen, 1975 - ; FN - 8:221, accepted, in Oregon; FOO - 2:604, accepted, in Oregon (explicit); FPN - 184, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (explicit); ; IL - 2:343, synonym for *Gormania oregana*, in Oregon (implied); JPM - 532, accepted, in Oregon (implied); JPM2 - 675, accepted, in Oregon (implied); PEK - 393, accepted, in Oregon (explicit); VP - 2:570, accepted, in Oregon (implied).

Synonyms:

***Gormania oregana* (Nutt.) Britton**

FN - 8:221, synonym for *Sedum oreganum*, in Oregon; FOO - 2:604, synonym for *Sedum oreganum*; FPN - 184, synonym for *Sedum oreganum*, in Oregon (explicit); IL - 2:343, accepted, in Oregon (implied).

Sedum oreganum* Nutt. var. *oreganum

FN - 8:221, accepted, in Oregon; FOO - 2:604, synonym for *Sedum oreganum*.

***Sedum oreganum* Nutt. var. *tenue* (R.T. Clausen) H. Ohba**

FN - 8:222, accepted, in Oregon; FOO - 2:604, synonym for *Sedum oreganum*; Ohba, 2007 - 890, accepted, comb. nov..

***Sedum oregonense* (S. Watson) M. Peck**

Common names: creamy stonecrop

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 8:220, accepted, in Oregon; FOO - 2:604, accepted, in Oregon (explicit); FPN - 184, accepted, in Oregon (explicit); FPN2 - 121, accepted, in Oregon (explicit); ; JPM - 534, accepted, in Oregon (explicit); JPM2 - 675, accepted, in Oregon (explicit); PEK - 394, accepted, in Oregon (explicit); VP - 2:570, accepted, in Oregon (explicit).

Synonyms:

***Gormania watsonii* Britton**

FOO - 2:604, synonym for *Sedum oregonense*; IL - 2:343, accepted, in Oregon (explicit).

***Sedum radiatum* S. Watson**

FN - 8:208, accepted, in Oregon; IL - 2:346, accepted, in Oregon (explicit); JPM - 534, accepted, in Oregon (explicit); JPM2 - 676, accepted, in Oregon (explicit).

***Sedum radiatum* S. Watson ssp. *depauperatum* R.T. Clausen**

Common names: Coast Range stonecrop

Origin: native

Voucher: OSU, most recently collected in 2014.

FN - 8:209, synonym for *Sedum radiatum* var. *depauperatum*, in Oregon; FOO - 2:605, accepted, in Oregon (explicit).

Synonyms:

***Sedum radiatum* S. Watson var. *depauperatum* (R.T. Clausen) H. Ohba**

FN - 8:209, accepted, in Oregon; FOO - 2:605, synonym for *Sedum radiatum* ssp. *depauperatum*; Ohba, 2007 - 889, accepted, in Oregon (explicit), comb. nov..

Misapplied names:

***Sedum douglasii* Hook.**

PEK - 392, accepted, in Oregon (explicit).

***Sedum douglasii* Hook. ssp. *radiatum* (S. Watson) R.T. Clausen**

PEK - 392, accepted, in Oregon (explicit).

***Sedum rupicola* G.N. Jones**

Common names: curvedleaf stonecrop

Origin: native

FN - 8:207, accepted, not in Oregon, Accepted spelling by FNA author is *Sedum rupicola* G.N. Jones (published in 1931 as *rupicolum*); FPN - 184, synonym for *Sedum lanceolatum* var. *rupicola*, not in Oregon; FPN2 - 121, accepted, not in Oregon; ; KZ - 1:709, accepted; VP - 2:569, synonym for *Sedum lanceolatum* var. *rupicola*, in Oregon (explicit).

***Sedum spathulifolium* Hook.**

Common names: broadleaf stonecrop

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 8:222, accepted, in Oregon; FOO - 2:605, accepted, in Oregon (explicit); FPN - 184, accepted, in Oregon (explicit); FPN2 - 121, accepted, in Oregon (explicit); ; IL - 2:346, accepted, in Oregon (implied); JPM - 534, accepted, in Oregon (implied); JPM2 - 676, accepted, in Oregon (implied); VP - 2:573, accepted, in Oregon (explicit).

Synonyms:

***Sedum spathulifolium* Hook. var. *minus* Henderson**

FOO - 2:605, synonym for *Sedum spathulifolium*.

***Sedum spathulifolium* Hook. ssp. *pruinosa* (Britton) R.T. Clausen & C.H. Uhl**

orthographic variant

PEK - 393, accepted, in Oregon (explicit).

***Sedum spathulifolium* Hook. ssp. *pruinatum* (Britton) R.T. Clausen & C.H. Uhl**

FN - 8:222, synonym for *Sedum spathulifolium* var. *pruinatum*, in Oregon; FOO - 2:605, synonym for *Sedum spathulifolium*; JPM - 534, synonym for *Sedum spathulifolium*; PEK - 393, accepted, in Oregon (explicit).

***Sedum spathulifolium* Hook. var. *pruinatum* (Britton) B. Boivin**

FN - 8:222, accepted, in Oregon; FOO - 2:605, synonym for *Sedum spathulifolium*.

***Sedum spathulifolium* Hook. ssp. *purdyi* (Jeps.) R.T. Clausen**

FN - 8:222, synonym for *Sedum spathulifolium* var. *spathulifolium*, in Oregon; FOO - 2:605, synonym for *Sedum spathulifolium*.

Sedum spathulifolium* Hook. ssp. *spathulifolium

FOO - 2:605, synonym for *Sedum spathulifolium*; PEK - 393, (subtaxon implied), accepted, in Oregon (explicit).

Sedum spathulifolium* Hook. var. *spathulifolium

FN - 8:222, accepted, in Oregon; FOO - 2:605, synonym for *Sedum spathulifolium*.

***Sedum stenopetalum* Pursh**

FOO - 2:606, accepted, in Oregon (explicit); FPN - 183, accepted, in Oregon.

Synonyms:

***Sedum douglasii* Hook.**

***Sedum stenopetalum* Pursh ssp. *ciliosum* (Howell) R.T. Clausen**

Common names: white wormleaf stonecrop

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 8:208, synonym for *Sedum radiatum* var. *ciliosum*, in Oregon; FOO - 2:606, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (explicit), .

Synonyms:

***Sedum ciliosum* Howell**

FN - 8:208, synonym for *Sedum radiatum* var. *ciliosum*, in Oregon; FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *ciliosum*; IL - 2:346, accepted, in Oregon (explicit).

***Sedum douglasii* Hook. ssp. *ciliosum* (Howell) R.T. Clausen**

FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *ciliosum*; PEK - 392, accepted, in Oregon (explicit).

***Sedum radiatum* S. Watson var. *ciliosum* (Howell) H. Ohba**

FN - 8:208, accepted, in Oregon; FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *ciliosum*; Ohba, 2007 - 890, accepted, comb. nov..

Sedum stenopetalum* Pursh ssp. *stenopetalum

Common names: wormleaf stonecrop

Origin: native

Voucher: OSU, most recently collected in 2017.

FOO - 2:606, accepted, in Oregon (explicit); FPN2 - 120, accepted, in Oregon (explicit), range of sp.: BC to CA, mostly e Cas, to Alta, ID, w MT, and WY, occ w Cas on OM, lower CR, and in w OR.

Synonyms:

Sedum douglasii* Hook. var. *douglasii

FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *stenopetalum*; PEK - 392, (subtaxon implied), accepted, in Oregon (explicit).

***Sedum stenopetalum* Pursh var. *monanthum* (Suksd.) H. Ohba**

FN - 8:209, accepted, in Oregon; FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *stenopetalum*; Ohba, 2007 - 899, accepted, comb. nov..

Sedum stenopetalum* Pursh var. *stenopetalum

FN - 8:209, accepted, in Oregon; FOO - 2:606, synonym for *Sedum stenopetalum* ssp. *stenopetalum*.

***Sedum thartii* L.P. Hébert**

Common names: Thart's sedum

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2016.

FPN2 - 121, accepted, in Oregon (explicit), .

Literature cited for *Sedum*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Clausen, R.T. 1942. Studies in the Crassulaceae-III. *Sedum*, Subgenus *Gormania*, Section *Eugormania*. Bulletin of the Torrey Botanical Club 69(1):27-40.

Clausen, R.T. 1975. *Sedum* of North America North of the Mexican Plateau. Cornell University Press, Ithaca, NY.

Denton, M.F. 1982. Revision of *Sedum* section *Gormania* (Crassulaceae). Brittonia 34:48-77.

Ohba, H. 2007. Fourteen new combinations in *Sedum*. Journal of the Botanical Research Institute Texas 1(2):889-890.

Excluded names:

Dudleya cymosa (Lem.) Britton & Rose

FN - 8:180, accepted, not in Oregon; IL - 2:335, synonym for *Dudleya laxa* (Lindl.) Britt. & Rose, not in Oregon; JPM - 528, accepted, in Oregon (explicit).

Dudleya cymosa (Lem.) Britton & Rose ssp. cymosa

FN - 8:180, accepted, not in Oregon; JPM - 528, accepted, in Oregon (explicit); JPM2 - 669, accepted, not in Oregon.

Sedum lanceolatum Torr. var. nesioticum (G.N. Jones) C.L. Hitchc.

FN - 8:207, accepted, in Oregon; FPN - 183, accepted, not in Oregon; VP - 2:569, accepted, not in Oregon.

Sedum obtusatum A. Gray

FN - 8:217, accepted, in Oregon; IL - 2:343, synonym for *Gormania obtusata*, not in Oregon; JPM - 532, accepted, in Oregon (explicit).

Synonyms:

***Gormania obtusata* (A. Gray) Britton**

IL - 2:343, accepted, in Oregon (explicit).

Sedum obtusatum A. Gray ssp. retusum (Rose) R.T. Clausen

JPM - 532, accepted, in Oregon (explicit); JPM2 - 675, accepted, in Oregon (explicit).

Synonyms:

***Sedum obtusatum* A. Gray ssp. boreale R.T. Clausen**

JPM - 532, accepted, in Oregon (implied); JPM2 - 675, accepted, not in Oregon.

***Sedum obtusatum* A. Gray var. retusum (Rose) H. Ohba**

FN - 8:218, accepted, in Oregon; Ohba, 2007 - 889, accepted, comb. nov..

Literature cited for Crassulaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Bywater, M. and G.E. Wickens. 1984. New world species of the genus *Crassula*. Kew Bulletin 39:699-728.

Clausen, R.T. 1942. Studies in the Crassulaceae-III. *Sedum*, Subgenus *Gormania*, Section *Eugormania*. Bulletin of the Torrey Botanical Club 69(1):27-40.

Clausen, R.T. 1975. *Sedum* of North America North of the Mexican Plateau. Cornell University Press, Ithaca, NY.

Denton, M.F. 1982. Revision of *Sedum* section *Gormania* (Crassulaceae). Brittonia 34:48-77.

Eggli, U. 1992. Nomenclatural notes on two genera of Crassulaceae and a new combination. Bradleya 10:83-84.

Moran, R. 1992. Pygmy weed (*Crassula connata*) in western North America. Cactus and Succulent Journal 64:223-231.

Moran, R. 1997. The genus *Sedella* Britton & Rose (Crassulaceae). Haseltonia 5:53-60.

Ohba, H. 2007. Fourteen new combinations in *Sedum*. Journal of the Botanical Research Institute Texas 1(2):889-890.

Wagner, D.H. 1991. Noteworthy collections - Oregon. Madroño 38(2):145-146.

Abbreviations Used

FN = Flora of North America

FPN = Flora of the Pacific Northwest

FOO = Flora of Oregon

GWM = Guide to the plants of the
Wallowa Mountains of northeastern

IL = An Illustrated Flora of the Pacific States

IN = Intermountain Flora

IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = <http://plants.usda.gov>

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference

a+ = authority in the reference matches checklist

a± = authority abbreviation in the reference differs

sa = authority at the specific level in the reference

ssa = authority at the subspecific level in the reference