Checklist of Oregon Salicaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Populus

Checklist contributor: Richard Halse, 8/18/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Populus alba L.

Common names: white poplar, silverleaf poplar, silver poplar

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2015.

FN - 7:21, excluded, Mentioned in text on page 21, cultivated only.; FPN - 64, excluded, no geog. info. given, "found as escapes in our area, but prob none is truly estab."; not fully treated.; FPN2 - 234, accepted, in Oregon (implied), ; IN - 2b:120, accepted, in Oregon (implied); JPM - 990, accepted, given distribution: KR, CaR, GB, expected elsewhere; native to c Eur, c Asia; JPM2 - 1218, accepted, no geog. info. given.

Populus deltoides Marshall ssp. monilifera (Aiton) Eckenw.

Common names: plains cottonwood

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FN - 7:18, accepted, in Oregon (explicit); FPN2 - 235, accepted, given distribution: native e RM, occ intro in our area e Cas, .

Synonyms:

Populus deltoides Marshall var. occidentalis Rydb.

FN - 7:18, synonym for Populus deltoides ssp. monilifera, in Oregon (explicit); FPN - 65, accepted, not in Oregon; IN - 2b:122, accepted for Populus deltoides, in Oregon (implied); VP - 2:34, accepted for Populus deltoides, not in Oregon.

Populus fremontii S. Watson ssp. fremontii

Common names: Fremont cottonwood

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2008.

FN - 7:20, accepted, not in Oregon; IL - 1:487, accepted, not in Oregon; JPM - 990, accepted, not in Oregon; JPM2 - 1218, accepted, not in Oregon.

Populus nigra L.

Common names: Lombardy poplar, black poplar

Origin: exotic, naturalized Voucher: LCEU, most recently collected in 2019.

FN - 7:17, excluded, Cultivated in North America. See text on page 17; FPN - 64, excluded, not accepted as having established.; FPN2 - 235, accepted, in Oregon (implied), ; JPM2 - 1218, accepted, no geog. info. given.

Synonyms:

Populus nigra L. var. italica Du Roi

FPN - 64, excluded, not accepted as having established.; Mansfield, 2000 - 302, accepted, in Oregon (explicit), old homesteads or watercourses in basins.

Populus tremuloides Michx.

Common names: quaking aspen

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 7:22, accepted, in Oregon (explicit); FPN - 65, accepted, in Oregon (implied); FPN2 - 234, accepted, in Oregon (implied), ; GWM - 106, accepted, in Oregon (explicit); IL - 1:486, accepted, in Oregon (implied); IN - 2b:120, accepted, in Oregon (implied); JPM - 990, accepted, in Oregon (implied); JPM2 - 1218, accepted, in Oregon (implied); PEK - 240, accepted, in Oregon (explicit); VP - 2:35, accepted, given distribution: "Widespread in the mountains of our region, chiefly e. of the Cascade summits; rarely w. of the Cascades, where also descending to low elevations; Lab. to Alas., s. to N.J., Tenn., Mo., N.M., Calif., and n. Mex..

Populus trichocarpa Torr. & A. Gray

Common names: black cottonwood

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 7:13, accepted, in Oregon (explicit); FPN - 65, accepted, in Oregon; FPN2 - 235, accepted, in Oregon (implied), ; GWM - 106, accepted, in Oregon (explicit); IL - 1:487, accepted, in Oregon (implied); IN - 2b:124, accepted, in Oregon (implied); JPM2 - 1220, accepted, in Oregon (implied); PEK - 240, accepted, in Oregon (explicit); VP - 2:35, accepted, in Oregon (implied).

Synonyms:

Populus balsamifera L. ssp. trichocarpa (Torr. & A. Gray ex Hook.) Brayshaw

FN - 7:13, synonym for Populus trichocarpa, in Oregon (explicit); JPM - 990, accepted, in Oregon (implied).

Misapplied names:

Populus balsamifera L.

FN - 7:14, accepted, not in Oregon, "P. balsamifera is placed incorrectly in Idaho, Oregon & Utah based on vegetative specimens of P. trichocarpa or intergrades."; FPN - 65, ambiguous synonym, in Oregon (implied), synonym for P. trichocarpa and P. angustifolia.; FPN2 - 234, accepted, not in Oregon, in genus desc.; IL - 1:486, accepted, in Oregon (explicit); PEK - 240, accepted, in Oregon (explicit).

Literature cited for Populus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Orrell, T.M., acting director. 2004-present. Integrated Taxonomic Information System on-line database. http://www.itis.usda.gov. Reston, VA.

Salix

Checklist contributor: George Argus, 4/25/1995

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Salix amygdaloides Andersson

Common names: peachleaf willow

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 7:37, accepted, in Oregon (explicit); FPN - 66, accepted, in Oregon (implied); FPN2 - 237, accepted, in Oregon (explicit); IL - 1:490, accepted, in Oregon (explicit); IN - 2b:134, accepted, in Oregon (implied); PEK - 243, accepted, in Oregon (explicit); VP - 2:42, accepted, not in Oregon.

Salix bebbiana Sarg.

Common names: gray willow, Bebb willow, beaked willow

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 7:134, accepted, in Oregon (explicit); FPN - 71, accepted, not in Oregon; FPN2 - 241, accepted, in Oregon (implied), ; IL - 1:506, accepted, in Oregon (implied); IN - 2b:145, accepted, in Oregon (implied); JPM - 996, accepted, in Oregon (implied); JPM2 - 1226, accepted, in Oregon (implied); VP - 2:45, accepted, in Oregon (implied).

Synonyms:

Salix bebbiana Sarg. var. perrostrata Rydb.

FN - 7:134, synonym for Salix bebbiana, in Oregon (explicit); FPN - 71, accepted, not in Oregon; IL - 1:506, accepted;

PEK - 249, accepted, in Oregon (explicit)

Salix boothii Dorn

Common names: Booth's willow

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 7:113, accepted, in Oregon (explicit); FPN2 - 241, accepted, in Oregon (implied), ; IN - 2b:154, accepted, in Oregon (implied); JPM - 996, accepted, in Oregon (implied); JPM2 - 1226, accepted, in Oregon (implied).

Synonyms:

Salix myrtillifolia Andersson

FN - 7:109, accepted, not in Oregon; FPN - 69, accepted, given distribution: Alas and BC to Newf and Que, s irreg to Cal, Wyo, s Utah and possibly Colo; FPN2 - 241, accepted, not in Oregon, ; VP - 2:59, accepted, in Oregon (implied).

Salix pseudocordata (Andersson) Rydb.

PEK - 246, accepted, in Oregon (explicit)

Misapplied names:

Salix pseudomyrsinites Andersson

FN - 7:110, accepted, not in Oregon; GWM - 114, accepted, in Oregon (explicit); IL - 1:496, accepted, in Oregon (explicit); PEK - 246, accepted, in Oregon (explicit).

Salix boothii Dorn × Salix commutata Bebb

Origin: native

Salix boothii Dorn × Salix eastwoodiae Cockerell ex A. Heller

Origin: native Voucher: OSU, most recently collected in 2007.

Salix brachycarpa Nutt.

FN - 7:86, accepted, in Oregon (explicit), bare species; FPN - 71, accepted, in Oregon (explicit); GWM - 110, accepted, in Oregon (explicit); IN - 2b:142, accepted, in Oregon (explicit); VP - 2:46, accepted, in Oregon (explicit).

Salix brachycarpa Nutt. var. brachycarpa

Common names: short-fruited willow, small-fruited willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:87, accepted, in Oregon (explicit); FPN - 71, accepted, in Oregon (explicit); FPN2 - 240, accepted, in Oregon (implied), ; JPM2 - 1226, accepted, in Oregon (implied).

Synonyms:

Salix brachycarpa Nutt. ssp. brachycarpa

JPM - 996, accepted, in Oregon (implied).

Salix brachycarpa Nutt. var. sansonii C.R. Ball

FN - 7:87, synonym for Salix brachycarpa var. brachycarpa, in Oregon (explicit); PEK - 250, accepted, in Oregon (explicit).

Salix commutata Bebb

Common names: undergreen willow, variable willow

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 7:105, accepted, in Oregon (explicit); FPN - 68, accepted, in Oregon (implied); FPN2 - 237, accepted, in Oregon (explicit), ; VP - 2:48, accepted, in Oregon (implied).

Synonyms:

Salix commutata Bebb var. commutata

FN - 7:105, synonym for Salix commutata, in Oregon (explicit); IL - 1:498, (subtaxon implied), accepted, in Oregon (explicit), var. implied in IL, PEK; PEK - 246, (subtaxon implied), accepted, in Oregon (explicit).

Salix commutata Bebb var. denudata Bebb

FN - 7:105, synonym for Salix commutata, in Oregon (explicit); FPN - 68, synonym for Salix commutata, in Oregon (implied); GWM - 111, accepted, in Oregon (explicit); IL - 1:498, accepted; PEK - 247, accepted, in Oregon (explicit).

Salix commutata Bebb var. puberula Bebb

FN - 7:105, synonym for Salix commutata, in Oregon (explicit); FPN - 68, synonym for Salix commutata, in Oregon (implied); GWM - 111, accepted, in Oregon (explicit); IL - 1:498, accepted, in Oregon (explicit); PEK - 247, accepted, in Oregon (explicit).

Salix commutata Bebb × Salix eastwoodiae Cockerell ex A. Heller

Origin: native Voucher: OSU, most recently collected in 2004.

Salix delnortensis C.K. Schneid.

Common names: Del Norte willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:161, accepted, in Oregon (explicit); IL - 1:504, accepted, not in Oregon; JPM - 996, accepted, in Oregon (explicit); JPM2 - 1227, accepted, in Oregon (explicit); PEK - 248, accepted, in Oregon (explicit).

Salix drummondiana Barratt ex Hook.

Common names: Drummond's willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:135, accepted, in Oregon (explicit); FPN - 70, accepted, in Oregon (implied); FPN2 - 238, accepted, in Oregon (implied), ; IL - 1:503, accepted, in Oregon (implied); IN - 2b:150, accepted, in Oregon (implied); JPM - 996, accepted, in Oregon (implied); JPM2 - 1227, accepted, in Oregon (implied); VP - 2:49, accepted, in Oregon (explicit).

Synonyms:

Salix bella Piper

FPN - 70, synonym for Salix drummondiana, not in Oregon; GWM - 110, accepted; IL - 1:503, accepted, in Oregon (explicit); PEK - 248, accepted, in Oregon (explicit).

Salix subcoerulea Piper

FN - 7:135, synonym for Salix drummondiana, in Oregon (explicit); FPN - 70, synonym for Salix drummondiana, not in Oregon; GWM - 115, accepted, in Oregon (explicit); IL - 1:502, accepted, in Oregon (explicit); PEK - 248, accepted, in Oregon (explicit).

Salix eastwoodiae Cockerell ex A. Heller

Common names: Sierra willow, mountain willow, Eastwood's willow

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 7:106, accepted, in Oregon (explicit); FPN2 - 241, accepted, in Oregon (explicit), ; GWM - 111, accepted, in Oregon (explicit); IL - 1:499, accepted, in Oregon (implied); IN - 2b:157, accepted, in Oregon (explicit); JPM - 996, accepted, in Oregon (explicit); JPM2 - 1227, accepted, in Oregon (implied).

Salix eastwoodiae Cockerell ex A. Heller × Salix glauca L. var. villosa (D. Don ex Hook.) Andersson

Origin: native Voucher: OSU, most recently collected in 2004.

Salix exigua Nutt.

Burkhart et al., 1996 - ; FN - 7:54, accepted, in Oregon (explicit), bare species, 2 vars recognized, both in Oregon.; FPN - 67, accepted, in Oregon (implied); GWM - 111, accepted, in Oregon (explicit); IN - 2b:139, accepted, in Oregon (implied); JPM - 997, accepted, in Oregon (implied); PEK - 244, accepted, in Oregon (explicit).

Salix exigua Nutt. var. columbiana Dorn

Common names: Columbia River willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:59, synonym for Salix columbiana (Dorn) Argus, in Oregon (explicit); FPN2 - 236, accepted, in Oregon (explicit), .

Synonyms:

Salix columbiana (Dorn) Argus

FN - 7:59, accepted, in Oregon (explicit).

Salix fluviatilis Nutt.

ICBN rejected name

FN - 7:58, excluded, S. fluviatilis Nuttall, long used for a Columbia River endemic, is a rejected name; FPN - 67, accepted, in Oregon (explicit); IL - 1:492, accepted, in Oregon (explicit); KZ - 1:554, accepted; PEK - 243, accepted, in Oregon (explicit); VP - 2:53, accepted, in Oregon (implied).

Salix exigua Nutt. var. exigua

Common names: narrowleaf willow, coyote willow

Origin: native

FN - 7:55, accepted, in Oregon (explicit); FPN2 - 236, accepted, in Oregon (implied), sp. Range: BC to CA; IL - 1:493, (subtaxon implied), accepted, in Oregon (implied); JPM2 - 1227, accepted, in Oregon (implied).

Voucher: OSU, most recently collected in 2013.

Synonyms:

Salix argophylla Nutt.

FN - 7:55, synonym for Salix exigua var. exigua, in Oregon (explicit); IL - 1:492, accepted, in Oregon (explicit); PEK - 244, accepted, in Oregon (explicit).

Salix exigua Nutt. ssp. exigua

FPN - 67, accepted, given distribution: ...through RM and GB to n Mex...; VP - 2:52, accepted, in Oregon (implied).

Salix exigua Nutt. var. nevadensis (S. Watson) C.K. Schneid.

FN - 7:55, synonym for Salix exigua var. exigua, in Oregon (explicit); IL - 1:493, accepted, not in Oregon.

Salix exigua Nutt. var. stenophylla (Rydb.) C.K. Schneid.

FN - 7:55, synonym for Salix exigua var. exigua, in Oregon (explicit); FPN - 68, accepted, in Oregon (implied).

Salix exigua Nutt. var. virens Rowlee

FN - 7:55, synonym for Salix exigua var. exigua, in Oregon (explicit); IL - 1:493, accepted.

Salix parishiana Rowlee

FN - 7:56, synonym for Salix exigua var. hindsiana, in Oregon (explicit); IL - 1:492, accepted, not in Oregon.

Salix exigua Nutt. var. hindsiana (Benth.) Dorn

Common names: sandbar willow

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 7:56, accepted, in Oregon (explicit); JPM2 - 1227, accepted, in Oregon (explicit).

Synonyms:

Salix hindsiana Benth.

FN - 7:56, synonym for Salix exigua var. hindsiana, in Oregon (explicit); IL - 1:491, accepted, in Oregon (explicit);

PEK - 243, accepted, in Oregon (explicit).

Salix farriae C.R. Ball

Common names: Farr's willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:116, accepted, in Oregon (explicit); FPN - 69, accepted, not in Oregon; FPN2 - 240, accepted, in Oregon (explicit), ; GWM - 112, accepted, in Oregon (explicit); IL - 1:495, matched with Salix farrae (minor spelling difference), accepted, in Oregon (explicit); VP - 2:52, accepted, in Oregon (explicit).

Salix × fragilis L.

Common names: crack willow, brittle willow

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 7:42, accepted, in Oregon (explicit), treated under S. alba: (Salix ×fragilis Linnaeus, S. alba × S. euxina), the most commonly cultivated and naturalized tree-willow in the flora area; FPN2 - 237, accepted, in Oregon (explicit), ; IN - 2b:138, accepted, not in Oregon.

Synonyms:

Salix alba L. × Salix fragilis L.

JPM - 996, accepted, under S. alba: "var. vitellina and hybrids with S. fragilis most common".

Salix geyeriana Andersson

Common names: Geyer's willow

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:153, accepted, in Oregon (explicit); FPN - 70, accepted, in Oregon (implied); FPN2 - 239, accepted, in Oregon (implied), ; GWM - 112, accepted, in Oregon (explicit); IN - 2b:146, accepted, in Oregon (implied); JPM - 997, accepted, in Oregon (implied); JPM2 - 1227, accepted, in Oregon (implied); VP - 2:53, accepted, in Oregon (implied).

Synonyms:

Salix geyeriana Andersson var. argentea (Bebb) C.K. Schneid.

FN - 7:153, synonym for Salix geyeriana, in Oregon (explicit); FPN - 70, synonym for Salix geyeriana var. geyeriana, in Oregon (implied); IL - 1:506, accepted, not in Oregon; PEK - 250, accepted, in Oregon (explicit).

Salix geyeriana Andersson var. geyeriana

FN - 7:153, synonym for Salix geyeriana, in Oregon (explicit); FPN - 70, accepted, in Oregon (implied); IL - 1:506, (subtaxon implied), accepted, in Oregon (explicit); PEK - 249, (subtaxon implied), accepted, in Oregon (explicit).

Salix geyeriana Andersson var. meleiana J.K. Henry

orthographic variant

FPN - 70, accepted, in Oregon (implied).

Salix geyeriana Andersson var. meleina J.K. Henry

FN - 7:153, synonym for Salix geyeriana, in Oregon (explicit); IL - 1:506, accepted, in Oregon (explicit); PEK - 250, accepted, in Oregon (explicit).

Salix glauca L.

FN - 7:89, accepted, in Oregon (explicit), bare species, 4 vars recognized, one in Oregon.; FPN - 71, accepted, not in Oregon; IN - 2b:142, accepted, in Oregon (explicit); VP - 2:55, accepted, not in Oregon.

Salix glauca L. var. villosa (D. Don ex Hook.) Andersson

Common names: glaucous willow, grayleaf willow

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 7:91, accepted, in Oregon (explicit); FPN - 71, synonym for Salix glauca, not in Oregon; FPN2 - 239, accepted, not in Oregon, .

Misapplied names:

Salix orestera C.K. Schneid.

FN - 7:108, accepted, in Oregon (explicit); IL - 1:499, accepted, not in Oregon; IN - 2b:158, accepted, in Oregon (explicit); JPM - 998, accepted, not in Oregon; JPM2 - 1228, accepted, in Oregon (explicit); PEK - 247, accepted, in Oregon (explicit).

Salix hookeriana Barratt ex Hook.

Common names: coastal willow, Hooker's willow, dune willow

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 7:127, accepted, in Oregon (explicit); FPN - 68, accepted, in Oregon (explicit); FPN2 - 238, accepted, in Oregon (implied); JL - 1:500, accepted, in Oregon (implied); JPM - 997, accepted, in Oregon (implied); JPM2 - 1227, accepted, in Oregon (implied); PEK - 247, accepted, in Oregon (explicit); VP - 2:56, accepted, in Oregon (implied).

Synonyms:

Salix piperi Bebb

FN - 7:127, synonym for Salix hookeriana, in Oregon (explicit); FPN - 69, accepted, in Oregon (implied); IL - 1:499, accepted, in Oregon (explicit); PEK - 247, accepted, in Oregon (explicit); VP - 2:63, accepted, in Oregon (explicit).

Salix laevigata Bebb

Common names: polished willow, red willow

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 7:34, accepted, in Oregon (explicit); IL - 1:490, accepted, not in Oregon; IN - 2b:136, accepted, in Oregon (explicit); JPM - 997, accepted, in Oregon (explicit); JPM2 - 1228, accepted, in Oregon (explicit); PEK - 243, accepted, in Oregon (explicit).

Salix lasiandra Benth.

FN - 7:47, accepted, in Oregon (explicit), bare species, 2 vars recognized, both in Oregon.; FPN - 66, accepted, in Oregon (implied); GWM - 112, accepted, in Oregon (explicit); IL - 1:489, accepted, in Oregon (implied); VP - 2:56, accepted, in Oregon (implied).

Salix lasiandra Benth. var. caudata (Nutt.) Sudw.

Common names: tailleaf willow, whiplash willow, gland willow

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 7:48, accepted, in Oregon (explicit); FPN - 66, accepted, in Oregon (implied); FPN2 - 237, accepted, given distribution: pls most common e Cas, ; JPM2 - 1228, accepted, in Oregon (implied); VP - 2:57, accepted.

Synonyms:

Salix caudata (Nutt.) A. Heller

FPN - 66, synonym for Salix lasiandra var. caudata, in Oregon (implied); GWM - 111, accepted; PEK - 242, accepted, in Oregon (explicit).

Salix caudata (Nutt.) A. Heller var. bryantiana C.R. Ball & Bracelin

GWM - 111, accepted, in Oregon (explicit).

Salix caudata (Nutt.) A. Heller var. caudata

IL - 1:489, accepted, in Oregon (explicit), implied in IL.

Salix caudata (Nutt.) A. Heller var. parvifolia C.R. Ball

FPN - 66, synonym for Salix lasiandra var. caudata, in Oregon (implied); IL - 1:489, accepted.

Salix lucida Muhl.

in part

Salix lucida Muhl. ssp. caudata (Nutt.) E. Murray

FN - 7:48, synonym for Salix lasiandra var. caudata, in Oregon (explicit); JPM - 998, accepted, in Oregon (implied).

Salix lasiandra Benth. var. lasiandra

Common names: Pacific willow

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 7:47, accepted, in Oregon (explicit); FPN - 66, accepted, in Oregon (implied); FPN2 - 237, accepted, given distribution: pls most common w Cas, ; IL - 1:489, accepted, in Oregon (implied); JPM2 - 1228, accepted, in Oregon (implied); PEK - 242, accepted, in Oregon (explicit); VP - 2:57, accepted.

Synonyms:

Salix lasiandra Benth. var. abramsii C.R. Ball

IL - 1:489, matched with Salix lasiandra abramsi (minor spelling difference), accepted, not in Oregon; PEK - 242, accepted, in Oregon (explicit).

Salix lasiandra Benth. var. lancifolia (Andersson) Bebb

IL - 1:489, accepted; PEK - 242, accepted, in Oregon (explicit).

Salix lucida Muhl.

in part

Salix lucida Muhl. ssp. lasiandra (Benth.) E. Murray

FN - 7:47, synonym for Salix lasiandra, in Oregon (explicit); JPM - 998, accepted, not in Oregon.

Salix lasiolepis Benth.

Common names: arroyo willow

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 7:156, accepted, in Oregon (explicit); FPN - 68, accepted, in Oregon; FPN2 - 239, accepted, in Oregon (explicit); GWM - 112, accepted, in Oregon (explicit); IL - 1:496, accepted, in Oregon (implied); IN - 2b:152, accepted, in Oregon (implied); JPM - 997, accepted, in Oregon (implied); JPM2 - 1228, accepted, in Oregon (implied); PEK - 245, accepted, in Oregon (explicit); VP - 2:57, accepted, in Oregon (implied).

Synonyms:

Salix lasiolepis Benth. var. bakeri (Seem.) C.R. Ball

IL - 1:497, accepted, not in Oregon.

Salix lasiolepis Benth. var. bigelovii (Torr.) Bebb

IL - 1:497, accepted, not in Oregon.

Salix lasiolepis Benth. var. lasiolepis

IL - 1:496, accepted, in Oregon (implied).

Salix lemmonii Bebb

Common names: Lemmon's willow

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 7:154, accepted, in Oregon (explicit); FPN - 71, accepted, in Oregon (explicit); FPN2 - 239, accepted, in Oregon (explicit), ; GWM - 113, accepted, in Oregon (explicit); IL - 1:502, matched with Salix lemmoni (minor spelling difference), accepted, in Oregon (explicit); IN - 2b:146, accepted, in Oregon (explicit); JPM - 997, accepted, in Oregon (implied); JPM2 - 1228, accepted, in Oregon (implied); PEK - 248, accepted, in Oregon (explicit); VP - 2:59, accepted, in Oregon (explicit).

Salix ligulifolia (C.R. Ball) C.R. Ball ex C.K. Schneid.

Common names: strapleaf willow, tongueleaf willow

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 7:122, accepted, in Oregon (explicit); FPN2 - 238, accepted, in Oregon (explicit), ; JPM - 997, accepted, not in Oregon; JPM2 - 1228, accepted, not in Oregon.

Synonyms:

Salix eriocephala Michx. var. ligulifolia (C.R. Ball) Dorn

Dorn, 2010 - accepted; IN - 2b:154, accepted, in Oregon (explicit).

Salix lutea Nutt. var. ligulifolia C.R. Ball

FN - 7:122, synonym for Salix ligulifolia, in Oregon (explicit); IL - 1:494, accepted, not in Oregon; PEK - 244, accepted, in Oregon (explicit).

Salix lutea Nutt.

Common names: yellow willow

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 7:123, accepted, in Oregon (explicit); FPN - 69, synonym for Salix rigida var. watsonii, in Oregon; FPN2 - 238, accepted, in Oregon (explicit); GWM - 113, accepted, in Oregon (explicit); JPM - 998, accepted, not in Oregon; JPM2 - 1228, accepted, in Oregon (explicit).

Synonyms:

Salix eriocephala Michx. var. watsonii (Bebb) Dorn

Dorn, 2010 -; IN - 2b:154, accepted, in Oregon (implied).

Salix lutea Nutt. var. lutea

IL - 1:494, (subtaxon implied), accepted, in Oregon (explicit); PEK - 244, (subtaxon implied), accepted, in Oregon (explicit).

Salix lutea Nutt. var. platyphylla C.R. Ball

IL - 1:494, accepted, in Oregon (explicit); PEK - 245, accepted, in Oregon (explicit).

Salix rigida Muhl.

in part

Salix rigida Muhl. var. watsonii (Bebb) Cronquist

FN - 7:123, synonym for Salix lutea, in Oregon (explicit); FPN - 69, accepted, in Oregon (explicit); VP - 2:65, accepted, in Oregon (explicit).

Salix melanopsis Nutt.

Common names: dusky willow

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 7:58, accepted, in Oregon (explicit); FPN2 - 236, accepted, in Oregon (explicit), ; GWM - 113, accepted, in Oregon (explicit); IN - 2b:140, accepted, not in Oregon; JPM - 998, accepted, in Oregon (implied); JPM2 - 1228, accepted, in Oregon (implied).

Synonyms:

Salix exigua Nutt. ssp. melanopsis (Nutt.) Cronquist

FN - 7:58, synonym for Salix melanopsis, in Oregon (explicit); FPN - 67, accepted, given distribution: E Cas, from Banff to Wyo, n Colo, n Utah, n Nev & Cal; VP - 2:52, accepted, in Oregon (implied).

Salix melanopsis Nutt. var. bolanderiana (Rowlee) C.K. Schneid.

FN - 7:58, synonym for Salix melanopsis, in Oregon (explicit); IL - 1:493, accepted, in Oregon (implied).

Salix melanopsis Nutt. var. melanopsis

FN - 7:58, synonym for Salix melanopsis, in Oregon (explicit); IL - 1:493, (subtaxon implied), accepted, in Oregon (implied); PEK - 244, (subtaxon implied), accepted, in Oregon (explicit).

Salix melanopsis Nutt. var. tenerrima C.R. Ball

FN - 7:58, synonym for Salix melanopsis, in Oregon (explicit); FPN - 67, synonym for Salix exigua ssp. melanopsis, not in Oregon; PEK - 244, accepted, in Oregon (explicit).

Salix monochroma C.R. Ball

Common names: one color willow

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 7:124, accepted, in Oregon (explicit); FPN - 69, synonym for Salix rigida var. mackenzieana, in Oregon; FPN2 - 241, accepted, in Oregon (explicit), ; IL - 1:496, accepted, in Oregon (explicit); PEK - 245, accepted, in Oregon (explicit).

Synonyms

Salix eriocephala Michx. var. monochroma (C.R. Ball) Dorn

FN - 7:124, synonym for Salix monochroma, in Oregon (explicit); IN - 2b:154, accepted for Salix eriocephala.

Salix rigida Muhl. var. mackenzieana (Hook.) Cronquist

in part

FPN - 69, accepted, in Oregon (explicit); VP - 2:66, accepted, in Oregon (explicit).

Salix nivalis Hook.

Common names: snow willow, dwarf snow willow, netleaf willow

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 7:66, accepted, in Oregon (explicit); FPN - 66, accepted, in Oregon (implied); FPN2 - 236, accepted, in Oregon (implied), ; GWM - 113, accepted, in Oregon (explicit); IL - 1:507, accepted, in Oregon (implied); JPM2 - 1228, accepted, in Oregon (implied); PEK - 250, accepted, in Oregon (explicit); VP - 2:60, accepted, in Oregon (implied).

Synonyms:

Salix nivalis Hook. var. saximontana (Rydb.) C.K. Schneid.

FN - 7:66, synonym for Salix nivalis, in Oregon (explicit); FPN - 66, accepted, in Oregon (implied).

Salix reticulata L. ssp. nivalis (Hook.) Á. Löve, D. Löve & B.M. Kapoor

FN - 7:66, synonym for Salix nivalis, in Oregon (explicit); JPM - 998, accepted, in Oregon (implied); KZ - 2:688, accepted.

Salix saximontana Rydb.

FPN - 66, synonym for Salix nivalis var. saximontana, in Oregon (implied); GWM - 114, accepted, in Oregon (explicit); IL - 1:507, accepted, in Oregon (implied); PEK - 250, accepted, in Oregon (explicit).

Misapplied names:

Salix reticulata L.

FN - 7:65, accepted, not in Oregon; FPN2 - 236, accepted, not in Oregon, ; IN - 2b:140, accepted, in Oregon (explicit).

Salix pedicellaris Pursh

Common names: bog willow

Origin: native

Voucher: OSU, most recently collected in 2009.

FN - 7:83, accepted, in Oregon (explicit); FPN - 68, accepted, in Oregon (explicit); FPN2 - 238, accepted, in Oregon (explicit), ; IL - 1:494, accepted, in Oregon (implied); PEK - 244, accepted, in Oregon (explicit); VP - 2:61, accepted, in Oregon (explicit).

Salix petrophila Rydb.

Common names: alpine willow, Rocky Mountain willow

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 7:81, accepted, in Oregon (explicit); FPN - 67, synonym for Salix arctica, in Oregon; FPN2 - 236, accepted, in Oregon (implied), ; GWM - 114, accepted, in Oregon (explicit); JPM2 - 1230, accepted, in Oregon (implied); PEK - 247, accepted, in Oregon (explicit).

Synonyms

Salix arctica Pall. var. petraea Andersson

FN - 7:81, synonym for Salix petrophila, in Oregon (explicit); FPN - 67, accepted, in Oregon (explicit); VP - 2:44, accepted.

Salix petrophila Rydb. var. petrophila

FN - 7:81, synonym for Salix petrophila, in Oregon (explicit); IL - 1:500, (subtaxon implied), accepted, in Oregon (explicit), var. implied in IL.

Misapplied names:

Salix anglorum C.K. Schneid. var. araioclada C.K. Schneid.

PEK - 250, accepted, in Oregon (explicit).

Salix arctica Pall.

FN - 7:78, accepted, not in Oregon; FPN - 67, accepted, in Oregon (explicit); FPN2 - 236, accepted, not in Oregon,; GWM - 110, accepted, in Oregon (explicit); IN - 2b:144, accepted, in Oregon (explicit); JPM - 996, accepted, in Oregon (implied); Kartesz & Meacham, 2007 - accepted, not in Oregon, (former version cites ONHP and CAN spec. for Oregon presence); KZ - 2:680, accepted; VP - 2:42, accepted, in Oregon (explicit).

Salix planifolia Pursh

FN - 7:138, accepted, in Oregon (explicit); IN - 2b:148, accepted, in Oregon (implied); JPM2 - 1230, accepted, in Oregon (implied).

Salix planifolia Pursh var. monica (Bebb) C.K. Schneid.

Common names: diamondleaf willow

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 7:138, synonym for Salix planifolia, in Oregon (explicit); FPN2 - 240, accepted, in Oregon (explicit), ; IL - 1:501, synonym for Salix monica, in Oregon (implied); IN - 2b:148, synonym for Salix planifolia, in Oregon (implied); VP - 2:61, synonym for Salix phylicifolia var. monica, in Oregon (implied).

Synonyms:

Salix monica Bebb

FN - 7:138, synonym for Salix planifolia, in Oregon (explicit); FPN - 70, synonym for Salix phylicifolia var. monica, not in Oregon; IL - 1:501, accepted, not in Oregon.

Salix phylicifolia L. var. monica (Bebb) Jeps.

FN - 7:138, synonym for Salix planifolia, in Oregon (explicit); FPN - 70, accepted, not in Oregon; VP - 2:63, accepted, not in Oregon.

Salix planifolia Pursh var. planifolia

Common names: tealeaf willow

Origin: native Voucher: OSU, most recently collected in 2008.

FPN2 - 240, accepted, in Oregon (explicit), .

Synonyms:

Salix pennata C.R. Ball

IL - 1:501, accepted, in Oregon (explicit); PEK - 248, accepted, in Oregon (explicit).

Salix phylicifolia L. var. pennata (C.R. Ball) Cronquist

FPN - 70, accepted, in Oregon (explicit); VP - 2:63, accepted, in Oregon (explicit).

Salix phylicifolia L. var. planifolia (Pursh) Cronquist

FPN - 69, accepted, not in Oregon; VP - 2:63, accepted, not in Oregon.

Salix planifolia Pursh ssp. planifolia

JPM - 998, accepted, in Oregon (implied).

Salix prolixa Andersson

Common names: Mackenzie's willow

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 7:125, accepted, in Oregon (explicit); FPN2 - 239, accepted, in Oregon (implied), ; JPM - 998, accepted, in Oregon (implied); JPM2 - 1230, accepted, in Oregon (implied).

Synonyms:

Salix eriocephala Michx. var. mackenziana (Hook.) Dorn

FN - 7:125, synonym for Salix prolixa, in Oregon (explicit); IN - 2b:154, accepted, in Oregon (implied).

Salix mackenzieana (Hook.) Barratt

FN - 7:125, synonym for Salix prolixa, in Oregon (explicit); FPN - 69, synonym for Salix rigida var. mackenzieana, in Oregon (explicit); GWM - 113, accepted, in Oregon (explicit).

Salix mackenzieana (Hook.) Barratt var. mackenzieana

IL - 1:495, matched with Salix mackenziana mackenziana (minor spelling difference), accepted, in Oregon (implied), [var. implied]; PEK - 245, (subtaxon implied), accepted, in Oregon (explicit).

Salix mackenzieana (Hook.) Barratt var. macrogemma C.R. Ball

FN - 7:125, synonym for Salix prolixa, in Oregon (explicit); FPN - 69, synonym for Salix rigida var. macrogemma, in Oregon (explicit); IL - 1:495, matched with Salix mackenziana macrogemma (minor spelling difference), accepted, in Oregon (explicit); PEK - 245, accepted, in Oregon (explicit).

Salix rigida Muhl.

in part

Salix rigida Muhl. var. mackenzieana (Hook.) Cronquist

in part

FN - 7:123, synonym for Salix prolixa, in Oregon (explicit).

Salix rigida Muhl. var. macrogemma (C.R. Ball) Cronquist

FN - 7:125, accepted, in Oregon (explicit); FPN - 69, accepted, in Oregon (explicit); VP - 2:66, accepted, in Oregon (explicit).

Salix purpurea L.

Common names: purple osier willow, basket willow

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2011.

FN - 7:162, accepted, in Oregon (explicit); FPN2 - 235, accepted, in Oregon (implied), ; JPM2 - 1230, accepted, in Oregon (implied).

Salix scouleriana Barratt ex Hook.

Common names: Scouler's willow

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 7:131, accepted, in Oregon (explicit); FPN - 70, accepted, in Oregon (implied); FPN2 - 238, accepted, in Oregon (implied),; GWM - 114, accepted, in Oregon (explicit); IL - 1:505, accepted, in Oregon (implied); IN - 2b:147, accepted, in Oregon (implied); JPM - 998, accepted, in Oregon (implied); JPM2 - 1230, accepted, in Oregon (implied); VP - 2:66, accepted, in Oregon (implied).

Synonyms

Salix scouleriana Barratt ex Hook, var. coetaenea C.R. Ball

FPN - 70, synonym for Salix scouleriana, in Oregon (implied); PEK - 249, accepted, in Oregon (explicit).

Salix scouleriana Barratt ex Hook. var. scouleriana

PEK - 249, (subtaxon implied), accepted, in Oregon (explicit).

Salix scouleriana Barratt ex Hook. var. thompsonii C.R. Ball

FPN - 70, synonym for Salix scouleriana, in Oregon (implied); PEK - 249, accepted, in Oregon (explicit).

Salix × sepulcralis Simonk.

Common names: weeping willow

Origin: exotic, naturalized

Misapplied names:

Salix × pendulina Wender.

FN - 7:41, accepted, in Oregon (explicit).

Salix sessilifolia Nutt.

Common names: northwest sandbar willow

Origin: native Voucher: OSU, most recently collected in 2020.

FN - 7:59, accepted, in Oregon (explicit); FPN - 67, accepted, in Oregon; FPN2 - 236, accepted, in Oregon (explicit), ; IL - 1:491, accepted, in Oregon (explicit); JPM - 998, accepted, in Oregon (implied); PEK - 243, accepted, in Oregon (explicit); VP - 2:67, accepted, in Oregon (explicit).

Synonyms:

Salix exigua Nutt. var. sessilifolia (Nutt.) Dorn

Salix sitchensis Sanson ex Bong.

FN - 7:159, accepted, in Oregon (explicit); FPN - 70, accepted, in Oregon (explicit); GWM - 115, accepted, in Oregon (explicit); IL - 1:505, accepted, in Oregon (explicit); JPM - 998, accepted, in Oregon (implied); JPM2 - 1230, accepted, in Oregon (implied); PEK - 248, accepted, in Oregon (explicit); VP - 2:67, accepted, in Oregon (explicit).

Salix sitchensis Sanson ex Bong. var. angustifolia Bebb

Common names: Jepson's willow

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 7:160, synonym for Salix jepsonii, in Oregon (explicit); IN - 2b:152, accepted, in Oregon (explicit).

Synonyms:

Salix bonplandiana Kunth var. laevigata (Bebb) Dorn

Dorn, 2010 - .

Salix jepsonii C.K. Schneid.

FN - 7:160, accepted, in Oregon (explicit); IL - 1:504, matched with Salix jepsoni (minor spelling difference), accepted, not in Oregon; JPM - 997, accepted, not in Oregon; JPM2 - 1227, accepted, in Oregon (explicit).

Salix sitchensis Sanson ex Bong. var. sitchensis

Common names: Sitka willow

Origin: native Voucher: OSU, most recently collected in 2010.

FPN2 - 238, accepted, in Oregon (explicit), ; IN - 2b:152, accepted, in Oregon (explicit).

Synonyms:

Salix coulteri Andersson

FN - 7:159, synonym for Salix sitchensis, in Oregon (explicit); IL - 1:505, accepted, in Oregon (explicit); PEK - 249, accepted, in Oregon (explicit).

Salix tracyi C.R. Ball

Common names: Tracy's willow

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 7:156, accepted, in Oregon (explicit); JPM2 - 1230, accepted, in Oregon (explicit); PEK - 245, accepted, in Oregon (explicit).

Salix vestita Pursh

Common names: rock willow

Origin: native Voucher: OSU, most recently collected in 2002.

FN - 7:64, accepted, in Oregon (explicit); FPN - 69, accepted, in Oregon (explicit); FPN2 - 237, accepted, in Oregon (explicit), ; GWM - 115, accepted, in Oregon (explicit); IL - 1:507, accepted, in Oregon (explicit); PEK - 250, accepted, in Oregon (explicit); VP - 2:69, accepted, in Oregon (explicit).

Synonyms:

Salix vestita Pursh var. erecta Andersson

FPN - 69, accepted, in Oregon (explicit); VP - 2:69, accepted.

Salix wolfii Bebb

FN - 7:107, accepted, in Oregon (explicit), bare species; FPN - 68, accepted, in Oregon (explicit); IN - 2b:156, accepted, in Oregon (explicit); VP - 2:70, accepted, in Oregon (explicit).

Salix wolfii Bebb var. idahoensis C.R. Ball

Common names: Idaho willow, Wolf's willow

Origin: native

FN - 7:108, accepted, not in Oregon; FPN - 68, accepted, given distribution: more n and w; FPN2 - 237, accepted, in Oregon (explicit); GWM - 115, accepted, in Oregon (explicit); IL - 1:497, accepted, in Oregon (explicit); PEK - 246, accepted, in Oregon (explicit); VP - 2:70, accepted.

Voucher: OSU, most recently collected in 2020.

Misapplied names:

Salix wolfii Bebb var. wolfii

FN - 7:108, accepted, in Oregon (explicit); FPN - 68, accepted, given distribution: chiefly s, but n to extreme sw Mont.; FPN2 - 237, accepted, not in Oregon.

Literature cited for Salix

(Excluding the standard references unless specifically cited in the flora manuscript.)

Argus, G.W. 1965. The taxonomy of the Salix glauca complex in North America. Contributions from the Gray Herbarium of Harvard University 196:1-142.

Argus, G.W. 1973. The genus Salix in Alaska and the Yukon. National Museum of Canada Publications in Botany 2:1-179.

Argus, G.W. 1986A. The genus Salix in the southwestern United States. Systematic Botany Monographs 9:1-170.

Argus, G.W. 1986B. Studies of the Salix lucida and Salix reticulata complexes in North America. Canadian Journal of Botany 64:541-551.

Dorn, R. 2010. The genus Salix in North America North of Mexico. http://www.lulu.com/product/ebook/the-genus-salix-in-north-america-north-of-mexico/6517733. .

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Excluded names:

Populus angustifolia E. James

FN - 7:16, accepted, not in Oregon; FPN - 65, accepted, in Oregon (explicit); FPN2 - 234, accepted, in Oregon (explicit), ; IN -2b:124, accepted, in Oregon (explicit); JPM - 990, accepted, in Oregon (explicit); JPM2 - 1218, accepted, in Oregon (explicit); PEK -240, accepted, in Oregon (explicit); VP - 2:34, accepted, in Oregon (explicit).

Salix barclavi Andersson

FN - 7:113, accepted, in Oregon (explicit); FPN - 68, accepted, not in Oregon; FPN2 - 240, accepted, not in Oregon, ; IL - 1:498, accepted, in Oregon (explicit); IN - 2b:158, accepted, in Oregon (explicit); PEK - 246, accepted, in Oregon (explicit); VP - 2:44, accepted, in Oregon (explicit).

Salix cascadensis Cockerell

FN - 7:82, accepted, not in Oregon; FPN - 67, accepted, in Oregon (explicit); FPN2 - 236, accepted, not in Oregon,; GWM - 111, accepted, in Oregon (explicit); IL - 1:500, accepted, in Oregon (implied); IN - 2b:144, accepted, in Oregon (explicit); VP - 2:48, accepted, in Oregon (explicit).

Literature cited for Salicaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Argus, G.W. 1965. The taxonomy of the Salix glauca complex in North America. Contributions from the Gray Herbarium of Harvard University 196:1-142.

Argus, G.W. 1973. The genus Salix in Alaska and the Yukon. National Museum of Canada Publications in Botany 2:1-179.

Argus, G.W. 1986A. The genus Salix in the southwestern United States. Systematic Botany Monographs 9:1-170.

Argus, G.W. 1986B. Studies of the Salix lucida and Salix reticulata complexes in North America. Canadian Journal of Botany 64:541-551.

Dorn, R. 2010. The genus Salix in North America North of Mexico. http://www.lulu.com/product/ebook/the-genus-salix-in-northamerica-north-of-mexico/6517733...

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Mansfield, D. 2000. Flora of Steens Mountain. Oregon State University Press, Corvallis, OR.

Orrell, T.M., acting director. 2004-present. Integrated Taxonomic Information System on-line database. http://www.itis.usda.gov. Reston, VA.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IN = Intermountain Flora IPNI = The International Plant Names Index

JPM = The Jepson manual KZ = A synonymized checklist...(Kartesz) PLANTS = http://plants.usda.gov VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist IL = An Illustrated Flora of the Pacific States PEK = A manual of the higher plants of Oregon a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference