Checklist of Oregon Cyperaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Amphiscirpus

Checklist contributor: Peter Zika, 3/7/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Amphiscirpus nevadensis (S. Watson) Oteng-Yeb.

Common names: Nevada clubrush

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 23:28, accepted; FOO - 1:168, accepted, in Oregon (explicit); FPN2 - 721, accepted, in Oregon (implied), ; JPM2 - 1306, accepted, not in Oregon.

Synonyms:

Scirpus nevadensis S. Watson

FN - 23:028, synonym for Amphiscirpus nevadensis, in Oregon; FPN - 601, accepted, in Oregon (implied); IL - 1:273, accepted, in Oregon (implied); IN - 6:76, accepted, in Oregon (implied); JPM - 1148, accepted, in Oregon (implied); PEK - 148, accepted, in Oregon (explicit); VP - 1:381, accepted, in Oregon (implied).

Bolboschoenus

Checklist contributor: Peter Zika, 3/6/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Bolboschoenus fluviatilis (Torr.) Soják

Common names: river bulrush

Origin: native Voucher: OSU, most recently collected in 2003.

FN - 23:42, accepted, in Oregon; FOO - 1:170, accepted, in Oregon (explicit); FPN2 - 721, accepted, in Oregon (implied), ; JPM2 - 1306, accepted, in Oregon (implied).

Synonyms:

Scirpus fluviatilis (Torr.) A. Gray

FN - 23:042, synonym for Bolboschoenus fluviatilis, in Oregon; FPN - 602, accepted, in Oregon (implied); IL - 1:275, accepted, not in Oregon; IN - 6:71, accepted, in Oregon (implied); JPM - 1147, accepted, in Oregon (implied); PEK - 149, accepted, in Oregon (explicit); VP - 1:377, accepted, in Oregon (implied).

Bolboschoenus glaucus (Lam.) S.G. Sm.

Common names: tuberous bulrush

Origin: exotic, not naturalized Voucher: F, most recently collected in 1923.

FN - 23:43, accepted, in Oregon (explicit); FOO - 1:170, accepted, in Oregon (explicit); JPM2 - 1308, accepted, in Oregon (explicit); KZ - 2002, excluded.

Misapplied names:

Scirpus tuberosus Desf.

JPM - 1148, accepted, in Oregon (explicit).

Bolboschoenus maritimus (L.) Palla ssp. paludosus (A. Nelson) T. Koyama

Common names: seacoast bulrush

Origin: native and exotic Voucher: OSU, most recently collected in 2019.

FN - 23:41, accepted, in Oregon; FOO - 1:171, accepted, in Oregon (explicit); FPN2 - 721, accepted, in Oregon (implied), ; JPM2 - 1308, accepted, in Oregon (implied).

Synonyms:

Scirpus maritimus L.

FN - 23:041, synonym for Bolboschoenus maritimus, not in Oregon, ssp. maritimus inferred; FPN - 602, accepted, in Oregon (implied); IN - 6:72, accepted, in Oregon (implied); JPM - 1147, accepted, in Oregon (implied); VP - 1:379, accepted, in Oregon (implied).

Scirpus maritimus L. var. paludosus (A. Nelson) Kük.

FN - 23:041, synonym for Bolboschoenus maritimus ssp. paludosus, in Oregon; FPN - 602, accepted, in Oregon (implied); VP - 1:379, accepted.

Scirpus pacificus Britton

FN - 23:041, synonym for Bolboschoenus maritimus ssp. paludosus, in Oregon; IL - 1:275, accepted, in Oregon (implied); PEK - 148, accepted, in Oregon (explicit).

Scirpus paludosus A. Nelson

FN - 23:041, synonym for Bolboschoenus maritimus ssp. paludosus, in Oregon; FPN - 602, synonym for Scirpus maritimus, in Oregon (implied); IL - 1:275, accepted, in Oregon (implied); PEK - 149, accepted, in Oregon (explicit).

Literature cited for Bolboschoenus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Bulbostylis

Checklist contributor: Peter Zika, 10/1/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Bulbostylis capillaris (L.) Kunth ex C.B. Clarke

Common names: densetuft hairsedge

Origin: native Voucher: OSU, most recently collected in 1900.

FN - 23:136, accepted, in Oregon, E. Hall (#585) Oregon specimen w/o locality; FOO - 1:171, accepted, in Oregon (explicit); FPN2 - 722, accepted, in Oregon (explicit), ; JPM - 1107, accepted, not in Oregon; JPM2 - 1308, accepted, not in Oregon; PEK - 145, accepted, in Oregon (explicit).

Synonyms:

Stenophyllus capillaris (L.) Britton

IL - 1:267, accepted, in Oregon (explicit).

Literature cited for Bulbostvlis

(Excluding the standard references unless specifically cited in the flora manuscript.)

Kral, R. 1971. A treatment of Abildgaardia, Bulbostylis, and Fimbristylis (Cyperaceae) for North America. Sida 4:57-227.

Calliscirpus

Checklist contributor:

Flora contributor: Barbara Wilson

Calliscirpus criniger (A. Gray) C.N. Gilmour, J.R. Starr & Naczi

Common names: fringed cottongrass

Origin: native Voucher: OSU, most recently collected in 2009.

FOO - 1:171, accepted, in Oregon (explicit); Gilmour et al., 2013 - .

Synonyms:

Eriophorum cringerum (A. Gray) Beetle

orthographic variant

FN - 23:027, accepted, in Oregon; KZ - 2:304, accepted; PEK - 145, accepted, in Oregon (explicit).

Eriophorum criniger (A. Gray) Beetle

orthographic variant

JPM - 1143, accepted, in Oregon (explicit); PEK - 145, accepted, in Oregon (explicit).

Eriophorum crinigerum (A. Gray) Beetle

FN - 23:27, accepted, in Oregon (explicit); JPM2 - 1346, accepted, in Oregon (explicit).

Scirpus criniger A. Gray

FN - 23:027, synonym for Eriophorum criniger, in Oregon; Gray, 1876 - ; IL - 1:277, accepted, in Oregon (explicit);

PEK - 146, synonym for Eriophorum criniger, in Oregon (explicit).

Literature cited for Calliscirpus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gilmour, C.N., J.R. Starr, and R.F.C. Naczi. 2013. Calliscirpus, a new genus for two narrow endemics of the California Floristic Province, C. criniger and C. brachythrix sp. nov. (Cyperaceae). Kew Bulletin 68(1):1-21.

Gray, A. 1876. Characters of new plants of California and elsewhere, principally of those collected by H. N. Bolander in the state geological survey. Proceedings of the American Academy of Arts and Sciences 7:327-401.

Carex

Checklist contributor: Peter Zika, Barbara Wilson, 3/18/2009 Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Carex abrupta Mack.

Common names: abrupt-beaked sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:349, accepted, in Oregon; FOO - 1:187, accepted, in Oregon (explicit); FPN2 - 747, accepted, in Oregon (implied), GWM - 44, accepted, in Oregon (explicit); IL - 1:309, accepted, in Oregon (explicit); JPM - 1121, accepted, in Oregon (explicit); JPM2 - 1321, accepted, in Oregon (explicit); PEK - 168, accepted, in Oregon (explicit); Wilson et al., 2008 - 74, accepted, in Oregon (explicit).

Carex agastachys L. f.

Common names: southern pendulous sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2010.

Jiménez-Mejías et al., 2017 - .

Carex amplifolia Boott

Common names: big-leaf sedge, ample-leaved sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:487, accepted, in Oregon; FOO - 1:187, accepted, in Oregon (explicit); FPN - 583, accepted, in Oregon (explicit); FPN2 - 731, accepted, in Oregon (explicit), ; IL - 1:327, accepted, in Oregon (implied); IN - 6:128, accepted, in Oregon (explicit); JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); PEK - 179, accepted, in Oregon (explicit); VP - 1:237, accepted, in Oregon (explicit); Wilson et al., 2008 - 78, accepted, in Oregon (explicit).

Carex angustata Boott

Common names: narrow-leaved sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:389, accepted, in Oregon; FOO - 1:188, accepted, in Oregon (explicit); FPN2 - 737, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 80, accepted, in Oregon (explicit).

Synonyms:

Carex eurycarpa Holm

FN - 23:389, synonym for Carex angustata, in Oregon; FPN - 587, accepted, in Oregon (implied); GWM - 48, accepted; IL - 1:338, accepted, in Oregon (implied); PEK - 186, accepted, in Oregon (explicit); VP - 1:265, accepted, in Oregon (explicit).

Carex oxycarpa Holm

FN - 23:389, synonym for Carex angustata, in Oregon; FPN - 587, synonym for Carex eurycarpa, in Oregon (implied); IL - 1:338, accepted, in Oregon (implied).

Carex aperta Boott

Common names: Columbia sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:395, accepted, in Oregon; FOO - 1:188, accepted, in Oregon (explicit); FPN - 587, accepted, in Oregon (explicit); FPN2 - 738, accepted, in Oregon (explicit); ; IL - 1:335, accepted, in Oregon (explicit); PEK - 184, accepted, in Oregon (explicit); VP - 1:237, accepted, in Oregon (explicit); Wilson et al., 2008 - 84, accepted, in Oregon (explicit).

Synonyms:

Carex accedens Holm

FN - 23:395, synonym for Carex aperta, in Oregon; FPN - 588, synonym for Carex scopulorum, in Oregon (implied); IL - 1:332, accepted, in Oregon (explicit).

Carex aquatilis Wahlenb.

FN - 23:397, accepted, in Oregon; FOO - 1:189, accepted, in Oregon (explicit); FPN - 588, accepted, in Oregon (implied); GWM - 46, accepted, in Oregon (explicit); IL - 1:336, accepted, in Oregon (implied); IN - 6:142, accepted, in Oregon (implied); JPM - 1121, accepted, in Oregon (implied); PEK - 185, accepted, in Oregon (explicit); VP - 1:239, accepted, in Oregon (implied).

Carex aquatilis Wahlenb. var. aquatilis

Common names: water sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:397, accepted, in Oregon; FOO - 1:189, accepted, in Oregon (explicit); FPN2 - 738, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); Wilson et al., 2008 - 86, accepted, in Oregon (explicit).

Synonyms:

Carex suksdorfii Kük.

FN - 23:397, synonym for Carex aquatilis var. aquatilis, in Oregon; FPN - 588, synonym for Carex aquatilis, in Oregon (implied); PEK - 185, accepted, in Oregon (explicit).

Carex aquatilis Wahlenb. var. dives (Holm) Kük.

Common names: Sitka sedge, water sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:398, accepted, in Oregon; FOO - 1:189, accepted, in Oregon (explicit); FPN - 588, synonym for Carex sitchensis, in Oregon (implied); FPN2 - 737, accepted, in Oregon (implied), ; JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 88, accepted, in Oregon (explicit).

Synonyms:

Carex sitchensis J.D. Prescott ex Bong.

FN - 23:398, synonym for Carex aquatilis var. dives, in Oregon; FPN - 588, accepted, in Oregon (implied); IL - 1:336, accepted, in Oregon (implied); PEK - 185, accepted, in Oregon (explicit); VP - 1:331, accepted, in Oregon (implied).

Carex aquatilis Wahlenb. var. dives (Holm) Kük. × Carex obnupta L.H. Bailey

Origin: native Voucher: OSU, most recently collected in 2008.

Carex arcta Boott

Common names: northern clustered sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:321, accepted, in Oregon; FOO - 1:189, accepted, in Oregon (explicit); FPN - 591, accepted, in Oregon (explicit); FPN2 - 741, accepted, in Oregon (implied); ; IL - 1:315, accepted, in Oregon (implied); JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); PEK - 165, accepted, in Oregon (explicit); VP - 1:241, accepted, in Oregon (explicit); Wilson et al., 2008 - 90, accepted, in Oregon (explicit).

Carex arenaria L.

Common names: sand sedge Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2010.

FN - 23:307, accepted, in Oregon; FOO - 1:189, accepted, in Oregon (explicit); FPN - 577, accepted, in Oregon (explicit), not fully treated (not in key), but "has been collected several times on ballast at Portland, Ore."; FPN2 - 736, accepted, in Oregon (explicit), ; Wilson, 1996 - ; Wilson et al., 2008 - 92, accepted, in Oregon (explicit).

Carex atherodes Spreng.

Common names: awned sedge

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 23:499, accepted, in Oregon; FOO - 1:190, accepted, in Oregon (explicit); FPN - 580, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (implied), ; IL - 1:341, accepted, in Oregon (explicit); IN - 6:114, accepted, in Oregon (explicit); JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); PEK - 187, accepted, in Oregon (explicit); VP - 1:241, accepted, in Oregon (explicit); Wilson et al., 2008 - 94, accepted, in Oregon (explicit).

Carex athrostachya Olney

Common names: long-bract sedge

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 23:347, accepted, in Oregon; FOO - 1:190, accepted, in Oregon (explicit); FPN - 592, accepted, in Oregon (implied); FPN2 - 745, accepted, in Oregon (implied), ; GWM - 46, accepted, in Oregon (explicit); IL - 1:302, accepted, in Oregon (implied); IN - 6:162, accepted, in Oregon (implied); JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); PEK - 172, accepted, in Oregon (explicit); VP - 1:241, accepted, in Oregon (implied); Wilson et al., 2008 - 96, accepted, in Oregon (explicit).

Carex atrosquama Mack.

Common names: brass-fruit sedge

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 23:405, accepted, in Oregon; FOO - 1:190, accepted, in Oregon (explicit); FPN - 585, synonym for Carex atrata var. atrosquama, not in Oregon; FPN2 - 731, accepted, in Oregon (explicit), ; IL - 1:331, accepted, not in Oregon; PEK - 181, accepted, in Oregon (explicit); Wilson et al., 2008 - 98, accepted, in Oregon (explicit).

Synonyms:

Carex atrata L. var. atrosquama (Mack.) Cronquist

FN - 23:405, synonym for Carex atrosquama, in Oregon; FPN - 585, accepted, not in Oregon.

Carex aurea Nutt.

sensu stricto

Common names: golden sedge, pumpkin sedge

Origin: native

Voucher: OSU, most recently collected in 2011.

FN - 23:425, accepted, in Oregon; FOO - 1:190, accepted, in Oregon (explicit); IL - 1:322, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); Wilson et al., 2008 - 100, accepted, in Oregon (explicit).

Carex barbarae Dewey

Common names: whiteroot sedge

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 23:387, accepted, in Oregon; FOO - 1:190, accepted, in Oregon (explicit); IL - 1:336, accepted, in Oregon (explicit); JPM - 1122, accepted, in Oregon (explicit); JPM2 - 1322, accepted, in Oregon (explicit); PEK - 186, accepted, in Oregon (explicit); Wilson et al., 2008 - 102, accepted, in Oregon (explicit).

Carex bebbii (L.H. Bailey) Olney ex Fernald

Common names: Bebb's sedge

Origin: native Voucher: OSU, most recently collected in 2002.

FN - 23:370, accepted, in Oregon; FOO - 1:191, accepted, in Oregon (explicit); FPN - 595, accepted, in Oregon; FPN2 - 746, accepted, in Oregon (explicit); IL - 1:304, accepted, not in Oregon; IN - 6:168, accepted, in Oregon (explicit); PEK - 171, accepted, in Oregon (explicit); VP - 1:247, accepted, in Oregon (explicit); Wilson et al., 2008 - 104, accepted, in Oregon (explicit).

Carex bolanderi Olney

Common names: Bolander's sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:323, accepted, in Oregon; FOO - 1:191, accepted, in Oregon (explicit); FPN - 591, synonym for Carex deweyana, in Oregon (implied); FPN2 - 742, accepted, in Oregon (implied), ; IL - 1:301, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 167, accepted, in Oregon (explicit); Wilson et al., 2008 - 106, accepted, in Oregon (explicit).

Synonyms:

Carex deweyana Schwein. var. bolanderi (Olney) W. Boott

FN - 23:323, synonym for Carex bolanderi, in Oregon; VP - 1:261, accepted.

Misapplied names:

Carex deweyana Schwein.

Carex brainerdii Mack.

Common names: Brainerd's sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:535, accepted, in Oregon; FOO - 1:192, accepted, in Oregon (explicit); IL - 1:319, accepted, in Oregon (explicit); JPM - 1122, accepted, in Oregon (explicit); JPM2 - 1322, accepted, in Oregon (explicit); PEK - 174, accepted, in Oregon (explicit); Wilson et al., 2008 - 108, accepted, in Oregon (explicit).

Carex brevior (Dewey) Mack. ex Lunell

Common names: plains oval sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2001.

FN - 23:372, accepted, in Oregon; FOO - 1:193, accepted, in Oregon (explicit); FPN - 595, accepted, not in Oregon; FPN2 - 746, accepted, not in Oregon,; Hermann, 1974 - ; IL - 1:304, accepted, not in Oregon; IN - 6:171, accepted, not in Oregon; PEK - 172, accepted, in Oregon (explicit); VP - 1:248, accepted, not in Oregon; Wilson et al., 2008 - 112, accepted, in Oregon (explicit).

Carex breweri Boott

Common names: Brewer's sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:571, accepted, in Oregon; FOO - 1:193, accepted, in Oregon (explicit); FPN - 579, accepted, in Oregon (implied); FPN2 - 727, accepted, in Oregon (implied), ; IL - 1:289, accepted, in Oregon (explicit); IN - 6:108, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 159, accepted, in Oregon (explicit); VP - 1:249, accepted, in Oregon (implied); Wilson et al., 2008 - 114, accepted, in Oregon (explicit).

Synonyms:

Carex breweri Boott var. breweri

FN - 23:571, excluded; FPN - 579, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); VP - 1:249, accepted, in Oregon (implied).

Misapplied names:

Carex engelmannii L.H. Bailey

FN - 23:571, accepted, not in Oregon; FPN - 579, synonym for Carex breweri var. paddoensis, not in Oregon; FPN2 - 727, accepted, not in Oregon, ; IL - 1:289, accepted, in Oregon (implied); PEK - 159, accepted, in Oregon (explicit); Wilson et al., 2008 - 166, accepted, not in Oregon.

Carex buchananii Berggr.

Common names: leatherleaf sedge, bronze sedge, New Zealand copper sedge, red fox sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2013.

FOO - 1:193, accepted, in Oregon (explicit); FPN2 - 736, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 400, excluded, not in Oregon.

Carex buxbaumii Wahlenb.

Common names: brown bog sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:409, accepted, in Oregon; FOO - 1:193, accepted, in Oregon (explicit); FPN - 584, accepted, in Oregon (implied); FPN2 - 733, accepted, in Oregon (explicit), ; IL - 1:329, accepted, in Oregon (implied); IN - 6:138, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 182, accepted, in Oregon (explicit); VP - 1:251, accepted, not in Oregon; Wilson et al., 2008 - 118, accepted, in Oregon (explicit).

Carex californica L.H. Bailey

Common names: California sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:429, accepted, in Oregon; FOO - 1:194, accepted, in Oregon (explicit); FPN - 586, accepted, in Oregon (implied); FPN2 - 728, accepted, in Oregon (explicit), ; IL - 1:323, accepted, in Oregon (explicit); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 176, accepted, in Oregon (explicit); VP - 1:251, accepted, in Oregon (implied); Wilson et al., 2008 - 120, accepted, in Oregon (explicit).

Carex canescens L.

FN - 23:317, accepted, in Oregon; FPN - 591, accepted, in Oregon (implied); GWM - 47, accepted, in Oregon (explicit); IL - 1:314, accepted, in Oregon (implied); IN - 6:158, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); PEK - 165, accepted, in Oregon (explicit); VP - 1:253, accepted, in Oregon (implied).

Carex canescens L. ssp. canescens

Common names: silvery sedge

Origin: native Voucher: OSU, most recently collected in 2008.

FN - 23:318, accepted; FOO - 1:194, accepted, in Oregon (explicit); FPN2 - 741, accepted, in Oregon (implied), ; JPM2 - 1322, accepted, in Oregon (implied); Wilson et al., 2008 - 122, accepted, in Oregon (explicit).

Carex capillaris L.

Common names: hair sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:476, accepted, in Oregon; FOO - 1:194, accepted, in Oregon (explicit); FPN - 586, accepted, in Oregon (explicit); FPN2 - 730, accepted, in Oregon (explicit), ; GWM - 47, accepted, in Oregon (explicit); IN - 6:126, accepted, in Oregon (explicit); PEK - 178, accepted, in Oregon (explicit); VP - 1:253, accepted, in Oregon (explicit); Wilson et al., 2008 - 124, accepted, in Oregon (explicit).

Carex capitata L.

Common names: capitate sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:569, accepted, in Oregon; FOO - 1:194, accepted, in Oregon (explicit); FPN - 578, accepted, in Oregon (implied); FPN2 - 727, accepted, in Oregon (implied); ; IL - 1:290, accepted, not in Oregon; IN - 6:106, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 159, accepted, in Oregon (explicit); VP - 1:255, accepted, not in Oregon; Wilson et al., 2008 - 126, accepted, in Oregon (explicit).

Carex chordorrhiza Ehrh. ex L. f.

Common names: rope-root sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1999.

FN - 23:299, accepted, in Oregon; FOO - 1:194, accepted, in Oregon (explicit); FPN2 - 738, accepted, in Oregon (explicit), ; Wilson, 1996 - ; Wilson et al., 2008 - 128, accepted, in Oregon (explicit); Zika, 2003B - accepted, in Oregon, "well established in three Oregon counties".

Carex comans Berggr.

Common names: frosted curls

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2012.

FPN2 - 722, accepted, in Oregon (explicit), .

Carex comosa Boott

Common names: bristly sedge

Origin: native Voucher: OSU, most recently collected in 2004.

FN - 23:510, accepted, not in Oregon; FOO - 1:195, accepted, in Oregon (explicit); FPN - 581, accepted, in Oregon (implied); FPN2 - 729, accepted, in Oregon (implied), ; IL - 1:344, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 187, accepted, in Oregon (explicit); VP - 1:255, accepted, in Oregon (implied); Wilson et al., 2008 - 132, accepted, in Oregon (explicit).

Carex concinna R. Br. ex Richardson

Common names: cute sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:548, accepted, in Oregon; FOO - 1:195, accepted, in Oregon (explicit); FPN - 581, accepted, in Oregon (explicit); FPN2 - 725, accepted, in Oregon (explicit); PEK - 175, accepted, in Oregon (explicit); VP - 1:255, accepted, in Oregon (explicit); Wilson et al., 2008 - 134, accepted, in Oregon (explicit).

Carex concinnoides Mack.

Common names: northwestern sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:548, accepted, in Oregon; FOO - 1:196, accepted, in Oregon (explicit); FPN - 581, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (implied), ; GWM - 47, accepted, in Oregon (explicit); IL - 1:321, accepted, in Oregon (implied); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 175, accepted, in Oregon (explicit); Wilson et al., 2008 - 136, accepted, in Oregon (explicit).

Carex cordillerana Saarela & B.A. Ford

Common names: cordilleran sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:562, accepted, in Oregon; FOO - 1:196, accepted, in Oregon (explicit); FPN2 - 726, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 140, accepted, in Oregon (explicit).

Misapplied names:

Carex backii Boott

FN - 23:562, accepted, in Oregon; FPN - 582, accepted, in Oregon (explicit); FPN2 - 726, accepted, not in Oregon, ; IN - 6:124, accepted, in Oregon (explicit); VP - 1:247, accepted, in Oregon (explicit).

Carex saximontana Mack.

FN - 23:562, accepted, not in Oregon; FPN2 - 726, accepted, not in Oregon, ; IL - 1:315, accepted, in Oregon (explicit); PEK - 173, accepted, in Oregon (explicit).

1 LK - 175, accepted, in Oregon (explicit

Carex crawfordii Fernald

Common names: Crawford's sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2005.

FN - 23:363, accepted, in Oregon; FOO - 1:196, accepted, in Oregon (explicit); FPN - 593, accepted, not in Oregon; FPN2 - 746, accepted, in Oregon (explicit), ; IL - 1:303, accepted, not in Oregon; VP - 1:257, accepted, not in Oregon; Wilson et al., 2008 - 144, accepted, in Oregon (explicit); Zika, 2003B - accepted, in Oregon; Zika & Wilson, 1998 - .

Carex cusickii Mack. ex Piper & Beattie

Common names: Cusick's sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 23:280, accepted, in Oregon; FOO - 1:196, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 739, accepted, in Oregon (implied), ; IL - 1:297, accepted, in Oregon (explicit); JPM - 1124, accepted, in Oregon (implied); JPM2 - 1324, accepted, in Oregon (implied); PEK - 163, accepted, in Oregon (explicit); VP - 1:259, accepted, in Oregon (implied); Wilson et al., 2008 - 146, accepted, in Oregon (explicit).

Synonyms:

Carex obovoidea Cronquist

FN - 23:280, synonym for Carex cusickii, in Oregon; FPN - 590, synonym for Carex cusickii, in Oregon (implied); VP - 1:301, accepted, not in Oregon.

Carex davyi Mack.

Common names: Davy's sedge

Origin: native Voucher: OSU, most recently collected in 2009.

FOO - 1:197, accepted, in Oregon (explicit); FPN2 - 745, accepted, in Oregon (explicit), ; IL - 1:306, accepted, not in Oregon; JPM - 1124, accepted, not in Oregon; JPM2 - 1324, accepted, in Oregon (implied); Wilson et al., 2008 - 138, excluded, not in Oregon.

Synonyms:

Carex constanceana Stacey

FPN - 593, synonym for Carex petasata, in Oregon (implied); Wilson et al., 2008 - 138, accepted, in Oregon (explicit).

Carex deflexa Hornem. var. boottii L.H. Bailey

Common names: mountain mat sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:536, accepted, in Oregon; FOO - 1:197, accepted, in Oregon (explicit); FPN2 - 725, accepted, in Oregon (implied), ; JPM2 - 1324, accepted, in Oregon (implied); Wilson et al., 2008 - 148, accepted, in Oregon (explicit).

Carex densa (L.H. Bailey) L.H. Bailey

Common names: dense sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:285, accepted, in Oregon; FOO - 1:198, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 740, accepted, in Oregon (explicit), ; IL - 1:295, accepted, in Oregon (explicit); JPM - 1124, accepted, in Oregon (implied); JPM2 - 1324, accepted, in Oregon (implied); PEK - 162, accepted, in Oregon (explicit); Simpson, 2001A - ; VP - 1:261, accepted, in Oregon (explicit); Wilson et al., 2008 - 150, accepted, in Oregon (explicit).

Synonyms:

Carex breviligulata Mack.

FN - 23:285, synonym for Carex densa, in Oregon (explicit); IL - 1:296, matched with Carex brevi-ligulata (minor spelling difference), accepted, in Oregon (explicit); PEK - 162, accepted, in Oregon (explicit).

Carex dudleyi Mack.

FN - 23:285, synonym for Carex densa, in Oregon; IL - 1:296, accepted, not in Oregon; JPM - 1124, accepted, in Oregon (explicit); Mackenzie, 1922 - ; Simpson, 2001A - .

Carex vicaria L.H. Bailev

FN - 23:285, synonym for Carex densa, in Oregon; IL - 1:295, accepted, in Oregon (explicit); PEK - 162, accepted, in Oregon (explicit).

Carex diandra Schrank

Common names: lesser panicled sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:281, accepted, in Oregon; FOO - 1:198, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 740, accepted, in Oregon (explicit), ; IL - 1:297, accepted, not in Oregon; IN - 6:150, accepted, in Oregon (implied); JPM - 1124, accepted, given distribution: NCoR, n SNH (El Dorado Co.), CW, SW, MP; sporadic in w N.Am; JPM2 - 1324, accepted, given distribution: CaRH, n&c SNH, MP; sporadic in w N.Am.; PEK - 163, accepted, in Oregon (explicit); VP - 1:263, accepted, in Oregon (implied); Wilson et al., 2008 - 154, accepted, in Oregon (explicit).

Carex disperma Dewey

Common names: two-seed sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:298, accepted, in Oregon; FOO - 1:199, accepted, in Oregon (explicit); FPN - 588, accepted, in Oregon (implied); FPN2 - 739, accepted, in Oregon (implied), ; GWM - 48, accepted, in Oregon (explicit); IL - 1:314, accepted, in Oregon (implied); IN - 6:156, accepted, in Oregon (explicit); JPM - 1124, accepted, given distribution: SNH, W&I; to n Can, e N.Am, Eurasia; JPM2 - 1324, accepted, in Oregon (implied); PEK - 164, accepted, in Oregon (explicit); VP - 1:263, accepted, in Oregon (explicit); Wilson et al., 2008 - 156, accepted, in Oregon (explicit).

Carex distans L.

Common names: distant sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2017.

FOO - 1:199, accepted, in Oregon (explicit); FPN2 - 730, accepted, in Oregon (explicit),

Carex douglasii Boott

Common names: Douglas' sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:304, accepted, in Oregon; FOO - 1:199, accepted, in Oregon (explicit); FPN - 589, accepted, in Oregon (implied); FPN2 - 736, accepted, in Oregon (implied), ; IL - 1:291, accepted, in Oregon (implied); IN - 6:146, accepted, in Oregon (implied); JPM - 1124, accepted, in Oregon (implied); JPM2 - 1324, accepted, in Oregon (implied); PEK - 160, accepted, in Oregon (explicit); VP - 1:264, accepted, in Oregon (implied); Wilson et al., 2008 - 158, accepted, in Oregon (explicit).

Carex duriuscula C.A. Mey.

Common names: spikerush sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:304, accepted, not in Oregon; FOO - 1:199, accepted, in Oregon (explicit); FPN2 - 736, accepted, in Oregon (implied), ; JPM2 - 1324, accepted, given distribution: W&I; scattered w N.Am; also Eurasia.; KZ - 1:231, accepted; Wilson et al., 2008 - 160, accepted, in Oregon (explicit).

Synonyms:

Carex eleocharis L.H. Bailey

FN - 23:304, synonym for Carex duriuscula, not in Oregon; FPN - 589, synonym for Carex stenophylla, in Oregon; JPM - 1126, accepted, given distribution: W&I; scattered w N.Am; also Eurasia; PEK - 160, accepted, in Oregon (explicit).

Carex stenophylla Wahlenb.

FN - 23:305, excluded, not in Oregon, Eurasian species; FPN - 589, accepted, in Oregon (explicit); IL - 1:291, accepted, in Oregon (explicit); IN - 6:146, accepted, in Oregon (explicit); PEK - 160, accepted, in Oregon (explicit); VP - 1:333, accepted, in Oregon (explicit).

Carex echinata Murray ssp. echinata

Common names: star sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 23:330, accepted, in Oregon; FOO - 1:200, accepted, in Oregon (explicit); FPN2 - 741, accepted, in Oregon (implied); JPM - 1124, accepted, in Oregon (implied); JPM2 - 1324, accepted, in Oregon (implied); Reznicek & Ball, 1980 - ; Wilson et al., 2008 - 162, accepted, in Oregon (explicit).

Synonyms:

Carex angustior Mack.

FPN - 592, synonym for Carex muricata, in Oregon (implied); IL - 1:300, accepted, in Oregon (implied); PEK - 166, accepted, in Oregon (explicit).

Carex ormantha (Fernald) Mack.

FPN - 592, synonym for Carex muricata, in Oregon (implied); IL - 1:300, accepted, in Oregon (explicit); PEK - 166, accepted, in Oregon (explicit).

Misapplied names:

Carex muricata L.

FN - 23:292, accepted, not in Oregon, ssp. lamprocarpa not in Oregon; FPN - 592, accepted, in Oregon (implied); IN - 6:160, accepted, in Oregon (explicit); VP - 1:293, accepted, in Oregon (explicit).

Carex echinata Murray ssp. phyllomanica (W. Boott) Reznicek

Common names: coastal star sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:331, accepted, in Oregon; FOO - 1:200, accepted, in Oregon (explicit); FPN2 - 741, accepted, in Oregon (implied); JPM - 1126, accepted, in Oregon (implied); JPM2 - 1324, accepted, in Oregon (implied); Reznicek & Ball, 1980 - ; Wilson et al., 2008 - 164, accepted, in Oregon (explicit).

Synonyms:

Carex phyllomanica W. Boott

FN - 23:331, synonym for Carex echinata ssp. phyllomanica, in Oregon; FPN - 592, accepted, in Oregon (implied); IL - 1:300, accepted, in Oregon (implied); PEK - 166, accepted, in Oregon (explicit); VP - 1:311, accepted, in Oregon (implied).

Carex exsiccata L.H. Bailey

Common names: western inflated sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:506, accepted, in Oregon; FOO - 1:200, accepted, in Oregon (explicit); FPN - 581, synonym for Carex vesicaria var. major, in Oregon (implied); FPN2 - 732, accepted, in Oregon (implied), ; IL - 1:342, accepted, in Oregon (implied); JPM2 - 1325, accepted, in Oregon (implied); PEK - 188, accepted, in Oregon (explicit); Wilson et al., 2008 - 168, accepted, in Oregon (explicit).

Synonyms:

Carex vesicaria L. var. major Boott

FN - 23:506, synonym for Carex exsiccata, in Oregon; FPN - 581, accepted, in Oregon (implied); JPM - 1138, accepted, in Oregon (implied).

Misapplied names:

Carex vesicaria L.

Carex feta L.H. Bailey

Common names: green-sheath sedge

Origin: native

FN - 23:360, accepted, in Oregon; FOO - 1:200, accepted, in Oregon (explicit); FPN - 592, accepted, in Oregon (implied); FPN2 - 743, accepted, in Oregon (implied), ; IL - 1:302, accepted, in Oregon (implied); JPM - 1126, accepted, in Oregon (implied); JPM2 - 1325, accepted, in Oregon (implied); PEK - 172, accepted, in Oregon (explicit); VP - 1:265, accepted, in Oregon (implied); Wilson et al., 2008 -

Voucher: OSU, most recently collected in 2015.

170, accepted, in Oregon (explicit).

Carex filifolia Nutt.

FN - 23:567, accepted; FPN - 579, accepted, in Oregon (implied); GWM - 48, accepted, in Oregon (explicit); IL - 1:317, accepted, in Oregon (explicit); IN - 6:108, accepted, in Oregon (explicit); JPM - 1126, accepted, in Oregon (implied); PEK - 173, accepted, in Oregon (explicit); VP - 1:267, accepted, in Oregon (explicit).

Carex filifolia Nutt. var. filifolia

Common names: threadleaf sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:567, accepted, in Oregon; FOO - 1:201, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (implied), ; JPM - 1126, accepted, given distribution: c SNH (Inyo Co.); scattered w N.Am; JPM2 - 1325, accepted, given distribution: c SNH (Inyo Co.); scattered w N.Am.; Wilson et al., 2008 - 172, accepted, in Oregon (explicit).

Synonyms:

Carex exserta Mack.

FN - 23:568, synonym for Carex filifolia var. erostrata, in Oregon; IL - 1:316, accepted, in Oregon (explicit); IN - 6:108, accepted, in Oregon (explicit); PEK - 173, accepted, in Oregon (explicit).

Misapplied names:

Carex filifolia Nutt. var. erostrata Kük.

FN - 23:568, accepted; JPM - 1126, accepted, in Oregon (explicit); JPM2 - 1325, accepted, in Oregon (explicit).

Carex fracta Mack.

Common names: fragile-sheath sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:361, accepted, in Oregon; FOO - 1:201, accepted, in Oregon (explicit); FPN - 592, accepted, in Oregon (implied); FPN2 - 743, accepted, in Oregon (implied), ; IL - 1:303, accepted, in Oregon (implied); JPM - 1126, accepted, in Oregon (implied); JPM2 - 1325, accepted, in Oregon (implied); PEK - 169, accepted, in Oregon (explicit); VP - 1:270, accepted, in Oregon (explicit); Wilson et al., 2008 - 176, accepted, in Oregon (explicit).

Carex geyeri Boott

Common names: elk sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:564, accepted, in Oregon; FOO - 1:202, accepted, in Oregon (explicit); FPN - 578, accepted, in Oregon (implied); FPN2 - 726, accepted, in Oregon (implied), ; GWM - 49, accepted, in Oregon (explicit); IL - 1:316, accepted, in Oregon (implied); IN - 6:104, accepted, in Oregon (explicit); JPM - 1126, accepted, in Oregon (implied); JPM2 - 1325, accepted, in Oregon (implied); PEK - 176, accepted, in Oregon (explicit); VP - 1:270, accepted, in Oregon (explicit); Wilson et al., 2008 - 178, accepted, in Oregon (explicit).

Carex gynocrates Wormsk. ex Drejer

Common names: northern bog sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:300, accepted, in Oregon; FOO - 1:202, accepted, in Oregon (explicit); FPN - 580, synonym for Carex dioica, in Oregon (explicit); FPN2 - 726, accepted, in Oregon (explicit), ; KZ - 1:232, accepted; PEK - 165, accepted, in Oregon (explicit); Wilson et al., 2008 - 180, accepted, in Oregon (explicit).

Synonyms:

Carex dioica L.

FN - 23:300, ambiguous synonym, ssp. dioica is a Eurasian ssp.; other ssp. are synonyms of C. parallela and C. gynocrates; FPN - 580, accepted, in Oregon (explicit); IN - 6:113, accepted, in Oregon (explicit); VP - 1:263, accepted, in Oregon (explicit).

Carex dioica L. var. gynocrates (Wormsk. ex Drejer) Ostenf.

FN - 23:300, synonym for Carex gynocrates, in Oregon; FPN - 580, accepted, in Oregon; GWM - 47, accepted, in Oregon (explicit).

Carex gynodynama Olney

Common names: Olney's hairy sedge, wonderwoman sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:472, accepted, in Oregon; FOO - 1:203, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (explicit), ; IL - 1:324, accepted, in Oregon (explicit); JPM - 1127, accepted, not in Oregon; JPM2 - 1325, accepted, in Oregon (explicit); PEK - 177, accepted, in Oregon (explicit); Wilson et al., 2008 - 182, accepted, in Oregon (explicit).

Carex halliana L.H. Bailey

Common names: Hall's sedge, Oregon sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:495, accepted, in Oregon; FOO - 1:203, accepted, in Oregon (explicit); FPN - 582, accepted, in Oregon (implied); FPN2 - 725, accepted, in Oregon (implied), ; JPM - 1127, accepted, in Oregon (implied); JPM2 - 1325, accepted, in Oregon (implied); PEK - 179, accepted, in Oregon (explicit); VP - 1:272, accepted, in Oregon (implied); Wilson et al., 2008 - 184, accepted, in Oregon (explicit).

Synonyms:

Carex oregonensis Olney

FN - 23:495, synonym for Carex halliana, in Oregon; FPN - 582, synonym for Carex halliana, in Oregon (implied); IL - 1:340, accepted, in Oregon (explicit); PEK - 179, accepted, in Oregon (explicit).

Carex harfordii Mack.

Common names: Monterey sedge, Harford's sedge

Origin: native Voucher: OSU, most recently collected in 2000.

FOO - 1:203, accepted, in Oregon (explicit); IL - 1:311, accepted, not in Oregon; JPM - 1127, accepted, not in Oregon; JPM2 - 1326, accepted, in Oregon (explicit); Wilson et al., 2008 - 186, accepted, in Oregon (explicit); Zika, 2003C - accepted, in Oregon (explicit), [misapplied for c. subbracteata].

Carex hassei L.H. Bailey

Common names: false golden sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:425, accepted, in Oregon; FOO - 1:203, accepted, in Oregon (explicit); FPN - 586, synonym for Carex aurea, in Oregon (implied); FPN2 - 736, accepted, in Oregon (implied), ; IL - 1:322, accepted, in Oregon (implied); IN - 6:122, synonym for Carex aurea; JPM - 1127, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied); PEK - 176, synonym for Carex aurea; VP - 1:245, synonym for Carex aurea; Wilson et al., 2008 - 188, accepted, in Oregon (explicit).

Synonyms:

Carex aurea Nutt.

in part

Misapplied names:

Carex garberi Fernald

FN - 23:426, accepted; FPN - 586, synonym for Carex aurea, in Oregon (implied); FPN2 - 736, synonym for Carex hassei, misapplied to C. hassei desc.; JPM - 1126, accepted, in Oregon (implied).

Carex haydeniana Olney

Common names: cloud sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:352, accepted, in Oregon; FOO - 1:204, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (implied); FPN2 - 745, accepted, in Oregon (implied), ; GWM - 49, accepted, in Oregon (explicit); IN - 6:166, accepted, in Oregon (explicit); JPM2 - 1127, accepted, in Oregon (explicit); JPM2 - 1326, accepted, in Oregon (implied); VP - 1:272, accepted, in Oregon (explicit); Whitkus & Packer, 1984 - ; Wilson et al., 2008 - 190, accepted, in Oregon (explicit).

Synonyms:

Carex nubicola Mack.

FN - 23:352, synonym for Carex haydeniana, in Oregon; IL - 1:309, accepted, in Oregon (explicit).

Misapplied names:

Carex haydenii Dewey

FN - 23:395, accepted, not in Oregon, no where near Oregon; PEK - 167, accepted, in Oregon (explicit).

Carex hendersonii L.H. Bailey

Common names: timber sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:434, accepted, in Oregon; FOO - 1:204, accepted, in Oregon (explicit); FPN - 585, accepted, in Oregon; FPN2 - 729, accepted, in Oregon (implied), ; IL - 1:323, accepted, in Oregon (explicit); JPM - 1127, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied); PEK - 177, accepted, in Oregon (explicit); VP - 1:275, accepted, in Oregon (explicit); Wiegand, 1922 - ; Wilson et al., 2008 - 192, accepted, in Oregon (explicit).

Carex heteroneura W. Boott

Common names: different-nerved sedge, blackened sedge, smooth-fruit sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:411, accepted; FOO - 1:204, accepted, in Oregon (explicit); FPN - 585, synonym for Carex atrata var. erecta, in Oregon (implied); FPN2 - 730, accepted, in Oregon (implied), ; IL - 1:330, accepted, not in Oregon; JPM - 1127, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied).

Synonyms:

Carex atrata L.

FN - 23:404, accepted, not in Oregon, only in flora of Greenland; FPN - 585, accepted, in Oregon (implied); IN - 6:136, accepted, in Oregon (implied); VP - 1:243, accepted, not in Oregon.

Carex atrata L. var. erecta W. Boott

FN - 23:411, synonym for Carex heteroneura, in Oregon; FPN - 585, accepted, in Oregon (implied).

Carex epapillosa Mack.

FN - 23:411, accepted; FPN - 585, synonym for Carex atrata var. erecta, in Oregon (implied); FPN2 - 730, synonym for Carex heteroneura, given distribution: , in parenthesis in C. heteroneura desc.; IL - 1:330, accepted, in Oregon (explicit); PEK - 181, accepted, in Oregon (explicit).

Carex heteroneura W. Boott var. epapillosa (Mack.) F.J. Herm.

FN - 23:411, synonym for Carex epapillosa, in Oregon; JPM - 1127, accepted, in Oregon (implied); Wilson et al., 2008 - 194, accepted, in Oregon (explicit).

Carex hirsutella Mack.

Common names: hairy-leaved sedge, fuzzy wuzzy sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2014.

FOO - 1:204, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (explicit), .

Synonyms:

Carex complanata Torr. & Hook. var. hirsuta (L.H. Bailey) Gleason

Carex hirsuta Willd.

later homonym

Carex hirta L.

Common names: hairy sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2010.

FN - 23:501, accepted, not in Oregon, no where near Oregon; FOO - 1:205, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (explicit), ; Reznicek, 1993 - ; Wilson et al., 2008 - 401, excluded, in Oregon (explicit).

Carex hoodii Boott

Common names: Hood's sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:291, accepted, in Oregon; FOO - 1:205, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 739, accepted, in Oregon (implied), ; GWM - 49, accepted, in Oregon (explicit); IL - 1:293, accepted, in Oregon (implied); IN - 6:150, accepted, in Oregon (implied); JPM - 1127, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied); PEK - 161, accepted, in Oregon (explicit); VP - 1:275, accepted, in Oregon (implied); Wilson et al., 2008 - 198, accepted, in Oregon (explicit).

Voucher: OSU, most recently collected in 2017.

Carex hystericina Muhl. ex Willd.

Common names: porcupine sedge, bottlebrush sedge

Origin: native

Boivin, 1979 -; FN - 23:509, accepted, not in Oregon; FOO - 1:206, accepted, in Oregon (explicit); FPN2 - 731, accepted, in Oregon (implied), ; IN - 6:118, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied); PEK - 187, accepted, in Oregon (explicit); Voss, 1972 -; VP - 1:275, accepted, in Oregon (implied); Wilson et al., 2008 - 200, accepted, in Oregon (explicit).

Synonyms:

Carex hystricina Muhl. ex Willd.

orthographic variant

FPN - 581, accepted, in Oregon; IL - 1:343, accepted, in Oregon (implied); JPM - 1127, accepted, in Oregon (implied);

PEK - 187, accepted, in Oregon (explicit).

Carex idahoa L.H. Bailey

Common names: Idaho sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:409, accepted; FOO - 1:206, accepted, in Oregon (explicit); FPN - 584, synonym for Carex pelocarpa, not in Oregon; FPN2 - 726, accepted, in Oregon (explicit), ; JPM2 - 1326, accepted, in Oregon (explicit); KZ - 1:233, accepted; Wilson et al., 2008 - 202, accepted, in Oregon (explicit).

Synonyms:

Carex parryana Dewey ssp. idahoa (L.H. Bailey) D.F. Murray

FN - 23:409, synonym for Carex idahoa, in Oregon; IN - 6:130, synonym for Carex parryana, not in Oregon.

Carex illota L.H. Bailey

Common names: sheep sedge, small-headed sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:346, accepted, in Oregon; FOO - 1:206, accepted, in Oregon (explicit); FPN - 591, accepted, in Oregon (implied); FPN2 - 740, accepted, in Oregon (implied), ; GWM - 49, accepted, in Oregon (explicit); IL - 1:299, accepted, in Oregon (implied); IN - 6:160, accepted, in Oregon (implied); JPM - 1127, accepted, in Oregon (implied); JPM2 - 1326, accepted, in Oregon (implied); PEK - 168, accepted, in Oregon (explicit); VP - 1:276, accepted, in Oregon (implied); Wilson et al., 2008 - 204, accepted, in Oregon (explicit).

Carex infirminervia Naczi

Common names: weak-veined sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:324, accepted, in Oregon; FOO - 1:206, accepted, in Oregon (explicit); FPN2 - 742, accepted, in Oregon (implied), ; JPM2 - 1328, accepted, in Oregon (implied); Wilson et al., 2008 - 206, accepted, in Oregon (explicit).

Misapplied names:

Carex deweyana Schwein.

Carex inops L.H. Bailey

FN - 23:543, accepted; FPN - 582, synonym for Carex pensylvanica var. vespertina, in Oregon (implied); IL - 1:319, accepted, in Oregon (explicit); PEK - 173, accepted, in Oregon (explicit).

Carex inops L.H. Bailey ssp. inops

Common names: long-rhizome sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:544, accepted, in Oregon; FOO - 1:206, accepted, in Oregon (explicit); FPN2 - 726, accepted, in Oregon (implied), ; JPM - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); Wilson et al., 2008 - 208, accepted, in Oregon (explicit).

Synonyms:

Carex pensylvanica Lam.

FN - 23:544, accepted, not in Oregon, not in Oregon; East coast species; FPN - 582, accepted, in Oregon (implied).

Carex pensylvanica Lam. var. vespertina L.H. Bailey

FN - 23:544, synonym for Carex inops ssp. inops, in Oregon; FPN - 582, accepted, in Oregon (implied).

Carex integra Mack.

Common names: smooth-beak sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:346, accepted, in Oregon; FOO - 1:207, accepted, in Oregon (explicit); FPN - 593, accepted, in Oregon (explicit); FPN2 - 744, accepted, in Oregon (explicit), ; IL - 1:310, accepted, in Oregon (explicit); JPM - 1128, accepted, in Oregon (explicit); JPM2 - 1328, accepted, in Oregon (explicit); PEK - 168, accepted, in Oregon (explicit); VP - 1:276, accepted, in Oregon (explicit); Wilson et al., 2008 - 210, accepted, in Oregon (explicit).

Carex interior L.H. Bailey

Common names: inland sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:328, accepted, in Oregon; FOO - 1:207, accepted, in Oregon (explicit); FPN - 591, accepted, in Oregon (implied); FPN2 - 741, accepted, in Oregon (implied), ; IL - 1:299, accepted, in Oregon (implied); IN - 6:160, accepted, in Oregon (implied); JPM2 - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); PEK - 166, accepted, in Oregon (explicit); VP - 1:276, accepted, in Oregon (implied); Wilson et al., 2008 - 212, accepted, in Oregon (explicit).

Carex interrupta Boeckeler

Common names: greenfruit sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:396, accepted, in Oregon; FOO - 1:208, accepted, in Oregon (explicit); FPN - 588, accepted, in Oregon (explicit); FPN2 - 738, accepted, in Oregon (explicit); ; IL - 1:335, accepted, in Oregon (explicit); PEK - 184, accepted, in Oregon (explicit); VP - 1:277, accepted, in Oregon (explicit); Wilson et al., 2008 - 214, accepted, in Oregon (explicit).

Carex jonesii L.H. Bailey

Common names: Jones' sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:277, accepted, in Oregon; FOO - 1:208, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 739, accepted, in Oregon (implied), ; GWM - 50, accepted, in Oregon (explicit); IL - 1:297, accepted, in Oregon (implied); IN - 6:154, accepted, in Oregon (explicit); JPM - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); PEK - 163, accepted, in Oregon (explicit); VP - 1:277, accepted, in Oregon (explicit); Wilson et al., 2008 - 216, accepted, in Oregon (explicit).

Carex kelloggii W. Boott

FN - 23:393, synonym for Carex lenticularis var. lipocarpa, in Oregon; FOO - 1:208, accepted, in Oregon (explicit); FPN - 587, synonym for Carex lenticularis var. lenticularis, in Oregon (implied); GWM - 50, accepted, in Oregon (explicit); IL - 1:335, accepted, in Oregon (implied); PEK - 183, accepted, in Oregon (explicit).

Synonyms:

Carex lenticularis Michx.

FN - 23:391, accepted, in Oregon; FPN - 587, accepted, in Oregon (implied); IN - 6:138, accepted, in Oregon (implied);

JPM - 1128, accepted, in Oregon (implied); VP - 1:279, accepted, in Oregon (implied).

Carex kelloggii W. Boott var. impressa (L.H. Bailey) B.L. Wilson & Otting

Common names: mountain shore sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FOO - 1:208, accepted, in Oregon (explicit); FPN2 - 737, accepted, in Oregon (implied), .

Synonyms:

Carex lenticularis Michx. var. impressa (L.H. Bailey) L.A. Standl.

FN - 23:392, accepted, in Oregon; JPM - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 228, accepted, in Oregon (explicit).

Carex paucicostata Mack.

FN - 23:392, synonym for Carex lenticularis var. impressa, in Oregon; IL - 1:334, accepted, not in Oregon; PEK - 185, accepted, in Oregon (explicit).

Carex kelloggii W. Boott var. kelloggii

Common names: Kellogg's sedge, lakeshore sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FOO - 1:209, accepted, in Oregon (explicit); FPN2 - 737, accepted, in Oregon (implied), .

Synonyms:

Carex lenticularis Michx. var. lipocarpa (T. Holm) L.A. Standl.

FN - 23:393, accepted, in Oregon; JPM - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 230, accepted, in Oregon (explicit).

Misapplied names:

Carex lenticularis Michx. var. lenticularis

FN - 23:392, accepted, not in Oregon; FPN - 587, accepted, in Oregon (implied).

Carex kelloggii W. Boott var. limnophila (Holm) B.L. Wilson & R.E. Brainerd

Common names: coastal shore sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FOO - 1:209, accepted, in Oregon (explicit); FPN2 - 737, accepted, in Oregon (implied), .

Synonyms:

Carex hindsii C.B. Clarke

FN - 23:392, synonym for Carex lenticularis var. limnophila, in Oregon; FPN - 587, synonym for Carex lenticularis var. limnophila, in Oregon (implied); IL - 1:334, accepted, in Oregon (implied); PEK - 184, accepted, in Oregon (explicit).

Carex lenticularis Michx. var. limnophila (Holm) Cronquist

FN - 23:392, accepted, in Oregon; FPN - 587, accepted, in Oregon (implied); JPM - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 228, accepted, in Oregon

Carex klamathensis B.L. Wilson & Janeway

Common names: Klamath sedge

Origin: native Voucher: OSU, most recently collected in 2009.

FOO - 1:209, accepted, in Oregon (explicit); JPM2 - 1328, accepted, in Oregon (explicit); Wilson et al., 2007 - accepted, in Oregon (explicit), [circumscription]; Wilson et al., 2008 - 218, accepted, in Oregon (explicit).

Synonyms:

Carex livida (Wahlenb.) Willd.

in part

Carex kobomugi Ohwi

Common names: Japanese sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2013.

FN - 23:308, accepted, in Oregon; FOO - 1:209, accepted, in Oregon (explicit); FPN2 - 732, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 220, accepted, in Oregon (explicit).

Carex laeviculmis Meinsh.

Common names: smoothstem sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:322, accepted, in Oregon; FOO - 1:209, accepted, in Oregon (explicit); FPN - 591, accepted, in Oregon (explicit); FPN2 - 741, accepted, not in Oregon,; GWM - 50, accepted, in Oregon (explicit); IL - 1:299, accepted, in Oregon (implied); JPM2 - 1128, accepted, in Oregon (implied); JPM2 - 1328, accepted, in Oregon (implied); PEK - 165, accepted, in Oregon (explicit); VP - 1:277, accepted, in Oregon (explicit); Wilson et al., 2008 - 222, accepted, in Oregon (explicit).

Carex lasiocarpa Ehrh.

Common names: slender woolly sedge, woollyfruit sedge

Origin: native

FN - 23:497, accepted, not in Oregon; FOO - 1:210, accepted, in Oregon (explicit); FPN - 582, accepted, not in Oregon; FPN2 - 724, accepted, in Oregon (implied), ; IL - 1:340, accepted, not in Oregon; JPM - 1128, accepted, not in Oregon; JPM2 - 1328, accepted, not in Oregon; PEK - 179, accepted, in Oregon (explicit); VP - 1:279, accepted, not in Oregon; Wilson et al., 2008 - 224, accepted, in Oregon (explicit).

Voucher: OSU, most recently collected in 2017.

Synonyms:

Carex lasiocarpa Ehrh. var. americana Fernald

FPN - 582, accepted, not in Oregon.

Carex leporina L.

Common names: oval broom sedge, hare sedge, eggbract sedge, oval sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:353, excluded, not in Oregon, incorrectly applied to C.ovalis in N. America; FOO - 1:210, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (implied); FPN2 - 744, accepted, in Oregon (implied), ; Hipp et al., 2007 - ; JPM2 - 1330, accepted, in Oregon (implied); VP - 1:283, accepted, in Oregon (implied); Wilson et al., 2008 - 232, accepted, in Oregon (explicit).

Synonyms:

Carex ovalis Gooden.

FN - 23:353, accepted, in Oregon; JPM - 1131, accepted, given distribution: NCoR, SnFrB, Wrn; to N.Am, Eurasia.

Carex tracyi Mack.

FN - 23:353, synonym for Carex ovalis, in Oregon; FPN - 594, synonym for Carex leporina, in Oregon (implied); IL - 1:307, accepted, in Oregon (implied); PEK - 170, accepted, in Oregon (explicit).

Carex leporinella Mack.

Common names: bog hare sedge

Origin: native

FN - 23:356, accepted, in Oregon; FOO - 1:211, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (explicit), Also keys out on page 595.; FPN2 - 744, accepted, given distribution: seasonally moist to wet meadows, marshes, shores, snowmelt basins, peatlands, mont to alp, I don't see any specific range in this desc.; GWM - 51, accepted, in Oregon (explicit); IL - 1:308, accepted, in Oregon (implied); IN - 6:174, accepted, in Oregon (explicit); JPM - 1130, accepted, in Oregon (implied); PEK - 170, accepted, in Oregon (explicit); VP - 1:283, accepted, in Oregon (explicit); Wilson et al., 2008 - 234, accepted, in Oregon (explicit).

Voucher: OSU, most recently collected in 2012.

Carex leptalea Wahlenb.

Common names: delicate sedge, bristle-stalked sedge, bristlystalked sedge, jelly bean sedge

Origin: native Voucher: OSU, most recently collected in 2010.

Calder & Taylor, 1965 - ; Calder & Taylor, 1968 - accepted, recognizes ssp. pacifica, leptalea, and harperi; FN - 23:565, accepted, in Oregon; FOO - 1:211, accepted, in Oregon (explicit); FPN - 580, accepted, in Oregon (implied); FPN2 - 726, accepted, in Oregon (implied), ; Gleason & Cronquist, 1991 - ; IL - 1:315, accepted, in Oregon (implied); IN - 6:112, accepted, in Oregon (implied); JPM - 1130, accepted, not in Oregon; JPM2 - 1330, accepted, in Oregon (implied); PEK - 173, accepted, in Oregon (explicit); VP - 1:283, accepted, in Oregon (explicit); Wilson et al., 2008 - 236, accepted, in Oregon (explicit).

Carex leptopoda Mack.

Common names: slender-foot sedge, short-scaled sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:323, accepted, in Oregon; FOO - 1:211, accepted, in Oregon (explicit); FPN - 591, synonym for Carex deweyana, in Oregon (implied); FPN2 - 742, accepted, in Oregon (implied), ; IL - 1:301, accepted, in Oregon (explicit); JPM2 - 1330, accepted, in Oregon (implied); PEK - 167, accepted, in Oregon (explicit); Wilson et al., 2008 - 238, accepted, in Oregon (explicit).

Synonyms:

Carex deweyana Schwein. ssp. leptopoda (Mack.) Calder & Roy L. Taylor

FN - 23:323, synonym for Carex leptopoda, in Oregon; IN - 6:258, synonym for Carex deweyana, in Oregon (explicit); JPM - 1124, accepted, in Oregon (implied); VP - 1:261, synonym for Carex deweyana, in Oregon (implied).

Misapplied names:

Carex deweyana Schwein.

Carex limosa L.

Common names: mud sedge

Origin: native

Voucher: OSU, most recently collected in 2016.

FN - 23:417, accepted, in Oregon; FOO - 1:211, accepted, in Oregon (explicit); FPN - 583, accepted, in Oregon (explicit); FPN2 - 734, accepted, in Oregon (implied), ; IL - 1:327, accepted, in Oregon (explicit); IN - 6:138, accepted, in Oregon (explicit); JPM - 1130, accepted, in Oregon (implied); JPM2 - 1330, accepted, in Oregon (implied); PEK - 179, accepted, in Oregon (explicit); VP - 1:285, accepted, in Oregon (explicit); Wilson et al., 2008 - 240, accepted, in Oregon (explicit).

Carex livida (Wahlenb.) Willd.

Common names: pale sedge, livid sedge

Origin: native Voucher: OSU, most recently collected in 2002.

FOO - 1:212, accepted, in Oregon (explicit); FPN - 586, accepted, not in Oregon; JPM2 - 1330, accepted; Wilson et al., 2008 - 242, accepted, in Oregon (explicit).

Carex longii Mack.

Common names: green-and-white sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1999.

FN - 23:368, accepted, not in Oregon; FOO - 1:212, accepted, in Oregon (explicit); FPN2 - 743, accepted, in Oregon (explicit), ; JPM2 - 1330, accepted, in Oregon (explicit); Wilson et al., 2008 - 244, accepted, in Oregon (explicit).

Carex luzulina Olney

Common names: woodrush sedge, spring sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:481, accepted, in Oregon; FOO - 1:213, accepted, in Oregon (explicit); FPN - 582, accepted, in Oregon (implied); FPN2 - 724, accepted, in Oregon (implied), ; GWM - 51, accepted, in Oregon (explicit); IL - 1:325, accepted, in Oregon (explicit); IN - 6:125, accepted, in Oregon (implied); JPM - 1130, accepted, in Oregon (implied); JPM2 - 1330, accepted, in Oregon (implied); PEK - 178, accepted, in Oregon (explicit); VP - 1:287, accepted, in Oregon (implied); Wilson et al., 2008 - 246, accepted, in Oregon (explicit).

Synonyms:

Carex ablata L.H. Bailey

FN - 23:481, synonym for Carex luzulina var. ablata, in Oregon; FPN - 582, synonym for Carex luzulina, in Oregon (implied); IL - 1:326, accepted, not in Oregon; PEK - 178, accepted, in Oregon (explicit).

Carex luzulina Olney var. ablata (L.H. Bailey) F.J. Herm.

FN - 23:481, accepted; JPM - 1130, accepted, in Oregon (implied).

Carex luzulina Olney var. luzulina

FN - 23:481, accepted; JPM - 1130, accepted, in Oregon (implied).

Carex lyngbyei Hornem.

Common names: Lyngbye's sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:383, accepted, in Oregon; FOO - 1:213, accepted, in Oregon (explicit); FPN - 587, accepted, in Oregon (implied); FPN2 - 737, accepted, in Oregon (implied), ; IL - 1:339, accepted, in Oregon (implied); JPM - 1130, accepted, in Oregon (implied); JPM2 - 1330, accepted, in Oregon (implied); PEK - 186, accepted, in Oregon (explicit); Standley, 1985 - ; VP - 1:287, accepted, in Oregon (implied); Wilson et al., 2008 - 248, accepted, in Oregon (explicit).

Synonyms:

Carex lyngbyei Hornem. var. robusta (L.H. Bailey) Cronquist

FN - 23:383, synonym for Carex lyngbyei, in Oregon; FPN - 587, accepted, in Oregon (implied).

Carex macrocephala Willd. ex Spreng.

Common names: big-head sedge, largehead sedge

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 23:308, accepted, in Oregon; FOO - 1:213, accepted, in Oregon (explicit); FPN - 582, accepted, in Oregon (explicit); FPN2 - 732, accepted, in Oregon (explicit); ; IL - 1:293, accepted, in Oregon (explicit); PEK - 164, accepted, in Oregon (explicit); VP - 1:287, accepted, in Oregon (explicit); Wilson et al., 2008 - 250, accepted, in Oregon (explicit).

Carex macrochaeta C.A. Mey.

Common names: long-awn sedge, large-awn sedge

Origin: native Voucher: OSU, most recently collected in 1995.

FN - 23:419, accepted, in Oregon; FOO - 1:213, accepted, in Oregon (explicit); FPN - 583, accepted, given distribution: Aleutian Is to s BC, reputedly also in CRG; FPN2 - 728, accepted, in Oregon (explicit); IL - 1:328, accepted, in Oregon (explicit); PEK - 180, accepted, in Oregon (explicit); VP - 1:289, accepted, in Oregon (explicit); Wilson et al., 2008 - 252, accepted, in Oregon (explicit).

Carex media R. Br. ex Richardson

Common names: Scandinavian sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:406, accepted; FOO - 1:214, accepted, in Oregon (explicit); FPN2 - 735, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 256, accepted, in Oregon (explicit).

Synonyms:

Carex vahlii Schkuhr

FN - 23:405, synonym for Carex norvegica, not in Oregon; PEK - 180, accepted, in Oregon (explicit).

Misapplied names:

Carex norvegica Retz.

FN - 23:405, accepted, not in Oregon; FPN - 584, accepted, not in Oregon; FPN2 - 735, synonym for Carex media, misapplied to C. media desc.; GWM - 52, accepted, in Oregon (explicit); IN - 6:132, accepted, not in Oregon; JPM - 1131, accepted, in Oregon (implied); VP - 1:299, accepted, not in Oregon.

Carex mendocinensis Olney ex W. Boott

Common names: Mendocino sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:471, accepted, in Oregon; FOO - 1:214, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (explicit); ; IL - 1:325, accepted, in Oregon (explicit); JPM - 1130, accepted, in Oregon (explicit); JPM2 - 1332, accepted, in Oregon (explicit); Wilson et al., 2008 - 258, accepted, in Oregon (explicit).

Synonyms:

Carex debiliformis Mack.

FN - 23:471, synonym for Carex mendocinensis, in Oregon; PEK - 177, accepted, in Oregon (explicit).

Carex mertensii J.D. Prescott ex Bong.

Common names: Mertens' sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:407, accepted, in Oregon; FOO - 1:215, accepted, in Oregon (explicit); FPN - 585, accepted, in Oregon (implied); FPN2 - 730, accepted, in Oregon (implied), ; IL - 1:332, accepted, in Oregon (implied); JPM - 1130, accepted, in Oregon (implied); JPM2 - 1332, accepted, in Oregon (implied); PEK - 182, accepted, in Oregon (explicit); VP - 1:289, accepted, in Oregon (explicit); Wilson et al., 2008 - 260, accepted, in Oregon (explicit).

Carex mesochorea Mack.

Common names: midland sedge Origin: exotic, not naturalized

Carex micropoda C.A. Mey.

Common names: timberline sedge

Origin: native Voucher: OSU, most recently collected in 1999.

FN - 23:529, accepted, in Oregon; FOO - 1:215, accepted, in Oregon (explicit); FPN2 - 727, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 262, accepted, in Oregon (explicit).

Synonyms:

Carex pyrenaica Wahlenb.

FN - 23:530, synonym for Carex micropoda, in Oregon, (missapplied synoynm); needs more study to elucidate relationship between European C. pyrenaica and North American C. micropoda.; FPN - 579, accepted, in Oregon (explicit); FPN2 - 727, synonym for Carex micropoda, misapplied to C. micropoda desc.; GWM - 53, accepted, in Oregon (explicit); IL - 1:289, accepted, in Oregon (explicit); IN - 6:110, accepted, in Oregon (explicit); PEK - 159, accepted, in Oregon (explicit); VP - 1:319, accepted, in Oregon (explicit).

Carex microptera Mack.

Common names: small-wing sedge

Origin: native Voucher: OSU, most recently collected in 2019.

Dorn, 1988 - ; FN - 23:351, accepted, in Oregon; FOO - 1:215, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (implied); FPN2 - 747, accepted, in Oregon (implied), ; GWM - 51, accepted, in Oregon (explicit); IL - 1:308, accepted, in Oregon (explicit); IN - 6:164, accepted, in Oregon (implied); JPM - 1130, accepted, in Oregon (implied); JPM2 - 1332, accepted, in Oregon (implied); PEK - 167, accepted, in Oregon (explicit); VP - 1:291, accepted, in Oregon (explicit); Wilson, 1997 - , in Oregon (explicit); Wilson et al., 2008 - 264, accepted, in Oregon (explicit).

Synonyms:

Carex festivella Mack.

FN - 23:351, synonym for Carex microptera, in Oregon; FPN - 594, synonym for Carex microptera, in Oregon (implied); GWM - 48, accepted, in Oregon (explicit); IL - 1:308, accepted, in Oregon (explicit); PEK - 167, accepted, in Oregon (explicit).

Carex limnophila F.J. Herm.

FPN - 593, accepted, in Oregon (explicit); GWM - 51, accepted, in Oregon (explicit); IN - 6:162, accepted, in Oregon (explicit); VP - 1:283, accepted, in Oregon (explicit).

Carex multicaulis L.H. Bailey

Common names: many-stemmed sedge, stick sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:565, accepted, in Oregon; FOO - 1:215, accepted, in Oregon (explicit); FPN2 - 726, accepted, in Oregon (explicit); IL - 1:316, accepted, in Oregon (explicit); IN - 6:106, accepted, in Oregon (explicit); JPM - 1131, accepted, not in Oregon; JPM2 - 1332, accepted, in Oregon (explicit); PEK - 175, accepted, in Oregon (explicit); Simpson, 2001A - ; Wilson et al., 2008 - 266, accepted, in Oregon (explicit).

Carex nardina Fr.

Common names: spikenard sedge, spike sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:569, accepted, not in Oregon; FOO - 1:215, accepted, in Oregon (explicit); FPN - 578, accepted, not in Oregon; FPN2 - 728, accepted, in Oregon (explicit), ; IN - 6:106, accepted, not in Oregon; VP - 1:295, accepted, not in Oregon; Wilson et al., 2008 - 270, accepted, in Oregon (explicit).

Synonyms:

Carex hepburnii Boott

FN - 23:569, synonym for Carex nardina, not in Oregon; FPN - 578, synonym for Carex nardina, not in Oregon, the cordilleran phase; IL - 1:288, accepted, in Oregon (implied).

Carex nardina Fr. var. hepburnii (Boott) Kük.

FN - 23:569, synonym for Carex nardina, not in Oregon; GWM - 52, accepted, in Oregon (explicit); KZ - 1:235, accepted.

Carex nebrascensis Dewey

Common names: Nebraska sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 23:388, accepted, in Oregon; FOO - 1:216, accepted, in Oregon (explicit); FPN - 587, accepted, in Oregon (implied); FPN2 - 738, accepted, in Oregon (implied), ; IN - 6:142, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (implied); JPM2 - 1332, accepted, in Oregon (implied); Simpson, 2003 - , in Oregon (explicit); VP - 1:295, accepted, in Oregon (explicit); Wilson et al., 2008 - 272, accepted, in Oregon (explicit).

Synonyms:

Carex nebraskensis Dewey

orthographic variant

IL - 1:334, accepted, in Oregon (implied); PEK - 184, accepted, in Oregon (explicit).

Carex nervina L.H. Bailey

Common names: Sierra sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:277, accepted, in Oregon; FOO - 1:216, accepted, in Oregon (explicit); IL - 1:298, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (explicit); JPM2 - 1332, accepted, in Oregon (explicit); PEK - 163, accepted, in Oregon (explicit); Wilson et al., 2008 - 274, accepted, in Oregon (explicit).

Carex neurophora Mack.

Common names: veined sedge, alpine nerved sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:278, accepted, in Oregon (explicit); FOO - 1:216, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (explicit); FPN2 - 739, accepted, in Oregon (implied), ; GWM - 52, accepted, in Oregon (explicit); IL - 1:298, accepted, in Oregon (explicit); IN - 6:155, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (implied); JPM2 - 1332, accepted, in Oregon (implied); PEK - 163, accepted, in Oregon (explicit); VP - 1:297, accepted, in Oregon (explicit); Wilson et al., 2008 - 276, accepted, in Oregon (explicit).

Carex nigricans C.A. Mey.

Common names: black alpine sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:530, accepted, in Oregon; FOO - 1:216, accepted, in Oregon (explicit); FPN - 579, accepted, in Oregon (implied); FPN2 - 727, accepted, in Oregon (implied), ; GWM - 52, accepted, in Oregon (explicit); IL - 1:290, accepted, in Oregon (implied); IN - 6:110, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (implied); JPM2 - 1332, accepted, in Oregon (implied); PEK - 160, accepted, in Oregon (explicit); VP - 1:297, accepted, in Oregon (implied); Wilson et al., 2008 - 278, accepted, in Oregon (explicit).

Carex nudata W. Boott

Common names: torrent sedge, naked sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:389, accepted, in Oregon; FOO - 1:217, accepted, in Oregon (explicit); FPN - 587, accepted, in Oregon (implied); FPN2 - 737, accepted, in Oregon (implied), ; IL - 1:337, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (explicit); JPM2 - 1332, accepted, in Oregon (implied); PEK - 186, accepted, in Oregon (explicit); Tipton, 1996B - ; VP - 1:300, accepted, in Oregon (implied); Wilson et al., 2008 - 280, accepted, in Oregon (explicit).

Synonyms:

Carex suborbiculata Mack.

FN - 23:389, synonym for Carex nudata, in Oregon; FPN - 587, synonym for Carex nudata, in Oregon (implied); IL - 1:338, accepted, not in Oregon; PEK - 186, accepted, in Oregon (explicit).

Carex obnupta L.H. Bailey

Common names: slough sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:388, accepted, in Oregon; FOO - 1:217, accepted, in Oregon (explicit); FPN - 587, accepted, in Oregon; FPN2 - 737, accepted, in Oregon (implied), ; IL - 1:339, accepted, in Oregon (implied); JPM - 1131, accepted, in Oregon (implied); JPM2 - 1333, accepted, in Oregon (implied); PEK - 187, accepted, in Oregon (explicit); VP - 1:301, accepted, in Oregon (implied); Wilson et al., 2008 - 282, accepted, in Oregon (explicit).

Carex pachycarpa Mack.

Common names: many-rib sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FOO - 1:218, accepted, in Oregon (explicit); FPN2 - 743, accepted, in Oregon (implied), ; IL - 1:312, accepted, in Oregon (explicit); JPM2 - 1333, accepted, in Oregon (implied).

Misapplied names:

Carex multicostata Mack.

FN - 23:377, accepted, in Oregon; FPN - 593, accepted, in Oregon (implied); FPN2 - 743, synonym for Carex pachycarpa, misapplied to C. pachycarpa desc.; GWM - 51, accepted, in Oregon (explicit); IL - 1:305, accepted, not in Oregon; IN - 6:172, accepted, in Oregon (explicit); JPM - 1131, accepted, in Oregon (explicit); JPM2 - 1332, accepted, not in Oregon; PEK - 169, accepted, in Oregon (explicit); VP - 1:293, accepted, in Oregon (explicit); Wilson et al., 2008 - 268, accepted, in Oregon (explicit).

Carex pachystachya Cham. ex Steud.

Common names: thick-headed sedge, Chamisso sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:349, accepted, in Oregon; FOO - 1:218, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (explicit); FPN2 - 748, accepted, in Oregon (implied), ; IL - 1:311, accepted, in Oregon (explicit); IN - 6:164, accepted, in Oregon (explicit); JPM - 1131, accepted, not in Oregon; JPM2 - 1333, accepted, in Oregon (implied); PEK - 169, accepted, in Oregon (explicit); VP - 1:305, accepted, in Oregon (explicit); Wilson, 1997 - , in Oregon (explicit); Wilson et al., 2008 - 286, accepted, in Oregon (explicit).

Misapplied names:

Carex macloviana d'Urv.

FN - 23:352, accepted, not in Oregon; FPN2 - 747, accepted, not in Oregon, .

Carex pansa L.H. Bailey

Common names: sanddune sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:305, accepted, in Oregon; FOO - 1:218, accepted, in Oregon (explicit); FPN - 589, accepted, in Oregon (implied); FPN2 - 736, accepted, in Oregon (implied), ; IL - 1:292, accepted, in Oregon (explicit); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1333, accepted, in Oregon (implied); PEK - 161, accepted, in Oregon (explicit); VP - 1:305, accepted, in Oregon (implied); Wilson et al., 2008 - 290, accepted, in Oregon (explicit).

Carex paysonis Clokey

Common names: Payson's sedge

Origin: native Voucher: OSU, most recently collected in 1995.

FN - 23:415, accepted, in Oregon; FOO - 1:218, accepted, in Oregon (explicit); FPN - 584, accepted, in Oregon (explicit); FPN2 - 734, accepted, in Oregon (explicit), ; GWM - 53, accepted, in Oregon (explicit); IN - 6:132, accepted, in Oregon (explicit); VP - 1:309, accepted, in Oregon (explicit); Wilson et al., 2008 - 294, accepted, in Oregon (explicit).

Misapplied names:

Carex podocarpa R. Br.

FN - 23:416, accepted, in Oregon; FPN - 584, synonym for Carex paysonis, in Oregon (explicit), misapplied; FPN2 - 734, accepted, not in Oregon, ; PEK - 181, accepted, in Oregon (explicit); VP - 1:309, accepted.

Carex pellita Muhl. ex Willd.

Common names: woolly sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:497, accepted, in Oregon; FOO - 1:219, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (implied), ; JPM2 - 1333, accepted, in Oregon (implied); Wilson et al., 2008 - 296, accepted, in Oregon (explicit).

Misapplied names:

Carex lanuginosa Michx.

FN - 23:497, synonym for Carex lasiocarpa, not in Oregon; FPN - 582, accepted, in Oregon (implied); GWM - 50, accepted, in Oregon (explicit); IL - 1:340, accepted, in Oregon (implied); IN - 6:128, accepted, in Oregon (implied); PEK - 179, accepted, in Oregon (explicit); VP - 1:279, accepted, in Oregon (implied).

Carex pelocarpa F.J. Herm.

Common names: duskyseed sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:412, accepted; FOO - 1:219, accepted, in Oregon (explicit); FPN - 585, synonym for Carex nova, not in Oregon; FPN2 - 734, accepted, in Oregon (explicit), ; KZ - 1:144, accepted; Wilson et al., 2008 - 298, accepted, in Oregon (explicit).

Misapplied names:

Carex nova L.H. Bailey

FN - 23:412, accepted, not in Oregon; FPN - 585, accepted, not in Oregon; FPN2 - 734, synonym for Carex pelocarpa, misapplied to C. pelocarpa desc.; IN - 6:134, accepted, not in Oregon; PEK - 182, accepted, in Oregon (explicit); VP - 1:299, accepted, not in Oregon.

Carex pendula Huds.

Common names: pendulous sedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FN - 23:421, accepted, not in Oregon; FOO - 1:220, accepted, in Oregon (explicit); FPN2 - 731, accepted, in Oregon (implied), ; JPM2 - 1333, accepted, in Oregon (explicit); Wilson et al., 2008 - 300, accepted, in Oregon (explicit).

Carex petasata Dewey

Common names: Liddon's sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:359, accepted, in Oregon; FOO - 1:220, accepted, in Oregon (explicit); FPN - 593, accepted, in Oregon (implied); FPN2 - 744, accepted, in Oregon (implied), ; IL - 1:305, accepted, in Oregon (explicit); IN - 6:166, accepted, in Oregon (explicit); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1333, accepted, in Oregon (implied); PEK - 171, accepted, in Oregon (explicit); VP - 1:310, accepted, in Oregon (explicit); Wilson et al., 2008 - 302, accepted, in Oregon (explicit).

Carex phaeocephala Piper

Common names: dunhead sedge, alpine hare sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:355, accepted, in Oregon; FOO - 1:221, accepted, in Oregon (explicit); FPN - 592, accepted, in Oregon (implied); FPN2 - 744, accepted, in Oregon (implied), ; GWM - 53, accepted, in Oregon (explicit); IL - 1:307, accepted, in Oregon (explicit); IN - 6:168, accepted, in Oregon (implied); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1333, accepted, in Oregon (implied); PEK - 170, accepted, in Oregon (explicit); VP - 1:311, accepted, in Oregon (implied); Wilson et al., 2008 - 304, accepted, in Oregon (explicit).

Synonyms:

Carex eastwoodiana Stacev

FN - 23:355, synonym for Carex tahoensis, in Oregon; FPN - 592, synonym for Carex phaeocephala, in Oregon (implied); PEK - 170, accepted, in Oregon (explicit).

Carex pluriflora Hultén

Common names: black bog sedge, many-flower sedge

Origin: native Voucher: OSU, most recently collected in 1989.

Christy, 1991 - , "New to flora of Oregon" Christy 7289; FN - 23:418, accepted, not in Oregon; FOO - 1:221, accepted, in Oregon (explicit); FPN - 583, accepted, not in Oregon; FPN2 - 734, accepted, not in Oregon, ; VP - 1:311, accepted, in Oregon (explicit); Wilson et al., 2008 - 306, accepted, in Oregon (explicit).

Carex praeceptorum Mack.

Common names: teacher's sedge, early sedge

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 23:319, accepted, in Oregon (explicit); FOO - 1:221, accepted, in Oregon (explicit); FPN2 - 742, accepted, in Oregon (implied); JPM - 6:158, accepted, in Oregon (implied); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1333, accepted, in Oregon (implied); PEK - 165, accepted, in Oregon (explicit); VP - 1:313, accepted, not in Oregon; Wilson et al., 2008 - 308, accepted, in Oregon (explicit).

Carex praegracilis W. Boott

Common names: black creeper sedge, clustered field sedge

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:305, accepted, in Oregon; FOO - 1:221, accepted, in Oregon (explicit); FPN - 589, accepted, in Oregon (implied); FPN2 - 736, accepted, in Oregon (implied), ; IL - 1:292, accepted, in Oregon (implied); IN - 6:146, accepted, in Oregon (implied); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1334, accepted, in Oregon (implied); PEK - 161, accepted, in Oregon (explicit); VP - 1:313, accepted, in Oregon (implied); Wilson et al., 2008 - 310, accepted, in Oregon (explicit).

Carex praticola Rydb.

Common names: meadow sedge

Origin: native Voucher: OSU, most recently collected in 2012.

FN - 23:354, accepted, in Oregon; FOO - 1:221, accepted, in Oregon (explicit); FPN - 594, accepted, in Oregon (explicit); FPN2 - 744, accepted, in Oregon (implied); ; IL - 1:306, accepted, in Oregon (implied); IN - 6:168, accepted, in Oregon (explicit); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1334, accepted, given distribution: NCo (Humboldt Co.), NCoRO, NCoRH, c SNH; Rocky Mtns, n N.Am.; PEK - 170, accepted, in Oregon (explicit); VP - 1:315, accepted, in Oregon (explicit); Wilson et al., 2008 - 312, accepted, in Oregon (explicit).

Synonyms:

Carex piperi Mack. ex Piper & Beattie

FN - 23:354, synonym for Carex praticola, in Oregon; IL - 1:307, accepted, in Oregon (explicit); PEK - 171, accepted, in Oregon (explicit).

Carex preslii Steud.

Common names: Presl's sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:350, accepted, in Oregon; FOO - 1:222, accepted, in Oregon (explicit); FPN - 594, synonym for Carex pachystachya, in Oregon (explicit); FPN2 - 747, accepted, in Oregon (implied), ; GWM - 53, accepted, in Oregon (explicit); IL - 1:312, accepted, in Oregon (explicit); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1334, accepted, in Oregon (implied); PEK - 169, accepted, in Oregon (explicit); Wilson et al., 2008 - 314, accepted, in Oregon (explicit).

Carex pumila Thunb.

Common names: Asian sand sedge

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1916.

FN - 23:495, accepted, in Oregon; FPN2 - 722, accepted, in Oregon (explicit), in genus desc.; Reznicek, 1993 - .

Carex raynoldsii Dewey

Common names: Raynolds' sedge

Origin: native Voucher: OSU, most recently collected in 2009.

FN - 23:412, accepted, in Oregon; FOO - 1:223, accepted, in Oregon (explicit); FPN - 584, accepted, in Oregon (implied); FPN2 - 730, accepted, in Oregon (implied), ; GWM - 54, accepted, in Oregon (explicit); IL - 1:329, accepted, in Oregon (implied); IN - 6:132, accepted, in Oregon (implied); JPM - 1132, accepted, in Oregon (implied); JPM2 - 1334, accepted, in Oregon (implied); PEK - 180, accepted, in Oregon (explicit); VP - 1:319, accepted, not in Oregon; Wilson et al., 2008 - 320, accepted, in Oregon (explicit).

Carex retrorsa Schwein.

Common names: retrorse sedge, knotsheath sedge

Origin: native Voucher: OSU, most recently collected in 2009.

FN - 23:508, accepted, in Oregon; FOO - 1:223, accepted, in Oregon (explicit); FPN - 581, accepted, in Oregon (explicit); FPN2 - 732, accepted, in Oregon (explicit), ; IL - 1:343, accepted, in Oregon (explicit); IN - 6:120, accepted, in Oregon (explicit); PEK - 188, accepted, in Oregon (explicit); VP - 1:319, accepted, in Oregon (explicit); Wilson et al., 2008 - 322, accepted, in Oregon (explicit).

Carex rossii Boott

Common names: Ross' sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:536, accepted, in Oregon; FOO - 1:223, accepted, in Oregon (explicit); FPN - 582, accepted, in Oregon (implied); FPN2 - 725, accepted, in Oregon (implied), ; IL - 1:320, accepted, in Oregon (implied); IN - 6:120, accepted, in Oregon (explicit); JPM - 1134, accepted, in Oregon (implied); JPM2 - 1334, accepted, in Oregon (implied); PEK - 174, accepted, in Oregon (explicit); VP - 1:321, accepted, in Oregon (explicit); Wilson, 1997 - , in Oregon (explicit); Wilson et al., 2008 - 324, accepted, in Oregon (explicit).

Synonyms:

Carex brevipes W. Boott

FN - 23:536, synonym for Carex deflexa var. boottii, in Oregon; FPN - 582, synonym for Carex rossii, in Oregon (implied); IL - 1:320, accepted, in Oregon (implied); PEK - 174, accepted, in Oregon (explicit).

Carex saxatilis L.

Common names: russet sedge, rock sedge

Origin: native Voucher: OSU, most recently collected in 1995.

FN - 23:503, accepted, not in Oregon; FOO - 1:223, accepted, in Oregon (explicit); FPN - 581, accepted, not in Oregon; FPN2 - 738, accepted, not in Oregon; ; IN - 6:118, accepted, not in Oregon; VP - 1:325, accepted, not in Oregon; Wilson et al., 2008 - 328, accepted, in Oregon (explicit).

Synonyms:

Carex saxatilis L. var. major Olney

FPN - 581, accepted, not in Oregon; Zika & Alverson, 1993 - , "First record for the species and variety in Oregon." Zika 11809.

Carex scabriuscula Mack.

Common names: Siskiyou sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:552, accepted, in Oregon; FOO - 1:224, accepted, in Oregon (explicit); IL - 1:317, accepted, in Oregon (explicit); JPM2 - 1334, accepted, in Oregon (explicit); PEK - 175, accepted, in Oregon (explicit); Wilson et al., 2008 - 330, accepted, in Oregon (explicit).

Synonyms:

Carex gigas (Holm) Mack.

Dunlop, 1997 - ; FN - 23:552, synonym for Carex scabriuscula, in Oregon; IL - 1:317, accepted, not in Oregon; JPM - 1126, accepted, not in Oregon.

Carex scirpoidea Michx.

FN - 23:550, accepted; FOO - 1:224, accepted, in Oregon (explicit); FPN - 580, accepted, in Oregon (explicit); GWM - 54, accepted, in Oregon (explicit); IL - 1:318, accepted, not in Oregon; VP - 1:325, accepted, in Oregon (implied).

Carex scirpoidea Michx. ssp. pseudoscirpoidea (Rydb.) D.A. Dunlop

Common names: western singlespike sedge

Origin: native Voucher: OSU, most recently collected in 2007.

Dunlop, 1997 -; FN - 23:550, accepted, in Oregon; FOO - 1:225, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (implied), ; JPM2 - 1336, accepted, in Oregon (explicit); Wilson et al., 2008 - 332, accepted, in Oregon (explicit).

Synonyms:

Carex pseudoscirpoidea Rydb.

FN - 23:551, synonym for Carex scirpoidea ssp. pseudoscirpoidea, in Oregon; FPN - 580, synonym for Carex scirpoidea var. pseudoscirpoidea, in Oregon (explicit); GWM - 53, accepted, in Oregon (explicit); IL - 1:318, matched with Carex pseudo-scirpoidea (minor spelling difference), accepted, in Oregon (implied); PEK - 175, accepted, in Oregon (explicit).

Carex scirpoidea Michx. var. pseudoscirpoidea (Rvdb.) Cronquist

FN - 23:551, synonym for Carex scirpoidea ssp. pseudoscirpoidea; FPN - 580, accepted, in Oregon (explicit); IN - 6:114, accepted, in Oregon (implied); JPM - 1134, accepted, not in Oregon.

Carex scirpoidea Michx. ssp. scirpoidea

Common names: northern singlespike sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:551, accepted, in Oregon; FOO - 1:225, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 334, accepted, in Oregon (explicit).

Synonyms:

Carex scirpoidea Michx. var. scirpoidea

FPN - 580, accepted, not in Oregon.

Carex scirpoidea Michx. ssp. stenochlaena (Holm) Á. Löve & D. Löve

Common names: Alaskan singlespike sedge

Origin: native Voucher: OSU, most recently collected in 2008.

FN - 23:552, accepted, not in Oregon, ssp. accepted instead of var.; FOO - 1:225, accepted, in Oregon (explicit); FPN2 - 723, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 336, accepted, in Oregon (explicit).

Synonyms:

Carex scirpoidea Michx. var. stenochlaena T. Holm

FN - 23:552, synonym for Carex scirpoidea ssp. stenochlaena; FPN - 580, accepted, in Oregon (explicit).

Carex stenochlaena (T. Holm) Mackenzie

Hermann, 1970 - accepted; IL - 1:318, accepted, not in Oregon.

Carex scoparia Schkuhr ex Willd.

FN - 23:362, accepted, in Oregon; FPN - 595, accepted, in Oregon (implied); FPN2 - 743, accepted, in Oregon (implied); IL - 1:303, accepted, in Oregon (explicit); JPM - 1134, accepted, in Oregon (implied); PEK - 171, accepted, in Oregon (explicit); VP - 1:326, accepted, in Oregon (explicit).

Carex scoparia Schkuhr ex Willd. var. scoparia

Common names: pointed broom sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:362, accepted; FOO - 1:225, accepted, in Oregon (explicit); JPM2 - 1336, accepted, in Oregon (implied); KZ - 1:237, accepted; Wilson et al., 2008 - 338, accepted, in Oregon (explicit).

Carex scopulorum Holm

FN - 23:399, accepted, not in Oregon, var. scopulorum not in Oregon; FPN - 588, accepted, in Oregon (implied); GWM - 55, accepted, in Oregon (explicit); IL - 1:332, accepted, in Oregon (implied); IN - 6:142, accepted, in Oregon (implied); PEK - 182, accepted, in Oregon (explicit); VP - 1:327, accepted, in Oregon (implied).

Carex scopulorum Holm var. bracteosa (L.H. Bailey) F.J. Herm.

Common names: mountain sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:399, accepted, in Oregon; FOO - 1:226, accepted, in Oregon (explicit); FPN2 - 738, accepted, in Oregon (implied), ; JPM - 1134, accepted, in Oregon (implied); JPM2 - 1336, accepted, in Oregon (implied); Standley, 1985 - ; Wilson et al., 2008 - 340, accepted, in Oregon (explicit).

Synonyms:

Carex campylocarpa Holm

FN - 23:399, synonym for Carex scopulorum var. bracteosa, in Oregon; FPN - 588, synonym for Carex scopulorum, in Oregon (implied); GWM - 46, accepted, in Oregon (explicit); IL - 1:333, accepted, in Oregon (explicit); PEK - 183, accepted, in Oregon (explicit).

Carex gymnoclada Holm

FN - 23:399, synonym for Carex scopulorum var. bracteosa, in Oregon; FPN - 588, synonym for Carex scopulorum, in Oregon (implied); IL - 1:333, accepted, in Oregon (explicit); PEK - 183, accepted, in Oregon (explicit).

Carex serpenticola Zika

Common names: serpentine sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:544, accepted, in Oregon; FOO - 1:226, accepted, in Oregon (explicit); JPM2 - 1336, accepted, in Oregon (explicit); Wilson et al., 2008 - 344, accepted, in Oregon (explicit); Zika, 1999 - .

Carex serratodens W. Boott

Common names: two-tooth sedge, saw-toothed sedge

Origin: native Voucher: OSU, most recently collected in 2006.

FN - 23:413, accepted, in Oregon; FOO - 1:226, accepted, in Oregon (explicit); JPM - 1134, accepted, not in Oregon; JPM2 - 1336, accepted, in Oregon (explicit); PEK - 182, accepted, in Oregon (explicit); Wilson et al., 2008 - 346, accepted, in Oregon (explicit).

Synonyms:

Carex bifida Boott

FN - 23:413, synonym for Carex serratodens, in Oregon; IL - 1:329, accepted, in Oregon (explicit).

Carex sheldonii Mack.

Common names: Sheldon's sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:500, accepted, in Oregon; FOO - 1:226, accepted, in Oregon (explicit); FPN - 580, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (explicit), ; IL - 1:341, accepted, in Oregon (explicit); IN - 6:114, accepted, in Oregon (explicit); JPM2 - 1134, accepted, in Oregon (explicit); JPM2 - 1336, accepted, in Oregon (explicit); PEK - 188, accepted, in Oregon (explicit); VP - 1:327, accepted, in Oregon (explicit); Wilson et al., 2008 - 348, accepted, in Oregon (explicit).

Carex simulata Mack.

Common names: short-beaked sedge, analogue sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:305, accepted, in Oregon; FOO - 1:227, accepted, in Oregon (explicit); FPN - 588, accepted, in Oregon (implied); FPN2 - 736, accepted, in Oregon (implied), ; IL - 1:292, accepted, in Oregon (implied); IN - 6:145, accepted, in Oregon (implied); JPM - 1134, accepted, in Oregon (implied); JPM2 - 1336, accepted, in Oregon (implied); PEK - 160, accepted, in Oregon (explicit); VP - 1:329, accepted, in Oregon (implied); Wilson et al., 2008 - 352, accepted, in Oregon (explicit).

Carex spectabilis Dewey

Common names: showy sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:416, accepted, in Oregon; FOO - 1:227, accepted, in Oregon (explicit); FPN - 584, accepted, in Oregon (implied); FPN2 - 734, accepted, in Oregon (implied), ; GWM - 55, accepted, in Oregon (explicit); IL - 1:328, accepted, in Oregon (implied); JPM - 1134, accepted, in Oregon (implied); JPM2 - 1336, accepted, in Oregon (implied); PEK - 180, accepted, in Oregon (explicit); VP - 1:331, accepted, in Oregon (explicit); Wilson et al., 2008 - 354, accepted, in Oregon (explicit).

Synonyms:

Carex tolmiei Boott

FN - 23:416, synonym for Carex spectabilis, in Oregon; FPN - 584, synonym for Carex spectabilis, in Oregon (implied);

IL - 1:328, accepted, in Oregon (implied).

Carex stipata Muhl. ex Willd.

FPN - 590, accepted, in Oregon (implied); GWM - 55, accepted, in Oregon (explicit); IL - 1:298, accepted, in Oregon (implied); IN - 6:152, accepted, not in Oregon; PEK - 164, accepted, in Oregon (explicit); VP - 1:333, accepted, in Oregon (implied).

Carex stipata Muhl. ex Willd. var. stipata

Common names: awl-fruit sedge, sawbeak sedge

Origin: native

Voucher: OSU, most recently collected in 2018.

FN - 23:276, accepted, in Oregon; FOO - 1:228, accepted, in Oregon (explicit); FPN2 - 740, accepted, in Oregon (implied); JPM - 1136, accepted, in Oregon (implied); JPM2 - 1337, accepted, in Oregon (implied); Wilson et al., 2008 - 356, accepted, in Oregon (explicit).

Carex straminiformis L.H. Bailey

Common names: Shasta sedge

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 23:378, accepted, in Oregon; FOO - 1:228, accepted, in Oregon (explicit); FPN - 595, accepted, in Oregon; FPN2 - 746, accepted, in Oregon (implied), ; IL - 1:305, accepted, in Oregon (explicit); IN - 6:172, accepted, in Oregon (implied); JPM - 1136, accepted, in Oregon (implied); JPM2 - 1337, accepted, in Oregon (implied); PEK - 172, accepted, in Oregon (explicit); VP - 1:335, accepted, not in Oregon; Wilson et al., 2008 - 358, accepted, in Oregon (explicit).

Carex subbracteata Mack.

Common names: smallbract sedge, small-bracted sedge

Origin: native and exotic

Voucher: OSU, most recently collected in 2009.

FOO - 1:229, accepted, in Oregon (explicit); FPN2 - 744, accepted, in Oregon (explicit), ; IL - 1:312, matched with Carex sub-bracteata (minor spelling difference), accepted, not in Oregon; JPM - 1136, accepted, not in Oregon; JPM2 - 1337, accepted, in Oregon (explicit).

Carex subfusca W. Boott

Common names: rusty sedge, pale broom sedge

Origin: native

Voucher: OSU, most recently collected in 2019.

FN - 23:349, accepted, in Oregon; FOO - 1:229, accepted, in Oregon (explicit); FPN - 593, accepted, in Oregon (explicit); FPN2 - 745, accepted, in Oregon (implied), ; IL - 1:310, accepted, in Oregon (explicit); IN - 6:162, accepted, in Oregon (explicit); JPM - 1136, accepted, in Oregon (implied); JPM2 - 1337, accepted, in Oregon (explicit); PEK - 168, accepted, in Oregon (explicit); VP - 1:335, accepted, in Oregon (explicit); Wilson et al., 2008 - 362, accepted, in Oregon (explicit).

Synonyms:

Carex teneriformis Mack.

FN - 23:349, synonym for Carex subfusca, in Oregon; FPN - 593, matched with C. teneraeformis (minor spelling difference), synonym for Carex subfusca, in Oregon (explicit); IL - 1:310, matched with Carex teneraeformis (minor spelling difference), accepted, not in Oregon; PEK - 168, accepted, in Oregon (explicit).

Carex subnigricans Stacey

Common names: nearlyblack sedge, dark mountain sedge

Origin: native

Voucher: OSU, most recently collected in 2005.

FN - 23:571, accepted, in Oregon; FOO - 1:229, accepted, in Oregon (explicit); FPN - 579, accepted, in Oregon (explicit); FPN2 - 728, accepted, in Oregon (explicit), ; GWM - 55, accepted, in Oregon (explicit); IN - 6:110, accepted, in Oregon (explicit); JPM - 1136, accepted, not in Oregon; JPM2 - 1337, accepted, not in Oregon; PEK - 159, accepted, in Oregon (explicit); VP - 1:337, accepted, in Oregon (explicit); Wilson et al., 2008 - 364, accepted, in Oregon (explicit).

Carex sychnocephala J. Carey

Common names: many-headed sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FOO - 1:229, accepted, in Oregon (explicit); FPN2 - 745, accepted, not in Oregon, ; Wilson et al., 2008 - 366, accepted, not in Oregon.

Carex tahoensis Smiley

Common names: Tahoe hare sedge, Tahoe sedge

Origin: native Voucher: OSU, most recently collected in 2015.

FN - 23:355, accepted, in Oregon; FOO - 1:230, accepted, in Oregon (explicit); FPN2 - 744, accepted, in Oregon (implied), ; JPM - 1136, accepted, given distribution: SNH, SNE (Sweetwater Mtns); scattered in montane w N.Am; JPM2 - 1337, accepted, given distribution: c&s SNH; scattered in montane w N.Am.; Wilson et al., 2008 - 370, accepted, in Oregon (explicit).

Carex tiogana D.W. Taylor & J.D. Mastrog.

Common names: Tioga Pass sedge

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:476, uncertain, not in Oregon, "C. tiogana from N. CA cannot be satisfactorily distinguished from C. capillaris, although it possesses an uncommon combination of characteristics."; FOO - 1:230, accepted, in Oregon (explicit); JPM - 1136, accepted, not in Oregon; JPM2 - 1337, accepted, in Oregon (explicit).

Carex tribuloides Wahlenb. var. tribuloides

Common names: tribulation sedge, blunt broom sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2009.

FN - 23:363, accepted, not in Oregon, native to eastern U.S., not known from west coast in FNA; FOO - 1:231, accepted, in Oregon (explicit); FPN2 - 745, accepted, in Oregon (explicit), ; Wilson et al., 2008 - 376, accepted, in Oregon (explicit); Zika & Alverson, 2005 - .

Carex tumulicola Mack.

Common names: foothill sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:291, accepted, in Oregon; FOO - 1:231, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (implied); FPN2 - 739, accepted, in Oregon (implied), ; IL - 1:294, accepted, in Oregon (explicit); JPM - 1136, accepted, in Oregon (implied); JPM2 - 1338, accepted, in Oregon (implied); PEK - 162, accepted, in Oregon (explicit); VP - 1:339, accepted, in Oregon (implied); Wilson et al., 2008 - 378, accepted, in Oregon (explicit).

Carex unilateralis Mack.

Common names: one-sided sedge, lateral sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:347, accepted, in Oregon; FOO - 1:231, accepted, in Oregon (explicit); FPN - 592, accepted, in Oregon (implied); FPN2 - 745, accepted, in Oregon (implied), ; IL - 1:302, accepted, in Oregon (implied); JPM - 1136, accepted, in Oregon (implied); JPM2 - 1338, accepted, in Oregon (implied); PEK - 173, accepted, in Oregon (explicit); VP - 1:341, accepted, in Oregon (implied); Wilson et al., 2008 - 380, accepted, in Oregon (explicit).

Carex utriculata Boott

Common names: southern beaked sedge, inflated sedge, Northwest Territory sedge

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:507, accepted, in Oregon; FOO - 1:231, accepted, in Oregon (explicit); FPN - 581, synonym for Carex rostrata, in Oregon (implied); FPN2 - 732, accepted, in Oregon (implied), ; JPM - 1136, accepted, in Oregon (implied); JPM2 - 1338, accepted, in Oregon (implied); Wilson et al., 2008 - 382, accepted, in Oregon (explicit).

Misapplied names:

Carex rostrata Stokes ex With.

FN - 23:507, accepted, not in Oregon; FPN - 581, accepted, in Oregon (implied); FPN2 - 732, accepted, not in Oregon,; GWM - 54, accepted, in Oregon (explicit); IL - 1:343, accepted, in Oregon (implied); IN - 6:120, accepted, in Oregon (implied); PEK - 188, accepted, in Oregon (explicit); VP - 1:321, accepted, in Oregon (implied); Wilson et al., 2008 - 326, accepted, not in Oregon.

Carex vallicola Dewey

Common names: valley sedge

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:290, accepted, in Oregon; FOO - 1:232, accepted, in Oregon (explicit); FPN - 589, accepted, in Oregon (explicit); FPN2 - 739, accepted, in Oregon (implied), ; IL - 1:294, accepted, in Oregon (explicit); IN - 6:148, accepted, in Oregon (explicit); JPM - 1138, accepted, not in Oregon; JPM2 - 1338, accepted, in Oregon (implied); PEK - 161, accepted, in Oregon (explicit); VP - 1:341, accepted, in Oregon (explicit); Wilson et al., 2008 - 384, accepted, in Oregon (explicit).

Carex vernacula L.H. Bailey

Common names: native sedge, foetid sedge

Origin: native Voucher: OSU, most recently collected in 2020.

FN - 23:311, accepted; FOO - 1:232, accepted, in Oregon (explicit); FPN - 588, synonym for Carex foetida, in Oregon (explicit); FPN2 - 739, accepted, in Oregon (implied), ; IL - 1:291, accepted, in Oregon (implied); JPM - 1138, accepted, given distribution: CaRH, SNH, Wrn, SNE (Sweetwater Mtns), W&I; scattered in montane w US; JPM2 - 1338, accepted, given distribution: CaRH, SNH, Wrn, SNE (Sweetwater Mtns), W&I; scattered in montane w US.; PEK - 160, accepted, in Oregon (explicit); VP - 1:270, accepted; Wilson et al., 2008 - 386, accepted, in Oregon (explicit).

Synonyms:

Carex foetida All.

FN - 23:311, excluded, not in Oregon, a European species; FPN - 588, accepted, in Oregon (explicit); IN - 6:145, accepted, in Oregon (explicit); VP - 1:267, accepted, in Oregon (explicit).

Carex foetida All. var. vernacula (L.H. Bailey) Kük.

FN - 23:311, synonym for Carex vernacula, in Oregon; FPN - 588, accepted, in Oregon (explicit); GWM - 48, accepted, in Oregon (explicit).

Carex vesicaria L.

Common names: inflated sedge, blister sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:506, accepted, in Oregon; FOO - 1:233, accepted, in Oregon (explicit); IL - 1:342, accepted, in Oregon (implied); JPM2 - 1338, accepted, in Oregon (implied); PEK - 188, accepted, in Oregon (explicit); Wilson et al., 2008 - 388, accepted, in Oregon (explicit).

Synonyms:

Carex vesicaria L. var. vesicaria

FPN - 581, accepted, in Oregon (implied); JPM - 1138, accepted, in Oregon (implied).

Carex viridula Michx.

FN - 23:526, accepted, in Oregon; FPN - 583, synonym for Carex oederi, in Oregon (implied); IL - 1:341, accepted, in Oregon (implied); PEK - 178, accepted, in Oregon (explicit).

Carex viridula Michx. ssp. viridula

Common names: little green sedge, green sedge

Origin: native Voucher: OSU, most recently collected in 2006.

FOO - 1:233, accepted, in Oregon (explicit); FPN2 - 729, accepted, in Oregon (implied), ; JPM2 - 1338, accepted, in Oregon (implied); KZ - 1:238, accepted; Wilson et al., 2008 - 390, accepted, in Oregon (explicit).

Synonyms:

Carex oederi Retz.

FN - 23:526, synonym for Carex viridula var. viridula, in Oregon, Ehrh.1791, not Retz. 1779; FPN - 583, accepted, in Oregon (implied); IN - 6:128, accepted, in Oregon (implied); VP - 1:303, accepted, in Oregon (implied).

Carex oederi Retz. var. viridula (Michx.) Kük.

FN - 23:526, synonym for Carex viridula var. viridula, in Oregon; FPN - 583, accepted, in Oregon (implied); VP - 1:303, accepted.

Carex viridula Michx. var. viridula

FN - 23:526, accepted, in Oregon (explicit); JPM - 1138, accepted, in Oregon (implied).

Carex vulpinoidea Michx.

Common names: fox sedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:283, accepted, in Oregon; FOO - 1:233, accepted, in Oregon (explicit); FPN - 590, accepted, in Oregon (explicit); FPN2 - 740, accepted, in Oregon (explicit), ; IL - 1:296, accepted, in Oregon (explicit); IN - 6:152, accepted, in Oregon (explicit); JPM - 1138, accepted, in Oregon (implied); JPM2 - 1338, accepted, in Oregon (explicit); PEK - 162, accepted, in Oregon (explicit); Simpson, 2000 - ; Simpson, 2001 A - ; VP - 1:345, accepted, in Oregon (explicit); Wilson et al., 2008 - 392, accepted, in Oregon (explicit).

Carex whitneyi Olney

Common names: Whitney's sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:485, accepted, in Oregon; FOO - 1:233, accepted, in Oregon (explicit); FPN2 - 724, accepted, in Oregon (explicit); JPM - 1:324, accepted, in Oregon (explicit); JPM - 1138, accepted, in Oregon (explicit); JPM2 - 1338, accepted, in Oregon (explicit); PEK - 177, accepted, in Oregon (explicit); Wilson et al., 2008 - 394, accepted, in Oregon (explicit).

Carex zikae Roalson & Waterway

Common names: short-stemmed sedge

Origin: native Voucher: OSU, most recently collected in 2010.

FPN2 - 725, accepted, in Oregon (implied), .

Synonyms:

Carex brevicaulis Mack.

illegitimate name

FN - 23:538, accepted, in Oregon; FOO - 1:192, accepted, in Oregon (explicit); FPN - 582, accepted, in Oregon (implied); IL - 1:320, accepted, in Oregon (explicit); JPM - 1122, accepted, in Oregon (implied); JPM2 - 1322, accepted, in Oregon (implied); PEK - 174, accepted, in Oregon (explicit); VP - 1:248, accepted, in Oregon (implied); Wilson et al., 2008 - 110, accepted, in Oregon (explicit).

Literature cited for Carex

(Excluding the standard references unless specifically cited in the flora manuscript.)

Boivin, B. 1979. Flora of the Prairie Provinces, Part IV. Phytologia 43:1-106; 223-251.

Calder, J.A. and R.L. Taylor. 1965. New taxa and nomenclatural changes with respect to the flora of the Queen Charlotte Islands, British Columbia. Canadian Journal of Botany 43:1387-1400.

Calder, J.A. and R.L. Taylor. 1968. Monograph No. 4: Flora of the Queen Charlotte Islands, Part 1: Systematics of the Vascular Plants. The Queen's Printer, Ottawa, Ontario, Canada.

Chambers, K.L. 2006B. Is there a visitor from Chile in our Plectritis flora? Oregon Flora Newsletter 12(3):11-12.

Christy, J.A. 1991. Noteworthy collections - Oregon. Madroño 38(3):204.

Dorn, R.D. 1988. Vascular Plants of Wyoming. Mountain West Publishing, Cheyenne.

Dunlop, D. 1997. Taxonomic changes in Carex (section Scirpinae, Cyperaceae). Novon 7:355-356.

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Hermann, F.J. 1970. Manual of the Carices of the Rocky Mountains and Colorado Basin, Agriculture Handbook No. 374. Forest Service, United States Department of Agriculture, Washington, DC, U.S.A.

Hermann, F.J. 1974. Manual of the genus Carex in Mexico and Central America. Handbook #467. U.S. Department of Agriculture, Washington, DC.

Hipp, A.L., P.E. Rothrock, A.A. Reznicek, and P.E. Berry. 2007. Chromosome number changes associated with speciation in sedges: a phylogenetic study in Carex section Ovales (Cyperaceae) using AFLP data. Aliso 23:193-203.

Jermy, A.C., D. Simpson, M. Foley, and M. Porter. 2007. Sedges of the British Isles. B.S.B.I. Handbook No. 1. 3rd ed. Botanical Society of the British Isles, London, England.

Jiménez-Mejías, P. et al. 2017. Typification of 18th Century names in Carex sect. Rhynchocystis (Cyperaceae): Carex pendula and allies Taxon 66(4):973-975.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kuykendall, K., B.L. Wilson, and P.F. Zika. 1997. Following Carex globosa into and out of the flora of Oregon. In: Conservation and Management of Native Plants and Fungi. Kaye, T.N., A. Liston, R.M. Love, D.L. Luoma, R.J. Meinke and M.V. Wilson, Eds. Nati

Mackenzie, K.K. 1922. A monograph of the California species of the genus Carex. Erythaea 8:7-95.

Naczi, R.F., C.T. Bryson, and T.S. Cochrane. 2002. Seven new species and one new combination in Carex (Cyperaceae) from North America. Novon 12(4):508-532.

Presl, K.B. 1828. Reliquiae Haenkeanae. 1973 reprint edition. A. Asher & Co. B.V., Amsterdam.

Reznicek, A.A. 1993. Carex pumila (Cyperaceae) in North America. Castanea 58:220-224.

Reznicek, A.A. and P.W. Ball. 1980. The taxonomy of Carex section Stellulatae in North America North of Mexico. Contributions from the University of Michigan Herbarium 14:153-203.

Saarela, J.M. and B.A. Ford. 2001. Taxonomy of the Carex backii complex (section Phyllostachyae, Cyperaceae). Systematic Botany 26(4):704-721.

Standley, L.A. 1985. Systematics of the Acutae group of Carex (Cyperaceae) in the Pacific Northwest. Systematic Botany Monographs 7:1-106.

Voss, E.G. 1972. Michigan Flora, 3 volumes. Cranbrook Institute of Science, Bloomfield Hills.

Whitkus, R. and J.G. Packer. 1984. A contribution to the taxonomy of the Carex macloviana aggregate (Cyperaceae) in western Canada and Alaska. Canadian Journal of Botany 62:1592-1607.

Wiegand, K.M. 1922. Carex laxiflora and its relatives. Rhodora 24:189-201.

Wilson, B.L, R.E. Brainerd, L.P. Janeway, K. Kuykendall, D. Lytjen, B. Newhouse, N. Otting, S. Meyers, and P. Zika. 2007. Description of Carex klamathensis (Cyperaceae), a rare sedge of the Klamath Region of Oregon and California, U.S.A. Journal of the Bo

Wilson, B.L., R. Brainerd, D. Lytjen, B. Newhouse, and N. Otting. 2008. Field Guide to the Sedges of the Pacific Northwest. Oregon State University Press, Corvallis, OR.

Zika, P., K. Kuykendall, and B.L. Wilson. 1999. Carex serpenticola (Cyperaceae), a new species from the Klamath mountains of Oregon and California. Madroño 45(3):261-269.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Zika, P.F. 2003C. Noteworthy collections. Madroño 50(4):313-314.

Zika, P.F. and B.L. Wilson. 1998. Noteworthy collections, Oregon. Carex crawfordii (Cyperaceae). Madroño 45:86-87.

Zika, P.F. and E.R. Alverson. 1993. Noteworthy collections from Oregon. Madroño 40(3):181-184.

Zika, P.F. and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Cyperus

Checklist contributor: Peter Zika, 10/1/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Cyperus acuminatus Torr. & Hook.

Common names: short flatsedge, sharp-pointed flatsedge

Origin: native Voucher: OSU, most recently collected in 1992.

FN - 23:152, accepted, in Oregon; FOO - 1:234, accepted, in Oregon (explicit); FPN - 596, accepted, given distribution: ND to GA, w to Pac; FPN2 - 749, accepted, in Oregon (implied), ; IL - 1:258, accepted, in Oregon (implied); IN - 6:94, accepted, in Oregon (implied); JPM - 1139, accepted, in Oregon (implied); JPM2 - 1340, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit); Simpson, 2001A - ; VP - 1:346, accepted, in Oregon (implied).

Cyperus aggregatus (Willd.) Endl.

Common names: ballast sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1916.

FN - 23:188, accepted, in Oregon; FPN2 - 748, accepted, in Oregon (explicit), in genus desc..

Cyperus bipartitus Torr.

Common names: shining flatsedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:161, accepted, in Oregon; FOO - 1:235, accepted, in Oregon (explicit); FPN2 - 749, accepted, in Oregon (implied), ; JPM - 1139, accepted, in Oregon (implied); JPM2 - 1340, accepted, in Oregon (implied).

Synonyms:

Cyperus niger Ru'iz & Pav. var. rivularis (Kunth) V.E. Grant

FN - 23:160, accepted, not in Oregon; IN - 6:94, accepted.

Cyperus rivularis Kunth

FN - 23:161, synonym for Cyperus bipartitus, in Oregon; FPN - 596, accepted, in Oregon (implied); IL - 1:256, accepted, in Oregon (implied); IN - 6:94, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit); VP - 1:347, accepted, in Oregon (implied).

Cyperus difformis L.

Common names: Asian flatsedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FN - 23:156, accepted, in Oregon; FOO - 1:235, accepted, in Oregon (explicit); FPN2 - 749, accepted, in Oregon (explicit), ; JPM - 1139, accepted, not in Oregon; JPM2 - 1340, accepted, in Oregon (explicit).

Cyperus eragrostis Lam.

Common names: tall flatsedge

Origin: native? Voucher: OSU, most recently collected in 2018.

FN - 23:154, accepted, in Oregon; FOO - 1:235, accepted, in Oregon (explicit); FPN2 - 748, accepted, in Oregon (implied), ; JPM - 1139, accepted, in Oregon (explicit); JPM2 - 1340, accepted, in Oregon (implied); PEK - 142, accepted, in Oregon (explicit).

Cyperus erythrorhizos Muhl.

Common names: red-rooted flatsedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:172, accepted, in Oregon; FOO - 1:235, accepted, in Oregon (explicit); FPN - 596, accepted, in Oregon (implied); FPN2 - 749, accepted, in Oregon (implied), ; IL - 1:260, matched with Cyperus erythrorrhizos (minor spelling difference), accepted, in Oregon (implied); IN - 6:90, accepted, in Oregon (implied); JPM - 1139, accepted, in Oregon (implied); JPM2 - 1340, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit); VP - 1:347, accepted, in Oregon (implied).

Cyperus esculentus L.

FN - 23:168, accepted, in Oregon; FPN - 596, accepted, in Oregon (implied); IL - 1:259, accepted, in Oregon (implied); IN - 6:90, accepted, in Oregon (implied); JPM - 1139, accepted, in Oregon (implied); PEK - 142, accepted, in Oregon (explicit); Schippers et al., 1995 - ; VP - 1:347, accepted, in Oregon (implied).

Cyperus esculentus L. var. leptostachyus Boeck.

Common names: yellow nutsedge, yellow nutgrass

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FN - 23:169, accepted, in Oregon; FOO - 1:235, accepted, in Oregon (explicit); FPN2 - 748, accepted, in Oregon (explicit), ; JPM2 - 1342, accepted, not in Oregon.

Cyperus fuscus L.

Common names: brown flatsedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2019.

FPN2 - 749, accepted, in Oregon (explicit), ; Legler & Giblin, 2017 - , in Oregon (explicit).

Cyperus niger Ruíz & Pav.

Common names: black flatsedge

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FOO - 1:236, accepted, in Oregon (explicit); FPN2 - 748, accepted, in Oregon (implied), in genus desc.; JPM - 1139, accepted, not in Oregon; JPM2 - 1342, accepted, not in Oregon.

Synonyms:

Cyperus melanostachys Kunth

IL - 1:256, accepted, not in Oregon; PEK - 141, accepted, in Oregon (explicit).

Cyperus odoratus L.

Common names: scented sedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1915.

FN - 23:191, accepted, in Oregon; FPN2 - 749, accepted, in Oregon (explicit), ; JPM - 1139, accepted, not in Oregon; JPM2 - 1342, accepted, in Oregon (implied).

Synonyms:

Cyperus ferax Rich.

FN - 23:191, synonym for Cyperus odoratus, in Oregon; IL - 1:261, accepted, not in Oregon.

Cyperus schweinitzii Torr.

Common names: Schweinitz's flatsedge

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2006.

FN - 23:174, accepted, not in Oregon, introduced, but not naturalized in Wash. & Mass.; FOO - 1:236, accepted, in Oregon (explicit); FPN - 596, accepted, no geog. info. given; FPN2 - 749, accepted, not in Oregon, ; IN - 6:90, accepted, not in Oregon; VP - 1:349, accepted, not in Oregon.

Misapplied names:

Cyperus bushii Britton

FN - 23:176, synonym for Cyperus lupulinus ssp. lupulinus, in Oregon; IL - 1:258, accepted, in Oregon (explicit); PEK - 142, accepted, in Oregon (explicit).

Cyperus lupulinus (Spreng.) Marcks

FN - 23:176, accepted, in Oregon, check spelling & abbrev. of Marcks.

Cyperus lupulinus (Spreng.) Marcks ssp. lupulinus

FN - 23:176, accepted, in Oregon, check spelling & abbrev. of Marcks; FPN2 - 749, accepted, not in Oregon, .

Cyperus lupulinus (Spreng.) Marcks ssp. macilentus (Fernald) Marcks

FN - 23:176, accepted, not in Oregon, Check authorities; PEK - 142, accepted, in Oregon (explicit).

Cyperus × mesochorus Geise

Cyperus squarrosus L.

Common names: awned flatsedge

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:165, accepted, in Oregon; FOO - 1:237, accepted, in Oregon (explicit); FPN2 - 749, accepted, in Oregon (implied), ; JPM - 1140, accepted, in Oregon (implied); JPM2 - 1342, accepted, in Oregon (implied).

Synonyms:

Cyperus aristatus Rottb.

FN - 23:165, synonym for Cyperus squarrosus, in Oregon; FPN - 596, accepted, in Oregon (implied); IN - 6:93, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit); VP - 1:346, accepted, in Oregon (implied).

Cyperus inflexus Muhl.

FN - 23:165, synonym for Cyperus squarrosus, in Oregon; FPN - 596, synonym for Cyperus aristatus, in Oregon (implied); IL - 1:257, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit).

Cyperus strigosus L.

Common names: false nutsedge

Origin: native Voucher: OSU, most recently collected in 2020.

FN - 23:184, accepted, in Oregon; FOO - 1:237, accepted, in Oregon (explicit); FPN - 596, accepted, in Oregon (implied); FPN2 - 748, accepted, in Oregon (implied), ; IL - 1:260, accepted, in Oregon (explicit); IN - 6:90, accepted, in Oregon (implied); JPM - 1140, accepted, in Oregon (implied); JPM2 - 1342, accepted, in Oregon (implied); PEK - 141, accepted, in Oregon (explicit); VP - 1:349, accepted, in Oregon (explicit).

Literature cited for Cyperus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Kral, R. 1971. A treatment of Abildgaardia, Bulbostylis, and Fimbristylis (Cyperaceae) for North America. Sida 4:57-227.

Legler, B. and D. Giblin. 2017. Noteworthy collections. Madroño 64(1):5.

Schippers, P., S.J. Ter Borg, and J.J. Bos. 1995. A revision of the infraspecific taxonomy of Cyperus esculentus (yellow nutsedge) with an experimentally evaluated character set. Systematic Botany 20:461-484.

Tucker, G.C. 1983. The taxonomy of Cyperus (Cyperaceae) in Costa Rica and Panama. Systematic Botany Monographs 2:1-85.

Tucker, G.C. 1984. A revision of the genus Kyllinga Rottb. (Cyperaceae) in Mexico and Central America. Rhodora 86:507-538.

Dulichium

Checklist contributor: Peter Zika, 5/11/1995

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Dulichium arundinaceum (L.) Britton

FN - 23:198, accepted, in Oregon, FNA recognizes var. arundinaceum; FPN - 597, accepted, in Oregon (implied); FPN2 - 749, accepted, in Oregon (implied), ; GWM - 56, accepted, in Oregon (explicit); IL - 1:278, accepted, in Oregon (explicit); JPM - 1140, accepted, in Oregon (implied); PEK - 150, accepted, in Oregon (explicit); VP - 1:349, accepted, in Oregon (implied).

Dulichium arundinaceum (L.) Britton var. arundinaceum

Common names: three-way sedge

Origin: native Voucher: FSUMT, most recently collected in 2000.

FN - 23:198, accepted; FOO - 1:237, accepted, in Oregon (explicit); JPM2 - 1342, accepted, in Oregon (implied).

Eleocharis

Checklist contributor: Peter Zika, 10/1/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Eleocharis acicularis (L.) Roem. & Schult.

Common names: needle spikerush

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:108, accepted, in Oregon; FOO - 1:240, accepted, in Oregon (explicit); FPN - 597, accepted, in Oregon (implied); FPN2 - 750, accepted, in Oregon (implied), ; GWM - 56, accepted, in Oregon (explicit); IL - 1:264, accepted, in Oregon (implied); IN - 6:83, accepted, in Oregon (implied); JPM - 1140, accepted, in Oregon (implied); VP - 1:353, accepted, in Oregon (implied).

Synonyms

Eleocharis acicularis (L.) Roem. & Schult. var. acicularis

FN - 23:108, excluded, in Oregon, FNA doesn't accept var.; JPM - 1142, accepted, not in Oregon; JPM2 - 1344, accepted, in Oregon (implied).

Eleocharis acicularis (L.) Roem. & Schult. var. occidentalis Svenson

FN - 23:108, synonym for Eleocharis acicularis, in Oregon; FPN - 597, synonym for Eleocharis acicularis, in Oregon (implied); JPM2 - 1344, accepted, in Oregon (implied); PEK - 143, accepted, in Oregon (explicit).

Eleocharis bella (Piper) Svenson

Common names: delicate spikerush, pretty spikerush

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:110, accepted; FOO - 1:240, accepted, in Oregon (explicit); FPN - 598, accepted, in Oregon (implied); FPN2 - 750, accepted, in Oregon (implied); JPM2 - 1344, accepted, in Oregon (implied); PEK - 143, accepted, in Oregon (explicit); VP - 1:353, accepted, in Oregon (implied).

Synonyms:

Eleocharis acicularis (L.) Roem. & Schult. var. bella Piper

FN - 23:110, synonym for Eleocharis bella, in Oregon; FPN - 598, synonym for Eleocharis bella, in Oregon (implied); IL - 1:264, (subtaxon implied), synonym for Eleocharis acicularis, in Oregon (implied); IN - 6:84, synonym for Eleocharis bella, in Oregon (implied); JPM - 1142, accepted, in Oregon (implied); VP - 1:353, synonym for Eleocharis bella, in Oregon (implied).

Eleocharis bolanderi A. Gray

Common names: Bolander's spikerush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:82, accepted, in Oregon; FOO - 1:240, accepted, in Oregon (explicit); FPN - 598, accepted, in Oregon (explicit); FPN2 - 751, accepted, in Oregon (implied), ; IL - 1:265, accepted, not in Oregon; IN - 6:85, accepted, in Oregon (explicit); JPM - 1142, accepted, not in Oregon; JPM2 - 1344, accepted, in Oregon (explicit); PEK - 144, accepted, in Oregon (explicit); VP - 1:355, accepted, in Oregon (explicit).

Eleocharis coloradoensis (Britton) Gilly

Common names: dwarf spikerush

Origin: native

FN - 23:106, accepted, in Oregon; FPN2 - 750, accepted, in Oregon (explicit), ; JPM2 - 1344, accepted, in Oregon (explicit).

Synonyms

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Nees & Schauer

in part

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Nees & Schauer var. anachaeta (Torr.)

Svenson

FN - 23:107, synonym for Eleocharis coloradoensis, in Oregon; FPN - 597, accepted, not in Oregon; IN - 6:82, accepted;

PEK - 143, accepted, in Oregon (explicit).

Eleocharis decumbens C.B. Clarke

Common names: decumbent spikerush

Origin: native Voucher: OSU, most recently collected in 1982.

FN - 23:082, accepted, in Oregon, Jackson & Klamath Cos.; FOO - 1:240, accepted, in Oregon (explicit); IL - 1:265, accepted, not in

Oregon; JPM2 - 1344, accepted, in Oregon (explicit).

Eleocharis engelmannii Steud.

Common names: Engelmann's spikerush

Origin: native Voucher: OSU, most recently collected in 1997.

FN - 23:104, accepted, in Oregon; FOO - 1:241, accepted, in Oregon (explicit); FPN2 - 751, accepted, in Oregon (implied), ; IL - 1:263,

matched with E. engelmanni (minor spelling difference), accepted, in Oregon (implied).

Synonyms:

Eleocharis engelmannii Steud. var. engelmannii

JPM2 - 1345, accepted, in Oregon (implied).

Eleocharis engelmannii Steud. var. monticola (Fernald) Svenson

FN - 23:104, synonym for Eleocharis engelmannii, in Oregon; PEK - 143, accepted, in Oregon (explicit).

Eleocharis obtusa (Willd.) Schult. var. engelmannii (Steud.) Gilly

FN - 23:104, excluded, in Oregon; IN - 6:86, synonym for Eleocharis ovata, in Oregon (implied); JPM - 1142, accepted, in Oregon (implied); VP - 1:355, synonym for Eleocharis ovata, in Oregon (implied).

Eleocharis erythropoda Steud.

Common names: bald spikerush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:75, accepted, in Oregon; FOO - 1:241, accepted, in Oregon (explicit); FPN2 - 752, accepted, in Oregon (explicit), .

Eleocharis macrostachya Britton

sensu stricto

Common names: confusing spikerush, pale spikerush

Origin: native Voucher: OSU, most recently collected in 2016.

FOO - 1:241, accepted, in Oregon (explicit).

Eleocharis obtusa (Willd.) Schult.

Common names: blunt spikerush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:105, accepted, in Oregon; FOO - 1:241, accepted, in Oregon (explicit); FPN - 598, synonym for Eleocharis ovata, in Oregon (implied); FPN2 - 751, accepted, in Oregon (implied), ; IL - 1:263, accepted, in Oregon (explicit); JPM - 1142, accepted, in Oregon (implied); JPM2 - 1345, accepted, in Oregon (implied); PEK - 144, accepted, (bare).

Synonyms:

Eleocharis obtusa (Willd.) Schult. var. gigantea (C.B. Clarke) Fernald

FN - 23:105, synonym for Eleocharis obtusa, in Oregon; PEK - 144, accepted, in Oregon (explicit).

Eleocharis obtusa (Willd.) Schult. var. obtusa

JPM - 1142, accepted, in Oregon (implied); Larson & Catling, 1996 - ; PEK - 144, (subtaxon implied), accepted, in Oregon (explicit).

Eleocharis ovata (Roth) Roem. & Schult.

in part

Eleocharis ovata (Roth) Roem. & Schult.

sensu stricto

Common names: ovoid spikerush

Origin: native? Voucher: OSU, most recently collected in 2012.

FN - 23:103, accepted, in Oregon (explicit); FOO - 1:242, accepted, in Oregon (explicit); PEK - 144, accepted, in Oregon (explicit).

Eleocharis palustris (L.) Roem. & Schult.

Common names: common spikerush, creeping spikerush, marsh spikerush

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:72, accepted, in Oregon; FOO - 1:242, accepted, in Oregon (explicit); FPN - 598, accepted, in Oregon (implied); FPN2 - 752, accepted, in Oregon (implied), ; GWM - 56, accepted, in Oregon (explicit); IL - 1:263, accepted, in Oregon (implied); IN - 6:86, accepted, in Oregon (implied); JPM2 - 1345, accepted, in Oregon (implied); VP - 1:356, accepted, in Oregon (implied).

Synonyms:

Eleocharis macrostachya Britton

in part

Eleocharis palustris (L.) Roem. & Schult. var. major Sond.

PEK - 145, accepted, in Oregon (explicit).

Eleocharis palustris (L.) Roem. & Schult. var. palustris

PEK - 145, (subtaxon implied), accepted, in Oregon (explicit).

Misapplied names:

Eleocharis mamillata H. Lindb.

FN - 23:074, accepted, not in Oregon, FNA accepts ssp. mamillata; PEK - 145, accepted, in Oregon (explicit).

Eleocharis uniglumis (Link) Schult.

FN - 23:076, accepted, not in Oregon; FPN - 598, synonym for Eleocharis palustris, in Oregon (implied); FPN2 - 752, accepted, given distribution: circumboreal, s to BC, Alta, reportedly Grant Co, WA, and scattered s to NV, NM, NC,; PEK - 145, accepted, in Oregon (explicit).

Eleocharis parishii Britton

Common names: Parish's spikerush

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 23:80, accepted, in Oregon; FOO - 1:242, accepted, in Oregon (explicit); IL - 1:265, accepted, not in Oregon; IN - 6:85, accepted, in Oregon (explicit); JPM - 1142, accepted, in Oregon (explicit); JPM2 - 1345, accepted, in Oregon (explicit); PEK - 144, accepted, in Oregon (explicit).

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Nees & Schauer

sensu stricto

Common names: small spikerush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:107, accepted, in Oregon; FOO - 1:242, accepted, in Oregon (explicit); JPM2 - 1345, accepted, in Oregon (implied).

Synonyms:

Eleocharis parvula (Roem. & Schult.) Link ex Bluff, Nees & Schauer var. parvula

FPN - 597, accepted, in Oregon (implied).

Scirpus nanus Spreng.

IL - 1:270, accepted, in Oregon (implied).

Eleocharis quadrangulata (Michx.) Roem. & Schult.

Common names: square-stemmed spikerush, four-angled spikerush

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 1997.

FN - 23:120, accepted, in Oregon; FOO - 1:242, accepted, in Oregon (explicit); FPN2 - 750, accepted, in Oregon (explicit), ; JPM - 1142, accepted, not in Oregon; JPM2 - 1345, accepted, in Oregon (explicit).

Eleocharis quinqueflora (Hartmann) Sw.

Common names: few-flowered spikerush

Origin: native Voucher: OSU, most recently collected in 2008.

FN - 23:114, accepted, in Oregon; FOO - 1:243, accepted, in Oregon (explicit); JPM2 - 1346, accepted, in Oregon (implied).

Synonyms:

Eleocharis pauciflora (Lightf.) Link

FN - 23:114, synonym for Eleocharis quinqueflora, in Oregon; FPN - 597, accepted, in Oregon (implied); GWM - 58, accepted, in Oregon (explicit); IN - 6:82, accepted, in Oregon (implied); Schwarz, 1949 - ; VP - 1:357, accepted, in Oregon (implied).

Eleocharis pauciflora (Lightf.) Link var. pauciflora

PEK - 143, (subtaxon implied), accepted, in Oregon (explicit).

Eleocharis pauciflora (Lightf.) Link var. suksdorfiana (Beauverd) Svenson

FN - 23:115, synonym for Eleocharis suksdorfiana, in Oregon; FPN - 597, synonym for Eleocharis rostellata, in Oregon (implied); PEK - 143, accepted, in Oregon (explicit).

Scirpus pauciflorus Lightf.

FPN - 597, synonym for Eleocharis pauciflora, in Oregon (implied); IL - 1:271, accepted, in Oregon (implied).

Eleocharis rostellata (Torr.) Torr.

Common names: walking spikerush, walking sedge

Origin: native Voucher: OSU, most recently collected in 2017.

FN - 23:090, accepted, not in Oregon; FOO - 1:243, accepted, in Oregon (explicit); FPN - 597, accepted, in Oregon (implied); FPN2 - 750, accepted, in Oregon (implied), ; IL - 1:266, accepted, in Oregon (implied); IN - 6:83, accepted, in Oregon (implied); JPM - 1142, accepted, not in Oregon; JPM2 - 1346, accepted, in Oregon (implied); PEK - 143, accepted, in Oregon (explicit); VP - 1:357, accepted, in Oregon (implied).

Eleocharis suksdorfiana Beauverd

Common names: Suksdorf's spikerush

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 23:115, accepted, in Oregon; FOO - 1:244, accepted, in Oregon (explicit); FPN - 597, synonym for Eleocharis rostellata, in Oregon (implied); FPN2 - 750, accepted, in Oregon (implied), ; JPM2 - 1346, accepted, in Oregon (implied).

Misapplied names:

Eleocharis quinqueflora (Hartmann) Sw.

Literature cited for Eleocharis

(Excluding the standard references unless specifically cited in the flora manuscript.)

Larson, B.M.H. and P.M. Catling. 1996. The separation of Eleocharis obtusa and Eleocharis ovata (Cyperaceae) in eastern Canada. Canadian Journal of Botany 74:238-242.

Schwarz, O. 1949. Heleocharis. Mitteilungen Thüring Botanischen Gesellschaft 1:89.

Smith, S.G., J.J. Bruhl, M.S. Gonzalez-Elizondo, and F.J. Menapace. 2002. Eleocharis. In: Flora of North America, Volume 23. Oxford University Press, New York.

Svenson, H.K. 1957. Cyperaceae: Scirpeae. In: North American Flora. Volume 18(9). New York Botanical Garden, NY.

Eriophorum

Checklist contributor: Peter Zika, 10/1/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Eriophorum angustifolium Honck.

FN - 23:024, accepted, in Oregon, FNA recognized ssp. angustifolium; FPN - 599, synonym for Eriophorum polystachion, in Oregon (explicit); IL - 1:269, accepted, in Oregon (implied); PEK - 146, accepted, in Oregon (explicit).

Eriophorum angustifolium Honck. ssp. angustifolium

Common names: tall cottongrass, many-spike cottongrass

Origin: native Voucher: OSU, most recently collected in 2010.

FN - 23:24, accepted, in Oregon (explicit); FOO - 1:244, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (explicit), .

Synonyms:

Eriophorum polystachion L.

FN - 23:023, excluded, "rejected name" under E. angustifolium; FPN - 599, accepted, in Oregon (explicit); IN - 6:80, accepted, in Oregon (explicit); VP - 1:363, accepted, in Oregon (explicit).

Eriophorum chamissonis C.A. Mey.

Common names: russet cottongrass

Origin: native Voucher: OSU, most recently collected in 2016.

Cayouette, 2004 - ; FN - 23:25, accepted, in Oregon; FOO - 1:244, accepted, in Oregon (explicit); FPN - 599, accepted, in Oregon (explicit); FPN2 - 752, accepted, in Oregon (explicit), ; IL - 1:268, accepted, in Oregon (explicit); PEK - 146, accepted, in Oregon (explicit); VP - 1:361, accepted, in Oregon (explicit).

Eriophorum gracile W.D.J. Koch ex Roth

Common names: slender cottongrass

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:25, accepted, in Oregon; FOO - 1:245, accepted, in Oregon (explicit); FPN - 599, accepted, in Oregon (implied); FPN2 - 752, accepted, in Oregon (implied), ; GWM - 58, accepted, in Oregon (explicit); IL - 1:269, accepted, in Oregon (implied); JPM - 1143, accepted, in Oregon (implied); JPM2 - 1346, accepted, not in Oregon; PEK - 146, accepted, in Oregon (explicit); VP - 1:363, accepted, in Oregon (implied).

Literature cited for Eriophorum

(Excluding the standard references unless specifically cited in the flora manuscript.)

Ball, P.W. and D.E. Wujek. 2002. Eriophorum. In: Flora of North America North of Mexico, Volume 23. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Cayouette, J. 2004. A taxonomic review of the Eriophorum russeolum -- E. scheuchzeri complex (Cyperaceae) in North America. Sida 21:791-814.

Isolepis

Checklist contributor: Peter Zika, 3/7/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Isolepis cernua (Vahl) Roem. & Schult.

Common names: low clubrush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:139, accepted; FOO - 1:246, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (implied), ; JPM2 - 1348, accepted, in Oregon (implied).

Synonyms:

Scirpus cernuus Vahl

FN - 23:139, synonym for Isolepis cernua, in Oregon; FPN - 600, accepted, in Oregon (implied); IL - 1:271, accepted, in Oregon (implied); JPM - 1147, accepted, in Oregon (implied); PEK - 147, accepted, in Oregon (explicit); VP - 1:373, accepted, in Oregon (implied).

Isolepis setacea (L.) R. Br.

Common names: fiber-optic plant, Eurasian bulrush

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FN - 23:139, accepted; FOO - 1:246, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (implied), ; JPM2 - 1348, accepted, in Oregon (implied).

Synonyms:

Scirpus setaceous L.

orthographic variant

JPM - 1148, accepted, in Oregon (implied).

Scirpus setaceus L.

FN - 23:140, synonym for Isolepis setacea, in Oregon; PEK - 147, accepted, in Oregon (explicit).

Kobresia

Checklist contributor: Peter Zika, 11/20/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Kobresia myosuroides (Vill.) Fiori

Common names: Bellard's bog sedge

Origin: native Voucher: OSU, most recently collected in 2005.

FN - 23:253, accepted; FOO - 1:246, accepted, in Oregon (explicit); FPN - 600, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (explicit), ; JPM2 - 1348, accepted, not in Oregon.

Synonyms:

Elyna bellardii (All.) Hartm.

PEK - 151, accepted, in Oregon (explicit).

Kobresia bellardi (All.) Degl.

orthographic variant

IL - 1:281, accepted; Loiseleur-Deslongchamps, 1807 - 626,.

Kobresia bellardii (All.) Degl.

FN - 23:253, synonym for Kobresia myosuroides, in Oregon; FPN - 600, synonym for Kobresia myosuroides, in Oregon (explicit); GWM - 58, accepted, in Oregon (explicit); IN - 6:95, accepted, in Oregon (explicit); JPM - 1143, accepted, in Oregon (implied); VP - 1:367, accepted, in Oregon (explicit).

Kobresia simpliciuscula (Wahlenb.) Mack.

Common names: simple bog sedge

Origin: native Voucher: OSU, most recently collected in 1992.

FN - 23:252, accepted, in Oregon; FOO - 1:246, accepted, in Oregon (explicit); FPN - 600, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (explicit), ; GWM - 59, accepted, in Oregon (explicit); PEK - 151, accepted, in Oregon (explicit); VP - 1:367, accepted, in Oregon (explicit).

Literature cited for Kobresia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Loiseleur-Deslongchamps, J. 1807. Flora Gallica. Volume 2. Paris, France.

Lipocarpha

Checklist contributor: Peter Zika, 11/30/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Lipocarpha aristulata (Coville) G.C. Tucker

Common names: awned lipocarpha

Origin: native Voucher: OSU, most recently collected in 1944.

Coville, 1894 - ; FN - 23:196, accepted, in Oregon; FOO - 1:247, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (explicit); ; JPM - 1144, accepted, in Oregon (implied); JPM2 - 1349, accepted, in Oregon (implied).

Synonyms:

Hemicarpha aristulata (Coville) Smyth

FN - 23:196, synonym for Lipocarpha aristulata, in Oregon; FPN - 599, synonym for Hemicarpha micrantha, in Oregon (implied); IL - 1:279, accepted, in Oregon (implied); PEK - 150, accepted, in Oregon (explicit).

Hemicarpha micrantha (Vahl) Britton var. aristulata Coville

FN - 23:196, synonym for Lipocarpha aristulata, in Oregon; VP - 1:365, accepted.

Lipocarpha micrantha (Vahl) G.C. Tucker

Common names: small-flowered lipocarpha

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:197, accepted, not in Oregon; FOO - 1:247, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (implied), ; JPM - 1144, accepted, given distribution: NCoRO, SNF, GV; US, s Can, trop Am; JPM2 - 1349, accepted, in Oregon (implied).

Synonyms:

Hemicarpha micrantha (Vahl) Britton

FN - 23:197, synonym for Lipocarpha micrantha, not in Oregon; FPN - 599, accepted, in Oregon (implied); IL - 1:278, accepted, in Oregon (implied); IN - 6:81, accepted, not in Oregon; PEK - 150, accepted, in Oregon (explicit); VP - 1:365, accepted, not in Oregon.

Lipocarpha occidentalis (A. Gray) G.C. Tucker

Common names: western halfchaff sedge

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:197, accepted, in Oregon; FOO - 1:247, accepted, in Oregon (explicit); FPN2 - 753, accepted, in Oregon (explicit), ; JPM - 1144, accepted, in Oregon (implied); JPM2 - 1349, accepted, in Oregon (implied).

Synonyms:

Hemicarpha occidentalis A. Gray

FN - 23:197, synonym for Lipocarpha occidentalis, in Oregon; FPN - 599, accepted, not in Oregon; IL - 1:279, accepted, in Oregon (implied); PEK - 150, accepted, in Oregon (explicit); VP - 1:365, accepted, in Oregon (implied).

Literature cited for Lipocarpha

(Excluding the standard references unless specifically cited in the flora manuscript.)

Coville, F.V. 1894. The genus Hemicarpha in North America. Bulletin of the Torrey Botanical Club 21:34-37.

Friedland, S. 1941. The American species of Hemicarpha. American Journal of Botany 28:855-861.

Goetghebeur, P. and A. van den Borre. 1989. Studies in Cyperaceae 8. A revision of Lipocarpha, including Hemicarpha and Rikliella. Wageningen Agricultural University Papers 89-1:1-87.

Tucker, G.C. 1987. The genera of Cyperaceae in the southeastern United States. Journal of the Arnold Arboretum 68:361-445.

Rhynchospora

Checklist contributor: Peter Zika, 11/30/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Rhynchospora alba (L.) Vahl

Common names: white beakrush

Origin: native Voucher: OSU, most recently collected in 2016.

FN - 23:214, accepted, in Oregon; FOO - 1:248, accepted, in Oregon (explicit); FPN - 600, accepted, in Oregon (implied); FPN2 - 754, accepted, in Oregon (implied), ; IL - 1:280, accepted, in Oregon (implied); JPM - 1144, accepted, in Oregon (implied); JPM2 - 1349, accepted, in Oregon (implied); PEK - 151, accepted, in Oregon (explicit); VP - 1:369, accepted, in Oregon (implied).

Rhynchospora capitellata (Michx.) Vahl

Common names: brownish beakrush

Origin: native Voucher: OSU, most recently collected in 1997.

FN - 23:210, accepted, in Oregon; FOO - 1:248, accepted, in Oregon (explicit); IL - 1:280, accepted, in Oregon (explicit); JPM - 1144, accepted, not in Oregon; JPM2 - 1349, accepted, not in Oregon; PEK - 151, accepted, in Oregon (explicit).

Literature cited for Rhynchospora

(Excluding the standard references unless specifically cited in the flora manuscript.)

Gale, S. 1944. Rhynchospora, section Eurhynchospora, in Canada, the United States and the West Indies. Rhodora 46:89-134, 159-197, 207-249, 255-278.

Schoenoplectus

Checklist contributor: Peter Zika, 3/6/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Schoenoplectus acutus (Muhl. ex Bigelow) Á. Löve & D. Löve

FN - 23:48, accepted; FPN2 - 754, accepted, in Oregon (implied), .

Synonyms:

Scirpus acutus Muhl. ex J.M. Bigelow

FN - 23:048, synonym for Schoenoplectus acutus, in Oregon; FPN - 601, accepted, in Oregon (implied); IL - 1:274, accepted, in Oregon (implied); IN - 6:72, accepted, in Oregon (implied); PEK - 148, accepted, in Oregon (explicit); VP - 1:370, accepted, in Oregon (implied).

Schoenoplectus acutus (Muhl. ex Bigelow) Á. Löve & D. Löve var. occidentalis (S. Watson) S.G. Sm.

Common names: tule, hardstem bulrush

Origin: native Voucher: OSU, most recently collected in 2006.

FN - 23:49, accepted; FOO - 1:250, accepted, in Oregon (explicit); JPM2 - 1350, accepted, in Oregon (implied).

Synonyms:

Scirpus acutus Muhl. ex J.M. Bigelow var. occidentalis (S. Watson) Beetle

FN - 23:048, synonym for Schoenoplectus acutus var. occidentalis, in Oregon; FPN - 601, synonym for Scirpus acutus, in Oregon (implied); IN - 6:72, synonym for Scirpus acutus, in Oregon (implied); JPM - 1147, accepted, in Oregon (implied); VP - 1:370, synonym for Scirpus acutus, in Oregon (explicit).

Scirpus rubiginosus Beetle

FN - 23:049, synonym for Schoenoplectus acutus var. occidentalis, in Oregon; PEK - 148, accepted, in Oregon (explicit).

Schoenoplectus americanus (Pers.) Volkart ex Schinz & R. Keller

Common names: Olney's three-square bulrush, chairmaker's bulrush

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 23:52, accepted; FOO - 1:250, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (implied), ; JPM2 - 1350, accepted, in Oregon (implied).

Synonyms:

Scirpus americanus Pers.

FN - 23:052, synonym for Schoenoplectus americanus, in Oregon.

Scirpus chilensis Nees & Meyen ex Kunth

FPN - 601, synonym for Scirpus olneyi, given distribution: Grant Co. Wn to NS, s to S Am, misapplied; PEK - 147, accepted, in Oregon (explicit).

Scirpus olneyi A. Gray

FN - 23:052, synonym for Schoenoplectus americanus; FPN - 601, accepted, given distribution: Grant Co. Wn to NS, s to S Am; IL - 1:273, accepted, in Oregon (explicit); VP - 1:381, accepted, in Oregon (implied).

Schoenoplectus californicus (C.A. Mey.) Soják

Common names: California bulrush, tule

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2009.

FN - 23:50, accepted; FOO - 1:251, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (explicit), ; JPM2 - 1350, accepted, not in Oregon.

Synonyms:

Scirpus californicus (C.A. Mey.) Steud.

FN - 23:050, synonym for Schoenoplectus californicus, not in Oregon; IL - 1:274, accepted, not in Oregon; JPM - 1147, accepted, given distribution: NCo, GV, CCo, SnFrB, SCo, e D (Colorado River); to s US, S.Am, oceanic islands.

Schoenoplectus heterochaetus (Chase) Soják

Common names: pale great bulrush, slender bulrush

Origin: native Voucher: OSU, most recently collected in 1896.

FN - 23:49, accepted; FOO - 1:251, accepted, in Oregon (explicit); FPN2 - 754, accepted, in Oregon (implied), ; JPM2 - 1350, accepted, not in Oregon.

Synonyms:

Scirpus heterochaetus Chase

Chase, 1904 - ; FN - 23:049, synonym for Schoenoplectus heterochaetus, in Oregon; FPN - 601, accepted, in Oregon (explicit); IL - 1:274, accepted, in Oregon (explicit); JPM - 1147, accepted, in Oregon (explicit); PEK - 148, accepted, in Oregon (explicit); VP - 1:377, accepted, in Oregon (explicit).

Schoenoplectus × kuekenthalianus (Junge) D.H. Kent

Common names: Kuekenthal's bulrush

Origin: exotic, not naturalized

FPN2 - 755, accepted, in Oregon (explicit), .

Schoenoplectus mucronatus (L.) Palla

Common names: bog bulrush

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2003.

FOO - 1:251, accepted, in Oregon (explicit); FPN2 - 754, accepted, in Oregon (explicit), ; JPM2 - 1350, accepted, not in Oregon.

Schoenoplectus pungens (Vahl) Palla

Common names: common three-square, common three-square bulrush, western bulrush

Origin: native Voucher: OSU, most recently collected in 2019.

FN - 23:51, accepted, in Oregon; FOO - 1:251, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (implied), .

Synonyms:

Schoenoplectus pungens (Vahl) Palla var. badius (C. Presl) S.G. Sm.

FN - 23:51, accepted.

Schoenoplectus pungens (Vahl) Palla var. longispicatus (Britton) S.G. Sm.

FN - 23:51, accepted; JPM2 - 1352, accepted, not in Oregon.

Scirpus americanus Pers. var. monophyllos (J. Presl & C. Presl) T. Koyama

FN - 23:052, matched with S. americanus var. monophyllus (minor spelling difference), synonym for Schoenoplectus pungens var. badius, not in Oregon, misapplied; VP - 1:373, accepted.

Scirpus pungens Vahl

FN - 23:051, synonym for Schoenoplectus pungens, in Oregon; IN - 6:74, accepted, in Oregon (implied); JPM - 1148, accepted, in Oregon (implied); Schuyler, 1974 - .

Scirpus pungens Vahl var. longispicatus (Britton) Cronquist

IN - 6:74, accepted.

Misapplied names:

Scirpus americanus Pers.

FPN - 601, accepted, in Oregon (implied), [misapplied for S. pungens]; Schuyler, 1974 - ; VP - 1:371, accepted, in Oregon (implied), misapplied for S. pungens.

Schoenoplectus saximontanus (Fernald) J. Raynal

Common names: Rocky Mountain bulrush

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2017.

FPN2 - 754, accepted, not in Oregon, ; JPM2 - 1352, accepted, given distribution: SnJV, SCoRO, WTR, PR; to BC, OH, TX; Mex..

Schoenoplectus subterminalis (Torr.) Soják

Common names: water bulrush, water clubrush

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 23:54, accepted; FOO - 1:252, accepted, in Oregon (explicit); FPN2 - 754, accepted, in Oregon (implied), ; JPM2 - 1352, accepted, in Oregon (implied).

Synonyms:

Scirpus subterminalis Torr.

FN - 23:054, synonym for Schoenoplectus subterminalis, in Oregon; FPN - 601, accepted, in Oregon (explicit); IL -

1:272, accepted, not in Oregon; IN - 6:76, accepted, in Oregon (explicit); JPM - 1148, accepted, in Oregon (implied);

PEK - 147, accepted, in Oregon (explicit); VP - 1:383, accepted, in Oregon (explicit).

Schoenoplectus tabernaemontani (C.C. Gmel.) Palla

Common names: tule, soft-stem bulrush

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:47, accepted, in Oregon; FOO - 1:252, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (implied), ; JPM2 - 1352, accepted, given distribution: NW, n SNH, GV, SnFrB, SW, DSon; +- worldwide...

Synonyms:

Scirpus tabernaemontani C.C. Gmel.

FN - 23:047, synonym for Schoenoplectus tabernaemontani, in Oregon; IN - 6:74, synonym for Scirpus lacustris ssp. Glaucua, not in Oregon, Mentioned in passing in the notes for Scirpus acutus. Gbn; JPM - 1148, accepted, in Oregon (implied); VP - 1:371, synonym for Scirpus lacustris ssp. Glaucus, given distribution: ...Eurasian taxon of this commplex....

Scirpus validus Vahl

FN - 23:047, synonym for Schoenoplectus tabernaemontani, in Oregon; FPN - 602, accepted, in Oregon (implied); IL - 1:273, accepted, in Oregon (implied); IN - 6:74, accepted, in Oregon (implied); PEK - 148, accepted, (bare); VP - 1:383, accepted, in Oregon (implied).

Scirpus validus Vahl var. creber Fernald

FN - 23:047, synonym for Schoenoplectus tabernaemontani, in Oregon; PEK - 148, accepted, in Oregon (explicit).

Scirpus validus Vahl var. validus

IL - 1:273, accepted, implied in IL.

Schoenoplectus triqueter (L.) Palla

Common names: streambank bulrush, triangular clubrush

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2008.

FN - 23:50, accepted; FOO - 1:252, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (explicit), ; JPM2 - 1352, accepted, in Oregon (implied).

Literature cited for Schoenoplectus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chase, A. 1904. The North American allies of Scirpus lacustris. Rhodora 6(64):65-71.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Lightcap, B.W. and A.E. Schuyler. 1984. Scirpus triqueter established along tidal portions of the Columbia River. Bartonia 50:23-24.

Schuyler, A.E. 1974. Typification and application of the names Scirpus americanus Pers., S. olneyi Gray, and S. pungens Vahl. Rhodora 76:51-52.

Scirpus

Checklist contributor: Peter Zika, 12/24/1996

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Scirpus atrocinctus Fernald

Common names: blackgirdle bulrush

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1997.

FN - 23:19, accepted; FOO - 1:253, accepted, in Oregon (explicit); FPN - 602, synonym for Scirpus cyperinus, not in Oregon; FPN2 - 756, accepted, in Oregon (explicit), ; KZ - 1:247, accepted; VP - 1:377, synonym for Scirpus cyperinus.

Scirpus congdonii Britton

Common names: Congdon's bulrush

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 23:16, accepted, in Oregon; FOO - 1:253, accepted, in Oregon (explicit); FPN - 602, accepted, in Oregon (explicit); FPN2 - 756, accepted, in Oregon (explicit), ; IL - 1:276, matched with S. congdoni (minor spelling difference), accepted, not in Oregon; JPM - 1147, accepted, in Oregon (explicit); JPM2 - 1352, accepted, in Oregon (explicit); PEK - 149, accepted, in Oregon (explicit); VP - 1:375, accepted, in Oregon (explicit).

Scirpus cyperinus (L.) Kunth

Common names: woolgrass

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2008.

Dennis, 1965 -; FN - 23:20, accepted, in Oregon; FOO - 1:253, accepted, in Oregon (explicit); FPN - 602, accepted, not in Oregon; FPN2 - 756, accepted, in Oregon (implied), ; JPM2 - 1352, accepted, in Oregon (implied); VP - 1:375, accepted, not in Oregon.

Synonyms:

Scirpus cyperinus (L.) Kunth var. brachypodus (Fernald) Gilly

FN - 23:019, synonym for Scirpus atrocinctus, not in Oregon; FPN - 602, accepted, not in Oregon.

Misapplied names:

Scirpus pedicellatus Fernald

FN - 23:020, accepted, not in Oregon; KZ - 1:247, accepted.

Scirpus georgianus R.M. Harper

Common names: Georgia bulrush

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2017.

FOO - 1:253, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (explicit),

Scirpus microcarpus J. Presl & C. Presl

Common names: small-fruited bulrush

Origin: native Voucher: OSU, most recently collected in 2021.

FN - 23:18, accepted, in Oregon; FOO - 1:254, accepted, in Oregon (explicit); FPN - 602, accepted, in Oregon (implied); FPN2 - 755, accepted, in Oregon (implied), ; GWM - 59, accepted, in Oregon (explicit); IL - 1:276, accepted, in Oregon (implied); IN - 6:69, accepted, in Oregon (implied); JPM - 1147, accepted, in Oregon (implied); JPM2 - 1353, accepted, in Oregon (implied); Presl, 1828 - ; VP - 1:379, accepted, in Oregon (implied).

Synonyms

Scirpus microcarpus J. Presl & C. Presl var. longispicatus M. Peck

PEK - 149, accepted, in Oregon (explicit).

Scirpus microcarpus J. Presl & C. Presl var. microcarpus

PEK - 149, (subtaxon implied), accepted, in Oregon (explicit).

Scirpus pallidus (Britton) Fernald

Common names: pale bulrush

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 23:15, accepted, in Oregon; FOO - 1:254, accepted, in Oregon (explicit); FPN - 602, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (explicit), ; IL - 1:276, accepted, in Oregon (explicit); IN - 6:69, accepted, in Oregon (explicit); PEK - 149, accepted, in Oregon (explicit); VP - 1:381, accepted, in Oregon (explicit).

Scirpus pendulus Muhl.

Common names: drooping bulrush

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 23:12, accepted, in Oregon; FOO - 1:255, accepted, in Oregon (explicit); FPN2 - 755, accepted, in Oregon (explicit); JPM - 1148, accepted, in Oregon (explicit); JPM2 - 1353, accepted, in Oregon (explicit); Schuyler, 1967 - .

Misapplied names:

Scirpus lineatus Michx.

FN - 23:012, accepted, not in Oregon; IL - 1:277, accepted, in Oregon (explicit); PEK - 149, accepted, in Oregon (explicit).

Literature cited for Scirpus

(Excluding the standard references unless specifically cited in the flora manuscript.)

Dennis, L.R.J. 1965. A species of Scirpus new to Oregon. Leaflets of Western Botany 10:179-180.

Koyama, T. 1958. Taxonomic study of the genus Scirpus L. Journal of the Faculty of Science, University of Tokyo. Section III, Botany 7:271-366.

Presl, K.B. 1828. Reliquiae Haenkeanae. 1973 reprint edition. A. Asher & Co. B.V., Amsterdam.

Schuyler, A.E. 1967. A taxonomic revision of North American leafy species of Scirpus. Proceedings of the Academy of Natural Sciences of Philadelphia 119:295-323.

Schuyler, A.E. 1974. Typification and application of the names Scirpus americanus Pers., S. olneyi Gray, and S. pungens Vahl. Rhodora 76:51-52.

Tucker, G.C. 1987. The genera of Cyperaceae in the southeastern United States. Journal of the Arnold Arboretum 68:361-445.

Trichophorum

Checklist contributor: Peter Zika, 3/6/2006

Flora contributor: Barbara Wilson, Richard Brainerd, Nick Otting

Trichophorum cespitosum (L.) Hartman

Common names: tufted clubrush

Origin: native Voucher: OSU, most recently collected in 2000.

FN - 23:29, accepted; FOO - 1:255, accepted, in Oregon (explicit); FPN2 - 756, accepted, in Oregon (explicit), ; Hartman, 1849 - 259,.

Synonyms:

Scirpus caespitosus L.

orthographic variant

FN - 23:029, synonym for Trichophorum cespitosum, in Oregon; Hartman, 1849 - 259,; IL - 1:271, accepted, not in Oregon.

Scirpus cespitosus L.

FN - 23:029, synonym for Trichophorum cespitosum, in Oregon; FPN - 601, accepted, in Oregon (explicit); Hartman, 1849 - 259,; IN - 6:80, accepted, in Oregon (explicit); Linnaei, 1753 - ; VP - 1:375, accepted, in Oregon (explicit).

Literature cited for Trichophorum

(Excluding the standard references unless specifically cited in the flora manuscript.)

Hartman, C.J. 1849. Femte upplagan rattadoch forokad. In: Handbok i skandinaviens flora. Zacharias Haeggstrom, Stockholm, Sweden.

Linnaei, C. 1753. Species Plantarum. Volume 1. Impensis Laurentii Salvii, Holmiae, Sweden.

Excluded names:

Carex albonigra Mack.

FPN - 585, accepted, not in Oregon; FPN2 - 735, accepted, not in Oregon, ; IL - 1:331, accepted, in Oregon (implied); IN - 6:134, accepted, not in Oregon; JPM - 1121, accepted, in Oregon (implied); JPM2 - 1321, accepted, in Oregon (implied); VP - 1:237, accepted, not in Oregon; Wilson et al., 2008 - 76, accepted, not in Oregon.

Synonyms:

Carex albo-nigra Mack.

orthographic variant

PEK - 181, accepted, in Oregon (explicit).

Carex brunnescens (Pers.) Poir.

FPN - 591, accepted, in Oregon (explicit); GWM - 46, accepted, in Oregon (explicit); IL - 1:314, accepted, in Oregon (explicit); IN - 6:156, accepted, in Oregon (explicit); PEK - 164, accepted, in Oregon (explicit); VP - 1:249, accepted, in Oregon (explicit).

Carex brunnescens (Pers.) Poir. ssp. brunnescens

FN - 23:320, accepted, in Oregon; FPN2 - 741, accepted, not in Oregon, ; Wilson et al., 2008 - 116, accepted, not in Oregon.

Carex tenera Dewey

FPN - 595, accepted, not in Oregon; FPN2 - 746, accepted, not in Oregon, ; IL - 1:304, accepted, in Oregon (explicit); PEK - 171, accepted, in Oregon (explicit); VP - 1:337, accepted, not in Oregon.

Carex tenera Dewey var. tenera

FN - 23:371, accepted, in Oregon, C. straminea has been incorrectly applied at times; Wilson et al., 2008 - 372, accepted, not in Oregon.

Eleocharis acicularis (L.) Roem. & Schult. var. gracilescens Svenson

JPM2 - 1344, accepted, in Oregon (explicit).

Eleocharis atropurpurea (Retz.) J. Presl & K. Presl

FPN - 598, accepted, given distribution: sporadically in our range, as at Lake Chelan Wn and Lake Osoyoos, BC; FPN2 - 751, accepted, not in Oregon, ; IL - 1:262, accepted, not in Oregon; JPM - 1142, accepted, in Oregon (implied); JPM2 - 1344, accepted, in Oregon (implied); VP - 1:353, accepted, in Oregon (implied).

Literature cited for Cyperaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Ball, P.W. and D.E. Wujek. 2002. Eriophorum. In: Flora of North America North of Mexico, Volume 23. Flora of North America Editorial Committee, Eds. Oxford University Press, New York, NY.

Boivin, B. 1979. Flora of the Prairie Provinces, Part IV. Phytologia 43:1-106; 223-251.

Calder, J.A. and R.L. Taylor. 1965. New taxa and nomenclatural changes with respect to the flora of the Queen Charlotte Islands, British Columbia. Canadian Journal of Botany 43:1387-1400.

Calder, J.A. and R.L. Taylor. 1968. Monograph No. 4: Flora of the Queen Charlotte Islands, Part 1: Systematics of the Vascular Plants. The Queen's Printer, Ottawa, Ontario, Canada.

Cayouette, J. 2004. A taxonomic review of the Eriophorum russeolum -- E. scheuchzeri complex (Cyperaceae) in North America. Sida 21:791-814.

Chase, A. 1904. The North American allies of Scirpus lacustris. Rhodora 6(64):65-71.

Christy, J.A. 1991. Noteworthy collections - Oregon. Madroño 38(3):204.

Coville, F.V. 1894. The genus Hemicarpha in North America. Bulletin of the Torrey Botanical Club 21:34-37.

Dennis, L.R.J. 1965. A species of Scirpus new to Oregon. Leaflets of Western Botany 10:179-180.

Dorn, R.D. 1988. Vascular Plants of Wyoming. Mountain West Publishing, Cheyenne.

Dunlop, D. 1997. Taxonomic changes in Carex (section Scirpinae, Cyperaceae). Novon 7:355-356.

Friedland, S. 1941. The American species of Hemicarpha. American Journal of Botany 28:855-861.

Gale, S. 1944. Rhynchospora, section Eurhynchospora, in Canada, the United States and the West Indies. Rhodora 46:89-134, 159-197, 207-249, 255-278.

Gilmour, C.N., J.R. Starr, and R.F.C. Naczi. 2013. Calliscirpus, a new genus for two narrow endemics of the California Floristic Province, C. criniger and C. brachythrix sp. nov. (Cyperaceae). Kew Bulletin 68(1):1-21.

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd Ed. The New York Botanical Garden, NY.

Goetghebeur, P. and A. van den Borre. 1989. Studies in Cyperaceae 8. A revision of Lipocarpha, including Hemicarpha and Rikliella. Wageningen Agricultural University Papers 89-1:1-87.

Gray, A. 1876. Characters of new plants of California and elsewhere, principally of those collected by H. N. Bolander in the state geological survey. Proceedings of the American Academy of Arts and Sciences 7:327-401.

Hartman, C.J. 1849. Femte upplagan rattadoch forokad. In: Handbok i skandinaviens flora. Zacharias Haeggstrom, Stockholm, Sweden.

Hermann, F.J. 1970. Manual of the Carices of the Rocky Mountains and Colorado Basin, Agriculture Handbook No. 374. Forest Service, United States Department of Agriculture, Washington, DC, U.S.A.

Hermann, F.J. 1974. Manual of the genus Carex in Mexico and Central America. Handbook #467. U.S. Department of Agriculture, Washington, DC.

Hipp, A.L., P.E. Rothrock, A.A. Reznicek, and P.E. Berry. 2007. Chromosome number changes associated with speciation in sedges: a phylogenetic study in Carex section Ovales (Cyperaceae) using AFLP data. Aliso 23:193-203.

Jermy, A.C., D. Simpson, M. Foley, and M. Porter. 2007. Sedges of the British Isles. B.S.B.I. Handbook No. 1. 3rd ed. Botanical Society of the British Isles, London, England.

Jiménez-Mejías, P. et al. 2017. Typification of 18th Century names in Carex sect. Rhynchocystis (Cyperaceae): Carex pendula and allies Taxon 66(4):973-975.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Koyama, T. 1958. Taxonomic study of the genus Scirpus L. Journal of the Faculty of Science, University of Tokyo. Section III, Botany 7:271-366.

Kral, R. 1971. A treatment of Abildgaardia, Bulbostylis, and Fimbristylis (Cyperaceae) for North America. Sida 4:57-227.

Kuykendall, K., B.L. Wilson, and P.F. Zika. 1997. Following Carex globosa into and out of the flora of Oregon. In: Conservation and Management of Native Plants and Fungi. Kaye, T.N., A. Liston, R.M. Love, D.L. Luoma, R.J. Meinke and M.V. Wilson, Eds. Native Plant Society of Oregon, Corvallis, OR.

Larson, B.M.H. and P.M. Catling. 1996. The separation of Eleocharis obtusa and Eleocharis ovata (Cyperaceae) in eastern Canada. Canadian Journal of Botany 74:238-242.

Legler, B. and D. Giblin. 2017. Noteworthy collections. Madroño 64(1):5.

Lightcap, B.W. and A.E. Schuyler. 1984. Scirpus triqueter established along tidal portions of the Columbia River. Bartonia 50:23-24.

Linnaei, C. 1753. Species Plantarum. Volume 1. Impensis Laurentii Salvii, Holmiae, Sweden.

Loiseleur-Deslongchamps, J. 1807. Flora Gallica. Volume 2. Paris, France.

Mackenzie, K.K. 1922. A monograph of the California species of the genus Carex. Erythaea 8:7-95.

Naczi, R.F., C.T. Bryson, and T.S. Cochrane. 2002. Seven new species and one new combination in Carex (Cyperaceae) from North America. Novon 12(4):508-532.

Presl, K.B. 1828. Reliquiae Haenkeanae. 1973 reprint edition. A. Asher & Co. B.V., Amsterdam.

Reznicek, A.A. 1993. Carex pumila (Cyperaceae) in North America. Castanea 58:220-224.

Reznicek, A.A. and P.W. Ball. 1980. The taxonomy of Carex section Stellulatae in North America North of Mexico. Contributions from the University of Michigan Herbarium 14:153-203.

Saarela, J.M. and B.A. Ford. 2001. Taxonomy of the Carex backii complex (section Phyllostachyae, Cyperaceae). Systematic Botany 26(4):704-721.

Schippers, P., S.J. Ter Borg, and J.J. Bos. 1995. A revision of the infraspecific taxonomy of Cyperus esculentus (yellow nutsedge) with an experimentally evaluated character set. Systematic Botany 20:461-484.

Schuyler, A.E. 1967. A taxonomic revision of North American leafy species of Scirpus. Proceedings of the Academy of Natural Sciences of Philadelphia 119:295-323.

Schuyler, A.E. 1974. Typification and application of the names Scirpus americanus Pers., S. olneyi Gray, and S. pungens Vahl. Rhodora 76:51-52.

Schwarz, O. 1949. Heleocharis. Mitteilungen Thüring Botanischen Gesellschaft 1:89.

Smith, S.G., J.J. Bruhl, M.S. Gonzalez-Elizondo, and F.J. Menapace. 2002. Eleocharis. In: Flora of North America, Volume 23. Oxford University Press, New York.

Standley, L.A. 1985. Systematics of the Acutae group of Carex (Cyperaceae) in the Pacific Northwest. Systematic Botany Monographs 7:1-106.

Svenson, H.K. 1957. Cyperaceae: Scirpeae. In: North American Flora. Volume 18(9). New York Botanical Garden, NY.

Tucker, G.C. 1983. The taxonomy of Cyperus (Cyperaceae) in Costa Rica and Panama. Systematic Botany Monographs 2:1-85.

Tucker, G.C. 1984. A revision of the genus Kyllinga Rottb. (Cyperaceae) in Mexico and Central America. Rhodora 86:507-538.

Tucker, G.C. 1987. The genera of Cyperaceae in the southeastern United States, Journal of the Arnold Arboretum 68:361-445.

Voss, E.G. 1972. Michigan Flora, 3 volumes. Cranbrook Institute of Science, Bloomfield Hills.

Whitkus, R. and J.G. Packer. 1984. A contribution to the taxonomy of the Carex macloviana aggregate (Cyperaceae) in western Canada and Alaska. Canadian Journal of Botany 62:1592-1607.

Wiegand, K.M. 1922. Carex laxiflora and its relatives. Rhodora 24:189-201.

Wilson, B.L, R.E. Brainerd, L.P. Janeway, K. Kuykendall, D. Lytjen, B. Newhouse, N. Otting, S. Meyers, and P. Zika. 2007. Description of Carex klamathensis (Cyperaceae), a rare sedge of the Klamath Region of Oregon and California, U.S.A. Journal of the Botanical Research Institute of Texas 1:69-77.

Wilson, B.L., R. Brainerd, D. Lytjen, B. Newhouse, and N. Otting. 2008. Field Guide to the Sedges of the Pacific Northwest. Oregon State University Press, Corvallis, OR.

Zika, P., K. Kuykendall, and B.L. Wilson. 1999. Carex serpenticola (Cyperaceae), a new species from the Klamath mountains of Oregon and California. Madroño 45(3):261-269.

Zika, P.F. 2003B. Notes on the provenance of some eastern wetland species disjunct in western North America. Journal of the Torrey Botanical Society 130(1):43-46.

Zika, P.F. 2003C. Noteworthy collections. Madroño 50(4):313-314.

Zika, P.F. and B.L. Wilson. 1998. Noteworthy collections, Oregon. Carex crawfordii (Cyperaceae). Madroño 45:86-87.

Zika, P.F. and E.R. Alverson. 1993. Noteworthy collections from Oregon. Madroño 40(3):181-184.

Zika, P.F. and E.R. Alverson. 2005. Noteworthy collections: Oregon. Madroño 52(4):273-274.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IN = Intermountain Flora

JPM = The Jepson manual KZ = A synonymized checklist...(Kartesz) PLANTS = http://plants.usda.gov IPNI = The International Plant Names Index VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist IL = An Illustrated Flora of the Pacific States PEK = A manual of the higher plants of Oregon a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference