Checklist of Oregon Plantaginaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Antirrhinum

Checklist contributor: Henrietta Chambers, 3/21/2005

Flora contributor: Kenton Chambers

Antirrhinum majus L.

Common names: common snapdragon

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1983.

FPN - 415, accepted, no geog. info. given, occ escaped from cult; FPN2 - 454, accepted, in Oregon (implied), ; IL - 3:789, accepted, in Oregon (explicit), "occasional escape in Portland, OR"; JPM - 1015, accepted, given distribution: CA-FP; native to Medit; JPM2 - 1004, accepted, no geog. info. given; VP - 4:293, accepted.

Callitriche

Checklist contributor: Richard Halse, 1/1/1995

Flora contributor: Richard Lansdown

Callitriche brutia Petagna var. hamulata (Kütz. ex W.D.J. Koch) Lansdown

Common names: narrow leaf water-starwort

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2006.

FPN2 - 455, accepted, in Oregon (explicit), .

Callitriche fassettii Schotsman

Common names: autumnal water-starwort

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 286, accepted, in Oregon (explicit); FPN2 - 455, accepted, in Oregon (explicit), ; JPM2 - 1006, accepted, in Oregon (explicit); Lansdown, 2009 - ; VP - 3:402, accepted.

Synonyms:

Callitriche autumnalis L.

FPN - 286, synonym for Callitriche hermaphroditica, in Oregon (implied); IL - 3:43, accepted, in Oregon (implied).

Misapplied names:

Callitriche hermaphroditica L.

FPN - 286, accepted, in Oregon (implied); FPN2 - 455, accepted, in Oregon (explicit), ; IN - 4:333, accepted, in Oregon (implied); JPM - 458, accepted, in Oregon (implied); PEK - 505, accepted, in Oregon (explicit); VP - 3:403, accepted, in Oregon (implied).

Callitriche heterophylla Pursh

FPN - 286, accepted, in Oregon (implied); GWM - 227, accepted, in Oregon (explicit); IL - 3:43, uncertain, "[C. bolanderi] is very closely related to and possibly conspecific with C. heterophylla of the eastern States."; IN - 4:332, accepted, in Oregon (implied); JPM - 458, accepted, in Oregon (implied); VP - 3:403, accepted, in Oregon (implied).

Callitriche heterophylla Pursh var. bolanderi (Hegelm.) Fassett

Common names: Bolander's water-starwort

Origin: native Voucher: OSU, most recently collected in 2015.

FPN - 286, accepted, given distribution: ...chiefly w US...; FPN2 - 454, accepted, in Oregon (implied), ; JPM - 458, accepted, in Oregon (implied); JPM2 - 1006, accepted, in Oregon (implied).

Synonyms:

Callitriche bolanderi Hegelm.

FPN - 286, synonym for Callitriche heterophylla var. bolanderi, given distribution: chiefly w US; Greenl; IL - 3:43, accepted, in Oregon (implied); PEK - 505, accepted, in Oregon (explicit).

Callitriche heterophylla Pursh var. heterophylla

Common names: different leaved water-starwort

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 286, accepted, in Oregon (implied); FPN2 - 454, accepted, given distribution: range of sp., but rarely found in our area, widespread N Am and S Am; JPM - 458, accepted, given distribution: NW, GV, CW, SW; to e N.Am; JPM2 - 1006, accepted, not in Oregon.

Synonyms:

Callitriche anceps Fernald

FPN - 286, accepted, not in Oregon, common in e N Am and known from Alas, Wn and Utah; VP - 3:402, accepted, not in Oregon.

Callitriche marginata Torr.

Common names: winged water-starwort

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 286, accepted, in Oregon (explicit); FPN2 - 454, accepted, in Oregon (explicit), ; IL - 3:43, accepted, not in Oregon; JPM - 458, accepted, in Oregon (implied); JPM2 - 1007, accepted, in Oregon (implied); PEK - 505, accepted, in Oregon (explicit); VP - 3:403, accepted, in Oregon (explicit).

Callitriche palustris L.

Common names: spring water-starwort, vernal water-starwort

Origin: native Voucher: OSU, most recently collected in 2017.

FPN2 - 454, accepted, in Oregon (implied), ; IL - 3:43, accepted, in Oregon (implied); IN - 4:333, accepted; JPM2 - 1007, accepted, in Oregon (implied); KZ - 1:185, accepted; PEK - 505, accepted, in Oregon (explicit).

Synonyms:

Callitriche verna L.

FPN - 286, accepted, in Oregon (implied); GWM - 227, accepted, in Oregon (explicit); JPM - 458, accepted, given distribution: CA-FP, GB; to e N.Am, Eur; VP - 3:403, accepted, in Oregon (implied).

Callitriche stagnalis Scop.

Common names: pond water-starwort

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2016.

FPN - 286, accepted, in Oregon (explicit); FPN2 - 455, accepted, in Oregon (implied), ; JPM - 458, accepted, given distribution: NCo, NCoR, n SNF; native to Eur; JPM2 - 1007, accepted, in Oregon (implied); VP - 3:403, accepted, in Oregon (explicit).

Callitriche stenoptera Lansdown

Common names: narrow-wing water-starwort

Origin: native Voucher: OSU, most recently collected in 1981.

Callitriche trochlearis Fassett

Common names: wheel fruited water-starwort

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 286, accepted, in Oregon (explicit); FPN2 - 455, accepted, in Oregon (explicit), ; JPM - 458, accepted, in Oregon (explicit); JPM2 - 1007, accepted, in Oregon (explicit).

Literature cited for Callitriche

(Excluding the standard references unless specifically cited in the flora manuscript.)

Lansdown, R. 2009. Nomenclatural notes on Callitriche (Callitrichaceae) in North America. Novon 19:364-369.

Philbrick, C.T. and R.K. Jansen. 1991. Phylogenetic studies of North American Callitriche (Callitrichaceae) using chloroplast DNA restriction fragment analysis. Systematic Botany 16:478-491.

Chaenorhinum

Checklist contributor: Henrietta Chambers, 8/27/2003

Flora contributor: Kenton Chambers

Chaenorhinum minus (L.) Lange

Common names: dwarf snapdragon, small European toadflax

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2013.

Old, 1993 - .

Synonyms:

Chaenorhinum minus (L.) Lange ssp. minus

FPN2 - 455, accepted, in Oregon (explicit), our subsp. Minus.

Literature cited for Chaenorhinum

(Excluding the standard references unless specifically cited in the flora manuscript.)

Old, R.R. 1993. Noteworthy collections: Idaho, Oregon and Washington. Madroño 40:136.

Collinsia

Checklist contributor: Henrietta Chambers, 5/27/2003

Flora contributor: Kenton Chambers

Collinsia grandiflora Douglas ex Lindl.

Common names: large flowered blue eyed Mary

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 422, accepted, in Oregon (implied); FPN2 - 456, accepted, in Oregon (implied), ; IL - 3:778, accepted, in Oregon (implied); JPM - 1026, accepted, in Oregon (implied); JPM2 - 1009, accepted, in Oregon (implied); Oregon Flora Project, 1996H - ; PEK - 689, accepted, in Oregon (explicit); VP - 4:327, accepted, in Oregon (explicit).

Collinsia greenei A. Gray

Common names: Greene's blue-eyed Mary

Origin: native Voucher: OSU, most recently collected in 2015.

IL - 3:780, accepted, not in Oregon; JPM - 1026, accepted, not in Oregon; JPM2 - 1009, accepted, not in Oregon.

Collinsia latifolia (Newsom) B.G. Baldwin, Kalisz & Armbr.

Common names: Torrey's collinsia

Origin: native Voucher: OSU, most recently collected in 2017.

Baldwin et al., 2011 - .

Synonyms:

Collinsia torreyi A. Gray

JPM - 1027, accepted, not in Oregon.

Collinsia torreyi A. Gray var. latifolia Newsom

IL - 3:780, accepted, in Oregon (explicit); JPM - 1027, accepted, not in Oregon; JPM2 - 1009, accepted, in Oregon (explicit); PEK - 690, accepted, in Oregon (explicit).

Collinsia linearis A. Gray

Common names: narrowleaf collinsia

Origin: native Voucher: OSU, most recently collected in 2016.

IL - 3:780, synonym for Collinsia rattanii var. linearis, in Oregon (explicit); JPM - 1026, accepted, in Oregon (explicit); JPM2 - 1009, accepted, in Oregon (explicit).

Synonyms:

Collinsia rattanii A. Gray var. linearis (A. Gray) Newsom

IL - 3:780, accepted, in Oregon (explicit); PEK - 690, accepted, in Oregon (explicit).

Collinsia parviflora Douglas ex Lindl.

Common names: small flowered blue eyed Mary

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 422, accepted, in Oregon (implied); FPN2 - 456, accepted, in Oregon (implied), ; GWM - 308, accepted, in Oregon (explicit); IN - 4:461, accepted, in Oregon (explicit); JPM - 1027, accepted, in Oregon (implied); JPM2 - 1009, accepted, not in Oregon; Oregon Flora Project, 2005B - ; PEK - 690, accepted, in Oregon (explicit); VP - 4:327, accepted, in Oregon (implied).

Collinsia rattanii A. Gray

Common names: Rattan's collinsia

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 422, accepted, in Oregon (explicit); FPN2 - 456, accepted, in Oregon (explicit), ; JPM - 1027, accepted, in Oregon (implied); JPM2 - 1009, accepted, in Oregon (implied); VP - 4:328, accepted, in Oregon (explicit).

Synonyms:

Collinsia rattanii A. Gray ssp. glandulosa (Howell) Pennell

FPN - 422, accepted, in Oregon (explicit); Gray, 1879 - ; IL - 3:780, accepted, in Oregon (explicit); PEK - 690, accepted, in Oregon (explicit); VP - 4:422, accepted.

Collinsia rattanii A. Gray ssp. rattanii

IL - 3:780, (subtaxon implied), accepted, in Oregon (explicit); PEK - 690, (subtaxon implied), accepted, in Oregon (explicit); VP - 4:422, accepted.

Collinsia sparsiflora Fisch. & C.A. Mey.

FPN - 422, accepted, in Oregon (explicit); JPM - 1027, accepted, not in Oregon; VP - 4:328, accepted, in Oregon (explicit).

Collinsia sparsiflora Fisch. & C.A. Mey. var. sparsiflora

Common names: spinster's blue-eyed Mary

Origin: native Voucher: OSU, most recently collected in 1902.

FPN2 - 456, accepted, in Oregon (implied), ; IL - 3:779, (subtaxon implied), accepted, not in Oregon; JPM - 1027, accepted, not in Oregon; JPM2 - 1009, accepted, in Oregon (explicit); Kartesz & Meacham, 2007 - accepted, not in Oregon, endemic to CA; KZ - 2:195, accepted.

Collinsia tinctoria Hartw. ex Benth.

Common names: sticky Chinese houses

Origin: native

JPM2 - accepted, not in Oregon, https://ucjeps.berkeley.edu/eflora_display.php?tid=20008.

Literature cited for Collinsia

(Excluding the standard references unless specifically cited in the flora manuscript.)

Baldwin, B.G., S. Kalisz, and W.S. Armbruster. 2011. Phylogenetic perspectives on diversification, biogeography and floral evolution of Collinsia and Tonella (Plantaginaceae). American Journal of Botany 98(4):731-753.

Gray, A. 1879. Botanical contributions. Proceedings of the American Academy of Arts and Sciences 15:25-52.

Jones, M.E. 1908. New species and notes. Contributions to Western Botany 12:1-100.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Cymbalaria

Checklist contributor: Henrietta Chambers, 1/1/2003

Flora contributor: Kenton Chambers

Cymbalaria muralis G. Gaertn., B. Mey. & Scherb.

Common names: ivy leaved toadflax

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FPN - 423, accepted, in Oregon (implied); FPN2 - 456, accepted, in Oregon (implied), ; IL - 3:786, accepted, in Oregon (implied); JPM - 1032, accepted, given distribution: NCo, CCo, SCo; native to Medit; JPM2 - 1010, accepted, no geog. info. given.

Synonyms:

Linaria cymbalaria (L.) Mill.

PEK - 688, accepted, in Oregon (explicit).

Digitalis

Checklist contributor: Henrietta Chambers, 8/27/2003

Flora contributor: Kenton Chambers

Digitalis purpurea L.

Common names: foxglove

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2014.

FPN - 423, accepted, in Oregon (implied); FPN2 - 456, accepted, in Oregon (implied), ; IL - 3:792, accepted, in Oregon (implied); JPM - 1032, accepted, in Oregon (implied); JPM2 - 1010, accepted, in Oregon (implied); PEK - 713, accepted, in Oregon (explicit); VP - 4:329, accepted, in Oregon (explicit).

Gratiola

Checklist contributor: Henrietta Chambers, 8/22/2003

Flora contributor: Kenton Chambers

Gratiola ebracteata A. DC.

Common names: bractless hedge hyssop

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 424, accepted, in Oregon (implied); FPN2 - 457, accepted, in Oregon (implied), ; IL - 3:731, accepted, in Oregon (implied); IN - 4:348, accepted, in Oregon (explicit); JPM - 1033, accepted, in Oregon (implied); JPM2 - 1012, accepted, in Oregon (implied); PEK - 713, accepted, in Oregon (explicit); VP - 4:332, accepted, in Oregon (implied).

Gratiola heterosepala H. Mason & Bacig.

Common names: Boggs Lake hedge hyssop

Origin: native Voucher: OSU, most recently collected in 1983.

IN - 4:348, accepted, in Oregon (explicit); JPM - 1033, accepted, not in Oregon; JPM2 - 1012, accepted, in Oregon (explicit).

Gratiola neglecta Torr.

Common names: common American hedge hyssop

Origin: native Voucher: OSU, most recently collected in 2016.

FPN - 424, accepted, in Oregon (implied); FPN2 - 457, accepted, in Oregon (implied), ; IL - 3:731, accepted, in Oregon (implied); IN - 4:348, accepted, in Oregon (explicit); JPM - 1033, accepted, not in Oregon; JPM2 - 1012, accepted, in Oregon (implied); PEK - 713, accepted, in Oregon (explicit); VP - 4:332, accepted, in Oregon (implied).

Hippuris

Checklist contributor: Richard Halse, 1/1/1995

Flora contributor: Kenton Chambers

Hippuris vulgaris L.

Common names: mare's tail

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 313, accepted, in Oregon (implied); FPN2 - 457, accepted, in Oregon (implied), ; IL - 3:213, accepted, in Oregon (implied); IN - 4:331, accepted, in Oregon (implied); JPM - 682, accepted, in Oregon (implied); JPM2 - 1012, accepted, not in Oregon; PEK - 550, accepted, in Oregon (explicit); VP - 3:505, accepted, in Oregon (implied).

Keckiella

Checklist contributor: Richard Halse, 4/15/2009

Flora contributor: Noel Holmgren

Keckiella lemmonii (A. Gray) Straw

Common names: bush penstemon

Origin: native Voucher: OSU, most recently collected in 1992.

JPM - 1034, accepted, in Oregon (explicit); JPM2 - 1013, accepted, in Oregon (explicit).

Synonyms:

Penstemon lemmonii A. Gray

IL - 3:769, accepted, not in Oregon; PEK - 704, accepted, in Oregon (explicit).

Kickxia

Checklist contributor: Scott Sundberg, 11/26/2002

Flora contributor: Kenton Chambers

Kickxia elatine (L.) Dumort.

Common names: sharp leaved fluellin

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

FPN - 424, accepted, in Oregon (implied); FPN2 - 457, accepted, in Oregon (implied), ; IL - 3:786, accepted, not in Oregon; JPM - 1034, accepted, given distribution: CA-FP; native to Eur; JPM2 - 1014, accepted, no geog. info. given.

Kickxia spuria (L.) Dumort.

Common names: roundleaf fluellin

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2015.

FPN2 - 457, accepted, in Oregon (explicit), ; IL - 3:786, accepted, not in Oregon; JPM - 1034, accepted, given distribution: CA-FP; native to

Eur; JPM2 - 1014, accepted, no geog. info. given.

Linaria

Checklist contributor: Henrietta Chambers, 8/20/2003

Flora contributor: Kenton Chambers

Linaria dalmatica (L.) Mill.

FPN - 425, accepted, in Oregon (implied); IN - 4:460, accepted, in Oregon (implied); VP - 4:333, accepted, in Oregon (explicit).

Linaria dalmatica (L.) Mill. ssp. dalmatica

Common names: Dalmatian toadflax

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2002.

FPN2 - 458, accepted, in Oregon (implied), sp. range: frequent on both sides Cas; JPM2 - 1014, accepted, given distribution: NW (exc NCoRH), CaR, n SN, GV, CW (exc SCoRI), SW (exc ChI, SnJt), GB (exc Wrn, W&I); widely naturalized; native to Medit..

Synonyms:

Linaria genistifolia (L.) Mill. ssp. dalmatica (L.) Maire & Petitm.

JPM - 1036, accepted, given distribution: CA-FP; widely naturalized elsewhere; native to Medit.

Linaria macedonica Griseb.

PEK - 687, accepted, in Oregon (explicit).

Linaria grandiflora Desf.

Common names: large-flowered toadflax

Origin: exotic, not naturalized

FPN2 - 458, accepted, in Oregon (explicit).

Linaria maroccana Hook. f.

Common names: Moroccan toadflax, annual toadflax

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2002.

FPN2 - 457, accepted, in Oregon (implied), ; JPM - 1036, accepted, not in Oregon; JPM2 - 1014, accepted, no geog. info. given.

Linaria purpurea Mill.

Common names: purple toadflax

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2018.

FPN2 - 457, accepted, in Oregon (implied), ; JPM - 1036, accepted, not in Oregon; JPM2 - 1014, accepted, no geog. info. given.

Linaria triornithophora (L.) Willd.

Common names: yellow-throated purple toadflax

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2009.

FPN2 - 457, accepted, in Oregon (explicit), in genus desc. .

Linaria vulgaris Mill.

Common names: butter and eggs

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN - 425, accepted, in Oregon (implied); FPN2 - 457, accepted, in Oregon (implied), ; GWM - 309, accepted, in Oregon (explicit); IL - 3:784, accepted, in Oregon (implied); IN - 4:460, accepted, in Oregon (implied); JPM - 1037, accepted, given distribution: CA-FP; widely naturalized elsewhere; native to Medit; JPM2 - 1014, accepted, given distribution: NCo, KR, NCoRO, CaRH, n SN, ScV, CW (exc SCoRI), SCo, MP; widely naturalized; native to Medit.; PEK - 687, accepted, in Oregon (explicit); VP - 4:335, accepted, in Oregon (implied).

Literature cited for Linaria

(Excluding the standard references unless specifically cited in the flora manuscript.)

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Pennell, F.W. 1935. Linaria in the Scrophulariaceae of eastern temperate North America. Acadamy of Natural Sciences Philosophical Monographs 1:299-312.

Sutton, D.A. 1988. A Revision of the Tribe Antirrhineae. Oxford University Press, London, U.K.

Misopates

Checklist contributor:

Flora contributor: Stephen Meyers

Misopates orontium (L.) Raf.

Common names: weasel's snout, lesser snapdragon

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

FPN2 - 458, accepted, in Oregon (explicit), .

Synonyms:

Antirrhinum orontium L.

FPN - 415, accepted, in Oregon (implied); JPM - 1015, accepted, given distribution: CA-FP; native to Medit; JPM2 -

1004, accepted, no geog. info. given; PEK - 689, accepted, in Oregon (explicit); VP - 4:293, accepted.

Nothochelone

Checklist contributor: Henrietta Chambers, 3/21/2005

Flora contributor: Noel Holmgren

Nothochelone nemorosa (Douglas ex Lindl.) Straw

Common names: woodland beard tongue

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 428, accepted, in Oregon (implied); FPN2 - 458, accepted, in Oregon (implied), ; JPM - 1048, accepted, in Oregon (implied); JPM2 - 1016, accepted, in Oregon (implied).

Synonyms:

Penstemon nemorosus (Douglas ex Lindl.) Trautv.

FPN - 428, synonym for Nothochelone nemorosa; IL - 3:769, accepted, in Oregon (explicit); PEK - 695, accepted, in Oregon (explicit); VP - 4:394, accepted, in Oregon (implied).

Nuttallanthus

Checklist contributor: Henrietta Chambers, 8/20/2003

Flora contributor: Kenton Chambers

Nuttallanthus canadensis (L.) D.A. Sutton

Common names: blue toadflax

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 1948.

FPN2 - 458, accepted, not in Oregon, in genus desc. .

Misapplied names:

Linaria canadensis (L.) Dum. Cours.

FPN - 425, accepted, in Oregon (explicit); IL - 3:786, accepted, in Oregon (implied); IN - 4:460, accepted, in Oregon (implied); JPM - 1036, accepted, given distribution: NCo, NCoR, SNF, GV, CW, WTR, PR; to se US, adj Can, S.Am;

PEK - 688, accepted, in Oregon (explicit); VP - 4:333, accepted, in Oregon (implied).

Nuttallanthus texanus (Scheele) D.A. Sutton

Common names: large flowered blue toadflax

Origin: native Voucher: OSU, most recently collected in 2010.

FPN2 - 458, accepted, in Oregon (implied), ; JPM2 - 1017, accepted, not in Oregon.

Synonyms:

Linaria canadensis (L.) Dum. Cours. var. texana (Scheele) Pennell

FPN - 425, accepted, in Oregon (implied); IL - 3:784, synonym for Linaria texana, in Oregon (implied); VP - 4:333, accepted, in Oregon (explicit).

Linaria texana Scheele

FPN - 425, synonym for Linaria canadensis var. texana, in Oregon (implied); IL - 3:784, accepted, in Oregon (implied);

PEK - 688, accepted, in Oregon (explicit).

Misapplied names:

Linaria canadensis (L.) Dum. Cours. var. canadensis

FPN - 425, accepted, in Oregon (implied); VP - 4:333, accepted, in Oregon (explicit).

Penstemon

Checklist contributor: Henrietta Chambers, 1/4/2005

Flora contributor: Noel Holmgren

Penstemon acuminatus Douglas ex Lindl.

FPN - 435, accepted, in Oregon (explicit); IL - 3:753, accepted, in Oregon (explicit); IN - 4:414, accepted, in Oregon (explicit); PEK - 702, accepted, in Oregon (explicit); VP - 4:371, accepted, in Oregon (explicit), `.

Penstemon acuminatus Douglas ex Lindl. var. acuminatus

Common names: sand dune penstemon, sharp leaved penstemon

Origin: native Voucher: OSU, most recently collected in 1991.

FPN2 - 461, accepted, in Oregon (explicit), ; IN - 4:416, accepted.

Penstemon acuminatus Douglas ex Lindl. var. latebracteatus N.H. Holmgren

Common names: sharp leaved penstemon

Origin: native Voucher: OSU, most recently collected in 2010.

IN - 4:416, accepted.

Penstemon anguineus Eastw.

Common names: tongue leaved penstemon

Origin: native Voucher: OSU, most recently collected in 2017.

IL - 3:747, accepted, in Oregon (explicit); JPM - 1054, accepted, in Oregon (explicit); JPM2 - 1020, accepted, in Oregon (explicit); PEK - 701, accepted, in Oregon (explicit).

Penstemon attenuatus Douglas ex Lindl. var. attenuatus

Common names: sulphur penstemon, taper leaved penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 439, accepted, in Oregon (explicit); FPN2 - 464, accepted, in Oregon (explicit), ; GWM - 314, accepted; IN - 4:391, accepted, in Oregon (explicit); VP - 4:375, accepted, in Oregon (explicit).

Synonyms:

Penstemon attenuatus Douglas ex Lindl. ssp. attenuatus

IL - 3:742, (subtaxon implied), accepted, in Oregon (explicit); PEK - 698, accepted, in Oregon (explicit).

Penstemon attenuatus Douglas ex Lindl. var. palustris (Pennell) Cronquist

Common names: small flowered sulphur beardtongue

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 438, accepted, in Oregon (explicit); FPN2 - 464, accepted, in Oregon (explicit), ; VP - 4:375, accepted, in Oregon (explicit).

Synonyms:

Penstemon attenuatus Douglas ex Lindl. ssp. palustris (Pennell) D.D. Keck

IL - 3:743, accepted, in Oregon (explicit); PEK - 699, accepted, in Oregon (explicit).

Penstemon azureus Benth. var. azureus

Common names: azure penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

JPM - 1054, accepted, in Oregon (explicit); JPM2 - 1020, accepted, in Oregon (explicit); PEK - 704, (subtaxon implied), accepted, in Oregon (explicit).

Synonyms:

Penstemon azureus Benth. ssp. azureus

IL - 3:761, (subtaxon implied), accepted, in Oregon (explicit).

Penstemon barrettiae A. Gray

Common names: Barrett's penstemon

Origin: native Voucher: OSU, most recently collected in 2015.

FPN - 433, accepted, in Oregon (implied); FPN2 - 459, accepted, in Oregon (explicit), ; IL - 3:765, accepted, in Oregon (explicit); PEK - 694, accepted, in Oregon (explicit); VP - 4:375, accepted, in Oregon (explicit).

Penstemon cardwellii Howell

Common names: Cardwell's penstemon

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 433, accepted, in Oregon (explicit); FPN2 - 460, accepted, in Oregon (explicit), ; IL - 3:768, accepted, in Oregon (explicit); PEK - 694, accepted, in Oregon (explicit); VP - 4:376, accepted, in Oregon (explicit).

Penstemon cinicola D.D. Keck

Common names: ash penstemon, small flowered penstemon

Origin: native Voucher: OSU, most recently collected in 2016.

FPN - 436, accepted, in Oregon (explicit); FPN2 - 461, accepted, in Oregon (explicit), ; IL - 3:739, accepted, in Oregon (explicit); IN - 4:394, accepted, in Oregon (explicit); JPM - 1055, accepted, in Oregon (explicit); JPM2 - 1020, accepted, in Oregon (explicit); PEK - 697, accepted, in Oregon (explicit); VP - 4:376, accepted, in Oregon (explicit).

Penstemon confertus Douglas ex Lindl.

Common names: yellow penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 437, accepted, in Oregon (implied); FPN2 - 461, accepted, in Oregon (explicit), ; IL - 3:743, accepted, in Oregon (explicit); PEK - 696, accepted, in Oregon (explicit); VP - 4:377, accepted, in Oregon (explicit).

Penstemon curtiflorus (D.D. Keck) N.H. Holmgren

Common names: curved-cutleaf beardtongue

Origin: native Voucher: OSU, most recently collected in 1975.

FPN2 - 466, accepted, in Oregon (explicit).

Synonyms:

Penstemon richardsonii Douglas ex Lindl. var. curtiflorus (D.D. Keck) Cronquist

FPN - 434, accepted, in Oregon (explicit); VP - 4:402, accepted, in Oregon (explicit).

Penstemon cusickii A. Gray

Common names: Cusick's penstemon

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 434, accepted, in Oregon (explicit); FPN2 - 465, accepted, in Oregon (explicit), ; IL - 3:760, accepted, in Oregon (explicit); IN - 4:448, accepted, in Oregon (explicit); PEK - 704, accepted, in Oregon (explicit); VP - 4:377, accepted, in Oregon (explicit).

Penstemon davidsonii Greene var. davidsonii

Common names: Davidson's penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 433, accepted, in Oregon (explicit); FPN2 - 460, accepted, in Oregon (implied), ; IN - 4:385, accepted, in Oregon (implied); JPM - 1055, accepted, in Oregon (explicit); JPM2 - 1022, accepted, in Oregon (explicit); VP - 4:380, accepted, in Oregon (explicit).

Synonyms:

Penstemon menziesii Hook. ssp. davidsonii (Greene) Piper

IL - 3:768, accepted, in Oregon (explicit); PEK - 695, accepted, in Oregon (explicit).

Penstemon davidsonii Greene var. davidsonii × Penstemon rupicola (Piper) Howell

Origin: native Voucher: OSU, most recently collected in 1973.

Penstemon davidsonii Greene var. menziesii (D.D. Keck) Cronquist

Common names: Menzies' penstemon

Origin: native Voucher: WCW, most recently collected in 1995.

FPN - 433, accepted, in Oregon (explicit); FPN2 - 460, accepted, in Oregon (explicit), ; VP - 4:380, accepted, in Oregon (explicit).

Synonyms:

Penstemon menziesii Hook. ssp. menziesii

IL - 3:768, (subtaxon implied), accepted, not in Oregon; PEK - 695, (subtaxon implied), accepted, in Oregon (explicit).

Penstemon davidsonii Greene × Penstemon rupicola (Piper) Howell

Origin: native Voucher: OSU, most recently collected in 1990.

Penstemon davidsonii Greene var. praeteritus Cronquist

Common names: Davidson's late penstemon

Origin: native Voucher: OSU, most recently collected in 2010.

IN - 4:386, accepted, in Oregon (explicit).

Penstemon deustus Douglas ex Lindl. var. deustus

Common names: hotrock beardtongue

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 434, accepted, in Oregon (explicit); FPN2 - 462, accepted, in Oregon (explicit), ; GWM - 316, accepted; IN - 4:388, accepted, in Oregon (explicit); JPM2 - 1022, accepted, in Oregon (explicit); PEK - 696, (subtaxon implied), accepted, in Oregon (explicit); VP - 4:381, accepted, in Oregon (explicit).

Synonyms:

Penstemon deustus Douglas ex Lindl. ssp. deustus

IL - 3:748, (subtaxon implied), accepted, in Oregon (implied).

Penstemon deustus Douglas ex Lindl. var. pedicellatus M.E. Jones

Common names: lanceleaf hotrock beardtongue

Origin: native Voucher: OSU, most recently collected in 2014.

FPN2 - 462, accepted, in Oregon (explicit), ; IN - 4:388, accepted, in Oregon (explicit); JPM - 1055, accepted, in Oregon (explicit); JPM2 - 1022, accepted, in Oregon (explicit).

Synonyms:

Penstemon deustus Douglas ex Lindl. ssp. heterander (Torr. & A. Gray) Pennell & D.D. Keck

IL - 3:748, accepted, in Oregon (explicit).

Penstemon deustus Douglas ex Lindl. var. heterander (Torr. & A. Gray) Cronquist

FPN - 434, accepted, in Oregon (explicit); GWM - 316, accepted, in Oregon (explicit); PEK - 696, accepted, in Oregon (explicit); VP - 4:380, accepted, in Oregon (explicit).

Penstemon deustus Douglas ex Lindl. var. suffrutescens L.F. Hend.

Common names: ovate leaved hotrock beard tongue

Origin: native Voucher: OSU, most recently collected in 2017.

IL - 3:748, synonym for Penstemon deustus, in Oregon (implied); JPM - 1055, accepted, in Oregon (explicit); JPM2 - 1022, accepted, in Oregon (explicit).

Penstemon deustus Douglas ex Lindl. var. variabilis (Suksd.) Cronquist

Common names: variable hotrock penstemon

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 435, accepted, in Oregon (explicit); FPN2 - 462, accepted, in Oregon (explicit), ; VP - 4:381, accepted, in Oregon (explicit).

Synonyms:

Penstemon variabilis Suksd.

IL - 3:748, accepted, in Oregon (explicit); PEK - 696, accepted, in Oregon (explicit).

Penstemon eatonii A. Gray

Common names: firecracker penstemon

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2009.

JPM - 1055, accepted, not in Oregon.

Synonyms:

Penstemon eatonii A. Gray var. eatonii

FPN2 - 465, accepted, not in Oregon, .

Penstemon elegantulus Pennell

Common names: lovely penstemon

Origin: native Voucher: OSU, most recently collected in 1983.

FPN - 440, accepted, in Oregon (explicit); FPN2 - 463, accepted, in Oregon (explicit), ; IL - 3:746, accepted, in Oregon (explicit); PEK - 700, accepted, in Oregon (explicit); VP - 4:381, accepted, in Oregon (explicit).

Penstemon eriantherus Pursh

FPN - 437, accepted, in Oregon (implied); IL - 3:751, accepted, not in Oregon; IN - 4:412, accepted, in Oregon (explicit).

Penstemon eriantherus Pursh var. argillosus M.E. Jones

Common names: John Day fuzzytongue penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 438, accepted, in Oregon (explicit); FPN2 - 463, accepted, in Oregon (explicit), ; VP - 4:384, accepted, in Oregon (explicit).

Synonyms:

Penstemon whitedii Piper ssp. dayanus (Howell) D.D. Keck

IL - 3:751, accepted, in Oregon (explicit); PEK - 701, accepted, in Oregon (explicit).

Penstemon eriantherus Pursh var. redactus Pennell & D.D. Keck

Common names: longsac penstemon, Imnaha fuzzytongue

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 437, accepted, in Oregon (explicit); FPN2 - 463, accepted, in Oregon (explicit), ; IN - 4:412, accepted; VP - 4:384, accepted, in Oregon (explicit).

Synonyms:

Penstemon whitedii Piper ssp. tristis Pennell & D.D. Keck

IL - 3:751, accepted, in Oregon (explicit); PEK - 701, accepted, in Oregon (explicit).

Penstemon euglaucus English

Common names: glaucous penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

FPN - 436, accepted, in Oregon (implied); FPN2 - 461, accepted, in Oregon (explicit), ; IL - 3:741, accepted, in Oregon (explicit); PEK - 698, accepted, in Oregon (explicit); VP - 4:385, accepted, in Oregon (explicit).

Penstemon fruticosus (Pursh) Greene

FPN - 433, accepted, in Oregon (implied); GWM - 316, accepted, in Oregon (explicit); IN - 4:384, accepted, in Oregon (explicit).

Penstemon fruticosus (Pursh) Greene var. fruticosus

Common names: shrubby penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 433, accepted, in Oregon (implied); FPN2 - 460, accepted, in Oregon (explicit), sp. Range: in Cas, from BC s to WA and n OR, e to the RM of Alta, ID, w MT, and nw WY; IN - 4:384, accepted; VP - 4:387, accepted, in Oregon (explicit).

Synonyms:

Penstemon fruticosus (Pursh) Greene ssp. fruticosus

IL - 3:765, (subtaxon implied), accepted, in Oregon (explicit); PEK - 694, (subtaxon implied), accepted, in Oregon (explicit).

Penstemon fruticosus (Pursh) Greene var. serratus (D.D. Keck) Cronquist

Common names: sawleaf bush penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

FPN - 433, accepted, given distribution: mts. near SRC; FPN2 - 460, accepted, in Oregon (explicit), ; VP - 4:387, accepted, in Oregon (explicit).

Synonyms:

Penstemon fruticosus (Pursh) Greene ssp. serratus D.D. Keck

IL - 3:765, accepted, in Oregon (explicit); PEK - 694, accepted, in Oregon (explicit).

Penstemon gairdneri Hook. var. gairdneri

Common names: Gairdner's penstemon, Gairdner's beardtongue

Origin: native Voucher: OSU, most recently collected in 2014.

FPN - 439, accepted, in Oregon (explicit); FPN2 - 462, accepted, in Oregon (explicit), ; IN - 4:386, accepted, in Oregon (explicit); PEK - 695, (subtaxon implied), accepted, in Oregon (explicit); VP - 4:388, accepted, in Oregon (explicit).

Synonyms

Penstemon gairdneri Hook. ssp. gairdneri

IL - 3:747, accepted, in Oregon (explicit).

Penstemon gairdneri Hook. var. oreganus A. Gray

Common names: opposite leaved Gairdner's beardtongue

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 439, accepted, in Oregon (explicit); FPN2 - 462, accepted, in Oregon (explicit), ; IN - 4:386, accepted, in Oregon (explicit); PEK - 695, accepted, in Oregon (explicit); VP - 4:388, accepted, in Oregon (explicit).

Synonyms:

Penstemon gairdneri Hook. ssp. oreganus (A. Gray) D.D. Keck

IL - 3:747, accepted, in Oregon (explicit).

Penstemon glandulosus Douglas ex Lindl.

FPN - 434, accepted, in Oregon (explicit); IL - 3:764, accepted; IN - 4:454, accepted, in Oregon (explicit); PEK - 702, accepted, in Oregon (explicit); VP - 4:388, accepted, in Oregon (explicit).

Penstemon glandulosus Douglas ex Lindl. var. chelanensis (D.D. Keck) Cronquist

Common names: Chelan pestemon

Origin: native Voucher: OSU, most recently collected in 1932.

FPN - 434, accepted, not in Oregon; FPN2 - 466, accepted, in Oregon (explicit), .

Penstemon glandulosus Douglas ex Lindl. var. glandulosus

Common names: stickystem penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 434, accepted, in Oregon (implied); FPN2 - 466, accepted, in Oregon (explicit), ; VP - 4:388, accepted, in Oregon (explicit).

Synonyms:

Penstemon glandulosus Douglas ex Lindl. ssp. glandulosus

IL - 3:764, accepted, in Oregon (explicit).

Penstemon glaucinus Pennell

Common names: blue leaved penstemon

Origin: native Voucher: OSU, most recently collected in 2017.

IL - 3:742, accepted, in Oregon (explicit); PEK - 699, accepted, in Oregon (explicit).

Penstemon globosus (Piper) Pennell & D.D. Keck

Common names: globe penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

FPN - 437, accepted, in Oregon (explicit); FPN2 - 461, accepted, in Oregon (explicit), ; GWM - 316, accepted, in Oregon (explicit); IL - 3:741, accepted, in Oregon (explicit); PEK - 698, accepted, in Oregon (explicit); VP - 4:388, accepted, in Oregon (explicit).

Penstemon gracilentus A. Gray

Common names: slender penstemon

Origin: native Voucher: OSU, most recently collected in 1993.

IL - 3:758, accepted, in Oregon (explicit); IN - 4:452, accepted, in Oregon (implied); JPM - 1056, accepted, in Oregon (explicit); JPM2 - 1022, accepted, in Oregon (explicit); PEK - 703, accepted, in Oregon (explicit).

Penstemon hesperius M. Peck

Common names: tall penstemon

Origin: native

FPN - 437, synonym for Penstemon rydbergii, in Oregon (implied); FPN2 - 461, accepted, in Oregon (explicit), ; IL - 3:741, accepted, in Oregon (explicit); PEK - 698, accepted, in Oregon (explicit).

Penstemon humilis Nutt. ex A. Gray

FPN - 439, accepted, in Oregon (implied); FPN2 - 464, accepted, in Oregon (explicit), ; GWM - 316, accepted, in Oregon (explicit); IL - 3:743, accepted, in Oregon (explicit); PEK - 699, accepted, in Oregon (explicit); VP - 4:390, accepted, in Oregon (explicit).

Penstemon humilis Nutt. ex A. Gray var. humilis

Common names: lowly penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

IN - 4:394, accepted, in Oregon (implied); JPM - 1056, accepted, in Oregon (explicit); JPM2 - 1024, accepted, in Oregon (explicit); PEK - 699, accepted, in Oregon (explicit).

Synonyms:

Penstemon cinereus Piper ssp. cinereus

FPN2 - 464, accepted, in Oregon (implied), ; IL - 3:743, (subtaxon implied), accepted, in Oregon (explicit); PEK - 699, (subtaxon implied), accepted, in Oregon (explicit).

Penstemon cinereus Piper ssp. foliatus D.D. Keck

FPN2 - 464, accepted, in Oregon (explicit), ; IL - 3:743, accepted, in Oregon (explicit); PEK - 700, accepted, in Oregon (explicit).

Penstemon janishiae N.H. Holmgren

Common names: Janish's penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

FPN2 - 463, accepted, in Oregon (explicit), ; IN - 4:408, accepted, in Oregon (explicit); JPM - 1056, accepted, in Oregon (explicit); JPM2 - 1024, accepted, in Oregon (explicit).

Penstemon kingii S. Watson

Common names: King's penstemon

Origin: native Voucher: UTC, most recently collected in 2018.

IN - 4:448, accepted, in Oregon (explicit).

Penstemon laetus A. Gray var. sagittatus (D.D. Keck) McMinn

Common names: gay penstemon

Origin: native Voucher: OSU, most recently collected in 2015.

FPN2 - 465, accepted, in Oregon (explicit), ; IN - 4:448, accepted, in Oregon (explicit); JPM - 1058, accepted, in Oregon (explicit); JPM2 - 1024, accepted, in Oregon (explicit).

Synonyms:

Penstemon laetus A. Gray ssp. sagittatus D.D. Keck

IL - 3:761, accepted, in Oregon (explicit); PEK - 704, accepted, in Oregon (explicit).

Penstemon miser A. Gray

Common names: Malheur penstemon, golden tongue penstemon

Origin: native Voucher: OSU, most recently collected in 2010.

FPN - 440, accepted, in Oregon (explicit); FPN2 - 463, accepted, in Oregon (explicit), ; IL - 3:751, accepted, in Oregon (explicit); IN - 4:408, accepted, in Oregon (explicit); PEK - 701, accepted, in Oregon (explicit).

Penstemon newberryi A. Gray

IN - 4:385, accepted, not in Oregon; JPM - 1058, accepted, in Oregon (explicit).

Penstemon newberryi A. Gray var. berryi (Eastw.) N.H. Holmgren

Common names: Berry's penstemon

Origin: native Voucher: OSU, most recently collected in 2003.

JPM - 1058, accepted, in Oregon (explicit); JPM2 - 1024, accepted, in Oregon (explicit).

Synonyms:

Penstemon newberryi A. Gray ssp. berryi (Eastw.) D.D. Keck

IL - 3:768, accepted, in Oregon (explicit); PEK - 694, accepted, in Oregon (explicit).

Penstemon ovatus Douglas ex Hook.

Common names: broad leaved penstemon

Origin: native Voucher: OSU, most recently collected in 2006.

FPN - 440, accepted, in Oregon (implied); FPN2 - 463, accepted, in Oregon (explicit), ; IL - 3:746, accepted, in Oregon (explicit); PEK - 700, accepted, in Oregon (explicit); VP - 4:397, accepted, in Oregon (explicit).

Penstemon palmeri A. Gray

IL - 3:753, accepted, not in Oregon.

Penstemon palmeri A. Gray var. palmeri

Common names: scented penstemon

Origin: exotic, not naturalized Voucher: SOC, most recently collected in 2018.

FPN2 - 462, accepted, in Oregon (explicit), ; IN - 4:426, accepted, not in Oregon; JPM - 1058, accepted, not in Oregon; JPM2 - 1025, accepted, not in Oregon.

Penstemon parvulus (A. Gray) Krautter

Common names: small azure beardtongue

Origin: native Voucher: OSU, most recently collected in 2016.

IL - 3:763, accepted, in Oregon (explicit); JPM - 1058, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit).

Synonyms:

Penstemon azureus Benth. var. parvulus A. Gray

IL - 3:763, synonym for Penstemon parvulus, in Oregon (explicit); PEK - 704, accepted, in Oregon (explicit).

Penstemon payettensis A. Nelson & J.F. Macbr.

Common names: Payette penstemon

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 435, accepted, in Oregon (explicit); FPN2 - 465, accepted, in Oregon (explicit), ; GWM - 316, accepted, in Oregon (explicit); IL - 3:751, accepted, in Oregon (explicit); IN - 4:432, accepted, in Oregon (explicit); PEK - 702, accepted, in Oregon (explicit); VP - 4:397, accepted, in Oregon (explicit).

Penstemon peckii Pennell

Common names: Peck's penstemon

Origin: native Voucher: OSU, most recently collected in 1994.

FPN - 438, accepted, in Oregon (explicit); FPN2 - 464, accepted, in Oregon (explicit), ; IL - 3:739, accepted, in Oregon (explicit); PEK - 697, accepted, in Oregon (explicit); VP - 4:397, accepted, in Oregon (explicit).

Penstemon pennellianus D.D. Keck

Common names: Blue Mountain penstemon, Pennell's penstemon

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 435, accepted, in Oregon (explicit); FPN2 - 465, accepted, in Oregon (explicit), ; IL - 3:753, accepted, in Oregon (explicit); PEK - 702, accepted, in Oregon (explicit); VP - 4:398, accepted, in Oregon (explicit).

Penstemon perpulcher A. Nelson

Common names: beautiful penstemon

Origin: native Voucher: OSU, most recently collected in 1979.

FPN - 435, accepted, given distribution: middle and lower SRP; FPN2 - 465, accepted, in Oregon (explicit), ; IN - 4:432, accepted, in Oregon (explicit).

Penstemon pratensis Greene

Common names: white flowered penstemon

Origin: native Voucher: OSU, most recently collected in 2011.

IL - 3:741, accepted, in Oregon (explicit); IN - 4:390, accepted, in Oregon (explicit); PEK - 696, accepted, in Oregon (explicit).

Penstemon procerus Douglas ex Graham

FPN - 436, accepted, in Oregon (explicit); GWM - 317, accepted, in Oregon (explicit); IL - 3:738, accepted, in Oregon (explicit); IN - 4:392, accepted, not in Oregon; JPM - 1058, accepted, in Oregon (implied); PEK - 696, accepted, in Oregon (explicit).

Penstemon procerus Douglas ex Graham var. brachyanthus (Pennell) Cronquist

Common names: short flowered pincushion beardtongue

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 436, accepted, in Oregon (explicit); FPN2 - 461, accepted, in Oregon (explicit), ; JPM - 1058, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit); VP - 4:400, accepted, in Oregon (explicit).

Synonyms:

Penstemon tolmiei Hook. ssp. brachyanthus (Pennell) D.D. Keck

IL - 3:739, accepted, in Oregon (explicit); PEK - 697, accepted, in Oregon (explicit).

Penstemon procerus Douglas ex Graham var. formosus (A. Nelson) Cronquist

Common names: small pincushion beardtongue

Origin: native Voucher: OSU, most recently collected in 2011.

FPN - 436, accepted, in Oregon (explicit); FPN2 - 461, accepted, in Oregon (explicit); GWM - 317, accepted, in Oregon (explicit); IN - 4:394, accepted, in Oregon (explicit); JPM - 1060, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit); VP - 4:400, accepted, in Oregon (explicit).

Synonyms:

Penstemon tolmiei Hook. ssp. formosus (A. Nelson) D.D. Keck

IL - 3:738, accepted, in Oregon (explicit); PEK - 697, accepted, in Oregon (explicit).

Penstemon procerus Douglas ex Graham var. procerus

Common names: pincushion beardtongue

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 436, accepted, in Oregon (implied); FPN2 - 461, accepted, in Oregon (explicit), ; GWM - 317, accepted, in Oregon (explicit); IN - 4:394, accepted, in Oregon (implied); VP - 4:400, accepted, in Oregon (explicit).

Penstemon rattanii A. Gray

JPM - 1060, accepted, in Oregon (explicit); PEK - 701, accepted, in Oregon (explicit); VP - 4:409, accepted, in Oregon (explicit).

Penstemon rattanii A. Gray var. rattanii

Common names: Rattan's penstemon

Origin: native Voucher: OSU, most recently collected in 2005.

FPN2 - 463, accepted, in Oregon (explicit), ; JPM - 1060, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit).

Synonyms:

Penstemon rattanii A. Gray ssp. rattanii

IL - 3:747, (subtaxon implied), accepted, in Oregon (explicit).

Penstemon richardsonii Douglas ex Lindl.

FPN - 434, accepted, in Oregon (explicit); IL - 3:764, accepted, in Oregon (explicit); PEK - 703, accepted, in Oregon (explicit).

Penstemon richardsonii Douglas ex Lindl. var. dentatus (D.D. Keck) Cronquist

Common names: toothed-cutleaf beardtongue

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 434, accepted, in Oregon (explicit); FPN2 - 466, accepted, in Oregon (explicit), ; VP - 4:402, accepted, in Oregon (explicit).

Penstemon richardsonii Douglas ex Lindl. var. richardsonii

Common names: Richardson's penstemon

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 434, accepted, in Oregon (implied); FPN2 - 466, accepted, in Oregon (explicit), ; VP - 4:402, accepted, in Oregon (explicit).

Penstemon roezlii Regel

Common names: Roezli's penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

FPN2 - 465, accepted, in Oregon (explicit); JPM - 1060, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit); JPM2 - 1025, accepted, in Oregon (explicit).

Synonyms:

Penstemon laetus A. Gray ssp. roezlii (Regel) D.D. Keck

IL - 3:761, accepted, in Oregon (explicit).

Penstemon laetus A. Gray var. roezlii (Regel) Jeps.

FPN - 434, accepted, in Oregon (explicit); IN - 4:448, accepted, in Oregon (explicit); PEK - 704, accepted, in Oregon (explicit); VP - 4:391, accepted, in Oregon (implied).

Penstemon rupicola (Piper) Howell

Common names: cliff penstemon, rock penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 433, accepted, in Oregon (implied); FPN2 - 460, accepted, in Oregon (explicit), ; IL - 3:768, accepted, in Oregon (implied); JPM - 1060, accepted, in Oregon (implied); JPM2 - 1025, accepted, in Oregon (implied); PEK - 695, accepted, in Oregon (explicit); VP - 4:402, accepted, in Oregon (explicit).

Penstemon rydbergii A. Nelson

FPN - 437, accepted, in Oregon (implied); FPN2 - 461, accepted, in Oregon (explicit), ; VP - 4:402, accepted, in Oregon (explicit).

Penstemon rydbergii A. Nelson var. oreocharis (Greene) N.H. Holmgren

Common names: tall beardtongue, tall western penstemon, Rydberg's penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

IN - 4:390, accepted, in Oregon (explicit); JPM - 1060, accepted, in Oregon (explicit); JPM2 - 1026, accepted, in Oregon (explicit).

Synonyms:

Penstemon oreocharis Greene

FPN - 437, synonym for Penstemon rydbergii, in Oregon (implied); IL - 3:739, accepted, in Oregon (implied); PEK - 697, accepted, in Oregon (explicit).

Penstemon rydbergii A. Nelson var. rydbergii

Common names: swollen penstemon

Origin: native Voucher: OSU, most recently collected in 2015.

IN - 4:390, accepted, in Oregon (explicit).

Synonyms:

Penstemon rydbergii A. Nelson var. varians (A. Nelson) Cronquist

FPN - 436, accepted, in Oregon (implied); GWM - 317, accepted, in Oregon (explicit); VP - 4:404, accepted.

Penstemon seorsus (A. Nelson) D.D. Keck

Common names: narrow leaved penstemon, short lobed penstemon

Origin: native Voucher: OSU, most recently collected in 2009.

FPN - 439, accepted, in Oregon (explicit); FPN2 - 462, accepted, in Oregon (explicit), ; IL - 3:747, accepted, in Oregon (explicit); IN - 4:386, accepted, in Oregon (explicit); PEK - 696, accepted, in Oregon (explicit); VP - 4:404, accepted, in Oregon (explicit).

Penstemon serrulatus Menzies ex Sm.

Common names: coast penstemon, Cascades penstemon

Origin: native Voucher: OSU, most recently collected in 2006.

FPN - 434, accepted, in Oregon (implied); FPN2 - 465, accepted, in Oregon (explicit), ; IL - 3:763, accepted, in Oregon (explicit); PEK - 703, accepted, in Oregon (explicit); VP - 4:405, accepted, in Oregon (explicit).

Penstemon spatulatus Pennell

Common names: Wallowa penstemon

Origin: native Voucher: OSU, most recently collected in 2014.

FPN - 438, accepted; FPN2 - 464, accepted, in Oregon (explicit), ; GWM - 317, accepted, in Oregon (explicit); PEK - 699, accepted, in Oregon (explicit); VP - 4:405, accepted, in Oregon (explicit).

Synonyms:

Penstemon spathulatus Pennell

orthographic variant

FPN - 438, accepted, in Oregon (explicit); IL - 3:743, accepted, in Oregon (explicit).

Penstemon speciosus Douglas ex Lindl.

Common names: royal penstemon, showy penstemon

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 436, accepted, in Oregon (explicit); FPN2 - 464, accepted, in Oregon (implied), ; GWM - 318, accepted, in Oregon (explicit); IL - 3:751, accepted, in Oregon (implied); IN - 4:438, accepted, in Oregon (implied); JPM - 1060, accepted, in Oregon (implied); JPM2 - 1026, accepted, in Oregon (implied); PEK - 702, accepted, in Oregon (explicit); VP - 4:406, accepted, in Oregon (explicit).

Penstemon subserratus Pennell

Common names: fine toothed penstemon

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 440, accepted, in Oregon (explicit); FPN2 - 462, accepted, given distribution: Chelan Co, WA s to vic of CRG, ; IL - 3:746, accepted, in Oregon (explicit); PEK - 700, accepted, in Oregon (explicit); VP - 4:406, accepted, in Oregon (explicit).

Penstemon triphyllus Douglas

FPN - 434, accepted, given distribution: along SR and its larger tribs; IL - 3:764, accepted, in Oregon (explicit); PEK - 703, accepted, in Oregon (explicit); VP - 4:406, accepted, in Oregon (explicit).

Penstemon triphyllus Douglas var. infernalis N.H. Holmgren

Common names: whorled penstemon

Origin: native

FPN2 - 466, accepted, in Oregon (explicit).

Penstemon triphyllus Douglas var. triphyllus

Common names: Riggin's penstemon

Origin: native Voucher: OSU, most recently collected in 2009.

FPN2 - 466, accepted, in Oregon (explicit).

Penstemon venustus Douglas ex Lindl.

Common names: Venus penstemon, elegant penstemon

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 434, accepted, in Oregon (explicit); FPN2 - 466, accepted, in Oregon (explicit), ; GWM - 318, accepted, in Oregon (explicit); IL - 3:764, accepted, in Oregon (explicit); JPM - 1062, accepted, in Oregon (explicit); JPM2 - 1026, accepted, in Oregon (explicit); VP - 4:408, accepted, in Oregon (explicit).

Penstemon wilcoxii Rydb.

Common names: Wilcox's penstemon

Origin: native Voucher: OSU, most recently collected in 2015.

FPN - 440, accepted, in Oregon (explicit); FPN2 - 463, accepted, in Oregon (explicit), ; GWM - 318, accepted, in Oregon (explicit); IL - 3:746, accepted, in Oregon (explicit); PEK - 700, accepted, in Oregon (explicit); VP - 4:409, accepted, in Oregon (explicit).

Literature cited for Penstemon

(Excluding the standard references unless specifically cited in the flora manuscript.)

Plant Names Project, Ed. 2004-present. The International Plant Names Index. http://www.ipni.org. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Plantago

Checklist contributor: Henrietta Chambers, 1/1/2001

Flora contributor: treatment pending

Plantago arenaria Waldst. & Kit.

Common names: sand plantain

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN2 - 466, accepted, in Oregon (implied), .

Synonyms:

Plantago indica L.

FPN - 447, synonym for Plantago psyllium, in Oregon (implied); IL - 4:22, accepted, in Oregon (explicit); JPM - 821, accepted, not in Oregon.

Plantago psyllium L.

ICBN rejected name

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, in Oregon (implied); VP - 4:443, accepted, not in Oregon.

Plantago aristata Michx.

Common names: large bracted plantain, bristly plantain

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1964.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 448, accepted, in Oregon (implied), ...occ weed w Cas...; FPN2 - 467, accepted, not in Oregon, in P. patagonica desc.: P. ariistata Michx., a more robust e N Am sp.; IL - 4:20, accepted, in Oregon (explicit); JPM - 820, accepted, given distribution: NCo, GV, SCo, expected elsewhere; native to e US; JPM2 - 1028, accepted, no geog. info. given; PEK - 740, accepted, in Oregon (explicit); VP - 4:437, accepted, in Oregon (implied).

Plantago coronopus L.

Common names: cutleaf plantain

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

Chambers, 2001E - accepted, in Oregon (explicit); FPN2 - 466, accepted, in Oregon (implied), ; IL - 4:15, accepted, in Oregon (explicit); JPM - 820, accepted, given distribution: NCo, n SNF (Amador Co.), ScV, CCo, SCo (Ventura Co.), s ChI (Santa Catalina Island); native to Eur; JPM2 - 1028, accepted, no geog. info. given; PEK - 740, accepted, in Oregon (explicit); Simpson, 2001A - .

Plantago elongata Pursh

FPN - 448, accepted, in Oregon (implied); IL - 4:22, accepted, given distribution: plant of northwestern US and Canada, may be expected to occur in eastern WA; IN - 4:335, accepted, in Oregon (implied); JPM - 820, accepted, in Oregon (implied); JPM2 - 1028, accepted, in Oregon (implied); VP - 4:438, accepted, in Oregon (implied).

Plantago elongata Pursh var. elongata

Common names: slender plantain

Origin: native Voucher: OSU, most recently collected in 2013.

Chambers, 2001E - accepted, in Oregon (explicit); FPN2 - 467, accepted, in Oregon (implied), .

Synonyms:

Plantago bigelovii A. Gray

IL - 4:22, accepted, in Oregon (implied); PEK - 740, accepted, in Oregon (explicit).

Plantago erecta E. Morris

Common names: erect dwarf plantain

Origin: native Voucher: OSU, most recently collected in 2010.

Chambers, 2001E - accepted, in Oregon (explicit); IL - 4:21, accepted, in Oregon (explicit); JPM - 820, accepted, in Oregon (explicit); JPM2 - 1030, accepted, in Oregon (explicit).

Synonyms:

Plantago hookeriana Fisch. & C.A. Mey. var. californica (Greene) Poe

IL - 4:21, synonym for Plantago erecta, in Oregon (explicit); PEK - 740, accepted, in Oregon (explicit).

Plantago eriopoda Torr.

Common names: redwool plantain, saline plantain

Origin: native Voucher: OSU, most recently collected in 2018.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, not in Oregon; FPN2 - 467, accepted, not in Oregon,; IL - 4:18, accepted, in Oregon (explicit); IN - 4:335, accepted, in Oregon (explicit); JPM - 821, accepted, in Oregon (implied); JPM2 - 1030, accepted, in Oregon (implied); PEK - 738, accepted, in Oregon (explicit); VP - 4:438, accepted, in Oregon (explicit).

Synonyms:

Plantago shastensis Greene

IL - 4:18, synonym for Plantago eriopoda, in Oregon (explicit); PEK - 739, accepted, in Oregon (explicit).

Plantago lanceolata L.

Common names: English plantain, buckhorn plantain

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, in Oregon (implied); FPN2 - 467, accepted, in Oregon (implied), ; GWM - 326, accepted, in Oregon (explicit); IL - 4:18, accepted, in Oregon (implied); IN - 4:334, accepted, in Oregon (implied); JPM - 821, accepted, given distribution: CA-FP; native to Eur; JPM2 - 1030, accepted, no geog. info. given; PEK - 739, accepted, in Oregon (explicit); VP - 4:438, accepted, in Oregon (implied).

Plantago macrocarpa Cham. & Schltdl.

Common names: Alaska plantain

Origin: native Voucher: OSU, most recently collected in 1995.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, no geog. info. given; FPN2 - 467, accepted, in Oregon (explicit), ; IL - 4:17, accepted, in Oregon (explicit); PEK - 739, accepted, in Oregon (explicit); VP - 4:440, accepted, in Oregon (explicit).

Plantago major L.

Common names: common plantain

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, in Oregon (implied); FPN2 - 467, accepted, in Oregon (implied), ; GWM - 327, accepted, in Oregon (explicit); IL - 4:17, accepted, in Oregon (implied); IN - 4:334, accepted, in Oregon (implied); JPM - 821, accepted, given distribution: CA-FP (exc SN), GB; to e US; native to Eur; JPM2 - 1030, accepted, not in Oregon; VP - 4:440, accepted, in Oregon (implied).

Synonyms:

Plantago major L. var. major

Chambers, 2001E - , in Oregon (explicit); FPN - 447, accepted, in Oregon (implied); PEK - 738, (subtaxon implied), accepted, in Oregon (explicit).

Plantago major L. var. pachyphylla Pilg.

Chambers, 2001E - , in Oregon (explicit); FPN - 447, accepted, in Oregon (implied).

Plantago major L. var. pilgeri Domin

PEK - 738, accepted, in Oregon (explicit).

Plantago major L. var. scopulorum Fr. & Broberg

PEK - 738, accepted, in Oregon (explicit).

Plantago maritima L.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, accepted, in Oregon (implied); FPN2 - 466, accepted, in Oregon (implied), ; JPM - 821, accepted, in Oregon (implied); JPM2 - 1030, accepted, in Oregon (implied); VP - 4:440, accepted, in Oregon (implied).

Plantago maritima L. var. californica (Fernald) Pilg.

Common names: California seaside plantain

Origin: native Voucher: OSU, most recently collected in 2012.

Chambers, 2001E - accepted, in Oregon (explicit); IL - 4:18, synonym for Plantago juncoides var. californica, in Oregon (implied); JPM - 821, synonym for Plantago maritima, in Oregon (implied), appears in the text under P. maritima, ".....pls from dry places ... var. californica"; Kozloff, 2005 - 274, accepted, in Oregon (explicit), "two varieties or subspecies are recognized in some references:..." [these not fully treated]; PEK - 739, synonym for Plantago juncoides, in Oregon (explicit).

Synonyms:

Plantago juncoides Lam. var. californica Fernald

IL - 4:18, accepted, in Oregon (implied).

Plantago maritima L. var. juncoides (Lam.) A. Gray

Common names: goosetongue seaside plantain

Origin: native Voucher: OSU, most recently collected in 2009.

Chambers, 2001E - accepted, in Oregon (explicit); IL - 4:17, synonym for Plantago juncoides, in Oregon (implied); JPM - 821, synonym for Plantago maritima, in Oregon (explicit), appears in the text under P. maritima, ".....pls from wet places have been called var. juncoides"; Kozloff, 2005 - 274, accepted, in Oregon (explicit), "two varieties or subspecies are recognized in some references:..." [these not fully treated].

Synonyms:

Plantago juncoides Lam.

IL - 4:17, accepted, in Oregon (implied); PEK - 739, accepted, in Oregon (explicit).

Plantago juncoides Lam. var. juncoides

IL - 4:17, (subtaxon implied), accepted, in Oregon (implied).

Plantago maritima L. ssp. juncoides (Lam.) Hultén

FPN - 447, accepted, in Oregon (implied).

Plantago patagonica Jacq.

Common names: Indian wheat

Origin: native Voucher: OSU, most recently collected in 2018.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 448, accepted, in Oregon (implied); FPN2 - 467, accepted, given distribution: occ intro w Cas and in e N Am, ; IN - 4:336, accepted, in Oregon (implied); JPM - 821, accepted, in Oregon (implied); JPM2 - 1030, accepted, in Oregon (implied); VP - 4:441, accepted, in Oregon (implied).

Synonyms:

Plantago purshii Roem. & Schult.

FPN - 448, synonym for Plantago patagonica, in Oregon (implied); IL - 4:20, accepted, in Oregon (implied); PEK - 740, accepted, in Oregon (explicit).

Plantago pusilla Nutt.

Common names: dwarf plantain

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2012.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 448, accepted, in Oregon (implied); FPN2 - 467, accepted, in Oregon (explicit), ; IL - 4:22, accepted, in Oregon (explicit); JPM - 821, accepted, not in Oregon; JPM2 - 1030, accepted, no geog. info. given; PEK - 740, accepted, in Oregon (explicit); VP - 4:438, accepted, in Oregon (explicit).

Plantago subnuda Pilg.

Common names: Mexican plantain

Origin: native Voucher: OSU, most recently collected in 2017.

Chambers, 2001E - accepted, in Oregon (explicit); FPN - 447, synonym for Plantago hirtella, in Oregon (implied); FPN2 - 467, accepted, not in Oregon, ; IL - 4:17, synonym for Plantago hirtella Kunth var. galeottiana (Decne.) Pilger, in Oregon (implied); JPM - 821, accepted, not in Oregon; JPM2 - 1030, accepted, not in Oregon; PEK - 739, accepted, in Oregon (explicit).

Synonyms:

Plantago hirtella Kunth

FPN - 447, accepted, in Oregon (implied); VP - 4:438, accepted, in Oregon (implied).

Plantago virginica L.

Common names: Virginia plantain, dwarf plantain

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2004.

Chambers, 2001E - accepted, in Oregon (explicit); IL - 4:18, accepted, in Oregon (explicit); JPM - 821, accepted, not in Oregon; JPM2 - 1030, accepted, no geog. info. given; PEK - 740, accepted, in Oregon (explicit).

Literature cited for Plantago

(Excluding the standard references unless specifically cited in the flora manuscript.)

Chambers, H. 2001E. Oregon plantains: the natives are diverse and we tolerate the weeds! Oregon Flora Newsletter 7(3):18-20.

Chambers, H.L. 2001D. Key to Oregon Plantago. Oregon Flora Newsletter 7(3):20.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Sairocarpus

Checklist contributor:

Flora contributor: Richard Halse

Sairocarpus breweri (A. Gray) D.A. Sutton

Common names: Brewer's snapdragon

Origin: native Voucher: WS, most recently collected in 2016.

Synonyms:

Antirrhinum breweri A. Gray

IL - 3:790, accepted, in Oregon (explicit); PEK - 689, accepted, in Oregon (explicit).

Antirrhinum vexillo-calyculatum Kellogg

IL - 3:790, accepted, not in Oregon; JPM - 1015, accepted, in Oregon (explicit).

Antirrhinum vexillo-calyculatum Kellogg ssp. breweri (A. Gray) D.M. Thomps.

JPM - 1015, accepted, in Oregon (explicit).

Antirrhinum vexillocalyculatum Kellogg ssp. breweri (A. Gray) D.M. Thomps.

orthographic variant

JPM2 - 1004, accepted, in Oregon (explicit).

Sairocarpus kingii (S. Watson) D.A. Sutton

Common names: King's snapdragon

Origin: native Voucher: WS, most recently collected in 1979.

Synonyms:

Antirrhinum kingii S. Watson

IL - 3:791, accepted, in Oregon (explicit); IN - 4:456, accepted, in Oregon (explicit); JPM - 1014, accepted, in Oregon (explicit); JPM2 - 1004, accepted, in Oregon (explicit); PEK - 688, accepted, in Oregon (explicit).

Tonella

Checklist contributor: Henrietta Chambers, 6/25/2003

Flora contributor: Kenton Chambers

Tonella floribunda A. Gray

Common names: large flowered tonella

Origin: native Voucher: OSU, most recently collected in 2015.

FPN - 442, accepted, in Oregon; FPN2 - 469, accepted, in Oregon (explicit), ; IL - 3:782, accepted, in Oregon (explicit); PEK - 690, accepted, in Oregon (explicit); VP - 4:417, accepted, in Oregon (explicit).

Tonella tenella (Benth.) A. Heller

Common names: small flowered tonella

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 442, accepted, in Oregon (implied); FPN2 - 469, accepted, in Oregon (implied), ; IL - 3:782, accepted, in Oregon (implied); JPM - 1063, accepted, in Oregon (implied); JPM2 - 1031, accepted, in Oregon (implied); PEK - 691, accepted, in Oregon (explicit); VP - 4:417, accepted, in Oregon (implied).

Veronica

Checklist contributor: Henrietta Chambers, 1/1/2005

Flora contributor: treatment pending

Veronica agrestis L.

Common names: green procumbent speedwell

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1902.

FPN2 - 469, accepted, in Oregon (explicit), in genus desc..

Veronica americana Schwein. ex Benth.

Common names: American brooklime

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 443, accepted, no geog. info. given; FPN2 - 471, accepted, in Oregon (implied), ; GWM - 321, accepted, in Oregon (explicit); IL - 3:796, accepted, in Oregon (implied); IN - 4:464, accepted, in Oregon (implied); JPM - 1066, accepted, not in Oregon; JPM2 - 1032, accepted, in Oregon (implied); PEK - 714, accepted, in Oregon (explicit); VP - 4:420, accepted, in Oregon (implied).

Veronica anagallis-aquatica L.

Common names: water speedwell, water pimpernel

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN - 444, accepted, no geog. info. given; FPN2 - 471, accepted, in Oregon (implied); IL - 3:796, accepted, in Oregon (implied); IN - 4:464, accepted, in Oregon (implied); JPM - 1066, accepted, in Oregon (implied); JPM2 - 1032, accepted, in Oregon (implied); VP - 4:421, accepted, in Oregon (implied).

Synonyms:

Veronica anagallis L.

PEK - 714, accepted, in Oregon (explicit).

Veronica connata Pennell

Veronica connata Pennell ssp. glaberrima (Pennell) Fassett

IL - 3:797, accepted, in Oregon (implied).

Veronica connata Pennell var. glaberrima Pennell

PEK - 714, accepted, in Oregon (explicit).

Veronica argute-serrata Regel & Schmalh.

Common names: twolobed speedwell

Origin: exotic, not naturalized Voucher: WTU, most recently collected in 2013.

Misapplied names:

Veronica biloba L.

FPN - 443, accepted, no geog. info. given; IN - 4:466, accepted, not in Oregon; VP - 4:421, accepted, not in Oregon.

Veronica arvensis L.

Common names: corn speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

FPN - 443, accepted, no geog. info. given; FPN2 - 470, accepted, in Oregon (implied), ; GWM - 321, accepted, in Oregon (explicit); IL - 3:796, accepted, in Oregon (implied); IN - 4:466, accepted, not in Oregon; JPM - 1066, accepted, in Oregon (implied); JPM2 - 1032, accepted, given distribution: KR, NCoR, SNF, GV, SnFrB, SCoRO, TR, PR, MP, D; widely naturalized; native to Eurasia.; PEK - 715, accepted, in Oregon (explicit); VP - 4:421, accepted, in Oregon (implied).

Veronica californica M.M. Mart.Ort. & Albach

Common names: heart leaf snow queen

Origin: native Voucher: OSU, most recently collected in 2008.

Synonyms:

Synthyris cordata (A. Gray) A. Heller

JPM2 - 1031, accepted, in Oregon (explicit).

Synthyris reniformis (Douglas ex Benth.) Benth. var. cordata A. Gray

IL - 3:798, accepted, in Oregon (explicit); PEK - 716, accepted, in Oregon (explicit).

Veronica catenata Pennell

Common names: chain speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2009.

FPN - 444, accepted, no geog. info. given; FPN2 - 471, accepted, given distribution: uncommon in our area, on both sides Casm widespread in N Am,; IL - 3:797, synonym for Veronica connata Pennell ssp. glaberrima Pennell, in Oregon (implied); IN - 4:464, accepted, in Oregon (implied); JPM - 1066, accepted, in Oregon (implied); JPM2 - 1032, accepted, in Oregon (implied); VP - 4:421, accepted, in Oregon (implied).

Synonyms:

Veronica connata Pennell

Veronica chamaedrys L.

Common names: germander speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 1990.

FPN - 443, accepted, in Oregon (implied); FPN2 - 470, accepted, in Oregon (implied), ; IL - 3:796, accepted, in Oregon (implied); JPM - 1066, accepted, not in Oregon; PEK - 715, accepted, in Oregon (explicit); VP - 4:423, accepted, in Oregon (implied).

Veronica cusickii A. Gray

Common names: Cusick's speedwell

Origin: native Voucher: OSU, most recently collected in 2019.

FPN - 442, accepted, in Oregon (implied); FPN2 - 470, accepted, in Oregon (implied), ; GWM - 322, accepted, in Oregon (explicit); IL - 3:793, accepted, in Oregon (explicit); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1032, accepted, in Oregon (implied); PEK - 714, accepted, in Oregon (explicit); VP - 4:423, accepted, in Oregon (explicit).

Veronica filiformis Sm.

Common names: threadstalk speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN - 443, accepted, in Oregon (implied); FPN2 - 469, accepted, in Oregon (implied), ; JPM - 1067, accepted, not in Oregon.

Veronica hederifolia L.

Common names: ivy speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2019.

FPN2 - 469, accepted, in Oregon (implied), .

Synonyms:

Veronica hederaefolia L.

orthographic variant

FPN - 443, accepted, no geog. info. given; IN - 4:468, accepted, not in Oregon; VP - 4:423, accepted, not in Oregon.

Veronica longifolia L.

Common names: long leaved speedwell

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2008.

FPN - 442, accepted, in Oregon (implied); FPN2 - 470, accepted, not in Oregon, .

Veronica missurica Raf. ssp. missurica

Common names: mountain kittentails

Origin: native Voucher: OSU, most recently collected in 2010.

Synonyms:

Synthyris missurica (Raf.) Pennell ssp. missurica

FPN2 - 468, accepted, in Oregon (explicit), sp. Range: ne WA to ne OR, c ID, w MT (Ravalli Co), CRG, and n CA;

JPM2 - 1031, accepted, in Oregon (implied); PEK - 716, (subtaxon implied), accepted, in Oregon (explicit).

Veronica missurica Raf. ssp. stellata (Pennell) M.M. Mart.Ort. & Albach

Common names: western mountain kittentails, Columbia synthyris

Origin: native Voucher: OSU, most recently collected in 2003.

Synonyms:

Synthyris missurica (Raf.) Pennell ssp. stellata (Pennell) Kartesz & Gandhi

FPN2 - 468, accepted, in Oregon (explicit), .

Synthyris stellata Pennell

FPN - 441, synonym for Synthyris missurica, in Oregon (implied), "perhaps should be recognized as var. of S. missurica."; IL - 3:798, accepted, in Oregon (explicit); PEK - 716, accepted, in Oregon (explicit).

Veronica officinalis L.

Common names: common speedwell, heath speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2015.

FPN - 443, accepted, in Oregon (implied); FPN2 - 471, accepted, in Oregon (explicit), ; VP - 4:424, accepted, in Oregon (implied).

Synonyms:

Veronica officinalis L. var. officinalis

IL - 3:796, (subtaxon implied), accepted, in Oregon (explicit).

Veronica officinalis L. var. tournefortii (Vill.) Reichenb.

IL - 3:796, accepted, in Oregon (explicit).

Veronica peregrina L.

FPN - 443, accepted, in Oregon; IN - 4:466, accepted, in Oregon (implied); VP - 4:424, accepted, in Oregon (implied).

Veronica peregrina L. var. peregrina

Common names: purslane speedwell

Origin: native Voucher: OSU, most recently collected in 2015.

FPN - 443, accepted, in Oregon (implied); FPN2 - 470, accepted, given distribution: weedy, uncommon e US intro; w Cas, ; PEK - 715, (subtaxon implied), accepted, in Oregon (explicit).

Synonyms:

Veronica peregrina L. ssp. peregrina

IL - 3:796, (subtaxon implied), accepted, in Oregon (explicit).

Veronica peregrina L. var. xalapensis (Kunth) H. St. John & F.A. Warren

Common names: hairy purslane speedwell

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 443, accepted, in Oregon; FPN2 - 470, accepted, in Oregon (implied), ; GWM - 322, accepted, in Oregon (explicit); PEK - 715, accepted, in Oregon (explicit).

Synonyms:

Veronica peregrina L. ssp. xalapensis (Kunth) Pennell

IL - 3:796, accepted, in Oregon (implied); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1032, accepted, in Oregon (implied).

Veronica sherwoodii M. Peck

PEK - 715, accepted, in Oregon (explicit).

Veronica persica Poir.

Common names: Persian speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2020.

FPN - 443, accepted, no geog. info. given; FPN2 - 469, accepted, in Oregon (implied), ; IL - 3:796, accepted, in Oregon (implied); IN - 4:466, accepted, in Oregon (implied); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1032, accepted, in Oregon (implied); PEK - 715, accepted, in Oregon (explicit); VP - 4:424, accepted, in Oregon (implied).

Veronica regina-nivalis M.M. Mart.Ort. & Albach

Common names: snow queen

Origin: native Voucher: OSU, most recently collected in 2017.

Synonyms:

Synthyris reniformis (Douglas ex Benth.) Benth.

FPN - 441, accepted, in Oregon (implied); FPN2 - 468, accepted, in Oregon (implied), ; JPM - 1063, accepted, in Oregon (implied); JPM2 - 1031, accepted, in Oregon (implied); Love, 2006 - ; VP - 4:416, accepted, in Oregon (implied).

Synthyris reniformis (Douglas ex Benth.) Benth. var. reniformis

IL - 3:798, (subtaxon implied), accepted, in Oregon (implied); PEK - 716, (subtaxon implied), accepted, in Oregon (explicit).

Veronica rubra (Douglas ex Hook.) M.M. Mart.Ort. & Albach

Common names: red kittentails, besseya

Origin: native Voucher: OSU, most recently collected in 2018.

Synonyms:

Besseya rubra (Douglas ex Hook.) Rydb.

FPN - 415, accepted, in Oregon (implied); GWM - 301, accepted, in Oregon (explicit); IL - 3:800, accepted, in Oregon (explicit); PEK - 717, accepted, in Oregon (explicit); VP - 4:294, accepted, in Oregon (explicit).

Synthyris rubra Benth.

FPN - 415, synonym for Besseya rubra, in Oregon (implied); FPN2 - 468, accepted, in Oregon (explicit), .

Veronica schizantha (Piper) M.M. Mart.Ort. & Albach

Common names: fringed synthyris

Origin: native Voucher: OSU, most recently collected in 1975.

Synonyms:

Synthyris schizantha Piper

Chambers, 1996A - ; FPN - 441, accepted, in Oregon (implied); FPN2 - 469, accepted, in Oregon (explicit), ; IL - 3:798, accepted, in Oregon (explicit); PEK - 716, accepted, in Oregon (explicit); VP - 4:416, accepted, in Oregon (explicit).

Veronica scutellata L.

Common names: marsh speedwell, skullcap speedwell

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 444, accepted, no geog. info. given; FPN2 - 471, accepted, in Oregon (implied); JL - 3:797, accepted, in Oregon (implied); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1034, accepted, in Oregon (implied); PEK - 714, accepted, in Oregon (explicit); VP - 4:426, accepted, in Oregon (implied).

Veronica serpyllifolia L.

FPN - 443, accepted, in Oregon (implied); GWM - 322, accepted, in Oregon (explicit); IN - 4:465, accepted, in Oregon (implied); PEK - 715, accepted, in Oregon (explicit).

Veronica serpyllifolia L. var. humifusa (Dicks.) Vahl

Common names: thyme leaved speedwell

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 443, accepted, in Oregon (implied); FPN2 - 470, accepted, in Oregon (implied), ; IL - 3:793, accepted, in Oregon (implied); VP - 4:426, accepted, in Oregon (implied).

Synonyms:

Veronica humifusa Dicks.

FPN - 443, synonym for Veronica serpyllifolia var. humifusa, in Oregon (implied); PEK - 715, accepted, in Oregon (explicit).

Veronica serpyllifolia L. ssp. humifusa (Dicks.) Syme

GWM - 322, accepted, in Oregon (explicit); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1034, accepted, in Oregon (implied).

Veronica serpyllifolia L. var. serpyllifolia

Common names: thyme-leaved speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN - 443, accepted, in Oregon (implied); FPN2 - 470, accepted, in Oregon (implied), ; IL - 3:793, (subtaxon implied), accepted, in Oregon (implied); VP - 4:426, accepted, in Oregon (implied).

Veronica triphyllos L.

Common names: finger speedwell

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1962.

FPN2 - 470, accepted, in Oregon (explicit), ; GWM - 322, accepted, in Oregon (explicit); JPM - 1067, accepted, not in Oregon.

Veronica undulata Wall. ex Roxb.

Common names: undulate speedwell

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1902.

FPN2 - 469, accepted, in Oregon (explicit), in genus desc..

Veronica verna L.

Common names: speedwell

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2018.

FPN2 - 470, accepted, in Oregon (explicit), .

Veronica wormskjoldii Roem. & Schult.

Common names: American alpine speedwell

Origin: native Voucher: OSU, most recently collected in 2018.

FPN - 442, accepted, in Oregon (implied); FPN2 - 470, accepted, in Oregon (implied), ; GWM - 323, accepted, in Oregon (explicit); IN - 4:464, accepted, in Oregon (implied); JPM - 1067, accepted, in Oregon (implied); JPM2 - 1034, accepted, in Oregon (implied); VP - 4:426, accepted, in Oregon (implied).

Synonyms:

Veronica alpina L.

PEK - 714, accepted, in Oregon (explicit).

Veronica wormskjoldii Roem. & Schult. ssp. alterniflora (Fernald) Pennell

IL - 3:793, accepted, in Oregon (implied).

Veronica wormskjoldii Roem. & Schult. var. wormskjoldii

IL - 3:793, accepted, in Oregon (explicit).

Literature cited for Veronica

(Excluding the standard references unless specifically cited in the flora manuscript.)

Albach, D.C., M. Montserrat Martinez-Ortega, M.A. Fischer, M.W. Chase. 2004. A new classification of the tribe Veroniceae-problems and a possible solution. Taxon 53(2):429-452.

Hufford, L. and M. McMahon. 2004. Morphological evolution and systematics of Synthyris and Besseya (Veronicaceae): a phylogenetic analysis. Systematic Botany 29(3):716-736.

Excluded names:

Collinsia parviflora Douglas ex Lindl. var. parviflora

IL - 3:778, (subtaxon implied), accepted, in Oregon (implied).

Linaria genistifolia (L.) Mill.

FPN - 425, accepted, in Oregon (implied), occ W Cascades; VP - 4:333, accepted, in Oregon.

Linaria supina (L.) Chaz.

JPM - 1036, accepted, not in Oregon; Kartesz & Meacham, 2007 - accepted, in Oregon, cites two specimens at OSU from Yamhill and Marion Counties, as well as Peck 1961.; KZ - 2:439, accepted; PEK - 687, accepted, in Oregon (explicit).

Neogaerrhinum filipes (A. Gray) Rothm.

IN - 4:458, accepted, in Oregon (explicit).

Synonyms:

Antirrhinum filipes A. Gray

JPM - 1014, accepted, not in Oregon; JPM2 - 1003, accepted, not in Oregon; PEK - 688, accepted, in Oregon (explicit).

Penstemon lyallii A. Gray

FPN2 - 459, accepted, not in Oregon, ; VP - 4:392, accepted, in Oregon (explicit), records from ... Crook Co., Oregon need confirmation.

Penstemon procerus Douglas ex Graham var. tolmiei (Hook.) Cronquist

FPN - 436, accepted, not in Oregon; FPN2 - 461, accepted, not in Oregon, ; GWM - 317, accepted, in Oregon (explicit); VP - 4:400, accepted, not in Oregon.

Synthyris missurica (Raf.) Pennell ssp. hirsuta Pennell

IL - 3:798, accepted, in Oregon (explicit); PEK - 716, accepted, in Oregon (explicit).

Literature cited for Plantaginaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Albach, D.C., M. Montserrat Martinez-Ortega, M.A. Fischer, M.W. Chase. 2004. A new classification of the tribe Veroniceae-problems and a possible solution. Taxon 53(2):429-452.

Baldwin, B.G., S. Kalisz, and W.S. Armbruster. 2011. Phylogenetic perspectives on diversification, biogeography and floral evolution of Collinsia and Tonella (Plantaginaceae). American Journal of Botany 98(4):731-753.

Chambers, H. 2001E. Oregon plantains: the natives are diverse and we tolerate the weeds! Oregon Flora Newsletter 7(3):18-20.

Chambers, H.L. 2001D. Key to Oregon Plantago. Oregon Flora Newsletter 7(3):20.

Gray, A. 1879. Botanical contributions. Proceedings of the American Academy of Arts and Sciences 15:25-52.

Hufford, L. and M. McMahon. 2004. Morphological evolution and systematics of Synthyris and Besseya (Veronicaceae): a phylogenetic analysis. Systematic Botany 29(3):716-736.

Jones, M.E. 1908. New species and notes. Contributions to Western Botany 12:1-100.

Kartesz, J.T. and C.A. Meacham. 2007. Synthesis of the North American Flora, Prepublication Version 2.0. Missouri Botanical Garden Press, St. Louis, MO.

Kozloff, E.N. 2005. Plants of Western Oregon, Washington & British Columbia. Timber Press, Portland, OR, USA.

Lansdown, R. 2009. Nomenclatural notes on Callitriche (Callitrichaceae) in North America. Novon 19:364-369.

Old, R.R. 1993. Noteworthy collections: Idaho, Oregon and Washington. Madroño 40:136.

Pennell, F.W. 1935. Linaria in the Scrophulariaceae of eastern temperate North America. Acadamy of Natural Sciences Philosophical Monographs 1:299-312.

Philbrick, C.T. and R.K. Jansen. 1991. Phylogenetic studies of North American Callitriche (Callitrichaceae) using chloroplast DNA restriction fragment analysis. Systematic Botany 16:478-491.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. http://www.ipni.org. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IN = Intermountain Flora

JPM = The Jepson manual KZ = A synonymized checklist...(Kartesz) PLANTS = http://plants.usda.gov IPNI = The International Plant Names Index VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist IL = An Illustrated Flora of the Pacific States PEK = A manual of the higher plants of Oregon a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference