

Checklist of Oregon Berberidaceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds.
Version 2.1 © 2023 Oregon Flora Project



Achlys

Checklist contributor: Kenton Chambers, 11/16/1994

Flora contributor: Alan Whittmore

Achlys californica Fukuda & H.G. Baker

Common names: deer's-foot

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 3:290, accepted, in Oregon; FOO - 2:374, accepted, in Oregon (explicit); FPN2 - 80, accepted, in Oregon (implied); JPM - 362, accepted, in Oregon (implied); JPM2 - 446, accepted, in Oregon (implied); Oregon Flora Project, 2006F - .

Misapplied names:

Achlys triphylla (Sm.) DC.

Achlys triphylla (Sm.) DC.

FN - 3:288, accepted, in Oregon; Fukuda & Baker, 1970 - .

Achlys triphylla (Sm.) DC. ssp. *triphylla*

Common names: northern vanilla-leaf, sweet-after-death

Origin: native

Voucher: OSU, most recently collected in 2001.

FOO - 2:374, accepted, in Oregon (explicit); JPM - 362, accepted, in Oregon (implied); JPM2 - 446, accepted, in Oregon (implied).

Literature cited for Achlys

(Excluding the standard references unless specifically cited in the flora manuscript.)

Fukuda, I. and H.G. Baker. 1970. *Achlys californica* (Berberidaceae) - a new species. *Taxon* 19:341-344.

Berberis

Checklist contributor: Kenton Chambers, 11/16/1994

Flora contributor: Alan Whittmore

Berberis aquifolium Pursh

Common names: tall Oregon grape, shining Oregon grape

Origin: native

Voucher: OSU, most recently collected in 2020.

FN - 3:284, accepted, in Oregon; FOO - 2:375, accepted, in Oregon (explicit); FPN - 142, accepted, in Oregon (explicit); FPN2 - 81, accepted, in Oregon (implied); IL - 2:218, synonym for *Mahonia aquifolium*, in Oregon (implied); JPM - 363, accepted, in Oregon (implied); PEK - 347, accepted, in Oregon (explicit); VP - 2:414, accepted, in Oregon (explicit).

Synonyms:

Berberis aquifolium Pursh var. *aquifolium*

FOO - 2:375, synonym for *Berberis aquifolium*; JPM - 363, accepted, in Oregon (implied); JPM2 - 446, accepted, in Oregon (implied).

Mahonia aquifolium (Pursh) Nutt.

FN - 3:284, synonym for *Berberis aquifolium*, in Oregon; FOO - 2:375, synonym for *Berberis aquifolium*; IL - 2:218, accepted, in Oregon (explicit); IN - 2a:54, accepted, in Oregon (explicit).

Berberis darwinii Hook.

Common names: Darwin's barberry

Origin: exotic, naturalized

Voucher: OSU, most recently collected in 2018.

FN - 3:279, accepted, in Oregon, only rarely escapes cultivation; FOO - 2:376, accepted, in Oregon (explicit); FPN2 - 81, accepted, in Oregon (implied); JPM2 - 447, accepted, in Oregon (explicit).

***Berberis julianae* C.K. Schneid.**

Common names: wintergreen berberis

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2005.

FOO - 2:375, uncertain; FPN2 - 81, accepted, in Oregon (explicit), .

***Berberis nervosa* Pursh**

Common names: Cascade Oregon grape

Origin: native

Voucher: OSU, most recently collected in 2017.

FN - 3:286, accepted, in Oregon; FOO - 2:376, accepted, in Oregon (explicit); FPN - 142, accepted, in Oregon (explicit); FPN2 - 81, accepted, in Oregon (explicit), ; IL - 2:217, synonym for *Mahonia nervosa*, in Oregon (implied); JPM - 363, accepted, in Oregon (implied); JPM2 - 447, accepted, in Oregon (implied); PEK - 347, accepted, in Oregon (explicit); VP - 2:414, accepted, in Oregon (implied), [Oregon implied].

Synonyms:

***Mahonia nervosa* (Pursh) Nutt.**

FN - 3:286, synonym for *Berberis nervosa*, in Oregon; FOO - 2:376, synonym for *Berberis nervosa*; IL - 2:217, accepted, in Oregon (implied).

***Berberis pinnata* Lag.**

FN - 3:285, accepted, in Oregon (explicit); IL - 2:217, synonym for *Mahonia pinnata*, not in Oregon; JPM - 363, accepted, in Oregon (implied); PEK - 347, accepted, in Oregon (explicit).

Berberis pinnata* Lag. ssp. *pinnata

Common names: California Oregon grape

Origin: native

Voucher: OSU, most recently collected in 2013.

FN - 3:286, accepted, in Oregon; FOO - 2:376, accepted, in Oregon (explicit); JPM - 363, accepted, in Oregon (implied); JPM2 - 447, accepted, in Oregon (implied).

Synonyms:

***Mahonia pinnata* (Lag.) Fedde**

FN - 3:285, synonym for *Berberis pinnata*, in Oregon; FOO - 2:376, synonym for *Berberis pinnata* ssp. *pinnata*; IL - 2:217, accepted, not in Oregon.

***Berberis piperiana* (Abrams) McMinn**

Common names: Piper's Oregon grape

Origin: native

Voucher: OSU, most recently collected in 2010.

FN - 3:284, accepted, in Oregon; FOO - 2:376, accepted, in Oregon (explicit); FPN2 - 81, accepted, in Oregon (explicit), ; PEK - 347, accepted, in Oregon (explicit).

Synonyms:

***Mahonia piperiana* Abrams**

FN - 3:284, synonym for *Berberis piperiana*, in Oregon; FOO - 2:376, synonym for *Berberis piperiana*; IL - 2:218, accepted, in Oregon (explicit).

***Berberis pumila* Greene**

Common names: pygmy Oregon grape, dwarf western barberry

Origin: native

Voucher: OSU, most recently collected in 2008.

FN - 3:283, accepted, in Oregon; FOO - 2:377, accepted, in Oregon (explicit); IL - 2:218, synonym for *Mahonia pumila*, in Oregon (explicit); PEK - 348, accepted, in Oregon (explicit).

Synonyms:

***Mahonia pumila* (Greene) Fedde**

FN - 3:283, synonym for *Berberis pumila*, in Oregon; FOO - 2:377, synonym for *Berberis pumila*; IL - 2:218, accepted, in Oregon (explicit).

***Berberis repens* Lindl.**

Common names: creeping Oregon grape

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 3:284, accepted, in Oregon (explicit); FOO - 2:377, accepted, in Oregon (explicit); FPN - 143, accepted, in Oregon (explicit); FPN2 - 81, accepted, in Oregon (implied), ; GWM - 161, accepted, in Oregon (explicit); IL - 2:218, synonym for *Mahonia repens*, in Oregon (implied); PEK - 347, accepted, in Oregon (explicit); VP - 2:415, accepted, in Oregon (explicit).

Synonyms:

***Berberis aquifolium* Pursh var. *repens* (Lindl.) Scoggan**

FN - 3:284, synonym for *Berberis repens*, in Oregon; FOO - 2:377, synonym for *Berberis repens*; JPM - 363, accepted, in Oregon (implied); JPM2 - 446, accepted, in Oregon (implied).

***Mahonia repens* (Lindl.) G. Don**

FN - 3:284, synonym for *Berberis repens*, in Oregon; FOO - 2:377, synonym for *Berberis repens*; IL - 2:218, accepted, in Oregon (implied); IN - 2a:54, accepted, in Oregon (explicit).

***Berberis vulgaris* L.**

Common names: common berberis, jaundice berry, piprage

Origin: exotic, not naturalized

Voucher: OSU, most recently collected in 2005.

FOO - 2:375, uncertain; FPN2 - 81, accepted, in Oregon (explicit), ; JPM2 - 447, accepted, not in Oregon.

Literature cited for *Berberis*

(Excluding the standard references unless specifically cited in the flora manuscript.)

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Vancouveria

Checklist contributor: Kenton Chambers, 11/16/1994

Flora contributor: Alan Whitemore

***Vancouveria chrysantha* Greene**

Common names: golden inside-out flower, yellow vancouveria, Siskiyou inside-out flower

Origin: native

Voucher: OSU, most recently collected in 2007.

FN - 3:291, accepted, in Oregon; FOO - 2:378, accepted, in Oregon (explicit); IL - 2:221, accepted, in Oregon (explicit); JPM - 364, accepted, in Oregon (explicit); JPM2 - 448, accepted, in Oregon (explicit); PEK - 348, accepted, in Oregon (explicit).

***Vancouveria hexandra* (Hook.) C. Morren & Decne.**

Common names: northern inside-out flower, white inside-out flower, northern vancouveria

Origin: native

Voucher: OSU, most recently collected in 2021.

FN - 3:291, accepted, in Oregon; FOO - 2:378, accepted, in Oregon (explicit); FPN - 143, accepted, in Oregon (implied); FPN2 - 81, accepted, in Oregon (implied), ; IL - 2:221, accepted, in Oregon (implied); JPM - 364, accepted, in Oregon (implied); JPM2 - 448, accepted, in Oregon (implied); PEK - 348, accepted, in Oregon (explicit).

***Vancouveria planipetala* Calloni**

Common names: redwood-ivy, small inside-out flower, small-flowered vancouveria, redwood inside-out flower

Origin: native

Voucher: OSU, most recently collected in 1977.

FN - 3:291, accepted, in Oregon; FOO - 2:378, accepted, in Oregon (explicit); IL - 2:221, accepted, not in Oregon; JPM - 364, accepted, in Oregon (explicit); JPM2 - 448, accepted, in Oregon (explicit); PEK - 348, accepted, in Oregon (explicit).

Literature cited for Berberidaceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Cronquist, A. 1981. An Integrated System of Classification of Flowering Plants. Columbia University Press, New York, NY.

Fukuda, I. 1967. The biosystematics of *Achlys*. Taxon 16:308-316.

Fukuda, I. and H.G. Baker. 1970. *Achlys californica* (Berberidaceae) - a new species. Taxon 19:341-344.

Plant Names Project, Ed. 2004-present. The International Plant Names Index. <http://www.ipni.org>. Harvard University Herbaria, Royal Botanic Gardens, Kew, and Australian National Herbarium.

Abbreviations Used

FN = Flora of North America

FPN = Flora of the Pacific Northwest

FOO = Flora of Oregon

GWM = Guide to the plants of the
Wallowa Mountains of northeastern

IL = An Illustrated Flora of the Pacific States

IN = Intermountain Flora

IPNI = The International Plant Names Index

JPM = The Jepson manual

KZ = A synonymized checklist...(Kartesz)

PEK = A manual of the higher plants of Oregon

PLANTS = <http://plants.usda.gov>

VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference

a+ = authority in the reference matches checklist

a± = authority abbreviation in the reference differs

sa = authority at the specific level in the reference

ssa = authority at the subspecific level in the reference