Checklist of Oregon Papaveraceae

Thea Jaster, Stephen C. Meyers and Scott Sundberg, eds. Version 2.1 © 2023 Oregon Flora Project



Argemone

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Argemone munita Durand & Hilg.

IL - 2:231, synonym for Argemone platyceras, not in Oregon; IN - 2a:25, accepted, in Oregon (explicit); JPM - 811, accepted, not in Oregon; JPM2 - 980, accepted, not in Oregon.

Argemone munita Durand & Hilg. ssp. rotundata (Rydb.) G.B. Ownbey

Common names: prickly poppy

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 3:319, accepted; FPN2 - 77, accepted, in Oregon (explicit).

Misapplied names:

Argemone platyceras Link & Otto var. hispida (A. Gray) Prain

FN - 3:318, synonym for Argemone hispida, not in Oregon, syn of A. hispida; not in Oregon; IL - 2:231, accepted, not in Oregon; PEK - 350, accepted, in Oregon (explicit).

Canbya

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Canbya aurea S. Watson

Common names: golden canbya, yellow pygmy-poppy

Origin: native Voucher: OSU, most recently collected in 2008.

FN - 3:232, accepted; FPN - 143, accepted, in Oregon (explicit); FPN2 - 77, accepted, in Oregon (explicit), ; IL - 2:232, accepted, in Oregon (explicit); IN - 2a:28, accepted, in Oregon (explicit); PEK - 350, accepted, in Oregon (explicit); VP - 2:417, accepted, in Oregon (explicit).

Chelidonium

Checklist contributor:

Flora contributor: treatment pending

Chelidonium majus L.

Common names: celandine Origin: exotic, not naturalized

FPN2 - 77, accepted, in Oregon (explicit).

Corydalis

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Corydalis aquae-gelidae M. Peck & W.C. Wilson

Common names: Clackamas corydalis, cold water corydalis

Origin: native Voucher: OSU, most recently collected in 2013.

FPN - 145, accepted, in Oregon (explicit); FPN2 - 78, accepted, in Oregon (explicit), ; PEK - 353, accepted, in Oregon (explicit); VP - 2:423, accepted, in Oregon (explicit).

Synonyms:

Corydalis aqua-gelidae M. Peck & W.C. Wilson

orthographic variant

FN - 3:351, accepted, in Oregon (explicit).

Corydalis aurea Willd.

FPN - 145, accepted, in Oregon (implied); GWM - 161, accepted, in Oregon (explicit); IL - 2:237, accepted, in Oregon (explicit); IN - 2a:46, accepted, in Oregon (explicit); JPM - 811, accepted, in Oregon (implied); JPM2 - 981, accepted, in Oregon (implied); VP - 2:423, accepted, in Oregon (explicit).

Corydalis aurea Willd. ssp. aurea

Common names: golden corydalis, golden smoke

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 3:355, accepted; FPN2 - 78, accepted, in Oregon (implied), .

Synonyms:

Corydalis aurea Willd. var. aurea

VP - 2:423, accepted.

Misapplied names:

Corydalis aurea Willd. ssp. occidentalis (Engelm. ex A. Gray) G.B. Ownbey

FN - 3:355, accepted, not in Oregon.

Corydalis aurea Willd. var. occidentalis Engelm.

FN - 3:355, synonym for Corydalis aurea ssp. occidentalis; PEK - 353, accepted, in Oregon (explicit).

Corydalis caseana A. Gray

FPN - 145, accepted, in Oregon (explicit); IL - 2:235, accepted, not in Oregon; IN - 2a:45, accepted, in Oregon (explicit).

Corydalis caseana A. Gray ssp. cusickii (S. Watson) G.B. Ownbey

Common names: Case's corydalis

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 3:351, accepted, in Oregon; FPN2 - 78, accepted, in Oregon (explicit), ; VP - 2:425, accepted.

Synonyms:

Corydalis caseana A. Gray var. cusickii (S. Watson) C.L. Hitchc.

FN - 3:351, synonym for Corydalis caseana ssp. cusickii; FPN - 145, accepted, in Oregon (explicit).

Corydalis cusickii S. Watson

FN - 3:351, synonym for Corydalis caseana ssp. cusickii, in Oregon; GWM - 162, accepted, in Oregon (explicit); IL - 2:235, accepted, in Oregon (explicit); PEK - 353, accepted, in Oregon (explicit).

Corydalis lutea DC.

Common names: yellow corydalis

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2005.

FN - 3:348, accepted; FPN - 144, accepted, in Oregon (explicit); FPN2 - 78, accepted, in Oregon (explicit), ; Nelson, 1918B - accepted, in Oregon (explicit), on Elk Rock near rock garden, but reported by the gardener as never cultivated.; VP - 2:425, accepted, in Oregon (explicit).

Corydalis scouleri Hook.

Common names: Scouler's corydalis, western corydalis

Origin: native Voucher: OSU, most recently collected in 2006.

FN - 3:349, accepted; FPN - 145, accepted, in Oregon (explicit); FPN2 - 78, accepted, in Oregon (explicit), ; IL - 2:235, accepted, in Oregon (explicit); PEK - 352, accepted, in Oregon (explicit); VP - 2:425, accepted, in Oregon (explicit).

Literature cited for Corydalis

(Excluding the standard references unless specifically cited in the flora manuscript.)

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Dendromecon

Checklist contributor:

Flora contributor: Stephen Meyers

Dendromecon rigida Benth.

Common names: tree poppy
Origin: exotic, not naturalized
JPM2 - accepted, not in Oregon.

Voucher: OSU, most recently collected in 2013.

Voucher: OSU, most recently collected in 2011.

Dicentra

Checklist contributor: Henrietta Chambers, 4/11/2005

Flora contributor: Bridget Chipman

Dicentra cucullaria (L.) Bernh.

Common names: western dutchman's breeches

Origin: native

FN - 3:346, accepted; FPN - 145, accepted, in Oregon (explicit); FPN2 - 78, accepted, in Oregon (explicit), ; GWM - 162, accepted, in Oregon (explicit); IL - 2:235, accepted, in Oregon (explicit); VP - 2:427, accepted, in Oregon (explicit).

Synonyms

Dicentra cucullaria (L.) Bernh. var. occidentalis (Rydb.) M. Peck

PEK - 352, accepted, in Oregon (explicit); VP - 2:427, accepted.

Dicentra formosa (Haw.) Walp.

FPN - 145, accepted, in Oregon (implied); IL - 2:234, accepted, in Oregon (implied); JPM - 812, accepted, in Oregon (implied); JPM2 - 981, accepted, in Oregon (implied); Love, 2006 - ; VP - 2:429, accepted, in Oregon (implied).

Dicentra formosa (Haw.) Walp. ssp. formosa

Common names: Pacific bleeding heart

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 3:344, accepted; FPN2 - 78, accepted, in Oregon (explicit), .

Synonyms:

Dicentra formosa (Haw.) Walp. var. breviflora L.F. Hend.

FN - 3:344, synonym for Dicentra formosa ssp. formosa, in Oregon; IL - 2:234, accepted, in Oregon (explicit); PEK - 352, accepted, in Oregon (explicit).

Dicentra formosa (Haw.) Walp. var. brevifolia L.F. Hend.

orthographic variant

KZ - 2:247, accepted; PEK - 352, accepted, in Oregon (explicit).

Dicentra formosa (Haw.) Walp. var. formosa

IL - 2:234, (subtaxon implied), accepted, in Oregon (implied); PEK - 351, (subtaxon implied), accepted, in Oregon (explicit).

Dicentra formosa (Haw.) Walp. ssp. oregana (Eastw.) Munz

Common names: Pacific bleeding heart, Oregon bleeding heart

Origin: native Voucher: OSU, most recently collected in 2007.

FN - 3:344, accepted; JPM - 812, uncertain, appears in the text under D. formosa, "...small pls from...have been called ssp. oregana".

Synonyms:

Dicentra oregana Eastw.

FN - 3:344, synonym for Dicentra formosa ssp. oregana, in Oregon; IL - 2:234, accepted, in Oregon (explicit); PEK - 352, accepted, in Oregon (explicit).

Dicentra oregona Eastw.

orthographic variant

IL - 2:234, accepted, in Oregon (explicit); PEK - 352, accepted, in Oregon (explicit).

Dicentra pauciflora S. Watson

Common names: few flowered dicentra

Origin: native Voucher: OSU, most recently collected in 2018.

FN - 3:345, accepted, in Oregon; IL - 2:234, accepted, not in Oregon; JPM - 812, accepted, not in Oregon; JPM2 - 982, accepted, in Oregon (explicit); PEK - 352, accepted, in Oregon (explicit).

Dicentra uniflora Kellogg

Common names: steer's head, one flowered dicentra

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 3:345, accepted; FPN - 145, accepted, in Oregon (implied); FPN2 - 78, accepted, in Oregon (explicit); GWM - 162, accepted, in Oregon (explicit); IL - 2:234, accepted, in Oregon (implied); IN - 2a:48, accepted, in Oregon (explicit); JPM - 812, accepted, in Oregon (implied); JPM2 - 982, accepted, in Oregon (implied); PEK - 352, accepted, in Oregon (explicit); VP - 2:429, accepted, in Oregon (implied).

Eschscholzia

Checklist contributor: Henrietta Chambers, 4/11/2006

Flora contributor: Bridget Chipman

Eschscholzia caespitosa Benth.

Common names: gold poppy

Origin: native Voucher: OSU, most recently collected in 2011.

FN - 3:309, accepted; IL - 2:227, accepted, not in Oregon; JPM - 814, accepted, in Oregon (explicit); JPM2 - 982, accepted, in Oregon (explicit).

Eschscholzia californica Cham.

Common names: California poppy, golden poppy

Origin: native Voucher: OSU, most recently collected in 2017.

FPN - 143, accepted, in Oregon (implied); IL - 2:227, accepted, in Oregon (implied); IN - 2a:39, accepted, in Oregon (explicit); JPM - 814, accepted, in Oregon (implied); JPM2 - 982, accepted, in Oregon (implied); VP - 2:419, accepted, in Oregon (implied).

Synonyms:

Eschscholtzia californica Cham.

orthographic variant

IL - 2:227, accepted, not in Oregon; PEK - 351, accepted, in Oregon (explicit).

Eschscholzia californica Cham. ssp. californica

FN - 3:310, accepted; FPN2 - 79, accepted, in Oregon (explicit), .

Eschscholzia californica Cham. var. crocea (Benth.) Jeps.

FN - 3:310, synonym for Eschscholzia californica ssp. californica, in Oregon; IL - 2:227, accepted, in Oregon (implied).

Fumaria

Checklist contributor: Richard Halse, Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Fumaria capreolata L.

Common names: white ramping fumitory

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2016.

FN - 3:356, accepted, not in Oregon; JPM2 - 984, accepted, not in Oregon.

Fumaria officinalis L.

Common names: common fumitory

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2013.

FN - 3:356, accepted; FPN - 145, accepted, in Oregon (explicit); FPN2 - 79, accepted, in Oregon (implied), ; IL - 2:237, accepted, in Oregon (explicit); IN - 2a:44, accepted, in Oregon (explicit); JPM - 814, accepted, not in Oregon; JPM2 - 984, accepted, no geog. info. given; PEK - 353, accepted, in Oregon (explicit); VP - 2:430, accepted, in Oregon (explicit).

Fumaria vaillantii Loisel.

Common names: small fumitory

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2002.

FPN2 - 79, accepted, in Oregon (explicit).

Misapplied names:

Fumaria parviflora Lam.

IL - 2:237, accepted, not in Oregon; JPM - 814, accepted, not in Oregon; JPM2 - 984, accepted, not in Oregon.

Meconella

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Meconella oregana Nutt.

Common names: white meconella

Origin: native Voucher: OSU, most recently collected in 2014.

FN - 3:338, accepted; FPN - 144, accepted, in Oregon (explicit); FPN2 - 79, accepted, in Oregon (explicit); ; IL - 2:225, accepted, in Oregon (explicit); JPM2 - 985, accepted, in Oregon (explicit); PEK - 350, accepted, in Oregon (explicit); VP - 2:419, accepted, in Oregon (explicit).

Papaver

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Papaver argemone L.

Common names: prickly pod poppy

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2019.

FN - 3:325, accepted; FPN - 144, accepted, in Oregon (implied); FPN2 - 80, accepted, in Oregon (implied), ; IL - 2:230, accepted, in Oregon (implied); IN - 2a:34, accepted, in Oregon (explicit); JPM - 815, accepted, given distribution: CA-FP; native to Eurasia; cult; JPM2 - 985, accepted, no geog. info. given; VP - 2:420, accepted, in Oregon (implied).

Papaver dubium L.

Common names: blindeyes

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 1922.

FN - 3:332, accepted; FPN2 - 80, accepted, in Oregon (implied), .

Papaver rhoeas L.

Common names: corn poppy

Origin: exotic, naturalized Voucher: OSU, most recently collected in 2017.

FN - 3:333, accepted; FPN - 144, accepted, no geog. info. given, occ in waste places; FPN2 - 80, accepted, in Oregon (implied), ; IL - 2:230, accepted, in Oregon (implied); IN - 2a:32, accepted, in Oregon (explicit); JPM - 815, accepted, given distribution: CA-FP; native to Eurasia; cult; JPM2 - 985, accepted, in Oregon (implied); Oregon Flora Project, 2007C - ; VP - 2:420, accepted, in Oregon (implied).

Papaver somniferum L.

Common names: opium poppy

Origin: exotic, not naturalized Voucher: OSU, most recently collected in 2008.

FN - 3:332, accepted; FPN - 144, accepted, no geog. info. given; FPN2 - 80, accepted, in Oregon (implied); IL - 2:230, accepted, in Oregon (implied); IN - 2a:32, accepted, in Oregon (explicit); JPM - 815, accepted, given distribution: CA-FP; native to Eurasia; cult; JPM2 - 985, accepted, in Oregon (implied); VP - 2:420, accepted, in Oregon (implied).

Platystemon

Checklist contributor: Henrietta Chambers, 4/12/2005

Flora contributor: Bridget Chipman

Platystemon californicus Benth.

Common names: cream cups

Origin: native Voucher: OSU, most recently collected in 2013.

FN - 3:339, accepted; IL - 2:223, accepted, in Oregon (explicit); IN - 2a:42, accepted, in Oregon (explicit); JPM - 815, accepted, in Oregon (explicit); JPM2 - 985, accepted, in Oregon (explicit); PEK - 349, accepted, in Oregon (explicit).

Excluded names:

Glaucium corniculatum (L.) Rudolph

FN - 3:303, accepted; FPN2 - 77, accepted, not in Oregon, in the bottom of the family description paragraph. Itallicized but not bolded; IN - 2a:38, accepted, in Oregon (explicit).

Glaucium flavum Crantz

FN - 3:303, accepted; FPN2 - 77, accepted, in Oregon (explicit), in the bottom of the family description paragraph. Itallicized but not bolded; IL - 2:228, accepted, in Oregon (implied); JPM - 815, accepted, given distribution: CA-FP; native to Eur; JPM2 - 984, accepted, no geog. info. given.

Hesperomecon linearis (Benth.) Greene

JPM - 815, synonym for Meconella linearis, in Oregon; JPM2 - 984, accepted, in Oregon (explicit).

Synonyms:

Meconella linearis (Benth.) A. Nels. & J.F. Macbr.

IL - 2:225, accepted, not in Oregon; JPM - 815, accepted, in Oregon (explicit).

Meconella californica Torr.

FN - 3:337, accepted, not in Oregon, not in Oregon; IL - 2:225, accepted, not in Oregon; JPM - 815, accepted, not in Oregon; JPM2 -985, accepted, not in Oregon; PEK - 350, accepted, in Oregon (explicit), "Curry Co. to Calif.".

Literature cited for Papaveraceae

(Excluding the standard references unless specifically cited in the flora manuscript.)

Howard, M. 1987. Traditional Folk Remedies. Century.

Hsu, H.Y. 1986. Oriental Materia Medica: A Concise Guide. Oriental Healing Arts Institute, Long Beach, CA.

Moerman, D. 1991. The medicinal flora of native North America: an analysis. Journal of Ethnopharmacology 31:1-42.

Nelson, J.C. 1918B. Some Oregon exotics. American Botanist 24:126-129.

Wang, W., A.M. Lu, Y. Ren, M.E. Endress, and Z.D. Chen. 2009. Phylogeny and classification of Ranunculales: Evidence from four molecular loci and morphological data. Perspectives in Plant Ecology, Evolution and Systematics 11:81-110.

Abbreviations Used

FN = Flora of North America FPN = Flora of the Pacific Northwest FOO = Flora of Oregon

GWM = Guide to the plants of the Wallowa Mountains of northeastern IL = An Illustrated Flora of the Pacific States IN = Intermountain Flora

JPM = The Jepson manual KZ = A synonymized checklist...(Kartesz) PEK = A manual of the higher plants of Oregon PLANTS = http://plants.usda.gov IPNI = The International Plant Names Index VP = Vascular Plants of the Pacific Northwest

a- = no authority given in the reference a+ = authority in the reference matches checklist a± = authority abbreviation in the reference differs sa = authority at the specific level in the reference ssa = authority at the subspecific level in the reference